Service part catalogue


SelfCooking Center® Linie
Combi Master 202 - 20 x 2/1 GastronormE

validity: 10/2008 - ...



29.10.2010
3NAC400 V 50Hz


Overview



Overview

Pos.	Module	Page
1	Control panel	4
2	Electrical installation	6
3	ClimaPlus	10
4	Steam generator	12
5	Hot air heating	18
6	Motor and fan wheel	20
7	Interior cabinet	22
8	Door	26
9	Exterior cabinet	30
10	Water	34
11	CleanJet + Care	38
13	Standard accessory	40


Control panel



Control panel

Pos.	Part No.	Description	Qty.
1	87.00.001	Control panel insert with overlay	1
2	42.00.048	Control pcb Index "MF"	1
3	10.00.916	Hex nut M4 w. locking	8
4	10.00.355	Spacer black	8
5	2020.0400	Fixing device for cable harness	1
6	16.00.282	Dial	3
8	5110.1027	Distance plate for front panel	2
9	40.02.087	Buzzer	1
10	1104.0121	Hex nut M4 self locking	1
11	5110.1029	Gasket mode switch	1
12	40.00.464	Potentiometer CT	1
13	5110.1029	Gasket mode switch	1
14	16.00.387	Mounting device f.sealing + sealing lip	1
15	16.00.556	Overlay *RAT*	1
17	42.00.044	Pot. Hot Air	1


Electrical installation



Electrical installation

Pos.	Part No.	Description	Qty.
3	40.00.453	Solid state relais	1
3	40.00.453	Solid state relais	1
4	40.00.453	Solid state relais	1
5	40.00.453	Solid state relais	1
6	40.00.453	Solid state relais	1
11	10.00.507	Pan head screw Torx 5/16" T20	12
12	10.00.706	Oval head cap screw T20 M4x10	8
18	1104.0801	Cage nut M4	1
19	10.00.243	Spacer M4x8	1
20	1104.0120	Hex nut M4	1
22	40.00.472	Bus cable 1.3m	1
25	10.00.112	Cable clip short	6
28	10.00.111	Cable clip long	1
28	10.00.111	Cable clip long	8
30	10.00.678	Bundle-clip	3
31	10.00.471	Cable clip d10-12mm	3
32	10.00.471	Cable clip d10-12mm	3
40	4007.0632	Screwed cable gland M63x1.5(34-45mm)si.gr	1
42	40.01.319	Fixing device f. cable guide	1
43	1106.0160	Hex nut M6	1
44	1206.0120	Tooth lock washer A6,4	1
46	40.01.132	Center fixation f. contactor assembly	1
47	1106.0224	Hex nut M6 self locking	1
48	40.01.581	Jumper	1
61	40.00.471	Bus cable 0.8m	1
A		Electrical installation	1


Electrical installation



Electrical installation

Pos.	Part No.	Description	Qty.
1	40.02.498	Cable control harness	1
2	10.00.111	Cable clip long	5
3	40.01.329	Dry up protector 183°	1
4	3014.0302	Hex nut M10 for dry-up protector	1
5	40.01.482	Safety temperature limiter 365°C	1
6	3014.0327	Hex nut M10x1,0	1
7	40.03.666	Contactor B&J K3-74B00 190 R	1
8	40.02.641	Auxilliary contact B&J HN10 N/O	1
10	40.02.899	Cooling fan	1
11	10.00.238	Screw Torx 4x50	4
13	40.00.277	Control transformer	1
14	10.00.061	Pan head screw Torx T20 M4x12	1
15	40.02.424	Electronic noice filter	1
21	40.02.512	Fuse holder 2x6.3A	1
26	10.00.365	Pan head screw Torx M3x20	2
39	4001.1233	Terminal block yellow/green 35mm²	1
40	4001.1252	Terminal block, blue 35 mm²	1
41	4001.1206	Terminal block 35mm² grey	3
48	4007.0620	Membrane DGC 29	3
50	40.00.592	Transformer f. cooling fan	1
51	1105.0120	Hex nut M5	2
52	1305.0160	Washer A5,3x10mm	2
55	4001.1203	End plate for mounting rail	3
64	40.00.239	Cable contactor-SSR	1
71	40.00.205	Cable level electrode	1
76	40.02.126	Cable power supply CM-PCB	1
77	40.00.235	Cable control SSR	1
78	40.00.220	Cable solenoid valve	1
79	40.00.219	Cable SC pump	1
80	40.02.402	Multipoint connector 7 pin Trafo pri.	1


ClimaPlus



ClimaPlus

Pos.	Part No.	Description	Qty.
8	22.00.580	Safety valve	1
12	22.00.564	Gasket f. ventilation	1
13	2066.0504	Hose clamp 40-60mm	1


Steam generator



Steam generator

Pos.	Part No.	Description	Qty.
1	1106.0803	Hex combination nut M6 galv	1
12	44.00.195	Heating element	1
13	44.00.533	Heating element w/o pipe	1
14	44.00.533	Heating element w/o pipe	1
15	44.00.279	Gasket f. heating element	3
16	10.00.709	Hex nut M6 w. locking	27
17	2066.0519	Hose clamp 35,6mm	1
18	2066.0526	Hose clamp ø46mm	1
19	44.00.207	Emptying pump	1
20	1006.0762	Hex screw M6x10	2
21	1306.0222	Washer A6,4x15x1,5	2
22	44.00.232	Fixing device f. pump steam generator	1
23	10.00.709	Hex nut M6 w. locking	2
24	44.00.242	Drain hose steam generator	1
25	2066.0518	Hose clamp 30mm	2
26	40.00.291	Thermocouple steam generator	1
28	10.00.414	Cable strap black 120°	1
29	1104.0122	Hex combination nut M4 galv	1
30	44.00.362	Steam hose 70x5	1
31	2066.0505	Hose clamp 70-90mm	2
33	10.00.982	Hose clamp D=18.2	1
34	2066.0205	Hose clamp 8-16x9 mm SW 7mm	1
35	1105.0120	Hex nut M5	1
36	1205.0120	Tooth lock washer A5,3	1
37	44.01.031	Closing cap for steam generator	1
A	8354.1320	Pump connection spout cpl.	1
B	44.00.175	Steam generator insolated	1


Pump connection spout



Pump connection spout

Pos.	Part No.	Description	Qty.
1	2118.1000	Pump connection spout	1
2	2120.1259	Stop plug 10mm	1
3	2110.1008	Silicon hose ø10x2mm	1
4	2066.0527	Hose clamp ø14mm	2
5	2066.0530	Hose clamp ø16.4mm	1
6	2062.0331	Junction pressure hose GS 10	1
7	4005.0101	Tie rap 145 mm	1


Steam generator, insulated



Steam generator, insulated

Pos.	Part No.	Description	Qty.
1	44.00.280	Gasket f. heating element+Level elektrode insert	1
2	2920.1300	Level elektrode insert	1
6	3002.0402	Filling level electrode 90 mm	1
7	10.00.709	Hex nut M6 w. locking	4


Hot air heating



Hot air heating

Pos.	Part No.	Description	Qty.
2	40.00.330	Mating flange f. heating assembly	2
3	40.02.589	Heating assembly	1
4	40.02.589	Heating assembly	1
5	10.00.109	Hex screw M5x23	12
6	10.00.745	Cap nut M6*A2	2
8	40.00.331	Gasket f. heating assembly	2
9	1107.0103	Star lock ø3	4


Motor and fan wheel



Motor and fan wheel

Pos.	Part No.	Description	Qty.
1	40.00.274	Fan motor	1
2	40.00.274	Fan motor	1
3	10.00.710	Hex nut M8 w. locking	8
5	2120.1306	Spacer SW19x17	8
6	1008.1005	Square necked mushroom head bolt 8x40	8
7	22.00.123	Flange f. motor shaft gasket	2
8	22.00.120	Mounting support f. gasket flange	2
9	22.00.083	Motor shaft gasket	2
10	1315.0101	Copper washer 6x10	8
11	1306.0120	Washer A6,4	8
12	1106.0220	Hex nut M6 flat	8
13	22.00.192	Fan wheel d340x135	2
14	10.00.565	Hex screw M8x20	2
15	1308.0162	Washer A8,4	2
17	40.00.435	Exhaust channel f. SSR	1
19	10.00.706	Oval head cap screw T20 M4x10	2
20	40.02.481	Collecting plate motor below 201/202	1
21	40.03.387	Protective plate for fan motor	1


Interior cabinet



Interior cabinet

Pos.	Part No.	Description	Qty.
1	2120.1277	Base for sensor connection	1
3	40.00.098	Reflector f. interior light	2
4	10.00.041	Rivet nut M5 hexagon closed	8
11	40.02.129	Wiring interior light	1
12	20.00.399	Door gasket	1
13	40.02.103	Meat probe sensor	1
14	10.00.612	Hex nut M16 flat	1
15	1315.0104	Copper washer 16x20x1,5	1
17	40.01.317	Screen core temperature sensor	1
18	10.00.745	Cap nut M6*A2	2
19	22.00.222	Air baffle support	1
20	10.00.745	Cap nut M6*A2	4
21	40.00.594	Thermocouple interior cabinet B1	1
22	40.02.136	Screen interior cabinet sensor	1
23	10.00.745	Cap nut M6*A2	1
24	20.00.999	Outlet sieve Ø80	1
25	40.00.091	Gasket frame w. glass a. gaskets	2
26	3024.0201	Halogen bulb 300°C	1
27	3024.0201	Halogen bulb 300°C	1
A	22.00.462	Air baffle	1


Air baffle



Air baffle

Pos.	Part No.	Description	Qty.
1	10.00.515	Rivet 3,2x5 A4	1
2	40.01.289	Fixing clip core temp. cable	1
3	10.00.744	Washer A4,3 *A4	1
4	1604.0167	Rivet 4x10	1
6	2760.1370	Latch hook for air baffle	1


Door



Door

Pos.	Part No.	Description	Qty.
1	24.00.136	Door handle	1
2	24.01.350	Door lock	1
7	10.00.090	Cap f. Torx T30	1
9	10.00.696	Allen screw M4x6 w. Precoat 85	2
10	24.00.133	Door mounting support top	1
11	1008.0768	Ornamental screw M8x16	3
12	1308.0160	Washer A8,4	3
16	24.00.145	Door bolt	1
17	1008.0766	Hex screw M8x30	1
18	1308.0162	Washer A8,4	1
19	24.00.048	Door bolt	1
20	1008.0769	Ornamental screw M8x30	1
21	1308.0160	Washer A8,4	1
22	2001.0109	Compression spring	1
23	24.01.351	Door catch	1
24	1008.0761	Hex screw M8x25	2
25	1308.0160	Washer A8,4	2
31	10.00.697	Hex screw M5x10 w. precoat 85	2
32	1305.0160	Washer A5,3x10mm	2
A	24.00.126	Door	1


Door



Door

Pos.	Part No.	Description	Qty.
1	24.00.212	Inner glass pane	1
2	24.00.147	Sleeve for door bolt top	1
3	24.00.159	Door setting bolt	1
4	24.01.346	Fixing device f. magnet with magnet, adjustable	1
5	24.00.194	Gasket glass pane/trolly	1
6	24.00.178	Pre heat mechanism f. door cpl.	1
7	24.00.507	Fixing device middle f.inter. glass pane	1
8	24.00.701	Additional gasket f. trolly	1
9	24.01.259	Plastic buffer 8,1mm for door	1
10	1005.1966	Countersunk screw Torx M5x16	2
11	10.00.041	Rivet nut M5 hexagon closed	2


Exterior cabinet



Exterior cabinet

Pos.	Part No.	Description	Qty.
3	2039.0111	Foot adjustable, metal, 40 x 40	4
10	10.00.745	Cap nut M6*A2	1
11	1206.0120	Tooth lock washer A6,4	1
14	22.00.354	Spacer ring	1
15	22.00.353	Vent cover	1
16	16.01.327	Opening mechanism for panel insert	1
17	1603.0166	Rivet 3,2x7,9 CNS closed	4
18	1106.0803	Hex combination nut M6 galv	1
19	1008.0760	Hex screw M8x16	2
20	1308.0160	Washer A8,4	2
21	10.00.357	Plug	2
22	10.00.806	Hex screw M8x35	1
A		Exterior cabinet	1


Exterior cabinet



Exterior cabinet

Pos.	Part No.	Description	Qty.
1	16.00.332	Top cover	1
2	1003.2265	Countersunk self tapping screw 4,2x16	5
3	1104.0820	Snap nut 4,2mm	5
5	16.00.158	Side panel right	1
6	1603.0166	Rivet 3,2x7,9 CNS closed	8
7	16.00.139	Side panel left	1
8	10.00.102	Hex self tapping screw B4,2x32	2
9	1104.0820	Snap nut 4,2mm	2
10	16.00.198	Back panel	1
11	16.00.296	Front panel	1
12	16.00.673	Air inlet filter	1
13	10.00.103	EJOT PT-screw KA 3.5x10	1
14	1104.0820	Snap nut 4,2mm	1
15	16.00.358	Crossbar front panel	1
16	10.00.745	Cap nut M6*A2	2
19	1107.0100	Star lock ø4	6
20	50.00.752	Tulip for handshower	1
21	16.00.331	Crossbar top	1
22	1603.0166	Rivet 3,2x7,9 CNS closed	4
23	24.02.263	Rosette for modification kit 87.00.442	1
24	16.01.434	Gasket f. breather tube d=74mm	1
25	40.00.476	Exhaust channel	1
27	10.00.457	Slotted pan head screw M4x12 Phillips	1
28	16.00.360	Cover f. RS232 interface	1
29	10.00.103	EJOT PT-screw KA 3.5x10	1
36	40.00.454	Door switch 1.65m	1


Water



Water

Pos.	Part No.	Description	Qty.
1	2022.0101	Grommet d8mm	1
2	54.00.210	Ventilation pipe	1
4	2112.1307	Hose 70x5mm	1
5	2066.0516	Hose clamp 60-80 mm	2
7	40.00.398	Thermocouple quenching	1
8	50.00.316	Single solenoid valve	1
9	50.00.072	Water distribution vert roll guide con.	1
11	2067.0050	Pressure hose d10mm	2.06
17	50.00.139	Single solenoid valve	1
18	50.00.073	Water distribution vert w/o roll guide con.	1
19	2067.0050	Pressure hose d10mm	.89
20	50.00.078	Non return valve DW16/DN12	2
21	10.00.810	Hose clamp Cobra 16/8	4
22	2067.0050	Pressure hose d10mm	.86
23	1900.0202	Water filter	3
24	50.00.277	Mounting device f. water distribution	1
25	50.00.086	Locking plate f. water distribution	1
27	2066.0205	Hose clamp 8-16x9 mm SW 7mm	1
28	8664.1301	T-fitting water connection	1
36	54.00.762	Inspection lid with quenching nozzle	1
37	54.00.805	Gasket f. inspection lid quenching	1
38	54.00.225	Clamping bar	1
39	1008.0750	Hex screw M5x16	1
40	50.00.176	Hand shower roll guide	1
41	50.00.230	Connect. pipe f. hand shower roll guide	1
42	50.00.085	Plug-in spring f. hand shower roll guide	1
43	50.00.130	Hand shower	1
44	50.00.156	Clamp f. hand shower roll guide	1
45	50.00.278	Mounting device f. hand sh. roll guide	1
46	1106.0803	Hex combination nut M6 galv	1
47	1006.0760	Hex screw M6x16	1
48	1306.0222	Washer A6,4x15x1,5	1
49	50.00.548	Hose ø10x2x500 f. hand shower	1
50	2066.0527	Hose clamp ø14mm	1
51	10.00.661	Edge protection profile	1
52	10.00.099	Hex screw M8x12	2

Water



Water


Pos.	Part No.	Description	Qty.
53	1308.0160	Washer A8,4	2
55	8354.1304	Venting valve for steam generator	1
57	50.00.554	O-ring for hand shower 11x2mm	2
58	87.00.417	Repair set shaft seal 01/2004	1

CleanJet + Care

CleanJet + Care

Pos.	Part No.	Description	Qty.

Standard accessory



Standard accessory

Pos.	Part No.	Description	Qty.
1	60.22.086V	Mobile oven rack type 202	1
4	60.60.100	Castor with brake ø125mm	1
5	60.60.101	Castor without brake ø125mm	1
6	60.22.072	Handle for mobile oven rack	1
7	60.22.223	Drip collector	1
8	10.00.447	Sticker set	1
9	8700.0317	Floor fixing for units	1

Index

Part-no.	Description	Page
24.00.701	Additional gasket f. trolly	29
22.00.462	Air baffle	23
22.00.222	Air baffle support	23
16.00.673	Air inlet filter	33
10.00.696	Allen screw M4x6 w. Precoat 85	27
40.02.641	Auxilliary contact B&J HN10 N/O	9
16.00.198	Back panel	33
2120.1277	Base for sensor connection	23
10.00.678	Bundle-clip	7
40.00.471	Bus cable 0.8m	7
40.00.472	Bus cable 1.3m	7
40.02.087	Buzzer	5
10.00.471	Cable clip d10-12mm	7
10.00.111	Cable clip long	7, 9
10.00.112	Cable clip short	7
40.00.239	Cable contactor-SSR	9
40.02.498	Cable control harness	9
40.00.235	Cable control SSR	9
40.00.205	Cable level electrode	9
40.02.126	Cable power supply CM-PCB	9
40.00.219	Cable SC pump	9
40.00.220	Cable solenoid valve	9
10.00.414	Cable strap black 120°	13
1104.0801	Cage nut M4	7
10.00.090	Cap f. Torx T30	27
10.00.745	Cap nut M6*A2	19, 23, 31, 33
60.60.100	Castor with brake ø125mm	41
60.60.101	Castor without brake ø125mm	41
40.01.132	Center fixation f. contactor assembly	7
50.00.156	Clamp f. hand shower roll guide	35
54.00.225	Clamping bar	35
44.01.031	Closing cap for steam generator	13

Index

Part-no.	Description	Page
40.02.481	Collecting plate motor below 201/202	21
2001.0109	Compression spring	27
50.00.230	Connect. pipe f. hand shower roll guide	35
40.03.666	Contactor B&J K3-74B00 190 R	9
87.00.001	Control panel insert with overlay	5
42.00.048	Control pcb Index "MF"	5
40.00.277	Control transformer	9
40.02.899	Cooling fan	9
1315.0101	Copper washer 6x10	21
1315.0104	Copper washer 16x20x1,5	23
1005.1966	Countersunk screw Torx M5x16	29
1003.2265	Countersunk self tapping screw 4,2x16	33
16.00.360	Cover f. RS232 interface	33
16.00.358	Crossbar front panel	33
16.00.331	Crossbar top	33
16.00.282	Dial	5
5110.1027	Distance plate for front panel	5
24.00.126	Door	27
24.00.145	Door bolt	27
24.00.048	Door bolt	27
24.01.351	Door catch	27
20.00.399	Door gasket	23
24.00.136	Door handle	27
24.01.350	Door lock	27
24.00.133	Door mounting support top	27
24.00.159	Door setting bolt	29
40.00.454	Door switch 1.65m	33
44.00.242	Drain hose steam generator	13
60.22.223	Drip collector	41
40.01.329	Dry up protector 183°	9
10.00.661	Edge protection profile	35
10.00.103	EJOT PT-screw KA 3.5x10	33

Index

Part-no.	Description	Page
40.02.424	Electronic noice filter	9
44.00.207	Emptying pump	13
4001.1203	End plate for mounting rail	9
40.00.476	Exhaust channel	33
40.00.435	Exhaust channel f. SSR	21
40.00.274	Fan motor	21
22.00.192	Fan wheel d340x135	21
3002.0402	Filling level electrode 90 mm	17
40.01.289	Fixing clip core temp. cable	25
40.01.319	Fixing device f. cable guide	7
24.01.346	Fixing device f. magnet with magnet, adjustable	29
44.00.232	Fixing device f. pump steam generator	13
2020.0400	Fixing device for cable harness	5
24.00.507	Fixing device middle f.inter. glass pane	29
22.00.123	Flange f. motor shaft gasket	21
8700.0317	Floor fixing for units	41
2039.0111	Foot adjustable, metal, 40 x 40	31
16.00.296	Front panel	33
40.02.512	Fuse holder 2x6.3A	9
16.01.434	Gasket f. breather tube d=74mm	33
40.00.331	Gasket f. heating assembly	19
44.00.279	Gasket f. heating element	13
44.00.280	Gasket f. heating element+Level elektrode insert	17
54.00.805	Gasket f. inspection lid quenching	35
22.00.564	Gasket f. ventilation	11
40.00.091	Gasket frame w. glass a. gaskets	23
24.00.194	Gasket glass pane/trolly	29
5110.1029	Gasket mode switch	5
2022.0101	Grommet d8mm	35
3024.0201	Halogen bulb 300°C	23
50.00.130	Hand shower	35
50.00.176	Hand shower roll guide	35

Index

Part-no.	Description	Page
60.22.072	Handle for mobile oven rack	41
40.02.589	Heating assembly	19
44.00.195	Heating element	13
44.00.533	Heating element w/o pipe	13
1104.0122	Hex combination nut M4 galv	13
1106.0803	Hex combination nut M6 galv	13, 31, 35
1104.0120	Hex nut M4	7
1104.0121	Hex nut M4 self locking	5
10.00.916	Hex nut M4 w. locking	5
1105.0120	Hex nut M5	9, 13
1106.0160	Hex nut M6	7
1106.0220	Hex nut M6 flat	21
1106.0224	Hex nut M6 self locking	7
10.00.709	Hex nut M6 w. locking	13, 17
10.00.710	Hex nut M8 w. locking	21
3014.0302	Hex nut M10 for dry-up protector	9
3014.0327	Hex nut M10x1,0	9
10.00.612	Hex nut M16 flat	23
10.00.697	Hex screw M5x10 w. precoat 85	27
1008.0750	Hex screw M5x16	35
10.00.109	Hex screw M5x23	19
1006.0762	Hex screw M6x10	13
1006.0760	Hex screw M6x16	35
10.00.099	Hex screw M8x12	35
1008.0760	Hex screw M8x16	31
10.00.565	Hex screw M8x20	21
1008.0761	Hex screw M8x25	27
1008.0766	Hex screw M8x30	27
10.00.806	Hex screw M8x35	31
10.00.102	Hex self tapping screw B4,2x32	33
2112.1307	Hose 70x5mm	35
2066.0205	Hose clamp 8-16x9 mm SW 7mm	13, 35

Index

Part-no.	Description	Page
2066.0518	Hose clamp 30mm	13
2066.0519	Hose clamp 35,6mm	13
2066.0504	Hose clamp 40-60mm	11
2066.0516	Hose clamp 60-80 mm	35
2066.0505	Hose clamp 70-90mm	13
10.00.810	Hose clamp Cobra 16/8	35
10.00.982	Hose clamp D=18.2	13
2066.0527	Hose clamp ø14mm	15, 35
2066.0530	Hose clamp ø16.4mm	15
2066.0526	Hose clamp ø46mm	13
50.00.548	Hose ø10x2x500 f. hand shower	35
24.00.212	Inner glass pane	29
54.00.762	Inspection lid with quenching nozzle	35
40.01.581	Jumper	7
2062.0331	Junction pressure hose GS 10	15
2760.1370	Latch hook for air baffle	25
2920.1300	Level elektrode insert	17
50.00.086	Locking plate f. water distribution	35
40.00.330	Mating flange f. heating assembly	19
40.02.103	Meat probe sensor	23
4007.0620	Membrane DGC 29	9
60.22.086V	Mobile oven rack type 202	41
22.00.083	Motor shaft gasket	21
50.00.278	Mounting device f. hand sh. roll guide	35
50.00.277	Mounting device f. water distribution	35
16.00.387	Mounting device f.sealing + sealing lip	5
22.00.120	Mounting support f. gasket flange	21
40.02.402	Multipoint connector 7 pin Trafo pri.	9
50.00.078	Non return valve DW16/DN12	35
50.00.554	O-ring for hand shower 11x2mm	37
16.01.327	Opening mechanism for panel insert	31
1008.0768	Ornamental screw M8x16	27

Index

Part-no.	Description	Page
1008.0769	Ornamental screw M8x30	27
20.00.999	Outlet sieve Ø80	23
10.00.706	Oval head cap screw T20 M4x10	7, 21
16.00.556	Overlay *RAT*	5
10.00.507	Pan head screw Torx 5/16" T20	7
10.00.365	Pan head screw Torx M3x20	9
10.00.061	Pan head screw Torx T20 M4x12	9
24.01.259	Plastic buffer 8,1mm for door	29
10.00.357	Plug	31
50.00.085	Plug-in spring f. hand shower roll guide	35
42.00.044	Pot. Hot Air	5
40.00.464	Potentiometer CT	5
24.00.178	Pre heat mechanism f. door cpl.	29
2067.0050	Pressure hose d10mm	35
40.03.387	Protective plate for fan motor	21
2118.1000	Pump connection spout	15
8354.1320	Pump connection spout cpl.	13
40.00.098	Reflector f. interior light	23
87.00.417	Repair set shaft seal 01/2004	37
10.00.515	Rivet 3,2x5 A4	25
1603.0166	Rivet 3,2x7,9 CNS closed	31, 33
1604.0167	Rivet 4x10	25
10.00.041	Rivet nut M5 hexagon closed	23, 29
24.02.263	Rosette for modification kit 87.00.442	33
40.01.482	Safety temperature limiter 365°C	9
22.00.580	Safety valve	11
40.01.317	Screen core temperature sensor	23
40.02.136	Screen interior cabinet sensor	23
10.00.238	Screw Torx 4x50	9
4007.0632	Screwed cable gland M63x1.5(34-45mm)si.gr	7
16.00.139	Side panel left	33
16.00.158	Side panel right	33

Index

Part-no.	Description	Page
2110.1008	Silicon hose ø10x2mm	15
50.00.316	Single solenoid valve	35
50.00.139	Single solenoid valve	35
24.00.147	Sleeve for door bolt top	29
10.00.457	Slotted pan head screw M4x12 Phillips	33
1104.0820	Snap nut 4,2mm	33
40.00.453	Solid state relais	7
10.00.355	Spacer black	5
10.00.243	Spacer M4x8	7
22.00.354	Spacer ring	31
2120.1306	Spacer SW19x17	21
1008.1005	Square necked mushroom head bolt 8x40	21
1107.0103	Star lock ø3	19
1107.0100	Star lock ø4	33
44.00.175	Steam generator insolated	13
44.00.362	Steam hose 70x5	13
10.00.447	Sticker set	41
2120.1259	Stop plug 10mm	15
8664.1301	T-fitting water connection	35
4001.1206	Terminal block 35mm² grey	9
4001.1233	Terminal block yellow/green 35mm²	9
4001.1252	Terminal block, blue 35 mm²	9
40.00.594	Thermocouple interior cabinet B1	23
40.00.398	Thermocouple quenching	35
40.00.291	Thermocouple steam generator	13
4005.0101	Tie rap 145 mm	15
1205.0120	Tooth lock washer A5,3	13
1206.0120	Tooth lock washer A6,4	7, 31
16.00.332	Top cover	33
40.00.592	Transformer f. cooling fan	9
50.00.752	Tulip for handshower	33
22.00.353	Vent cover	31

Index

Part-no.	Description	Page
54.00.210	Ventilation pipe	35
8354.1304	Venting valve for steam generator	37
10.00.744	Washer A4,3 *A4	25
1305.0160	Washer A5,3x10mm	9, 27
1306.0120	Washer A6,4	21
1306.0222	Washer A6,4x15x1,5	13, 35
1308.0162	Washer A8,4	21, 27
1308.0160	Washer A8,4	27, 31, 37
50.00.072	Water distribution vert roll guide con.	35
50.00.073	Water distribution vert w/o roll guide con.	35
1900.0202	Water filter	35
40.02.129	Wiring interior light	23