





	*	** ≤1205	** ≥1206
G30-28+30mbar G31- 37mbar	533020200	533014800	533014900
G30- 50mbar	533020200	533054900	533014800
G20- 20mbar G25- 25mbar	533020400	533044000	533056100
G20- 20mbar DE-AT	533020400	533044000	533056100
G25- 20mbar	533020400	533055100	533056300
G25- 25mbar NL	533020400	533055000	533056200

	* USA	** USA	
GAS E-10IWC USA	533131000	533015200	560034601M03P00
GAS A-4IWC USA	533138900	533056200	

Page	Pos	Code	Description
001		532004100	FLUE GRID L=370 90LINE (RAF
001		541134600	LOW SPACER 78 2 GRIDS
001		544023901	SPATTLE FOR FRY-TOP
001		544020800	SPATTLE FOR CW S70 S90
001		541108700	GRID CW-G S.70
001		536014600	GRIP D.28*90*M10 CW
001		536014800	LAVASTONE
001		541108800	STONE SUPPORTING FRAME CW-74G
001		541108001	SPLASH SHIELD CW-78
001		541109201	UPPER PLATE S70 CW-78G/E
001		544173500	LEFT SIDE PANEL S.70
001		544365500	CENTRAL TOP FOR SPLASH GUARD CW78
001		531019900	BURNER CW-G 60-65-70 LINES
001		531068700	BURNER CW-G 9KW S70
001		533042100	AIR ADJUSTMENT BUSHING CW-G
001		533100900	AIR ADJUSTMENT BUSHING D22 EST.H38
001		541096400	DRIP TRAY FT S.70
001		541108500	CONTROL PANEL CW-78/98G
001		544173400	RIGHT SIDE PANEL S.70
001		536005200	INOX LEG 2" 120-180 M10
002		533010800	TUBE NUT D.10 M16*1,5
002		533039300	BICONE §10
002		533130400	DEFLECTOR WITH 3 PILOT USA
002		533011000	PILOT BURNER 3 FLAMES 320
002		533045700	THERMOCOUPLE M9*1 500
002		533130300	PILOT 0190 USA
002		533131400	THERMOCOUPLE M9*1 750
002		531025600	ELBOW 90° NOZZLE-HOLDER §10 PIPE
002		533010900	NUT M14*1 H.4
002		533010400	BICONE D.6
002		533018500	FITTING FOR BICONE D.6 M10*1
002		533130900	FITTING THERMOCOUPLE M10X1 USA
002		533085200	SPACER FOR PILOT PLUG
002		537008300	ROUND PLUG §2,4- LONG ELECTRODE
002		537010200	ROUND PLUG §2,4 - SHORT ELECTRODE
002		533018600	PLUG FITTING
002		547003200	HIGH-VOLTAGE CABLE TUBE.§2 L=500
002		539018900	INDEX FOR KNOB W/RED SIGN
002		533039100	BICONE §6
002		536034500	KNOB §77 4P. §08*6,5
002		531025700	SAFETY TAP 21S-B PEL21S22070
002		531041000	SAFETY TAP 21S-B
002		539054200	STAMP Ø20,5 CR."L" LOTUS R.
002		539062800	RED STICKING DISK 72
002		539062900	RED STICKING DISK 72 USA
002		533009500	NIPPLE FOR BICONE 10S
002		533009400	BICONE 10S
002		537002800	PIEZOELECTRIC IGNITION M18 WITH NUT
002		533053600	EUROSIT VALVE PLUG
002		533069000	BY PASS COCK §70 20S-21S
002		533069800	BY PASS COCK §110 20S-21S

Page	Pos	Code	Description
002		533020200	PILOT JETS 0160 FOR LPG §30
002		533020400	NOZZLE 0160 (NATURAL GAS) 51
002		533014800	NOZZLE §135 CH12*14,0
002		533054900	NOZZLE §120 CH12*14
002		533044000	NOZZLE §195 CH12*14 M-CW4
002		533055100	NOZZLE §215 CH12*14 L-CW4
002		533055000	NOZZLE §205 CH12*14 G25 CW4
002		533014900	NOZZLE §150 CH12*14 F-FQ5 L-FQ6
002		533056100	NOZZLE §220 CH12*14
002		533056300	NOZZLE §240 CH12*14
002		533056200	NOZZLE §230 CH12*14
002		533131000	NOZZLE 0190 (30
002		533138900	NOZZLE 0190 (62
002		533015200	NOZZLE §145 CH12*14 F-FP/CP6
002		533050200	90° 1/2 M/F ELBOW FITTING
002		533075200	
002		531063800	USA PRESSURE REGULATOR