Service part catalogue

SelfCookingCenter® ab 09/2016
SelfCooking Center 61 - 6 x 1/1 GastronormG


G61SI1702



3/7/2017
1NAC120 V 60Hz UL

Kat-RTS_140922
©Copyright by RATIONAL Technical Service
All Rights reserved


Overview



Overview

Pos.	Assembly	Page
1	Control panel	4
2	Electrical installation	6
3	ClimaPlus	10
4	Steam generator	12
5	Hot air heating	16
6	Motor and fan wheel	20
7	Interior cabinet	22
8	Door	26
9	Exterior cabinet	30
10	Water	34
11	CleanJet + Care	38
12	Gas parts	40
13	Standard accessory	46


Control panel



Control panel

Pos.	Part no.	Description	Qty.
2	42.00.112	Control pcb *TFT*	1
3	42.00.081	MMI pcb	1
4	40.03.467	Cable On-Off switch MMI	1
5	40.03.515	Cable MMI - TFT	1
6	40.03.516	Cable MMI - CPU	1
7	16.02.062	Dial f. pulse generator	1
8	40.00.404	Pulse generator	1
11	16.02.889	Cover f. control pcb w. gasket	1
12	16.02.865	Sealing f. panel insert	1


Electrical installation



Electrical installation

Pos.	Part no.	Description	Qty.
10	40.03.660	Fan housing	1
11	40.03.428	Cooling fan with NTC	1
12	40.03.257	Converter 230VAC 24VDC	1
18	42.00.261	Control pcb	1
19	42.00.128	SD-memory card 4GB	1
20	40.03.312	Mounting base for control pcb	1
21	10.00.989	Rivet with screw	2
23	10.00.061	Pan head screw Torx T20 M4x12	1
24	40.03.756	Fixing clip f. pcb	1
25	40.03.533	Fixing clip f. pcb	4
26	40.03.732	Tie rap 160 mm	3
29	40.00.279	Power transformer	1
30	1008.0769	Ornamental screw M8x30	1
31	10.01.348	Distance plate 15mm	1
32	40.01.600	Insulating screw joint 2pol.	1
36	40.00.320	Cable connection M20x1.5	1
41	40.03.928	Loudspeaker cpl.	1
43	40.01.597	Power supply cable 3xAWG14	1
44	40.03.391	Mounting device converter	1
45	42.00.224	Power supply for level interior light	1
100	40.03.996	Bus cable 1.15m	1
101	40.03.996	Bus cable 1.15m	1
107	40.04.362	Wiring interior light	1
108	40.05.297	Cable, interior light W11	1
A		Electrical installation	1


Electrical installation



Electrical installation

Pos.	Part no.	Description	Qty.
1	40.03.322	Contactor assembly	1
2	40.02.515	Dry up protector 315°F/157°C	1
3	3014.0327	Hex nut M10x1,0	1
4	40.01.482	Safety temperature limiter 365°C	1
5	3014.0327	Hex nut M10x1,0	1
6	40.03.761	Contactor B&J K1-09F00 230R	1
10	40.03.348	Control transformer T1	1
11	10.01.065	Hex nut M5	1
12	40.03.404	Mounting support transformer	1
13	10.01.065	Hex nut M5	1
14	40.01.483	Electronic noise filter	1
15	40.01.579	Fixing clip f. pcb	4
18	4001.0224	Fuse 6.35x32mm	2
18	40.01.873	Fuse SC-15A 10x38	2
19	40.02.512	Fuse holder 2x6.3A	1
19	40.01.487	Fuse holder 2pol	1
23	10.00.365	Pan head screw Torx M3x20	2
101	40.04.331	Adaptor cable f. Ball valve drain	1
104	40.04.992	Cable control harness	1
105	40.04.181	Cable harness isolating transformer	1
109	40.02.965	Cable harness solenoid valve / SC-pump	1


ClimaPlus



ClimaPlus

Pos.	Part no.	Description	Qty.
1	22.00.882	Mounting device f. pressure sensor	1
2	3017.1011	Pressure sensor for humidity control Huba 401	1
4	22.00.850	Outer humidity meas. Piece	1
5	22.00.881	Gasket f. hum. meas. Pipe	1
6	1104.0122	Hex combination nut M4 galv	3
7	22.00.525	Hose set f. humidity control	1
8	22.00.725	Humidity control cpl.	1
9	22.00.914	Air inlet pipe	1
10	22.00.960	Drain hose for humidity control	1
11	2066.0527	Hose clamp ø14mm	2
12	22.00.767	Vent cover	1
13	22.00.837	O-ring for humidity control	2
14	10.00.111	Cable clip long	2


Steam generator



Steam generator

Pos.	Part no.	Description	Qty.
1	44.00.938	Steam generator insolated	1
2	10.00.709	Hex nut M6 w. locking	1
3	72.00.078	Burner steam gen.	1
4	72.00.077	Insulation f. burner steam gen.	2
5	1104.0122	Hex combination nut M4 galv	4
6	70.00.573	Burner pipe	1
7	72.00.067	Gasket f. burner carrier	1
8	1105.0121	Hex combination nut M5 galv	3
9	1105.0120	Hex nut M5	1
10	1205.0120	Tooth lock washer A5,3	1
11	4002.0110	Cable connector, junction	1
12	10.01.065	Hex nut M5	1
13	44.01.218	Ignition electrode steam generator	1
14	1104.0120	Hex nut M4	2
15	44.00.250	Gasket f. ignition electrode	1
16	2066.0519	Hose clamp Ø35,6mm	1
17	2066.0526	Hose clamp ø46mm	1
18	44.00.207	Emptying pump	1
19	1006.0762	Hex screw M6x10	2
20	44.01.248	Fixing device f. pump steam generator	1
21	10.00.709	Hex nut M6 w. locking	2
22	44.01.460	Drain hose steam generator	1
23	2066.0518	Hose clamp 30mm	2
24	40.04.108	Thermocouple steam generator *B5*	1
25	44.00.516	Fixing plate steam generator thermostat	1
28	2112.1006	Steam hose Ø50x50mm	1
29	2112.1006	Steam hose Ø50x50mm	1
30	2066.0504	Hose clamp 40-60mm	1
31	2066.0504	Hose clamp 40-60mm	3
32	44.01.135	Steam pipe	1
36	44.01.419	Filling level electrode 85mm	1
37	44.01.168	Fixing angle steam generator	2
A	8354.1320	Pump connection spout cpl.	1


Pump connection spout



Pump connection spout

Pos.	Part no.	Description	Qty.
1	2118.1000	Pump connection spout	1
2	2120.1259	Stop plug 10mm	1
3	2110.1008	Silicon hose ø10x2mm	1
4	2066.0527	Hose clamp ø14mm	2
5	2066.0530	Hose clamp ø16.4mm	1
6	2062.0331	Junction pressure hose GS 10	1
7	4005.0101	Tie rap 145 mm	1


Hot air heating



Hot air heating

Pos.	Part no.	Description	Qty.
1	74.00.296	Gasket f. heat exchanger below	2
2	10.01.065	Hex nut M5	8
3	74.00.758	Hot air heat exchanger	1
5	74.00.814	Gasket hot air heat exchanger/interior cabinet	2
6	74.00.813	Mating flange heat exchanger	2
7	10.01.065	Hex nut M5	10
8	50.00.844	Nozzle f. moistening	1
9	50.00.846	Union nut M12x13.2 N	1
10	50.01.722	Plastic pipe 4,5x0,75x136mm	1
A	74.00.821	Burner hot air	1


Burner hot air



Burner hot air

Pos.	Part no.	Description	Qty.
1	74.00.034	Ignitionelectrode, hot air	1
2	74.00.873	Earth electrode, hot air	1
3	74.00.290	Gasket electrode hot air	1
4	10.00.696	Allen screw M4x6 w. Precoat 85	4


Motor and fan wheel



Motor and fan wheel

Pos.	Part no.	Description	Qty.
1	40.03.378	Fan motor with motor shaft gasket	1
3	10.01.049	Square necked mushroom head bolt 6x30	4
4	10.00.709	Hex nut M6 w. locking	2
5	22.00.721	Flange f. motor shaft gasket	1
6	22.00.722	Mounting support f. gasket flange	1
7	22.00.985	Motor shaft gasket D15	1
8	22.01.196	Graphit seal for gasket flange	1
9	10.01.065	Hex nut M5	3
10	22.00.828	Fan wheel	1
11	10.00.936	Hex screw M8x20	1
12	1308.0162	Washer A8,4	1
13	10.00.112	Cable clip short	1
15	20.01.755	Isolation for mounting plate for motor	1


Interior cabinet



Interior cabinet

Pos.	Part no.	Description	Qty.
1	40.00.290	Thermocouple humidity *B4*	1
2	10.00.087	Clamp strap f. sensor	1
3	10.00.100	Hex nut M4, self-locking	1
4	40.00.098	Reflector f. interior light	1
5	10.01.429	Rivet nut M5 hexagon closed with gasket	4
6	40.00.091	Gasket frame w. glass a. gaskets	1
7	40.03.994	Halogen bulb 300°C	1
8	40.04.362	Wiring interior light	1
9	20.02.550	Door gasket	1
10	40.04.097	Meat probe sensor	1
11	10.00.612	Hex nut M16 flat	1
12	1315.0104	Copper washer 16x20x1,5	1
13	40.01.317	Screen core temperature sensor	1
14	10.01.076	Cap nut M5*A2	2
17	40.04.096	Thermocouple interior cabinet B1	1
18	40.03.782	Screen interior cabinet sensor	1
19	10.01.076	Cap nut M5*A2	2
20	54.01.117	Outlet sieve	1
21	40.01.482	Safety temperature limiter 365°C	1
22	3014.0327	Hex nut M10x1,0	1
A	22.00.741	Air baffle	1


Air baffle



Air baffle

Pos.	Part no.	Description	Qty.
1	22.00.835	Air sucking ring f. air baffle	1
3	10.00.515	Rivet 3,2x5 A4	6
7	40.03.780	Fixing clip core temp. cable	1
8	22.00.491	Surge guard for Meat probe sensor	1
9	2760.1370	Latch hook for air baffle	2
10	1604.0167	Rivet 4x10	3
11	22.00.361	Deep-draw f. air baffle	1
12	10.00.515	Rivet 3,2x5 A4	4
13	10.00.744	Washer A4,3 *A4	2


Door



Door

Pos.	Part no.	Description	Qty.
1	24.02.923	Door handle	1
2	24.03.041	Door lock with spring U-bolt	1
3	24.03.184	Lock cover	1
4	24.02.814	Door mounting support bottom	1
5	10.00.090	Cap f. Torx T30	2
6	1006.1962	Countersunk screw Torx M6x16	2
7	24.00.133	Door mounting support top	1
8	1008.0768	Ornamental screw M8x16	3
10	24.02.967	Cable cover	1
11	24.02.951	Door bolt	1
12	10.01.527	Hex screw M8x12	1
14	24.03.040	Door bolt	1
15	1008.0769	Ornamental screw M8x30	1
17	2001.0109	Compression spring	1
18	24.02.958	Holding bracket f. door catch	1
19	1006.0760	Hex screw M6x16	2
20	1306.0120	Washer A6,4	2
21	24.02.959	Door catch	1
22	24.02.960	Interlocking tooth screw M5x6	1
24	24.03.288	Spring U-bolt for door lock	1
A	24.03.086	Door *Level illumination*	1


Door



Door

Pos.	Part no.	Description	Qty.
1	87.01.410	Glass pane bundle	1
3	24.03.052	Sleeve for door bolt top	1
4	24.02.966	Door setting bolt	1
5	24.00.502	Fixing device f. magnet with magnet	1
6	87.01.428	Door drip collector	1
7	24.03.056	Slide bush for door	1
8	24.03.060	Fixing bracket for interior glass pane	2
9	24.03.057	Abrasion protection for glide socket	1
10	24.03.062	Cover cap for door	1
12	42.00.193	Bus interface A8	1
13	87.01.371	LED bar, left/right	2
14	87.01.366	LED optics	2
16	10.00.890	Rivet 4x10	1
17	10.00.904	Rivet B4x8	2
100	40.05.301	Cable, interior light W40	1
101	40.05.300	Cable, interior light W45	1
102	40.05.299	Cable, interior light W46	1


Exterior cabinet



Exterior cabinet

Pos.	Part no.	Description	Qty.
1	1110.0800	Cage nut M10	4
2	12.00.205	Upper part of pedestal	1
3	12.00.516	Turning lock f. lower part of pedestal	1
4	12.01.133	Lower part of pedestal	4
5	10.00.975	Hex screw M10x35	1
6	10.00.745	Cap nut M6*A2	1
7	1206.0120	Tooth lock washer A6,4	1
8	12.00.950	Bracket for door contact switch/drain pipe	1
9	16.01.146	Bracket for door contact switch	1
10	1006.0760	Hex screw M6x16	1
12	40.04.342	Door switch 0.45m	1
13	1105.0123	Hex combination nut M4	1
16	22.00.767	Vent cover	1
17	16.02.870	Opening mechanism for panel insert	1
21	1104.0820	Snap nut 4,2mm	2
A		Exterior cabinet	1


Exterior cabinet



Exterior cabinet

Pos.	Part no.	Description	Qty.
1	16.02.158	Top cover	1
2	1003.2265	Countersunk self tapping screw 4,2x16	9
3	1104.0820	Snap nut 4,2mm	7
4	16.00.135	Side panel right	1
5	1603.0166	Rivet 3,2x7,9 CNS closed	4
6	16.00.136	Side panel left	1
7	10.00.992	Hex self tapping screw B4,2x32	2
8	1104.0820	Snap nut 4,2mm	2
9	16.01.924	Back panel	1
11	16.02.667	Front panel	1
12	1603.0166	Rivet 3,2x7,9 CNS closed	4
15	16.01.488	Crossbar below	1
16	1004.2160	Hex self tapping screw 4,2x16	2
17	16.00.180	Crossbar top	1
18	1603.0166	Rivet 3,2x7,9 CNS closed	4
21	40.02.684	Air inlet filter cpl.	1
22	50.00.286	Drip collector	1
23	50.01.191	Drain pipe with bushings	1
24	50.00.296	Clip f. drip collector	3
25	50.00.303	Bushing drip collector	2
26	16.00.329	Cover f. USB interface	1
27	10.00.103	EJOT PT-screw KA 3.5x10	1
28	40.04.046	Interface cable USB 1.0m	1
29	10.00.460	EJOT PT-Screw Torx 3,5x14	2
30	16.01.748	Gasket f. breather tube d=63mm	1
31	1004.2160	Hex self tapping screw 4,2x16	2


Water


41
24
25
1
9
32
3
42
2
4
40
22
34
23
31
19
13
8
21
39
26
38
14
5
11
53
6
12
54
27
15
33
28
18
5
16
5
6
10

Water

Pos.	Part no.	Description	Qty.
1	54.00.736	Ventilation pipe	1
2	54.01.141	Rubber form piece venting pipe	1
3	10.01.261	Hose clamp 66 mm	1
4	10.01.262	Hose clamp 76 mm	1
5	50.00.086	Locking plate f. water distribution	1
6	1900.0202	Water filter	2
8	2066.0205	Hose clamp 8-16x9 mm SW 7mm	2
9	2066.0205	Hose clamp 8-16x9 mm SW 7mm	2
10	50.00.313	T-fitting water connection	1
11	50.01.606	Hand shower roll guide	1
12	50.01.213	Connect. hose f. hand shower roll guide	1
13	50.00.085	Plug-in spring f. hand shower roll guide	1
14	87.00.417	Repair set shaft seal 01/2004	1
15	50.00.282	Hand shower black	1
16	50.00.156	Clamp f. hand shower roll guide	1
17	10.01.004	Truss head screw with flange MLF A2 M6x20	1
18	1105.0121	Hex combination nut M5 galv	1
19	56.00.618	Ball valve drain SCC cpl.	1
21	10.00.449	Pan head screw M6x16	2
22	10.00.511	O-ring for ball valve drain 46x3.5	1
23	10.00.512	O-ring for ball valve drain 26x3.5	1
24	54.01.148	Inspection lid, quenching nozzle, B2	1
25	54.01.168	Gasket f. inspection lid	1
26	54.01.191	Collecting pan	1
27	50.01.050	Triple solenoid valve	1
28	50.00.071	Water distribution hor. w/o roll guide con.	1
31	2067.0050	Pressure hose d10mm	.92
32	2067.0050	Pressure hose d10mm	.41
33	50.01.640	Water volume sensor	1
34	2067.0050	Pressure hose d10mm	.33
38	50.01.146	Single solenoid valve Y2	1
39	50.00.070	Water distribution hor roll guide con.	1
40	2067.0050	Pressure hose d10mm	.31
41	8354.1304	Venting valve for steam generator	1
42	2022.0101	Grommet d8mm	1
53	1900.0102	Flow controller red 5 l/min	1


Water


41
24
25
1
9
32
3
42
2
4
40
22
34
23
31
19
13
8
21
39
26
38
14
5
11
53
6
12
54
27
15
33
28
18
5
16
5
6
10

Water

Pos.	Part no.	Description	Qty.
54	50.00.554	O-ring for hand shower 11x2mm	2


CleanJet + Care



CleanJet + Care

Pos.	Part no.	Description	Qty.
1	56.00.153	Pump f. cleaning UP30	1
2	12.00.319	Housing f. Cleaning pump	1
5	56.00.166	Pressure hose f. cleaning	1
6	2066.0518	Hose clamp 30mm	1
7	2066.0521	Hose clamp 27mm	1
8	56.00.605	Suction hose f. cleaning	1
9	2066.0518	Hose clamp 30mm	2
10	1107.0100	Star lock ø4	5
11	50.00.754	Tulip for handshower with tape black	1
12	56.00.417	Frame for drawer CareControl	1
13	10.00.980	EJOT PT-Screw K30x10	4
15	56.00.492	Care container table unit	1
16	56.00.462	Bushing care container/pump	1
17	10.00.984	Hose clamp CLIC d=27.5mm	2
18	56.00.451	Pump f. CareControl DPS 35	1
19	56.00.534	Care hose 1	1
20	2066.0518	Hose clamp 30mm	1
21	2067.0164	Pressure hose ø10mm 650mm long	1
22	10.00.873	Hose clamp CLIC d=15.5mm	1
23	56.00.537	Pipe f. Care hose	1
24	10.00.983	Hose clamp CLIC d=23mm	1
25	56.00.457	Care hose 2	1
26	10.00.605	Hose clamp ø25.3	1
29	56.00.402	Drawer Care container	1
30	56.00.375	Cover for pump	1
31	10.00.989	Rivet with screw	2
32	2067.0050	Pressure hose d10mm	.65


Gas parts


5
6
3
15
14
27
38
B
29
9
12
13
21
32
37
17
16
4
8
22
19
18
34
21
35
22
22
43
A
1
24
40
26
25

Gas parts

Pos.	Part no.	Description	Qty.
1	70.00.566	Blower for burner NRG118	1
3	70.00.566	Blower for burner NRG118	1
4	10.00.990	Hex screw M5x16 Torx T20	4
5	70.00.871	Flange f. burner blower RG118 with gasket	1
6	10.01.065	Hex nut M5	4
8	70.00.870	Flange f. burner blower RG118 with gasket	1
9	10.00.065	Countersunk screw Torx T20 M4x12	3
12	70.00.637	Spacer sleeve f. gas burner blower	1
13	70.00.262	O-ring 21.89x2.62	2
14	10.00.068	Countersunk screw Torx T20 M4x40	4
15	10.00.456	Truss head screw Torx M4x30 T20	3
16	10.00.456	Truss head screw Torx M4x30 T20	3
17	10.00.065	Countersunk screw Torx T20 M4x12	3
18	70.00.122	Corrugated hose 390mm	1
19	70.00.090	Corrugated hose 600mm	1
21	10.00.061	Pan head screw Torx T20 M4x12	8
22	10.00.063	Pan head screw Torx T20 M4x25	8
24	74.00.308	Gas connection manifold 2x3/4"	1
25	1006.0762	Hex screw M6x10	2
26	1306.0222	Washer A6,4x15x1,5	2
27	74.00.883	Automatic ignition controller	1
29	10.00.062	Pan head screw Torx T20 M4x20	1
32	70.00.631	Air hose D40x350mm	1
34	70.00.454	Air hose D40x600mm	1
35	2066.0507	Hose clamp 32-50mm	2
37	70.00.624	Silicone hose ø8x1,6x141mm	1
38	70.00.623	Silicone hose ø8x1,6x115mm	1
40	70.00.188	Hose fitting 3/4"-3/4"	1
43	70.00.221	Air hose fixing device 40mm	2
A		Gas valve RH	1
B		Gas valve SEP	1


Gas valve, hot air



Gas valve, hot air

Pos.	Part no.	Description	Qty.
1	70.00.577	Gas valve RH *hot air*	1
2	70.00.255	Premix chamber cover gas f. RG130	1
3	70.00.030	Premix chamber gas f. RG130	1
4	70.00.580	Premix disc gas	1
5	70.00.256	Disc premix chamber-blower RG130	1


Gas valve, Steam



Gas valve, Steam

Pos.	Part no.	Description	Qty.
1	70.00.576	Gas valve SEP *steam*	1
2	70.00.255	Premix chamber cover gas f. RG130	1
3	70.00.030	Premix chamber gas f. RG130	1
4	70.00.580	Premix disc gas	1
5	70.00.256	Disc premix chamber-blower RG130	1
6	70.00.108	Disc gas valve-premix chamber	1
7	70.00.261	O-ring 17x1.5	1

Standard accessory



Standard accessory

Pos.	Part no.	Description	Qty.
1	60.61.431	Hinging rack left	1
2	60.61.432	Hinging rack right	1
3	60.71.022	Positioning support f. core sensor	1
8	10.01.194	Sticker set	1
10	60.71.381	Water connection kit, table unit G/USA	1

Index

Part no.	Description	Page
24.03.057	Abrasion protection for glide socket	29
40.04.331	Adaptor cable f. Ball valve drain	9
22.00.741	Air baffle	23
70.00.631	Air hose D40x350mm	41
70.00.454	Air hose D40x600mm	41
70.00.221	Air hose fixing device 40mm	41
40.02.684	Air inlet filter cpl.	33
22.00.914	Air inlet pipe	11
22.00.835	Air sucking ring f. air baffle	25
10.00.696	Allen screw M4x6 w. Precoat 85	19
74.00.883	Automatic ignition controller	41
16.01.924	Back panel	33
56.00.618	Ball valve drain SCC cpl.	35
70.00.566	Blower for burner NRG118	41
16.01.146	Bracket for door contact switch	31
12.00.950	Bracket for door contact switch/drain pipe	31
74.00.821	Burner hot air	17
70.00.573	Burner pipe	13
72.00.078	Burner steam gen.	13
40.03.996	Bus cable 1.15m	7
42.00.193	Bus interface A8	29
56.00.462	Bushing care container/pump	39
50.00.303	Bushing drip collector	33
10.00.111	Cable clip long	11
10.00.112	Cable clip short	21
40.00.320	Cable connection M20x1.5	7
4002.0110	Cable connector, junction	13
40.04.992	Cable control harness	9
24.02.967	Cable cover	27
40.04.181	Cable harness isolating transformer	9
40.02.965	Cable harness solenoid valve / SC-pump	9
40.03.516	Cable MMI - CPU	5

Index

Part no.	Description	Page
40.03.515	Cable MMI - TFT	5
40.03.467	Cable On-Off switch MMI	5
40.05.297	Cable, interior light W11	7
40.05.301	Cable, interior light W40	29
40.05.300	Cable, interior light W45	29
40.05.299	Cable, interior light W46	29
1110.0800	Cage nut M10	31
10.00.090	Cap f. Torx T30	27
10.01.076	Cap nut M5*A2	23
10.00.745	Cap nut M6*A2	31
56.00.492	Care container table unit	39
56.00.534	Care hose 1	39
56.00.457	Care hose 2	39
50.00.156	Clamp f. hand shower roll guide	35
10.00.087	Clamp strap f. sensor	23
50.00.296	Clip f. drip collector	33
54.01.191	Collecting pan	35
2001.0109	Compression spring	27
50.01.213	Connect. hose f. hand shower roll guide	35
40.03.322	Contactor assembly	9
40.03.761	Contactor B&J K1-09F00 230R	9
42.00.261	Control pcb	7
42.00.112	Control pcb *TFT*	5
40.03.348	Control transformer T1	9
40.03.257	Converter 230VAC 24VDC	7
40.03.428	Cooling fan with NTC	7
1315.0104	Copper washer 16x20x1,5	23
70.00.122	Corrugated hose 390mm	41
70.00.090	Corrugated hose 600mm	41
1006.1962	Countersunk screw Torx M6x16	27
10.00.065	Countersunk screw Torx T20 M4x12	41
10.00.068	Countersunk screw Torx T20 M4x40	41

Index

Part no.	Description	Page
1003.2265	Countersunk self tapping screw 4,2x16	33
24.03.062	Cover cap for door	29
16.02.889	Cover f. control pcb w. gasket	5
16.00.329	Cover f. USB interface	33
56.00.375	Cover for pump	39
16.01.488	Crossbar below	33
16.00.180	Crossbar top	33
22.00.361	Deep-draw f. air baffle	25
16.02.062	Dial f. pulse generator	5
70.00.108	Disc gas valve-premix chamber	45
70.00.256	Disc premix chamber-blower RG130	43, 45
10.01.348	Distance plate 15mm	7
24.03.086	Door *Level illumination*	27
24.02.951	Door bolt	27
24.03.040	Door bolt	27
24.02.959	Door catch	27
87.01.428	Door drip collector	29
20.02.550	Door gasket	23
24.02.923	Door handle	27
24.03.041	Door lock with spring U-bolt	27
24.02.814	Door mounting support bottom	27
24.00.133	Door mounting support top	27
24.02.966	Door setting bolt	29
40.04.342	Door switch 0.45m	31
22.00.960	Drain hose for humidity control	11
44.01.460	Drain hose steam generator	13
50.01.191	Drain pipe with bushings	33
56.00.402	Drawer Care container	39
50.00.286	Drip collector	33
40.02.515	Dry up protector 315°F/157°C	9
74.00.873	Earth electrode, hot air	19
10.00.980	EJOT PT-Screw K30x10	39

Index

Part no.	Description	Page
10.00.103	EJOT PT-screw KA 3.5x10	33
10.00.460	EJOT PT-Screw Torx 3,5x14	33
40.01.483	Electronic noise filter	9
44.00.207	Emptying pump	13
40.03.660	Fan housing	7
40.03.378	Fan motor with motor shaft gasket	21
22.00.828	Fan wheel	21
44.01.419	Filling level electrode 85mm	13
44.01.168	Fixing angle steam generator	13
24.03.060	Fixing bracket for interior glass pane	29
40.03.780	Fixing clip core temp. cable	25
40.03.756	Fixing clip f. pcb	7
40.03.533	Fixing clip f. pcb	7
40.01.579	Fixing clip f. pcb	9
24.00.502	Fixing device f. magnet with magnet	29
44.01.248	Fixing device f. pump steam generator	13
44.00.516	Fixing plate steam generator thermostat	13
70.00.871	Flange f. burner blower RG118 with gasket	41
70.00.870	Flange f. burner blower RG118 with gasket	41
22.00.721	Flange f. motor shaft gasket	21
1900.0102	Flow controller red 5 l/min	35
56.00.417	Frame for drawer CareControl	39
16.02.667	Front panel	33
4001.0224	Fuse 6.35x32mm	9
40.01.487	Fuse holder 2pol	9
40.02.512	Fuse holder 2x6.3A	9
40.01.873	Fuse SC-15A 10x38	9
74.00.308	Gas connection manifold 2x3/4"	41
70.00.577	Gas valve RH *hot air*	43
70.00.576	Gas valve SEP *steam*	45
74.00.290	Gasket electrode hot air	19
16.01.748	Gasket f. breather tube d=63mm	33

Index

Part no.	Description	Page
72.00.067	Gasket f. burner carrier	13
74.00.296	Gasket f. heat exchanger below	17
22.00.881	Gasket f. hum. meas. Pipe	11
44.00.250	Gasket f. ignition electrode	13
54.01.168	Gasket f. inspection lid	35
40.00.091	Gasket frame w. glass a. gaskets	23
74.00.814	Gasket hot air heat exchanger/interior cabinet	17
87.01.410	Glass pane bundle	29
22.01.196	Graphit seal for gasket flange	21
2022.0101	Grommet d8mm	35
40.03.994	Halogen bulb 300°C	23
50.00.282	Hand shower black	35
50.01.606	Hand shower roll guide	35
1105.0123	Hex combination nut M4	31
1104.0122	Hex combination nut M4 galv	11, 13
1105.0121	Hex combination nut M5 galv	13, 35
1104.0120	Hex nut M4	13
10.00.100	Hex nut M4, self-locking	23
10.01.065	Hex nut M5	9, 13, 17, 21, 41
1105.0120	Hex nut M5	13
10.00.709	Hex nut M6 w. locking	13, 21
3014.0327	Hex nut M10x1,0	9, 23
10.00.612	Hex nut M16 flat	23
10.00.990	Hex screw M5x16 Torx T20	41
1006.0762	Hex screw M6x10	13, 41
1006.0760	Hex screw M6x16	27, 31
10.01.527	Hex screw M8x12	27
10.00.936	Hex screw M8x20	21
10.00.975	Hex screw M10x35	31
1004.2160	Hex self tapping screw 4,2x16	33
10.00.992	Hex self tapping screw B4,2x32	33
60.61.431	Hinging rack left	47

Index

Part no.	Description	Page
60.61.432	Hinging rack right	47
24.02.958	Holding bracket f. door catch	27
2066.0205	Hose clamp 8-16x9 mm SW 7mm	35
2066.0521	Hose clamp 27mm	39
2066.0518	Hose clamp 30mm	13, 39
2066.0507	Hose clamp 32-50mm	41
2066.0504	Hose clamp 40-60mm	13
10.01.261	Hose clamp 66 mm	35
10.01.262	Hose clamp 76 mm	35
10.00.873	Hose clamp CLIC d=15.5mm	39
10.00.983	Hose clamp CLIC d=23mm	39
10.00.984	Hose clamp CLIC d=27.5mm	39
2066.0527	Hose clamp ø14mm	11, 15
2066.0530	Hose clamp ø16.4mm	15
10.00.605	Hose clamp ø25.3	39
2066.0519	Hose clamp Ø35,6mm	13
2066.0526	Hose clamp ø46mm	13
70.00.188	Hose fitting 3/4"-3/4"	41
22.00.525	Hose set f. humidity control	11
74.00.758	Hot air heat exchanger	17
12.00.319	Housing f. Cleaning pump	39
22.00.725	Humidity control cpl.	11
44.01.218	Ignition electrode steam generator	13
74.00.034	Ignitionelectrode, hot air	19
54.01.148	Inspection lid, quenching nozzle, B2	35
40.01.600	Insulating screw joint 2pol.	7
72.00.077	Insulation f. burner steam gen.	13
40.04.046	Interface cable USB 1.0m	33
24.02.960	Interlocking tooth screw M5x6	27
20.01.755	Isolation for mounting plate for motor	21
2062.0331	Junction pressure hose GS 10	15
2760.1370	Latch hook for air baffle	25

Index

Part no.	Description	Page
87.01.371	LED bar, left/right	29
87.01.366	LED optics	29
24.03.184	Lock cover	27
50.00.086	Locking plate f. water distribution	35
40.03.928	Loudspeaker cpl.	7
12.01.133	Lower part of pedestal	31
74.00.813	Mating flange heat exchanger	17
40.04.097	Meat probe sensor	23
42.00.081	MMI pcb	5
22.00.985	Motor shaft gasket D15	21
40.03.312	Mounting base for control pcb	7
40.03.391	Mounting device converter	7
22.00.882	Mounting device f. pressure sensor	11
22.00.722	Mounting support f. gasket flange	21
40.03.404	Mounting support transformer	9
50.00.844	Nozzle f. moistening	17
70.00.261	O-ring 17x1.5	45
70.00.262	O-ring 21.89x2.62	41
10.00.512	O-ring for ball valve drain 26x3.5	35
10.00.511	O-ring for ball valve drain 46x3.5	35
50.00.554	O-ring for hand shower 11x2mm	37
22.00.837	O-ring for humidity control	11
16.02.870	Opening mechanism for panel insert	31
1008.0768	Ornamental screw M8x16	27
1008.0769	Ornamental screw M8x30	7, 27
22.00.850	Outer humidity meas. Piece	11
54.01.117	Outlet sieve	23
10.00.449	Pan head screw M6x16	35
10.00.365	Pan head screw Torx M3x20	9
10.00.061	Pan head screw Torx T20 M4x12	7, 41
10.00.062	Pan head screw Torx T20 M4x20	41
10.00.063	Pan head screw Torx T20 M4x25	41

Index

Part no.	Description	Page
56.00.537	Pipe f. Care hose	39
50.01.722	Plastic pipe 4,5x0,75x136mm	17
50.00.085	Plug-in spring f. hand shower roll guide	35
60.71.022	Positioning support f. core sensor	47
40.01.597	Power supply cable 3xAWG14	7
42.00.224	Power supply for level interior light	7
40.00.279	Power transformer	7
70.00.255	Premix chamber cover gas f. RG130	43, 45
70.00.030	Premix chamber gas f. RG130	43, 45
70.00.580	Premix disc gas	43, 45
2067.0050	Pressure hose d10mm	35, 39
56.00.166	Pressure hose f. cleaning	39
2067.0164	Pressure hose ø10mm 650mm long	39
3017.1011	Pressure sensor for humidity control Huba 401	11
40.00.404	Pulse generator	5
2118.1000	Pump connection spout	15
8354.1320	Pump connection spout cpl.	13
56.00.451	Pump f. CareControl DPS 35	39
56.00.153	Pump f. cleaning UP30	39
40.00.098	Reflector f. interior light	23
87.00.417	Repair set shaft seal 01/2004	35
10.00.515	Rivet 3,2x5 A4	25
1603.0166	Rivet 3,2x7,9 CNS closed	33
1604.0167	Rivet 4x10	25
10.00.890	Rivet 4x10	29
10.00.904	Rivet B4x8	29
10.01.429	Rivet nut M5 hexagon closed with gasket	23
10.00.989	Rivet with screw	7, 39
54.01.141	Rubber form piece venting pipe	35
40.01.482	Safety temperature limiter 365°C	9, 23
40.01.317	Screen core temperature sensor	23
40.03.782	Screen interior cabinet sensor	23

Index

Part no.	Description	Page
42.00.128	SD-memory card 4GB	7
16.02.865	Sealing f. panel insert	5
16.00.136	Side panel left	33
16.00.135	Side panel right	33
2110.1008	Silicon hose ø10x2mm	15
70.00.623	Silicone hose ø8x1,6x115mm	41
70.00.624	Silicone hose ø8x1,6x141mm	41
50.01.146	Single solenoid valve Y2	35
24.03.052	Sleeve for door bolt top	29
24.03.056	Slide bush for door	29
1104.0820	Snap nut 4,2mm	31, 33
70.00.637	Spacer sleeve f. gas burner blower	41
24.03.288	Spring U-bolt for door lock	27
10.01.049	Square necked mushroom head bolt 6x30	21
1107.0100	Star lock ø4	39
44.00.938	Steam generator insolated	13
2112.1006	Steam hose Ø50x50mm	13
44.01.135	Steam pipe	13
10.01.194	Sticker set	47
2120.1259	Stop plug 10mm	15
56.00.605	Suction hose f. cleaning	39
22.00.491	Surge guard for Meat probe sensor	25
50.00.313	T-fitting water connection	35
40.00.290	Thermocouple humidity *B4*	23
40.04.096	Thermocouple interior cabinet B1	23
40.04.108	Thermocouple steam generator *B5*	13
4005.0101	Tie rap 145 mm	15
40.03.732	Tie rap 160 mm	7
1205.0120	Tooth lock washer A5,3	13
1206.0120	Tooth lock washer A6,4	31
16.02.158	Top cover	33
50.01.050	Triple solenoid valve	35


Index

Part no.	Description	Page
10.00.456	Truss head screw Torx M4x30 T20	41
10.01.004	Truss head screw with flange MLF A2 M6x20	35
50.00.754	Tulip for handshower with tape black	39
12.00.516	Turning lock f. lower part of pedestal	31
50.00.846	Union nut M12x13.2 N	17
12.00.205	Upper part of pedestal	31
22.00.767	Vent cover	11, 31
54.00.736	Ventilation pipe	35
8354.1304	Venting valve for steam generator	35
10.00.744	Washer A4,3 *A4	25
1306.0120	Washer A6,4	27
1306.0222	Washer A6,4x15x1,5	41
1308.0162	Washer A8,4	21
60.71.381	Water connection kit, table unit G/USA	47
50.00.070	Water distribution hor roll guide con.	35
50.00.071	Water distribution hor. w/o roll guide con.	35
1900.0202	Water filter	35
50.01.640	Water volume sensor	35
40.04.362	Wiring interior light	7, 23


Deckblatt Elektrische Dokumentation, Cover sheet electrical Documentation

Die Elektrische Dokumentation besteht aus: 1. diesem Deckblatt, 2. dem Schaltplan und 3. der Legende der elektrischen Bauteile
The electric documentation contains: 1. this cover sheet, 2. the wiring diagram and 3. the bill of material (BOM)


Typ **Type**	SCC WE 61G		
Spannung (SPL) **Voltage**	1NAC120 V 60 Hz		
Deckblatt-Nr. **Front Page No.**	75-22024	**Version**	1
Schaltplan **Wiring diagram**	76-00781	**Version**	1
Legende **Legend electr. components**	78-01519	**Version**	1
Geräteserialnr. **Serial number**	G61SI1609	**Version**	1609
Erstellt am **Created at**	22.06.2016	**Ersteller** **Creator**	HEJA
Gültig ab **Valid from**	24.11.2016	**Änderung** **Modification**	20160106



76-00781	MODUL 1 Leistung/Power	SCC WE 61G UL/CANADA	Erstellt von: HEJA Datum: 24.11.2016
Version: 1		1NAC120 V 60 Hz	Blatt: 1



76-00781	MODUL 2 Heizung/Heating	SCC WE 61G UL/CANADA	Erstellt von: HEJA
Version: 1		1NAC120 V 60 Hz	Datum: 24.11.2016 Blatt: 2



76-00781	MODUL 3 Sensoren/Sensors	SCC WE 61G UL/CANADA	Erstellt von: HEJA
Version: 1		1NAC120 V 60 Hz	Datum: 24.11.2016 Blatt: 3

Positionsliste
Bill of material

Name **Name**	**Artikelnr.** **Item number**	**Artikelbezeichnung**	**Item description**
-A0	42.00.112	TFT Touch	TFT Touch
-A1	42.00.081	Interface Platine	Interface PCB
-A2	42.00.261	CPU SCC WE	CPU SCC WE
-A2-F1/F2	3019.0120	Sicherung A2 - 2AT	Fuse A2 - 2AT
-A5	74.00.883	Feuerungsautomat Brenner 61-202	Ignition box
-A7	42.00.224	Netzteil Beleuchtung	Power supply lighting
-A8	42.00.193	Busknoten Tür	Network board door
-B1	40.04.096	Thermoelement Garraum	Thermocouple interior cabinet
-B2	54.01.148	Thermoelement Steuerventil	Thermocouple control valve
-B3	40.04.097	Thermoelement Kerntemperatur	Thermocouple core sensor
-B4	40.00.290	Thermoelement Feuchte	Thermocouple humidity
-B5	40.04.108	Thermoelement Dampfgenerator	Thermocouple steam generator
-F1/F2	40.01.873	Steuersicherung	Control fuse
-F3	40.02.515	Sicherheitstemperaturbegrenzer DG	Safety thermostat steam generator SG
-F4	40.01.482	Sicherheitstemperaturbegrenzer 360°C/680°F	Safety thermostat interior cabinet 360°C/680°F
-G1	40.03.257	Gleichrichter Kühllüfter	DC converter cooling fan
-H1	3024.0201	Garraumbeleuchtung	Interior cabinet light
-H3/H4	42.00.204	Türbeleuchtung LED-Platine	Door lighting LED board
-K1	40.03.761	Hauptschütz	Main contactor
-M1	40.03.378	Lüftermotor	Fan motor
-M12	56.00.451	Pumpe Pflegemittel	Care pump
-M4	44.00.207	SC-Pumpe	SC-pump
-M5	40.03.428	Kühllüfter	Cooling fan
-M6	56.00.153	CleanJet Pumpe SCC WE	CleanJet pump SCC WE
-M7	56.00.618	Kugelhahn Ablauf	Drain valve
-M8	70.00.566	Gasgebläse HL	Gas blower hot air
-M9	70.00.566	Gasgebläse DG	Gas blower steam
-P1	3017.1011	Differenzdrucksensor	Differential pressure sensor
-S1	TEXT	Ein/Aus Schalter	ON/OFF switch
-S11	50.01.640	CDS-Sensor	CDS-sensor
-S2	44.01.419	Niveauelektrode	Water level electrode

Änderungsdatum	**24.11.2016**	Name	**SCC WE 61G UL/CANADA**	Dokument-Nr.	**78-01519**
Erzeuger	**HEJA**	Spannung	**1NAC120 V 60 Hz**	Version	**1**

Positionsliste
Bill of material

Name **Name**	**Artikelnr.** **Item number**	**Artikelbezeichnung**	**Item description**
-S3	40.04.342	Türkontaktschalter	Door contact switch
-S6	40.00.404	Zentrales Einstellrad	Central dial
-T1	40.03.348	Steuertrafo	Control transformer
-T1-F1	3019.0120	Sicherung Steuertrafo T1 2AT	Fuse control transformer T1 2AT
-T1-F2	3019.0114	Sicherung Steuertrafo T1 5AmT	Fuse control transformer T1 5AmT
-T2	40.03.928	SCC WE: Lautsprecher / CMP: Alarmsummer	SCC WE: Speaker / CMP: Buzzer
-T3	40.00.279	Sondertrafo	Special transformer
-T3-F1	3019.0124	Sicherung Sondertrafo T3	Fuse special transformer
-W0	40.01.597	Anschlusskabel	Cable: power supply
-W11	40.04.362	Kabel: Garraumbeleuchtung	Cable: interior cabinet light
-W17	40.04.992	Kabel: Steuerstamm	Cable: control harness
-W19	40.04.181	Kabel: Zusatzstamm Gas	Cable: power supply gas
-W30	40.02.965	Kabel: Adapterkabel Pumpe Pflegemittel 61-102	Cable: adapter care pump 61-102
-W31	40.03.467	Kabel: Ein/Aus Schalter	Cable: ON/OFF switch
-W36	40.03.516	Kabel: Interface Platine - CPU SCC WE	Cable: Interface PCB - CPU SCC WE
-W38	40.03.515	Kabel: Interface Platine-TFT Touch	Cable: Interface PCB-TFT Touch
-W40	40.05.301	Kabel: Türbeleuchtung	Cable: door lighting
-W45	40.05.300	Kabel: Option Türbeleuchtung griffseitig	Cable: Option door lighting handle sided
-W46	40.05.299	Kabel: Option Türbeleuchtung scharnierseitig	Cable: Option door lighting hinge sided
-W48	40.05.297	Kabel: Verbindung Platine A7-Tür	Cable: Connection board A7 to door
-Y1/Y3/Y4	50.01.050	Y1: Magnetventil Füllen / SCC WE Y3: Beschwadung / Y4: Pflegemittel	Y1: Solenoid valve filling / SCC WE Y3: moistening / Y4: care
-Y11	70.00.576	Gasventil D	Gas valve steam
-Y12/Y13	70.00.577	Y12: Gasventil HL1 / Y13: Gasventil HL2 201/202G	Y12: Gas valve hot air / Y13: Gas valve hot air (bottom)
-Y2	50.01.146	Magnetventil Steuerventil	Solenoid valve control valve
-Y5	22.00.725	Klimaventil	Clima valve
-Z1	40.01.483	Entstörfilter/Varistor	Electronic noise filter

Änderungsdatum	**24.11.2016**	Name	**SCC WE 61G UL/CANADA**	Dokument-Nr.	**78-01519**
Erzeuger	**HEJA**	Spannung	**1NAC120 V 60 Hz**	Version	**1**