
Service part catalogue

VarioCooking Center 211E

E21VA0502



RATIONAL_CPC_SCC_VCC-G
©Copyright by RATIONAL Technical Service
All Rights reserved


Overview



Overview

Pos.	Assembly	Page
1	Chassis as of 01/05 upt to 09/05	4
1.1	Chassis as of 10/05 up to 11/06	10
2	Pan as of 01/05 up to 10/05	16
2.1	Pan as of 11/05 up to 11/06	22
3	Water distribution - hand shower roll guide as of 01/05 upto 01/06	26
3.1	Water distribution - hand shower roll guide as of 02/06 up to 11/06	28
4	Drain as of 01/05 upto 01/06	30
4.1	Drain as of 02/06 up to 11/06	32
5	Electrical installation as of 01/05 up to 08/05	34
5.1	Electrical installation as of 09/05 up to 01/06	38
5.2	Electrical installation as of 02/06 up to 11/06	42
6	External sheet as of 01/05 up to 11/06	46
7	Lid as of 01/05 up to 04/06	50
7.1	Lid as of 05/06 up to 11/06	52
8	Control panel as of 01/05 up to 08/05	54
8.1	Control panel as of 09/05 up to 11/06	56


Chassis as of 01/05 upt to 09/05



Chassis as of 01/05 upt to 09/05

Pos.	Part no.	Description	Qty.
1	12.00.503	Cross frame	
2	10.00.607	Hex combination nut M8	
3	12.00.512	Subframe left foot	
4	12.00.572	Chassis right	
5	10.00.418	Bundle guide big	
6	10.00.111	Cable clip long	
7	1108.0260V	Hex nut M8	
8	1308.0160V	Washer A8,4	
9		Shaft toppling pan	
10		Shaft toppling lid	
11	40.00.622	Lifting cylinder for lid LBM 14.21F	
12	40.07.748P	Lifting cylinder for lid with cover	
13	1106.0801F	Hex combination nut M6	
14	1008.0768F	Ornamental screw M8x16	
15	24.01.231	Silicone hose 16/20	
16	2066.0525V	Hose clamp ø22,1 mm	


Shaft toppling pan



Shaft toppling pan

Pos.	Part no.	Description	Qty.
1	20.00.704	Rotary complete shaft toppling right	
2	10.00.593	Hex socket set screw cone point A2 M8X20	
3	20.00.709	O-ring 46x3	
4	10.00.607	Hex combination nut M8	
5	20.00.696	Swing shaft lever for pan	
6	20.00.481	Shaft for lower cap	
7	20.00.480	Split-pin 3.2x22 A2	
8	10.00.423	Washer M12 A2	
9	20.00.926	Sheath ring shaft toppling pan complete	
10	20.00.952	Friction ring shaft raising pan	
11	20.00.695	Ring shaft toppling right	
12	20.00.708	O-ring 106x2	
13	10.00.595	Hex socket set screw cup point A2_70 M6x6 Tuflok	
14	20.00.698	Sheath shaft toppling right	
15	20.00.694	Shaft toppling welded	
16	20.00.701	Key arm toppling pan	
17	24.00.721	Friction ring shaft	
18	1106.0803V	Hex combination nut M6 galv	
19	24.00.760	Shaft hoist swing shaft	
20	16.01.198	Bracket watertightness frame	
21	1106.0801F	Hex combination nut M6	


Shaft toppling lid



Shaft toppling lid

Pos.	Part no.	Description	Qty.
1	24.01.222	Sheath and ring Iglidur	
2	24.00.718	Shaft raising complete right	
3	20.00.480	Split-pin 3.2x22 A2	
4	24.00.760	Shaft hoist swing shaft	
5	10.00.423	Washer M12 A2	
6	24.00.748	Key shaft raising lid	
7	20.00.481	Shaft for lower cap	
8	24.00.756	Friction ring teflon right lid	
9	24.00.757	Stop ring shaft raising right	
10	10.00.613	Bolt M8x8 A2	
11	24.00.758	Roofing ring shaft raising	
12	10.00.615	Hex socket set screw cup point A2 M6X8	
13	24.00.719	Sleeve swing shaft left	
14	24.00.890	Friction ring swing shaft lid	
15	24.00.720	Spacer ring left	
16	1106.0803V	Hex combination nut M6 galv	


Chassis as of 10/05 up to 11/06



Chassis as of 10/05 up to 11/06

Pos.	Part no.	Description	Qty.
1	12.00.512	Subframe left foot	
2	12.00.503	Cross frame	
3	10.00.607	Hex combination nut M8	
4	12.00.572	Chassis right	
5	12.00.205	Upper part of pedestal	
6	12.00.224	Lower part of pedestal 110mm	
7	10.00.111	Cable clip long	
8	1108.0260V	Hex nut M8	
9	1308.0160V	Washer A8,4	
10	40.00.914	Equipotentiality sticker	
11	1106.0160F	Hex nut M6	
12	10.00.189	Tooth lock washer A4 AZ6	
13		Shaft toppling pan	
14		Shaft toppling lid	
15	40.00.622	Lifting cylinder for lid LBM 14.21F	
16	24.00.760	Shaft hoist swing shaft	
17	10.00.747	Securing device for bolt d=12	
18	40.07.748P	Lifting cylinder for lid with cover	
19	10.00.423	Washer M12 A2	
20	20.00.481	Shaft for lower cap	
21	20.00.480	Split-pin 3.2x22 A2	
22	12.00.653	Drip collector	
23	1008.0768F	Ornamental screw M8x16	
24	1106.0803V	Hex combination nut M6 galv	


Shaft toppling pan



Shaft toppling pan

Pos.	Part no.	Description	Qty.
1	20.00.704	Rotary complete shaft toppling right	
2	10.00.593	Hex socket set screw cone point A2 M8X20	
3	1108.0260V	Hex nut M8	
4	20.00.696	Swing shaft lever for pan	
5	10.00.613	Bolt M8x8 A2	
6	20.00.926	Sheath ring shaft toppling pan complete	
7	20.00.952	Friction ring shaft raising pan	
8	20.00.695	Ring shaft toppling right	
9	20.00.708	O-ring 106x2	
10	10.00.595	Hex socket set screw cup point A2_70 M6x6 Tuflok	
11	20.00.698	Sheath shaft toppling right	
12	20.00.694	Shaft toppling welded	
13	20.00.701	Key arm toppling pan	
14	20.00.925	Clamp left shaft toppling complete	
15	24.00.721	Friction ring shaft	
16	1106.0803V	Hex combination nut M6 galv	
17	24.00.760	Shaft hoist swing shaft	
18	20.00.480	Split-pin 3.2x22 A2	
19	10.00.423	Washer M12 A2	
20	16.01.198	Bracket watertightness frame	
21	20.00.709	O-ring 46x3	


Shaft toppling lid



Shaft toppling lid

Pos.	Part no.	Description	Qty.
1	24.00.718	Shaft raising complete right	
2	24.00.758	Roofing ring shaft raising	
3	24.01.222	Sheath and ring Iglidur	
4	24.00.719	Sleeve swing shaft left	
5	24.00.890	Friction ring swing shaft lid	
6	24.00.720	Spacer ring left	
7	1106.0803V	Hex combination nut M6 galv	


Pan as of 01/05 up to 10/05



Pan as of 01/05 up to 10/05

Pos.	Part no.	Description	Qty.
1	20.00.961	Pan complete	
2	40.01.940	Heating element 2x2800W	
3	20.00.714	Graphit plate big for heating element 5600W	
4	1105.0121V	Hex combination nut M5 galv	
5	40.01.939	Heating element 1400W	
6	20.00.710	Graphit plate for heating element 1400W	
7	46.00.101	Cable control harness heating	
8	20.00.851	Thermocouple harness	
9	20.00.855	Thermocouple pan	
10	1104.0120V	Hex nut M4	
11	1304.0160F	Washer A4,3	
12	20.00.885	Sensor holder	
13	1106.0803V	Hex combination nut M6 galv	
14		Actuation for pan valve cpl. VCC 112-311	
15	1005.0663V	Allen screw M5x10	
16	1205.0260F	Spring washer B5	
17	20.00.949	Gasket f. pan valve fixing device	
18	20.00.950	Lever assembly pan valve	
19	20.00.917	Bowden cable for pan valve	
20	1251.1000V	Safety washer ø5mm	
21	1306.0120V	Washer A6,4	
22		Motor for pan valve	
23	20.00.922	Micro switch pan valve position	
24	10.00.619	Hex socket head cap screw A2 M2X16	
25	10.00.636	Hex nut M2 self-locking	
26	87.00.475	Discharge pipe of pan	
27	2066.0507V	Hose clamp 32-50mm	
28	3014.0325V	Safety temperature limiter 110°C	


Actuation for pan valve cpl. VCC 112-311



Actuation for pan valve cpl. VCC 112-311

Pos.	Part no.	Description	Qty.
1	20.00.980	Sheath for pan valve	
2	20.00.972	Plug for pan valve	
3	20.00.993	Gasket for plug pan valve	
4	10.00.675	O-ring f. pan valve 17.3 x 2.4	


Motor for pan valve



Motor for pan valve

Pos.	Part no.	Description	Qty.
1	40.02.040	Gear motor pan valve	
2	20.00.957	Lever f. bowden cable pan valve	
3	20.00.876	Pan valve motor holder	
4	1106.0803V	Hex combination nut M6 galv	
5	1004.0663V	Allen screw M4x12	
6	1104.0121V	Hex nut M4 self locking	
7	1306.0218V	Washer A4,3	
8	20.00.989	Bearing coupling for cable	


Pan as of 11/05 up to 11/06



Pan as of 11/05 up to 11/06

Pos.	Part no.	Description	Qty.
1	10.00.607	Hex combination nut M8	
2	20.00.961	Pan complete	
3	1008.0761V	Hex screw M8x25	
4	40.02.145	Heating element 4X1400W	
5	20.00.714	Graphit plate big for heating element 5600W	
6	1105.0121V	Hex combination nut M5 galv	
7	40.01.939	Heating element 1400W	
8	20.00.710	Graphit plate for heating element 1400W	
9	1805.1709F	Straight pin 4x12 A2	
10	46.00.101	Cable control harness heating	
11	40.02.155	Additional harness heating	
12	1107.0100F	Star lock ø4	
13	20.00.851	Thermocouple harness	
14	1104.0120V	Hex nut M4	
15	10.00.187	Lock washer AZ 4	
16	20.00.885	Sensor holder	
17	1106.0803V	Hex combination nut M6 galv	
18	20.00.905	Sheath for pan valve	
19	20.00.972	Plug for pan valve	
20	20.00.993	Gasket for plug pan valve	
21	10.00.675	O-ring f. pan valve 17.3 x 2.4	
22	20.00.950	Lever assembly pan valve	
23	20.00.917	Bowden cable for pan valve	
24	1251.1000V	Safety washer ø5mm	
25	1306.0120V	Washer A6,4	
26		Lever valve cable	
27	87.00.475	Discharge pipe of pan	
28	2066.0507V	Hose clamp 32-50mm	
29	3014.0325V	Safety temperature limiter 110°C	
30	20.00.983	Mounting device for Bimetall switch	
31	20.00.987	Graphit plate for Bimetall switch	
32	20.00.855	Thermocouple pan	


Lever valve cable



Lever valve cable

Pos.	Part no.	Description	Qty.
1	40.02.040	Gear motor pan valve	
2	20.00.957	Lever f. bowden cable pan valve	
3	20.00.876	Pan valve motor holder	
4	1106.0803V	Hex combination nut M6 galv	
5	1004.0663V	Allen screw M4x12	
6	1104.0121V	Hex nut M4 self locking	
7	10.00.672	Disc IGUS 112-311	


Water distribution - hand shower roll guide as of 01/05



Water distribution - hand shower roll guide as of 01/05

Pos.	Part no.	Description	Qty.
1	12.00.616	Shower roll guide holder	
2	1106.0803V	Hex combination nut M6 galv	
3	10.00.607	Hex combination nut M8	
4	1008.0760V	Hex screw M8x16	
5	50.00.552	Hand shower roll guide VCC	
6	24.01.232	Silicone hose 6x9	
7	10.00.656	Hose clamp D9.1	
8	10.00.638	Slotted countersunk head screw M6X60	
9	8664.1007V	Water distribution unit	
10	50.00.562	"Plug brass F 1/2""""	
11	50.00.592	"Plug brass M 3/4""""	
12	5110.1024V	Gasket for G3/4" threaded joint	
13	50.00.599	Gasket TESNIT 20x12x2 1/2"	
14	50.00.575	Solenoide valve (connector color brown)	
15	2067.0050V	Pressure hose d10mm	
16	2066.0530V	Hose clamp ø16.4mm	
17	50.00.316	Single solenoid valve	
18	16.00.402	"Elbow fitting to crimp 3/4"" D12"	
19	50.00.348	Hose clamp 12.22 L9	
20	40.01.311	Water volume sensor Vision 2000 3/8"	
21	50.00.600	"Elbow fitting to crimp M3/4"" D13"	
22	50.00.073	Water distribution vert w/o roll guide con.	
23	50.00.086	Locking plate f. water distribution	
24	1900.0202V	Water filter	
25	50.00.078	Non return valve DW16/DN12	
26	50.00.590	Hand shower blue	
27	50.00.156	Clamp f. hand shower roll guide	


Water distribution - hand shower roll guide as of 02/06



Water distribution - hand shower roll guide as of 02/06

Pos.	Part no.	Description	Qty.
1	50.00.618	Solenoide valve (connector color green)	
2	40.02.350	Water volume sensor with wire 211/311	
3	50.00.071F	Water distribution hor. w/o roll guide con.	
4	50.00.086	Locking plate f. water distribution	
5	50.00.078	Non return valve DW16/DN12	
6	1900.0202V	Water filter	
7	50.00.568	Silicone hose diameter out 14mm in 8mm	
8	2066.0527V	Hose clamp ø14mm	
9	50.00.072	Water distribution vert roll guide con.	
10	2066.0530V	Hose clamp ø16.4mm	
11	12.00.616	Shower roll guide holder	
12	1008.0763V	Hex screw M8x20	
13	10.00.607	Hex combination nut M8	
14	50.00.626	Hand shower roll guide VCC	
15	50.00.085	Plug-in spring f. hand shower roll guide	
16	24.01.232	Silicone hose 6x9	
17	87.00.475	Discharge pipe of pan	
18	50.00.590	Hand shower blue	
19	50.00.156	Clamp f. hand shower roll guide	


Drain as of 01/05 upto 01/06



Drain as of 01/05 upto 01/06

Pos.	Part no.	Description	Qty.
1	54.00.508	Quenching box	
2	10.00.607	Hex combination nut M8	
3	54.00.542	Silicon hose 12/17	
4	2066.0530V	Hose clamp ø16.4mm	
5	54.00.511	Waste water eacuation	
6	10.00.586	Circlips stainless shaft D 50	
7	24.00.348	Silicone hose D30/40	
8	2066.0526F	Hose clamp ø46mm	
9	87.00.475	Discharge pipe of pan	
10	2066.0531V	Hose clamp ø56	


Drain as of 02/06 up to 11/06



Drain as of 02/06 up to 11/06

Pos.	Part no.	Description	Qty.
1	54.00.585	Bushing d50/d20	
2	24.01.174	Adapter outlet regulation pipe steam	
3	24.01.231	Silicone hose 16/20	
4	50.00.612	T-fitting plastic TS16	
5	50.00.632	L-fitting plastic TS16 90°	
6	54.00.560	Elbow-pipe PP DN50 87°	
7	54.00.577	Y-Fitting PP DN50 87°	
8	54.00.564	PP-Pipe DN50 x 150mm	
9	54.00.584	Tube 200mm Ø50 to square 50x50	
10	50.00.639	Square seal	
11	54.00.561	PP-Pipe DN50 x 500mm	
12	54.00.562	Elbow-pipe PP DN50 45°	
13	54.00.566	Pipe clamp D50	


Electrical installation as of 01/05 up to 08/05



Electrical installation as of 01/05 up to 08/05

Pos.	Part no.	Description	Qty.
1	1106.0803V	Hex combination nut M6 galv	
2	2930.1304V	Cooling plate solid state relay	
3	1004.0663V	Allen screw M4x12	
4	1104.0122F	Hex combination nut M4 galv	
5	40.00.453	Solid state relais	
6	1004.0500F	Raised countersunk metal screw M4x8 oval head	
7	10.00.507	Pan head screw Torx 5/16" T20	
8	3101.1008V	Cooling fan	
9	40.01.996	Distance bush PA d12/5x7.2	
10	1004.0662V	Allen screw M4x25	
11	1104.0121V	Hex nut M4 self locking	
12	42.00.039	Relay-I/O pcb A4	
13	40.02.047	Fixing clip white p/1.6mm	
14	40.00.417F	Fixing clip f. pcb	
15	42.00.055V	Relay-I/O pcb	
16	40.02.015	Distance nut PA H10 x 4.3 D.8MM	
17	1104.0120V	Hex nut M4	
18	10.00.187	Lock washer AZ 4	
19	42.00.038	Relay pcb (5 Relay)	
20	40.01.091	Bus cable 0.4m	
21	40.00.471	Bus cable 0.8m	
22	40.02.010	Rail omega 150mm	
23	40.01.556	Contactor CL04A310M6-M	
24	40.00.764	End plate for mounting rail	
25	40.00.707	Terminal block 6qmm blue	
26	40.00.705	Terminal block 6qmm g/y	
27	40.00.465	Electronic noice filter	
28	10.00.607	Hex combination nut M8	
29	4001.1295V	Fuse holder e 1003Si/1DS	
30	10.00.144	Socket cap screw M3x16mm	
31	4001.0226V	Fuse 6.35x32mm 16A, time-lag	
32	4001.0224V	Fuse 6.35x32mm 6,3A slow-blow	
33	40.01.941	Fuse 6.35x32mm 250V 8A	
34	40.00.673	Safety temperature limiter 220° (Oil too hot)	
35	1004.0023F	Slotted pan head screw M4x6	
36	40.00.639	Terminal block 25qmm g/y	


Electrical installation as of 01/05 up to 08/05



Electrical installation as of 01/05 up to 08/05

Pos.	Part no.	Description	Qty.
37	40.00.823	Terminal block 25qmm grey	
38	40.00.826	Terminal block 25qmm blue	
39	40.00.277	Control transformer	
40	1105.0120V	Hex nut M5	
41	40.01.712	Transformer	
42	1105.0121V	Hex combination nut M5 galv	
43	10.00.111	Cable clip long	
44	10.00.418	Bundle guide big	
45	10.00.471F	Cable clip d10-12mm	
46	10.00.472F	Cable clip d13,5-16mm	
47	40.01.986	Bundle power supply contactor entry	
47	40.01.985	Control harness K1 contactor exit	
47	40.01.948	Control harness	
47	40.01.977	Heating element safety chain bundle	
47	40.01.919	Cable X46-X10	
47	40.01.893	Power supply cable X14 X112	
47	40.01.891	Cable X24-X127	
47	40.01.961	Cable X128	
47	40.01.894	Cable Water volume sensor X15	
47	40.01.912	Cable pan valve X25	
47	40.01.907	Cable solenoide X19 01/05	
47	40.01.895	Cable I/O A4 pcb1 X117	
47	40.01.896	Cable I/O A4 pcb X118	
47	40.01.897	Cable I/O A4 pcb X119	
47	40.01.898	Cable I/O A4 pcb X120	
47	40.01.899	Cable I/O A4 pcb X121	


Electrical installation as of 09/05 up to 01/06



Electrical installation as of 09/05 up to 01/06

Pos.	Part no.	Description	Qty.
1	1106.0803V	Hex combination nut M6 galv	
2	2930.1304V	Cooling plate solid state relay	
3	1004.0663V	Allen screw M4x12	
4	1104.0122F	Hex combination nut M4 galv	
5	40.00.453	Solid state relais	
6	10.00.444	Raised countersunk head screw Torx M4x8	
7	10.00.507	Pan head screw Torx 5/16" T20	
8	3101.1008V	Cooling fan	
9	40.01.996	Distance bush PA d12/5x7.2	
10	1004.0662V	Allen screw M4x25	
11	1104.0121V	Hex nut M4 self locking	
12	42.00.039	Relay-I/O pcb A4	
13	40.02.047	Fixing clip white p/1.6mm	
14	40.00.417F	Fixing clip f. pcb	
15	42.00.055V	Relay-I/O pcb	
16	40.02.015	Distance nut PA H10 x 4.3 D.8MM	
17	1104.0120V	Hex nut M4	
18	10.00.187	Lock washer AZ 4	
19	42.00.038	Relay pcb (5 Relay)	
20	40.00.338	Energy_opt.-terminal *screw typ*	
21	40.00.320	Cable connection M20x1.5	
22	40.01.556	Contactor CL04A310M6-M	
23	40.00.764	End plate for mounting rail	
24	40.00.707	Terminal block 6qmm blue	
25	40.00.705	Terminal block 6qmm g/y	
26	40.00.465	Electronic noice filter	
27	10.00.607	Hex combination nut M8	
28	4001.1295V	Fuse holder e 1003Si/1DS	
29	10.00.144	Socket cap screw M3x16mm	
30	10.00.632	Hex combination nut M3	
31	4001.0226V	Fuse 6.35x32mm 16A, time-lag	
32	4001.0224V	Fuse 6.35x32mm 6,3A slow-blow	
33	40.01.941	Fuse 6.35x32mm 250V 8A	
34	40.00.673	Safety temperature limiter 220° (Oil too hot)	
35	1004.0023F	Slotted pan head screw M4x6	
36	40.00.639	Terminal block 25qmm g/y	


Electrical installation as of 09/05 up to 01/06



Electrical installation as of 09/05 up to 01/06

Pos.	Part no.	Description	Qty.
37	40.02.139	Differential switch	
38	40.00.277	Control transformer	
39	1105.0120V	Hex nut M5	
40	40.01.712	Transformer	
41	1105.0121V	Hex combination nut M5 galv	
42	10.00.111	Cable clip long	
43	10.00.418	Bundle guide big	
44	10.00.471F	Cable clip d10-12mm	
45	10.00.472F	Cable clip d13,5-16mm	
46	40.00.701	Screwed cable gland polyamid PG40	
47	10.00.116	Fixing nut for cable gland PG40 polyamid	
48	40.01.091	Bus cable 0.4m	
48	40.00.471	Bus cable 0.8m	
48	40.02.142	Control harness fault current switch 211/311	
48	40.01.986	Bundle power supply contactor entry	
48	40.01.985	Control harness K1 contactor exit	
48	40.01.948	Control harness	
48	40.01.919	Cable X46-X10	
48	40.01.893	Power supply cable X14 X112	
48	40.01.891	Cable X24-X127	
48	40.02.058	Cable X128 211/311	
48	40.01.894	Cable Water volume sensor X15	
48	40.01.907	Cable solenoide X19 01/05	
48	40.01.895	Cable I/O A4 pcb1 X117	
48	40.01.896	Cable I/O A4 pcb X118	
48	40.01.897	Cable I/O A4 pcb X119	
48	40.01.898	Cable I/O A4 pcb X120	
48	40.01.899	Cable I/O A4 pcb X121	


Electrical installation as of 02/06 up to 11/06



Electrical installation as of 02/06 up to 11/06

Pos.	Part no.	Description	Qty.
1	40.00.277	Control transformer	
2	1004.0663V	Allen screw M4x12	
3	1104.0122F	Hex combination nut M4 galv	
4	1105.0120V	Hex nut M5	
5	1106.0803V	Hex combination nut M6 galv	
6	40.02.471	Electronic noice filter	
7	10.00.607	Hex combination nut M8	
8	1308.0161V	Washer A8,4	
9	40.01.712	Transformer	
10	1105.0121V	Hex combination nut M5 galv	
11	40.02.139	Differential switch	
12	40.00.764	End plate for mounting rail	
13	4001.1250V	Terminal block 16mm² blue	
14	4001.1210F	Earth terminal 16mm² yellow/green	
15	4001.1233V	Terminal block yellow/green 35mm²	
16	40.01.556	Contactor CL04A310M6-M	
17	10.00.111	Cable clip long	
18	10.00.418	Bundle guide big	
19	42.00.038	Relay pcb (5 Relay)	
20	42.00.055V	Relay-I/O pcb	
21	40.02.047	Fixing clip white p/1.6mm	
22	42.00.039	Relay-I/O pcb A4	
23	40.02.015	Distance nut PA H10 x 4.3 D.8MM	
24	1104.0120V	Hex nut M4	
25	10.00.187	Lock washer AZ 4	
26	40.00.338	Energy_opt.-terminal *screw typ*	
27	40.00.320	Cable connection M20x1.5	
28	2930.1304V	Cooling plate solid state relay	
29	3101.1008V	Cooling fan	
30	1004.0662V	Allen screw M4x25	
31	40.01.996	Distance bush PA d12/5x7.2	
32	40.01.589	Solid state relais	
33	10.00.444	Raised countersunk head screw Torx M4x8	
34	10.00.507	Pan head screw Torx 5/16" T20	
35	1104.0121V	Hex nut M4 self locking	
36	4001.1295V	Fuse holder e 1003Si/1DS	


Electrical installation as of 02/06 up to 11/06



Electrical installation as of 02/06 up to 11/06

Pos.	Part no.	Description	Qty.
37	4001.0224V	Fuse 6.35x32mm 6,3A slow-blow	
38	40.01.941	Fuse 6.35x32mm 250V 8A	
39	4001.0226V	Fuse 6.35x32mm 16A, time-lag	
40	10.00.611	Hex socket head cap screw A2 M3X20	
41	10.00.632	Hex combination nut M3	
42	10.00.116	Fixing nut for cable gland PG40 polyamid	
43	10.00.472F	Cable clip d13,5-16mm	
44	10.00.471F	Cable clip d10-12mm	
45	40.01.919	Cable X46-X10	
45	40.01.893	Power supply cable X14 X112	
45	40.01.899	Cable I/O A4 pcb X121	
45	40.00.701	Screwed cable gland polyamid PG40	
45	40.01.907	Cable solenoide X19 01/05	
45	40.01.985	Control harness K1 contactor exit	
45	40.01.986	Bundle power supply contactor entry	
45	40.01.948	Control harness	
45	40.01.895	Cable I/O A4 pcb1 X117	
45	40.01.896	Cable I/O A4 pcb X118	
45	40.01.897	Cable I/O A4 pcb X119	
45	40.01.898	Cable I/O A4 pcb X120	
45	40.01.891	Cable X24-X127	
45	40.02.058	Cable X128 211/311	
45	40.00.471	Bus cable 0.8m	
45	40.01.091	Bus cable 0.4m	


External sheet as of 01/05 up to 11/06



External sheet as of 01/05 up to 11/06

Pos.	Part no.	Description	Qty.
1	16.01.071	Side panel right pan complete	
2	1106.0803V	Hex combination nut M6 galv	
3	20.00.718	Side panel left pan complete	
4	20.00.720	Pan front panel	
5	10.00.606	Allen screw M5x8 A2	
6	20.00.722	Pan back panel	
7	10.00.150	Slotted pan head screw M6x12 A2	
8	16.00.838	Side panel for left frame	
9	16.00.839	Mounting bracket side left	
10	10.00.116	Fixing nut for cable gland PG40 polyamid	
11	40.00.701	Screwed cable gland polyamid PG40	
12	16.01.160	Side panel right for console	
13	16.00.841	Mounting bracket console side R	
14	16.00.847	Front panel console	
15	87.00.256	Tulip blue for hand shower part n° 87.00.256	
16	1107.0101V	Star lock ø5	
17	16.00.725	Gasket f. Tulip	
18	40.01.410	Socket 2P+T 16A (Germany)	
19	16.00.329	Cover f. USB interface	
20	10.00.103	EJOT PT-screw KA 3.5x10	
21	40.00.469F	Interface cable USB 0.9m	
22	10.00.460	EJOT PT-Screw Torx 3,5x14	


Tulip blue for hand shower part n° 87.00.256



Tulip blue for hand shower part n° 87.00.256

Pos.	Part no.	Description	Qty.
1	87.00.196	Socket cover for tulip blue	


Lid as of 01/05 up to 04/06



Lid as of 01/05 up to 04/06

Pos.	Part no.	Description	Qty.
1	24.01.156	Lid welded	
2	10.00.613	Bolt M8x8 A2	
3	24.01.026	Cover hinge	
4	10.00.606	Allen screw M5x8 A2	
5	24.01.122	Core temperature probe	
6	20.00.680	O-ring 21x 1.5	
7	10.00.612	Hex nut M16 flat	
8	24.00.769	Magnet for lid (core temperature)	
9	1106.0160F	Hex nut M6	
10	1106.0803V	Hex combination nut M6 galv	
11	24.00.866	Lid gasket	
12	24.01.174	Adapter outlet regulation pipe steam	
13	24.01.195	Maintenance arises bends joint lid	
14	50.00.348	Hose clamp 12.22 L9	
15	24.01.089	Pipe water filling	
16	10.00.225	Nut 3/8"	
17	24.01.173	"Gasket EPDM 3/8""""	
18	24.01.028	Fixing device front lid gasket	
19	24.01.087	Fixing device back lid gasket	
20	24.01.164	Lid cover	


Lid as of 05/06 up to 11/06



Lid as of 05/06 up to 11/06

Pos.	Part no.	Description	Qty.
1	24.01.156	Lid welded	
2	10.00.613	Bolt M8x8 A2	
3	24.01.026	Cover hinge	
4	10.00.606	Allen screw M5x8 A2	
5	24.01.122	Core temperature probe	
6	20.00.680	O-ring 21x 1.5	
7	10.00.612	Hex nut M16 flat	
8	24.00.769	Magnet for lid (core temperature)	
9	1106.0160F	Hex nut M6	
10	1106.0803V	Hex combination nut M6 galv	
11	10.00.648	Hose clamp d.20.2	
12	24.00.866	Lid gasket	
13	24.01.195	Maintenance arises bends joint lid	
14	2066.0525V	Hose clamp ø22,1 mm	
15	24.01.089	Pipe water filling	
16	10.00.225	Nut 3/8"	
17	24.01.028	Fixing device front lid gasket	
18	24.01.087	Fixing device back lid gasket	
19	50.00.617	Spring f. hose, water filling	
20	24.01.164	Lid cover	
21	10.00.189	Tooth lock washer A4 AZ6	


Control panel as of 01/05 up to 08/05



Control panel as of 01/05 up to 08/05

Pos.	Part no.	Description	Qty.
1	87.00.161	Control panel Vitro with overlay RAT	
2	10.00.606	Allen screw M5x8 A2	
3	42.00.002V	Control pcb	
4	40.01.996	Distance bush PA d12/5x7.2	
5	1306.0218V	Washer A4,3	
6	1104.0121V	Hex nut M4 self locking	
7	87.00.165	External memory flashed	
8	3006.0107F	Buzzer	
9	87.00.136F	Conversion kit buzzer	
10	87.00.622	Pulse generator with gasket	
11	16.00.845	Holding bracket front panel	
12	1106.0803V	Hex combination nut M6 galv	
13	16.01.169	Overlay VCC/E *Rational* 112-311	
14	16.00.232	Dial f. pulse generator blue	
15	16.01.126	Isolation cover for Vitro	
16	1106.0160F	Hex nut M6	
17	10.00.189	Tooth lock washer A4 AZ6	
18	10.00.179	Washer M6 A2	
19	24.00.376	Silicone adhesive caf 33	
20	16.00.934	Glass for Vitro	
21	40.01.612	Heating element f. vitro	
22	40.01.953	Control harness Vitro	
23	16.00.932	Isolation heating element Vitro	
24	16.00.844	Bottom plate f. isolation cover Vitro	
25	40.00.852	Grommet ø9.5	
26	74.00.386	Compression spring Vitro 1.8X16X52	
27	10.00.596	Hex screw M6x50 A2	
28	10.00.186	Washer broad LL6	
29	60.70.618	Safety loop Vitro	

Control panel as of 09/05 up to 11/06



Control panel as of 09/05 up to 11/06

Pos.	Part no.	Description	Qty.
1	87.00.161	Control panel Vitro with overlay RAT	
2	10.00.606	Allen screw M5x8 A2	
3	42.00.002V	Control pcb	
4	40.01.996	Distance bush PA d12/5x7.2	
5	1306.0218V	Washer A4,3	
6	1104.0121V	Hex nut M4 self locking	
7	87.00.165	External memory flashed	
8	42.00.006	Network interface Ethernet	
9	3006.0107F	Buzzer	
10	87.00.136F	Conversion kit buzzer	
11	87.00.622	Pulse generator with gasket	
12	1106.0803V	Hex combination nut M6 galv	
13	1306.0120V	Washer A6,4	
14	16.01.169	Overlay VCC/E *Rational* 112-311	
15	16.00.232	Dial f. pulse generator blue	
16	24.00.376	Silicone adhesive caf 33	
17	40.01.612	Heating element f. vitro	
18	40.02.059	Control harness Vitro	
19	16.01.187	Isolation front panel Vitro	
20	16.01.189	Isolation perforated front panel Vitro	
21	16.00.844	Bottom plate f. isolation cover Vitro	
22	40.00.852	Grommet ø9.5	
23	74.00.386	Compression spring Vitro 1.8X16X52	
24	10.00.596	Hex screw M6x50 A2	
25	91.00.140	Washer L6 A2	
26	10.00.189	Tooth lock washer A4 AZ6	
27	1106.0160F	Hex nut M6	
28	60.70.618	Safety loop Vitro	

Index

Part no.	Description	Page
16.00.402	"Elbow fitting to crimp 3/4"" D12"	27
50.00.600	"Elbow fitting to crimp M3/4"" D13"	27
24.01.173	"Gasket EPDM 3/8"""	51
50.00.562	"Plug brass F 1/2"""	27
50.00.592	"Plug brass M 3/4"""	27
24.01.174	Adapter outlet regulation pipe steam	33, 51
40.02.155	Additional harness heating	23
1004.0663V	Allen screw M4x12	21, 25, 35, 39, 43
1004.0662V	Allen screw M4x25	35, 39, 43
10.00.606	Allen screw M5x8 A2	47, 51, 53, 55, 57
1005.0663V	Allen screw M5x10	17
20.00.989	Bearing coupling for cable	21
10.00.613	Bolt M8x8 A2	9, 13, 51, 53
16.00.844	Bottom plate f. isolation cover Vitro	55, 57
20.00.917	Bowden cable for pan valve	17, 23
16.01.198	Bracket watertightness frame	7, 13
10.00.418	Bundle guide big	5, 37, 41, 43
40.01.986	Bundle power supply contactor entry	37, 41, 45
40.01.091	Bus cable 0.4m	35, 41, 45
40.00.471	Bus cable 0.8m	35, 41, 45
54.00.585	Bushing d50/d20	33
3006.0107F	Buzzer	55, 57
40.01.891	Cable X24-X127	37, 41, 45
40.01.919	Cable X46-X10	37, 41, 45
10.00.471F	Cable clip d10-12mm	37, 41, 45
10.00.472F	Cable clip d13,5-16mm	37, 41, 45
10.00.111	Cable clip long	5, 11, 37, 41, 43
40.00.320	Cable connection M20x1.5	39, 43
46.00.101	Cable control harness heating	17, 23
40.01.896	Cable I/O A4 pcb X118	37, 41, 45
40.01.897	Cable I/O A4 pcb X119	37, 41, 45
40.01.898	Cable I/O A4 pcb X120	37, 41, 45

Index

Part no.	Description	Page
40.01.899	Cable I/O A4 pcb X121	37, 41, 45
40.01.895	Cable I/O A4 pcb1 X117	37, 41, 45
40.01.912	Cable pan valve X25	37
40.01.907	Cable solenoide X19 01/05	37, 41, 45
40.01.894	Cable Water volume sensor X15	37, 41
40.01.961	Cable X128	37
40.02.058	Cable X128 211/311	41, 45
12.00.572	Chassis right	5, 11
10.00.586	Circlips stainless shaft D 50	31
50.00.156	Clamp f. hand shower roll guide	27, 29
20.00.925	Clamp left shaft toppling complete	13
74.00.386	Compression spring Vitro 1.8X16X52	55, 57
40.01.556	Contactor CL04A310M6-M	35, 39, 43
40.01.948	Control harness	37, 41, 45
40.02.142	Control harness fault current switch 211/311	41
40.01.985	Control harness K1 contactor exit	37, 41, 45
40.01.953	Control harness Vitro	55
40.02.059	Control harness Vitro	57
87.00.161	Control panel Vitro with overlay RAT	55, 57
42.00.002V	Control pcb	55, 57
40.00.277	Control transformer	37, 41, 43
87.00.136F	Conversion kit buzzer	55, 57
3101.1008V	Cooling fan	35, 39, 43
2930.1304V	Cooling plate solid state relay	35, 39, 43
24.01.122	Core temperature probe	51, 53
16.00.329	Cover f. USB interface	47
24.01.026	Cover hinge	51, 53
12.00.503	Cross frame	5, 11
16.00.232	Dial f. pulse generator blue	55, 57
40.02.139	Differential switch	41, 43
10.00.672	Disc IGUS 112-311	25
87.00.475	Discharge pipe of pan	17, 23, 29, 31

Index

Part no.	Description	Page
40.01.996	Distance bush PA d12/5x7.2	35, 39, 43, 55, 57
40.02.015	Distance nut PA H10 x 4.3 D.8MM	35, 39, 43
12.00.653	Drip collector	11
4001.1210F	Earth terminal 16mm² yellow/green	43
10.00.103	EJOT PT-screw KA 3.5x10	47
10.00.460	EJOT PT-Screw Torx 3,5x14	47
54.00.562	Elbow-pipe PP DN50 45°	33
54.00.560	Elbow-pipe PP DN50 87°	33
40.00.465	Electronic noice filter	35, 39
40.02.471	Electronic noice filter	43
40.00.764	End plate for mounting rail	35, 39, 43
40.00.338	Energy_opt.-terminal *screw typ*	39, 43
40.00.914	Equipotentiality sticker	11
87.00.165	External memory flashed	55, 57
40.00.417F	Fixing clip f. pcb	35, 39
40.02.047	Fixing clip white p/1.6mm	35, 39, 43
24.01.087	Fixing device back lid gasket	51, 53
24.01.028	Fixing device front lid gasket	51, 53
10.00.116	Fixing nut for cable gland PG40 polyamid	41, 45, 47
24.00.721	Friction ring shaft	7, 13
20.00.952	Friction ring shaft raising pan	7, 13
24.00.890	Friction ring swing shaft lid	9, 15
24.00.756	Friction ring teflon right lid	9
16.00.847	Front panel console	47
4001.0224V	Fuse 6.35x32mm 6,3A slow-blow	35, 39, 45
4001.0226V	Fuse 6.35x32mm 16A, time-lag	35, 39, 45
40.01.941	Fuse 6.35x32mm 250V 8A	35, 39, 45
4001.1295V	Fuse holder e 1003Si/1DS	35, 39, 43
20.00.949	Gasket f. pan valve fixing device	17
16.00.725	Gasket f. Tulip	47
5110.1024V	Gasket for G3/4" threaded joint	27
20.00.993	Gasket for plug pan valve	19, 23

Index

Part no.	Description	Page
50.00.599	Gasket TESNIT 20x12x2 1/2"	27
40.02.040	Gear motor pan valve	21, 25
16.00.934	Glass for Vitro	55
20.00.714	Graphit plate big for heating element 5600W	17, 23
20.00.987	Graphit plate for Bimetall switch	23
20.00.710	Graphit plate for heating element 1400W	17, 23
40.00.852	Grommet ø9.5	55, 57
50.00.590	Hand shower blue	27, 29
50.00.552	Hand shower roll guide VCC	27
50.00.626	Hand shower roll guide VCC	29
40.01.940	Heating element 2x2800W	17
40.02.145	Heating element 4X1400W	23
40.01.939	Heating element 1400W	17, 23
40.01.612	Heating element f. vitro	55, 57
40.01.977	Heating element safety chain bundle	37
10.00.632	Hex combination nut M3	39, 45
1104.0122F	Hex combination nut M4 galv	35, 39, 43
1105.0121V	Hex combination nut M5 galv	17, 23, 37, 41, 43
1106.0801F	Hex combination nut M6	5, 7
1106.0803V	Hex combination nut M6 galv	7, 9, 11, 13, 15, 17, 21, 23, 25, 27, 35, 39, 43, 47, 51, 53, 55, 57
10.00.607	Hex combination nut M8	5, 7, 11, 23, 27, 29, 31, 35, 39, 43
10.00.636	Hex nut M2 self-locking	17
1104.0120V	Hex nut M4	17, 23, 35, 39, 43
1104.0121V	Hex nut M4 self locking	21, 25, 35, 39, 43, 55, 57
1105.0120V	Hex nut M5	37, 41, 43
1106.0160F	Hex nut M6	11, 51, 53, 55, 57
1108.0260V	Hex nut M8	5, 11, 13
10.00.612	Hex nut M16 flat	51, 53
10.00.596	Hex screw M6x50 A2	55, 57
1008.0760V	Hex screw M8x16	27

Index

Part no.	Description	Page
1008.0763V	Hex screw M8x20	29
1008.0761V	Hex screw M8x25	23
10.00.619	Hex socket head cap screw A2 M2X16	17
10.00.611	Hex socket head cap screw A2 M3X20	45
10.00.593	Hex socket set screw cone point A2 M8X20	7, 13
10.00.615	Hex socket set screw cup point A2 M6X8	9
10.00.595	Hex socket set screw cup point A2_70 M6x6 Tuflok	7, 13
16.00.845	Holding bracket front panel	55
50.00.348	Hose clamp 12.22 L9	27, 51
2066.0507V	Hose clamp 32-50mm	17, 23
10.00.648	Hose clamp d.20.2	53
10.00.656	Hose clamp D9.1	27
2066.0527V	Hose clamp ø14mm	29
2066.0530V	Hose clamp ø16.4mm	27, 29, 31
2066.0525V	Hose clamp ø22,1 mm	5, 53
2066.0526F	Hose clamp ø46mm	31
2066.0531V	Hose clamp ø56	31
40.00.469F	Interface cable USB 0.9m	47
16.01.126	Isolation cover for Vitro	55
16.01.187	Isolation front panel Vitro	57
16.00.932	Isolation heating element Vitro	55
16.01.189	Isolation perforated front panel Vitro	57
20.00.701	Key arm toppling pan	7, 13
24.00.748	Key shaft raising lid	9
50.00.632	L-fitting plastic TS16 90°	33
20.00.950	Lever assembly pan valve	17, 23
20.00.957	Lever f. bowden cable pan valve	21, 25
24.01.164	Lid cover	51, 53
24.00.866	Lid gasket	51, 53
24.01.156	Lid welded	51, 53
40.00.622	Lifting cylinder for lid LBM 14.21F	5, 11
40.07.748P	Lifting cylinder for lid with cover	5, 11

Index

Part no.	Description	Page
10.00.187	Lock washer AZ 4	23, 35, 39, 43
50.00.086	Locking plate f. water distribution	27, 29
12.00.224	Lower part of pedestal 110mm	11
24.00.769	Magnet for lid (core temperature)	51, 53
24.01.195	Maintenance arises bends joint lid	51, 53
20.00.922	Micro switch pan valve position	17
16.00.841	Mounting bracket console side R	47
16.00.839	Mounting bracket side left	47
20.00.983	Mounting device for Bimetall switch	23
42.00.006	Network interface Ethernet	57
50.00.078	Non return valve DW16/DN12	27, 29
10.00.225	Nut 3/8"	51, 53
20.00.680	O-ring 21x 1.5	51, 53
20.00.709	O-ring 46x3	7, 13
20.00.708	O-ring 106x2	7, 13
10.00.675	O-ring f. pan valve 17.3 x 2.4	19, 23
1008.0768F	Ornamental screw M8x16	5, 11
16.01.169	Overlay VCC/E *Rational* 112-311	55, 57
20.00.722	Pan back panel	47
20.00.961	Pan complete	17, 23
20.00.720	Pan front panel	47
10.00.507	Pan head screw Torx 5/16" T20	35, 39, 43
20.00.876	Pan valve motor holder	21, 25
54.00.566	Pipe clamp D50	33
24.01.089	Pipe water filling	51, 53
20.00.972	Plug for pan valve	19, 23
50.00.085	Plug-in spring f. hand shower roll guide	29
40.01.893	Power supply cable X14 X112	37, 41, 45
54.00.564	PP-Pipe DN50 x 150mm	33
54.00.561	PP-Pipe DN50 x 500mm	33
2067.0050V	Pressure hose d10mm	27
87.00.622	Pulse generator with gasket	55, 57

Index

Part no.	Description	Page
54.00.508	Quenching box	31
40.02.010	Rail omega 150mm	35
10.00.444	Raised countersunk head screw Torx M4x8	39, 43
1004.0500F	Raised countersunk metal screw M4x8 oval head	35
42.00.038	Relay pcb (5 Relay)	35, 39, 43
42.00.055V	Relay-I/O pcb	35, 39, 43
42.00.039	Relay-I/O pcb A4	35, 39, 43
20.00.695	Ring shaft toppling right	7, 13
24.00.758	Roofing ring shaft raising	9, 15
20.00.704	Rotary complete shaft toppling right	7, 13
60.70.618	Safety loop Vitro	55, 57
3014.0325V	Safety temperature limiter 110°C	17, 23
40.00.673	Safety temperature limiter 220° (Oil too hot)	35, 39
1251.1000V	Safety washer ø5mm	17, 23
40.00.701	Screwed cable gland polyamid PG40	41, 45, 47
10.00.747	Securing device for bolt d=12	11
20.00.885	Sensor holder	17, 23
20.00.481	Shaft for lower cap	7, 9, 11
24.00.760	Shaft hoist swing shaft	7, 9, 11, 13
24.00.718	Shaft raising complete right	9, 15
20.00.694	Shaft toppling welded	7, 13
24.01.222	Sheath and ring Iglidur	9, 15
20.00.980	Sheath for pan valve	19
20.00.905	Sheath for pan valve	23
20.00.926	Sheath ring shaft toppling pan complete	7, 13
20.00.698	Sheath shaft toppling right	7, 13
12.00.616	Shower roll guide holder	27, 29
16.00.838	Side panel for left frame	47
20.00.718	Side panel left pan complete	47
16.01.160	Side panel right for console	47
16.01.071	Side panel right pan complete	47
54.00.542	Silicon hose 12/17	31

Index

Part no.	Description	Page
24.00.376	Silicone adhesive caf 33	55, 57
24.01.232	Silicone hose 6x9	27, 29
24.01.231	Silicone hose 16/20	5, 33
24.00.348	Silicone hose D30/40	31
50.00.568	Silicone hose diameter out 14mm in 8mm	29
50.00.316	Single solenoid valve	27
24.00.719	Sleeve swing shaft left	9, 15
10.00.638	Slotted countersunk head screw M6X60	27
1004.0023F	Slotted pan head screw M4x6	35, 39
10.00.150	Slotted pan head screw M6x12 A2	47
40.01.410	Socket 2P+T 16A (Germany)	47
10.00.144	Socket cap screw M3x16mm	35, 39
87.00.196	Socket cover for tulip blue	49
50.00.575	Solenoide valve (connector color brown)	27
50.00.618	Solenoide valve (connector color green)	29
40.00.453	Solid state relais	35, 39
40.01.589	Solid state relais	43
24.00.720	Spacer ring left	9, 15
20.00.480	Split-pin 3.2x22 A2	7, 9, 11, 13
50.00.617	Spring f. hose, water filling	53
1205.0260F	Spring washer B5	17
50.00.639	Square seal	33
1107.0100F	Star lock ø4	23
1107.0101V	Star lock ø5	47
24.00.757	Stop ring shaft raising right	9
1805.1709F	Straight pin 4x12 A2	23
12.00.512	Subframe left foot	5, 11
20.00.696	Swing shaft lever for pan	7, 13
50.00.612	T-fitting plastic TS16	33
40.00.707	Terminal block 6qmm blue	35, 39
40.00.705	Terminal block 6qmm g/y	35, 39
4001.1250V	Terminal block 16mm² blue	43

Index

Part no.	Description	Page
40.00.826	Terminal block 25qmm blue	37
40.00.639	Terminal block 25qmm g/y	35, 39
40.00.823	Terminal block 25qmm grey	37
4001.1233V	Terminal block yellow/green 35mm²	43
20.00.851	Thermocouple harness	17, 23
20.00.855	Thermocouple pan	17, 23
10.00.189	Tooth lock washer A4 AZ6	11, 53, 55, 57
40.01.712	Transformer	37, 41, 43
54.00.584	Tube 200mm Ø50 to square 50x50	33
87.00.256	Tulip blue for hand shower part n° 87.00.256	47
12.00.205	Upper part of pedestal	11
1304.0160F	Washer A4,3	17
1306.0218V	Washer A4,3	21, 55, 57
1306.0120V	Washer A6,4	17, 23, 57
1308.0160V	Washer A8,4	5, 11
1308.0161V	Washer A8,4	43
10.00.186	Washer broad LL6	55
91.00.140	Washer L6 A2	57
10.00.179	Washer M6 A2	55
10.00.423	Washer M12 A2	7, 9, 11, 13
54.00.511	Waste water eacuation	31
50.00.071F	Water distribution hor. w/o roll guide con.	29
8664.1007V	Water distribution unit	27
50.00.072	Water distribution vert roll guide con.	29
50.00.073	Water distribution vert w/o roll guide con.	27
1900.0202V	Water filter	27, 29
40.01.311	Water volume sensor Vision 2000 3/8"	27
40.02.350	Water volume sensor with wire 211/311	29
54.00.577	Y-Fitting PP DN50 87°	33

RATIONAL Aktiengesellschaft
Siegfried-Meister-Straße 1
86899 Landsberg am Lech
Germany

Web: www.rational-online.com
info@rational-online.com

Telephone: +49 8191-327-0

Managing Board: Managing Director Dr. Peter Stadelmann,
Peter Wiedemann, Markus Paschmann
Chairman of the Supervisory Board: Walter Kurtz

Registered Office: Landsberg am Lech
Court of Registration: Augsburg
District Court Commercial Register Dept. B: 2001
VAT number: DE 128673942