
Service part catalogue


VarioCooking Center 112+E

E11PA0502



RATIONAL_CPC_SCC_VCC-G
©Copyright by RATIONAL Technical Service
All Rights reserved


Overview



Overview

Pos.	Assembly	Page
1	Chassis as of 01/05 upto 01/06	4
1.1	Chassis as of 02/06 up to 11/06	10
2	Pan as of 01/05 upto 01/06	16
2.1	Pan as of 02/06 up to 10/06	24
2.2	Pan as of 11/06 up to 11/06	30
3	Water distribution - hand shower roll guide as of 01/05 up to 01/06	34
3.1	Water distribution - hand shower roll guide as of 02/06 up to 11/06	36
4	Drain as of 01/05 upto 01/06	38
4.1	Drain as of 02/06 up to 11/06	42
5	Electrical installation as of 01/05 upto 01/06	46
5.1	Electrical installation as of 02/06 up to 11/06	52
6	External sheet as of 01/05 upto 01/06	58
6.1	External sheet as of 02/06 up to 11/06	62
7	Lid as of 01/05 upto 01/06	66
7.1	Lid as of 02/06 up to 11/06	72
8	Control panel as of 01/05 up to 03/06	78
8.1	Control panel as of 04/06 up to 11/06	80
9	Option Storage case as of 01/05 upto 01/06	82
9.1	Option Storage case as of 02/06 up to 11/06	84


Chassis as of 01/05 upto 01/06



Chassis as of 01/05 upto 01/06

Pos.	Part no.	Description	Qty.
1	10.00.111	Cable clip long	
2	10.00.420	Cable clip middle	
3	10.00.607	Hex combination nut M8	
4	12.00.205	Upper part of pedestal	
5	12.00.224	Lower part of pedestal 110mm	
6	1328.0102F	Safety washer A10,2	
7	10.00.107	Socket cap screw M10x35	
8	1310.0160V	Washer A10,5	
9	16.01.168	Frame bottom complete	
10	16.00.850	Frame bottom	
11		Shaft toppling pan	
12	40.01.708	Lifting cylinder for left pan	
13	40.01.972	Lifting cylinder for right pan	
14	20.00.883	Shaft jack pan	
15	20.00.480	Split-pin 3.2x22 A2	
16		Shaft toppling lid	
17	24.01.140	Jack gas 1100N	
18	24.00.795	Holder raising jack gas	
19	1106.0803V	Hex combination nut M6 galv	
20	1006.0760V	Hex screw M6x16	
21	24.00.803	Lifting cylinder for lid	
22	1004.0905V	Hex socket set screw M5x6	
23	1106.0801F	Hex combination nut M6	
24	1008.0769V	Ornamental screw M8x30	
25	2066.0525V	Hose clamp ø22,1 mm	
26	10.00.652	Tube for drip collector fixation	
27	24.01.221	Bearing shaft pan inside left	
28	24.01.230	Y-fitting Y 16	


Shaft toppling pan



Shaft toppling pan

Pos.	Part no.	Description	Qty.
1	20.00.687	Bearing shaft pan L/R	
2	1208.0260F	Spring washer B8	
3	1008.0760V	Hex screw M8x16	
4	20.00.844	Bearing shaft pan left	
5	1308.0161V	Washer A8,4	
6	20.00.799	Ring for sheath	
7	24.00.798	Ring sheath pan left / right	
8	24.00.801	Sheath shaft pan L/R	
9	20.00.684	Arm raising pan	
10	20.00.689	Key toppling ppan/lid	
11	10.00.613	Bolt M8x8 A2	
12	20.00.480	Split-pin 3.2x22 A2	
13	24.00.760	Shaft hoist swing shaft	
14	20.00.688	Bearing raising arm	
15	20.00.685	Shaft toppling pan welded	
16	20.00.692	O-ring 24X3 EPDM	
17	1006.0626F	Allen screw M6x30	
18	20.00.986		


Shaft toppling lid



Shaft toppling lid

Pos.	Part no.	Description	Qty.
1	1008.0766F	Hex screw M8x30	
2	1308.0160V	Washer A8,4	
3	1208.0160V	Tooth lock washer A8,4	
4	24.00.798	Ring sheath pan left / right	
5	24.00.801	Sheath shaft pan L/R	
6	20.00.799	Ring for sheath	
7	10.00.452	Hex socket set screw cup point A2 M4X4	
8	10.00.596	Hex screw M6x50 A2	
9	24.00.889	Stop ring	
10	10.00.615	Hex socket set screw cup point A2 M6X8	
11	20.00.689	Key toppling ppan/lid	
12	10.00.607	Hex combination nut M8	


Chassis as of 02/06 up to 11/06



Chassis as of 02/06 up to 11/06

Pos.	Part no.	Description	Qty.
	1004.0905V	Hex socket set screw M5x6	
1	12.00.624	Chassis	
2	12.00.205	Upper part of pedestal	
3	1310.0160V	Washer A10,5	
4	10.00.107	Socket cap screw M10x35	
5	24.00.280	Hex nut M10 A2	
6	12.00.224	Lower part of pedestal 110mm	
7	10.00.188	Serrated lock washer A5.1	
8	1105.0120V	Hex nut M5	
9	10.00.607	Hex combination nut M8	
10	1105.0121V	Hex combination nut M5 galv	
11	40.02.278	Power supply cable	
12	40.01.712	Transformer	
13	50.00.639	Square seal	
14	10.00.111	Cable clip long	
15		Shaft toppling pan	
16		Shaft toppling lid	
17	24.01.140	Jack gas 1100N	
18	24.00.803	Lifting cylinder for lid	
19	24.00.793	Shaft jack raising lid	
20	24.00.791	Cap of shaft lid	
21	1006.0762F	Hex screw M6x10	
22	10.00.747	Securing device for bolt d=12	
23	24.00.760	Shaft hoist swing shaft	
24	40.01.708	Lifting cylinder for left pan	
25	40.01.972	Lifting cylinder for right pan	
26	12.00.635	Drip collector	
27	24.01.221	Bearing shaft pan inside left	
28	10.00.652	Tube for drip collector fixation	
29	1008.0769V	Ornamental screw M8x30	
30	1106.0803V	Hex combination nut M6 galv	


Shaft toppling pan



Shaft toppling pan

Pos.	Part no.	Description	Qty.
1	20.01.056	Pan shaft right	
2	20.01.068	Left pan shaft	
3	20.01.062	Ring friction pan shaft	
4	20.01.033	Collar	
5	20.01.059	Lift arm for pan	
6	20.01.061	Fixing plate lever pan	
7	1006.0760V	Hex screw M6x16	
8	24.00.760	Shaft hoist swing shaft	


Shaft toppling lid



Shaft toppling lid

Pos.	Part no.	Description	Qty.
1	24.01.057	Shaft Toppling	
2	24.01.209	Bearing shaft lid central complete	
3	24.01.208	Bearing shaft lid	
4	24.00.794	Arm raising lid	
5	10.00.595	Hex socket set screw cup point A2_70 M6x6 Tuflok	
6	24.00.889	Stop ring	
7	10.00.633	Hex socket head cap screw M5X45	
8	20.00.689	Key toppling ppan/lid	
9	10.00.596	Hex screw M6x50 A2	
10	10.00.607	Hex combination nut M8	
11	20.01.033	Collar	
12	24.01.299	Axle sleeve VCC 112	
13	20.01.062	Ring friction pan shaft	
14	10.00.452	Hex socket set screw cup point A2 M4X4	


Pan as of 01/05 upto 01/06



Pan as of 01/05 upto 01/06

Pos.	Part no.	Description	Qty.
1	20.00.712	Pan left assembly	
2	1106.0160F	Hex nut M6	
3	40.01.940	Heating element 2x2800W	
4	20.00.714	Graphit plate big for heating element 5600W	
5	1105.0121V	Hex combination nut M5 galv	
6	40.01.939	Heating element 1400W	
7	20.00.710	Graphit plate for heating element 1400W	
8	46.00.100	Cable control harness heating, left	
9	10.00.189	Tooth lock washer A4 AZ6	
10	20.00.849	Thermocouple bundle	
11	20.00.853	Thermocouple pan left	
12	1104.0122F	Hex combination nut M4 galv	
13	10.00.187	Lock washer AZ 4	
14	1106.0803V	Hex combination nut M6 galv	
15	3014.0325V	Safety temperature limiter 110°C	
16	20.00.716	Locking roller pan	
17	20.00.715	Ring MB DU 12/12	
18	10.00.598	Allen screw A2 M5X8 TF	
19	20.00.975	Washer maintenance roller bolt	
20		Actuation for pan valve cpl. VCC 112-311	
21	1005.0663V	Allen screw M5x10	
22	1205.0260F	Spring washer B5	
23	20.00.946	Gasket f. pan valve fixing device	
24	20.00.947	Lever cpl. f. pan valve	
25	20.00.915	Bowden cable for pan valve	
26	1251.1000V	Safety washer ø5mm	
27	1306.0120V	Washer A6,4	
28		Motor for pan valve	
29	20.00.923	Micro switch pan left valve position	
30	10.00.619	Hex socket head cap screw A2 M2X16	
31	10.00.636	Hex nut M2 self-locking	
32	10.00.625	Washer M2 A2	
33	20.00.898	Coupling valve evacuation	
34	20.00.715	Hose clamp 31,3 mm	
35	10.00.645	Hose clamp D44.4	
36	20.00.958	Pan right assembly	


Pan as of 01/05 upto 01/06



Pan as of 01/05 upto 01/06

Pos.	Part no.	Description	Qty.
37	46.00.103	Cable control harness heating, right	
38	20.00.850	Thermocouple bundle	
39	20.00.854	Thermocouple pan right	
40	40.01.710	Micro switch pan right valve position	


Actuation for pan valve cpl. VCC 112-311



Actuation for pan valve cpl. VCC 112-311

Pos.	Part no.	Description	Qty.
1	20.00.905	Sheath for pan valve	
2	20.00.970	Plug for pan valve	
3	20.00.992	Gasket for plug pan valve	
4	10.00.675	O-ring f. pan valve 17.3 x 2.4	


Motor for pan valve



Motor for pan valve

Pos.	Part no.	Description	Qty.
1	40.02.040	Gear motor pan valve	
2	20.00.957	Lever f. bowden cable pan valve	
3	20.00.876	Pan valve motor holder	
4	1106.0803V	Hex combination nut M6 galv	
5	1004.0663V	Allen screw M4x12	
6	1104.0121V	Hex nut M4 self locking	
7	1306.0218V	Washer A4,3	
8	20.00.989	Bearing coupling for cable	


Pan as of 02/06 up to 10/06



Pan as of 02/06 up to 10/06

Pos.	Part no.	Description	Qty.
1	20.01.027	Actuation for pan valve cpl.	
2	20.00.957	Lever f. bowden cable pan valve	
3	20.00.876	Pan valve motor holder	
4	1004.0663V	Allen screw M4x12	
5	1104.0121V	Hex nut M4 self locking	
6	20.00.915	Bowden cable for pan valve	
7	1306.0120V	Washer A6,4	
8	10.00.672	Disc IGUS 112-311	
9	1251.1000V	Safety washer ø5mm	
10	1105.0121V	Hex combination nut M5 galv	
11	87.00.094	Thermocouple for heating element	
12	46.00.119	Wiring harness, heating elements, pan right	
13	46.00.118	Wiring harness, heating elements, pan left	
14	50.00.627	Drain hose pan left 112	
15	50.00.628	Drain hose pan right 112	
16	20.01.054	Pan right	
17	10.00.607	Hex combination nut M8	
18	1108.0260V	Hex nut M8	
19	1308.0161V	Washer A8,4	
20	20.01.071	Pan left	
21	40.02.145	Heating element 4X1400W	
22	20.00.714	Graphit plate big for heating element 5600W	
23	40.01.939	Heating element 1400W	
24	20.00.710	Graphit plate for heating element 1400W	
25	20.00.983	Mounting device for Bimetall switch	
26	20.00.987	Graphit plate for Bimetall switch	
27	40.02.337	Safety temperature limiter 215°C	
28	40.02.335	Bimetal switch 110°	
29	10.00.675	O-ring f. pan valve 17.3 x 2.4	
30	20.00.992	Gasket for plug pan valve	
31	20.00.905	Sheath for pan valve	
32	20.00.970	Plug for pan valve	
33		Lever valve cable	
34	1005.0663V	Allen screw M5x10	
35	20.00.715	Ring MB DU 12/12	
36	20.00.716	Locking roller pan	


Pan as of 02/06 up to 10/06



Pan as of 02/06 up to 10/06

Pos.	Part no.	Description	Qty.
37	20.00.975	Washer maintenance roller bolt	
38	10.00.597	Slot counter head secur screw A2 M5X10	
39	20.00.715	Hose clamp 31,3 mm	
40	10.00.187	Lock washer AZ 4	
41	1104.0120V	Hex nut M4	
42	20.00.853	Thermocouple pan left	
43	20.00.854	Thermocouple pan right	


Lever valve cable



Lever valve cable

Pos.	Part no.	Description	Qty.
1	1805.1709F	Straight pin 4x12 A2	
2	1107.0100F	Star lock ø4	
3	1205.0260F	Spring washer B5	


Pan as of 11/06 up to 11/06



Pan as of 11/06 up to 11/06

Pos.	Part no.	Description	Qty.
1	20.01.027	Actuation for pan valve cpl.	
2	10.00.781	Straight pin ISO2338 A2 3m6x20	
3	20.01.069	Switching cam f. pan drain valve	
4	20.01.036	Rest for motor, pan valve	
5	1004.0663V	Allen screw M4x12	
6	1104.0121V	Hex nut M4 self locking	
7	20.01.092	Bowden cable	
8	1306.0120V	Washer A6,4	
9	10.00.672	Disc IGUS 112-311	
10	1251.1000V	Safety washer ø5mm	
11	1105.0121V	Hex combination nut M5 galv	
12	10.00.805	Washer M6 x 1.2 A2	
13	87.00.094	Thermocouple for heating element	
14	46.00.119	Wiring harness, heating elements, pan right	
15	46.00.118	Wiring harness, heating elements, pan left	
16	50.00.627	Drain hose pan left 112	
17	50.00.628	Drain hose pan right 112	
18	20.01.054	Pan right	
19	10.00.607	Hex combination nut M8	
20	1108.0260V	Hex nut M8	
21	1308.0161V	Washer A8,4	
22	20.01.071	Pan left	
23	40.02.145	Heating element 4X1400W	
24	20.00.714	Graphit plate big for heating element 5600W	
25	40.01.939	Heating element 1400W	
26	20.00.710	Graphit plate for heating element 1400W	
27	46.00.123	Mounting device thermocouple for heating element	
28	20.00.983	Mounting device for Bimetall switch	
29	20.00.987	Graphit plate for Bimetall switch	
30	40.02.337	Safety temperature limiter 215°C	
31	10.00.675	O-ring f. pan valve 17.3 x 2.4	
32	20.00.992	Gasket for plug pan valve	
33	20.00.905	Sheath for pan valve	
34	20.00.970	Plug for pan valve	
35	20.01.031	Actuation for pan valve	
36	1005.0663V	Allen screw M5x10	


Pan as of 11/06 up to 11/06



Pan as of 11/06 up to 11/06

Pos.	Part no.	Description	Qty.
37	20.00.715	Ring MB DU 12/12	
38	20.00.716	Locking roller pan	
39	20.00.975	Washer maintenance roller bolt	
40	10.00.597	Slot counter head secur screw A2 M5X10	
41	20.00.715	Hose clamp 31,3 mm	
42	10.00.187	Lock washer AZ 4	
43	1104.0120V	Hex nut M4	


Water distribution - hand shower roll guide as of 01/05



Water distribution - hand shower roll guide as of 01/05

Pos.	Part no.	Description	Qty.
1	12.00.609	Drain pipe holder	
2	8664.1007V	Water distribution unit	
3	1006.2060F	Hex screw M6x55	
4	1106.0803V	Hex combination nut M6 galv	
5	50.00.562	"Plug brass F 1/2""""	
6	50.00.599	Gasket TESNIT 20x12x2 1/2"	
7	50.00.575	Solenoide valve (connector color brown)	
8	50.00.568	Silicone hose diameter out 14mm in 8mm	
9	2066.0530V	Hose clamp ø16.4mm	
10	50.00.139	Single solenoid valve	
11	50.00.316	Single solenoid valve	
12	16.00.402	"Elbow fitting to crimp 3/4"" D12"	
13	5110.1024V	Gasket for G3/4" threaded joint	
14	2067.0050V	Pressure hose d10mm	
15	50.00.348	Hose clamp 12.22 L9	
16	40.01.311	Water volume sensor Vision 2000 3/8"	
17	54.01.388	T-fitting TS10 brass	
18	50.00.600	"Elbow fitting to crimp M3/4"" D13"	
19	50.00.073	Water distribution vert w/o roll guide con.	
20	50.00.086	Locking plate f. water distribution	
21	50.00.078	Non return valve DW16/DN12	
22	1900.0202V	Water filter	
23	12.00.617	Shower roll guide holder	
24	50.00.552	Hand shower roll guide VCC	
25	1008.0760V	Hex screw M8x16	
26	10.00.607	Hex combination nut M8	
27	50.00.590	Hand shower blue	
28	50.00.156	Clamp f. hand shower roll guide	
29	24.01.232	Silicone hose 6x9	
30	2066.0533V	Hose clamp ø10.1	


Water distribution - hand shower roll guide as of 02/06



Water distribution - hand shower roll guide as of 02/06

Pos.	Part no.	Description	Qty.
1	50.00.634	Triple solenoid valve	
2	5110.1024V	Gasket for G3/4" threaded joint	
3	50.00.654	Reducing nipple 3/4 - 3/8	
4	50.00.659	Gasket Tesnit 3/8"	
5	40.02.349	Water volume sensor with wire	
6	50.00.653	Reducing nipple 1/2 - 3/8	
7	50.00.599	Gasket TESNIT 20x12x2 1/2"	
8	50.00.658	Reducing nipple 3/4 - 1/2	
9	50.00.072	Water distribution vert roll guide con.	
10	50.00.086	Locking plate f. water distribution	
11	50.00.078	Non return valve DW16/DN12	
12	1900.0202V	Water filter	
13	50.00.568	Silicone hose diameter out 14mm in 8mm	
14	2066.0530V	Hose clamp ø16.4mm	
15	12.00.617	Shower roll guide holder	
16	1008.0763V	Hex screw M8x20	
17	10.00.607	Hex combination nut M8	
18	50.00.626	Hand shower roll guide VCC	
19	50.00.085	Plug-in spring f. hand shower roll guide	
20	24.01.232	Silicone hose 6x9	
21	87.00.475	Discharge pipe of pan	
22	50.00.590	Hand shower blue	
23	50.00.156	Clamp f. hand shower roll guide	

Drain as of 01/05 upto 01/06



Drain as of 01/05 upto 01/06

Pos.	Part no.	Description	Qty.
1		Quenching box	
2	1106.0801F	Hex combination nut M6	
3	54.00.479	Thermocouple quenching box	
4	24.00.348	Silicone hose D30/40	
5	10.00.645	Hose clamp D44.4	
6	20.00.951	T evacuation waste water	
7	24.01.231	Silicone hose 16/20	
8	2066.0525V	Hose clamp ø22,1 mm	
9	24.01.230	Y-fitting Y 16	
10	40.01.720	Solenoid valve f. decompression 1/2" right	
11	54.00.536	Threaded connection 3/4" 1/2" revolving nut	
12	5110.1024V	Gasket for G3/4" threaded joint	
13	50.00.494	"Reducing nipple M1/2"" F3/8"""	
14	54.00.548	T-fitting center 36981217	
15	50.00.568	Silicone hose diameter out 14mm in 8mm	
16	2066.0527V	Hose clamp ø14mm	
17	40.01.721	Solenoid valve f. decompression 1/2" left	
18	54.00.537	T-fitting G3/8 D12	
19	2067.0050V	Pressure hose d10mm	
20	2066.0530V	Hose clamp ø16.4mm	


Quenching box



Quenching box

Pos.	Part no.	Description	Qty.
1	2016.0936F	Quenching nozzle 3.9 l/min	
2	54.00.492	Welded nipple	
3	54.00.491	Quenching nozzle gasket	
4	1106.0803V	Hex combination nut M6 galv	


Drain as of 02/06 up to 11/06



Drain as of 02/06 up to 11/06

Pos.	Part no.	Description	Qty.
1	54.00.581	Bushing PP D40/D30-32	
2	54.00.576	Elbow-pipe PP DN40 45°	
3	54.00.589	Y PP DN40 45°	
4	54.00.571	Y PP DN40 87°	
5	54.00.575	Elbow-pipe PP DN40 87.5°	
6	54.00.601	Quenching box	
7	1006.0760V	Hex screw M6x16	
8	54.00.479	Thermocouple quenching box	
9	24.01.231	Silicone hose 16/20	
10	2066.0525V	Hose clamp ø22,1 mm	
11	50.00.612	T-fitting plastic TS16	
12	50.00.647	Ellbow pipe 1/2 D10	
13	50.00.656	Gasket EPDM 18.5-13 x 8	
14	40.01.720	Solenoid valve f. decompression 1/2" right	
15	40.01.721	Solenoid valve f. decompression 1/2" left	
16	54.00.536	Threaded connection 3/4" 1/2" revolving nut	
17	5110.1024V	Gasket for G3/4" threaded joint	
18	2067.0050V	Pressure hose d10mm	
19	50.00.348	Hose clamp 12.22 L9	
20	42.00.049	Mounting support for pressure sensor	
21	91.00.140	Washer L6 A2	
22	40.02.348	Pressure sensor left	
23	10.00.423	Washer M12 A2	
24	50.00.655	Fitting F1/4 D9	
25	40.02.014	O-ring NITRILE D16	
26	50.00.568	Silicone hose diameter out 14mm in 8mm	
27	2066.0527V	Hose clamp ø14mm	
28	2066.0530V	Hose clamp ø16.4mm	
29	54.01.388	T-fitting TS10 brass	
30	40.02.347	Pressure sensor right	
31	40.02.048	Pressure switch 25 mbar	
32	40.00.750	Pressure switch 200mbar	
33	24.01.232	Silicone hose 6x9	
34	10.00.656	Hose clamp D9.1	
35	44.00.749	T-fitting plastic DN6	
36	2066.0533V	Hose clamp ø10.1	


Drain as of 02/06 up to 11/06




Drain as of 02/06 up to 11/06

Pos.	Part no.	Description	Qty.
37	1900.0203F	Ceramic tube 40mm for	

Electrical installation as of 01/05 upto 01/06







Electrical installation as of 01/05 upto 01/06

Pos.	Part no.	Description	Qty.
1	12.00.603	Thermostat and fuse holder complete	
2	1106.0803V	Hex combination nut M6 galv	
3	40.00.673	Safety temperature limiter 220° (Oil too hot)	
4	1004.0023F	Slotted pan head screw M4x6	
5	40.00.826	Terminal block 25qmm blue	
6	40.00.639	Terminal block 25qmm g/y	
7	4001.1295V	Fuse holder e 1003Si/1DS	
8	10.00.611	Hex socket head cap screw A2 M3X20	
9	10.00.632	Hex combination nut M3	
10	4001.0224V	Fuse 6.35x32mm 6,3A slow-blow	
11	40.01.941	Fuse 6.35x32mm 250V 8A	
12	4001.0226V	Fuse 6.35x32mm 16A, time-lag	
13	40.01.556	Contactor CL04A310M6-M	
14	40.00.465	Electronic noice filter	
15	10.00.607	Hex combination nut M8	
16	1008.0760V	Hex screw M8x16	
17	10.00.111	Cable clip long	
18	1308.0160V	Washer A8,4	
19	42.00.055V	Relay-I/O pcb	
20	40.00.417F	Fixing clip f. pcb	
21	40.02.015	Distance nut PA H10 x 4.3 D.8MM	
22	40.02.047	Fixing clip white p/1.6mm	
23	1104.0120V	Hex nut M4	
24	10.00.187	Lock washer AZ 4	
25	40.01.589	Solid state relais	
26	10.00.507	Pan head screw Torx 5/16" T20	
27	1004.0500F	Raised countersunk metal screw M4x8 oval head	
28	40.01.967	Fixing device for SSR	
29	10.00.588	Hex screw M5x12 DIN933	
30	1105.0121V	Hex combination nut M5 galv	
31	3101.1008V	Cooling fan	
32	10.00.626	Hex socket head cap screw A2 M4X20	
33	40.02.015	Distance nut PA H10 x 4.3 D.8MM	
34	1306.0218V	Washer A4,3	
35	42.00.038	Relay pcb (5 Relay)	
36	12.00.600	5 relay pcb holder	

Electrical installation as of 01/05 upto 01/06







Electrical installation as of 01/05 upto 01/06

Pos.	Part no.	Description	Qty.
37	42.00.039	Relay-I/O pcb A4	
38	12.00.611	I/O relay pcb A4 holder	
39	40.00.277	Control transformer	
40	1105.0120V	Hex nut M5	
41	40.01.712	Transformer	
42	40.01.709	Micro switch lid position	
43	10.00.617	Hex screw 3X16 St/Zn	
44	12.00.598	Micro switch holder lid position	
45	1006.0762F	Hex screw M6x10	
46	42.00.036	Pressostat holder	
47	40.01.719	Pressure sensor right	
48	50.00.564	Adapter fluting pressure sensor	
49	40.02.014	O-ring NITRILE D16	
50	10.00.423	Washer M12 A2	
51	24.01.232	Silicone hose 6x9	
52	2066.0533V	Hose clamp ø10.1	
53	1900.0203F	Ceramic tube 40mm for	
54	10.00.656	Hose clamp D9.1	
55	2066.0532F	Hose clamp ø11.9	
56	40.01.969	Pressure sensor left	
57	40.00.750	Pressure switch 200mbar	
58	40.00.726	- TE RAPIDE 3X6	
59	40.00.751	- RACCORD INST. COUDE EGAL 4/6	
60	24.00.366	- Teflonschlauch 4/6 HT	
61	40.02.048	Pressure switch 25 mbar	
62	40.01.964	Bundle power supply contactor exit	
62	40.01.965	Main bundle	
62	40.01.975	Heating element safety chain bundle	
62	40.01.976	Heating element safety chain bundle	
62	40.01.980	Pressure safety chain bundle	
62	40.01.962	Cable X1 X46	
62	40.01.954	Cable 112 X14	
62	40.01.914	Cable X24-127	
62	40.01.952	cable 112 X13-X126	
62	40.01.960	Cable 112P X128	
62	40.01.916	Cable X15	

Electrical installation as of 01/05 upto 01/06






Electrical installation as of 01/05 upto 01/06

Pos.	Part no.	Description	Qty.
62	40.01.913	Cable 112 X25	
62	40.01.908	Cable 112 X19G solenoide valve water	
62	40.01.949	Cable 112 X19D	
62	40.01.901	Cable 112 X117.1	
62	40.01.902	Cable 112 X118.1	
62	40.01.903	Cable 112 X119.1	
62	40.01.904	Cable 112 X120.1	
62	40.01.918	Cable 112 X21	
62	40.01.955	Cable 112 X27	
62	40.01.956	cable 112 X26 micro-switch lid	
62	40.01.959	Cable 112 X125	
62	40.01.989	Power supply cable 3NAC 400V	
62	40.02.012	Cable X18-solenoide valve NO left	
62	40.02.011	Cable X18-solenoide valve NO right	
63	40.01.091	Bus cable 0.4m	
64	40.00.472	Bus cable 1.3m	
65	10.00.635	Hose clamp d7mm	
66	10.00.472F	Cable clip d13,5-16mm	
67	10.00.471F	Cable clip d10-12mm	


Electrical installation as of 02/06 up to 11/06



Electrical installation as of 02/06 up to 11/06

Pos.	Part no.	Description	Qty.
1	12.00.603	Thermostat and fuse holder complete	
2	10.00.186	Washer broad LL6	
3	1006.0760V	Hex screw M6x16	
4	40.00.277	Control transformer	
5	1004.0663V	Allen screw M4x12	
6	40.02.471	Electronic noice filter	
7	10.00.607	Hex combination nut M8	
8	40.01.255	Differential switch	
9	40.00.764	End plate for mounting rail	
10	40.00.826	Terminal block 25qmm blue	
11	40.00.707	Terminal block 6qmm blue	
12	40.00.639	Terminal block 25qmm g/y	
13	40.00.648	- Reihenklemme V/J 4mm2	
14	40.02.351	Link f. terminal block BJDP3	
15	40.01.556	Contactor CL04A310M6-M	
16	40.02.316	Contactor assembly 112	
17	40.02.318	Grommet Ø30x35x1	
18	40.02.047	Fixing clip white p/1.6mm	
19	10.00.111	Cable clip long	
20	10.00.676	Bundle-clip	
21	10.00.677	Snap on cap f. bundle-clip	
22	42.00.038	Relay pcb (5 Relay)	
23	42.00.055V	Relay-I/O pcb	
24	42.00.039	Relay-I/O pcb A4	
25	40.02.015	Distance nut PA H10 x 4.3 D.8MM	
26	1104.0120V	Hex nut M4	
27	10.00.187	Lock washer AZ 4	
28	40.01.776F	Energy_opt.-terminal *crimp type*	
29	40.00.338	Energy_opt.-terminal *screw typ*	
30	40.00.320	Cable connection M20x1.5	
31	40.01.967	Fixing device for SSR	
32	3101.1008V	Cooling fan	
33	10.00.626	Hex socket head cap screw A2 M4X20	
34	1306.0218V	Washer A4,3	
35	40.01.589	Solid state relais	
36	10.00.444	Raised countersunk head screw Torx M4x8	


Electrical installation as of 02/06 up to 11/06



Electrical installation as of 02/06 up to 11/06

Pos.	Part no.	Description	Qty.
37	10.00.507	Pan head screw Torx 5/16" T20	
38	1104.0121V	Hex nut M4 self locking	
39	4001.1295V	Fuse holder e 1003Si/1DS	
40	40.02.099	Fuse holder 1003SI	
41	4001.0224V	Fuse 6.35x32mm 6,3A slow-blow	
42	40.01.941	Fuse 6.35x32mm 250V 8A	
43	4001.0226V	Fuse 6.35x32mm 16A, time-lag	
44	10.00.611	Hex socket head cap screw A2 M3X20	
45	10.00.632	Hex combination nut M3	
46	40.02.277	Cable X125 112	
46	40.02.279	Cable X13 Left VCC 112P	
46	40.02.148	Cable X13right-X126right 112P	
46	40.02.242	Cable X1 X46 112	
46	40.02.245	Cable X14 112	
46	40.02.282	Cable X18 left 112P	
46	40.02.283	Cable X18 right 112P	
46	40.02.262	Cable X19 left	
46	40.02.276	Cable X26 right 112P	
46	40.02.151	Cable X26 left	
46	40.02.281	Cable safety chain pressure	
46	40.02.313	Power harness K1 output 112	
46	40.02.314	Power harness K1 input 112	
46	40.02.239	Control harness 112	
46	40.02.263	Cable X117.1 112	
46	40.02.264	Cable X118.1 112	
46	40.02.265	Cable X119.1 112	
46	40.02.269	Cable X120.1 112	
46	40.02.357	Cable X24 left 112P	
46	40.02.356	Cable X24 right 112P	
46	40.02.252	Cable X128 left 112P	
46	40.02.150	Cable X128 right 112P	
47	12.00.688	Fixing angle cpl. 112	
48	40.00.471	Bus cable 0.8m	
48	40.01.091	Bus cable 0.4m	
48	40.00.472	Bus cable 1.3m	
49	10.00.635	Hose clamp d7mm	


Electrical installation as of 02/06 up to 11/06



Electrical installation as of 02/06 up to 11/06

Pos.	Part no.	Description	Qty.
50	10.00.472F	Cable clip d13,5-16mm	
51	10.00.471F	Cable clip d10-12mm	
52	12.00.598	Micro switch holder lid position	
53	40.01.709	Micro switch lid position	
54	10.00.144	Socket cap screw M3x16mm	


External sheet as of 01/05 upto 01/06



External sheet as of 01/05 upto 01/06

Pos.	Part no.	Description	Qty.
1	16.00.859	Pan panel for right pan	
2	1106.0803V	Hex combination nut M6 galv	
3	10.00.606	Allen screw M5x8 A2	
4	16.00.848	Pan panel for left pan	
5	16.00.855	Pan right front panel assembly	
6	16.00.856	Pan left front panel assembly	
7	16.01.124	Side panel right conole	
8	10.00.150	Slotted pan head screw M6x12 A2	
9	16.01.123	Side panel left console	
10	16.00.851	Back panel console	
11	16.00.847	Front panel console	
12	87.00.256	Tulip blue for hand shower part n° 87.00.256	
13	1107.0101V	Star lock ø5	
14	16.00.725	Gasket f. Tulip	
15	40.01.410	Socket 2P+T 16A (Germany)	
16	16.00.329	Cover f. USB interface	
17	10.00.103	EJOT PT-screw KA 3.5x10	
18	40.00.470	Interface cable USB 1.5m	
19	10.00.460	EJOT PT-Screw Torx 3,5x14	


Tulip blue for hand shower part n° 87.00.256



Tulip blue for hand shower part n° 87.00.256

Pos.	Part no.	Description	Qty.
1	87.00.196	Socket cover for tulip blue	


External sheet as of 02/06 up to 11/06



External sheet as of 02/06 up to 11/06

Pos.	Part no.	Description	Qty.
1	16.01.197	Bracket watertightness L/R frame	
2	16.00.859	Pan panel for right pan	
3	1106.0803V	Hex combination nut M6 galv	
4	10.00.606	Allen screw M5x8 A2	
5	16.00.848	Pan panel for left pan	
6	1105.0400F	Rivet nut M5	
7	16.00.855	Pan right front panel assembly	
8	16.00.856	Pan left front panel assembly	
9	16.00.847	Front panel console	
10	87.00.256	Tulip blue for hand shower part n° 87.00.256	
11	16.00.725	Gasket f. Tulip	
12	1107.0101V	Star lock ø5	
13	16.00.329	Cover f. USB interface	
14	10.00.103	EJOT PT-screw KA 3.5x10	
15	40.00.470	Interface cable USB 1.5m	
16	10.00.460	EJOT PT-Screw Torx 3,5x14	
17	40.01.410	Socket 2P+T 16A (Germany)	
18	16.00.851	Back panel console	
19	40.00.914	Equipotentiality sticker	


Tulip blue for hand shower part n° 87.00.256



Tulip blue for hand shower part n° 87.00.256

Pos.	Part no.	Description	Qty.
1	87.00.196	Socket cover for tulip blue	


Lid as of 01/05 upto 01/06



Lid as of 01/05 upto 01/06

Pos.	Part no.	Description	Qty.
1		Lid left	
2		Lid right	


Lid left


27
32
03
28
03
30
31
17
02
04
20
18
21
03
19
14
04
03
17
02
12
23
22
26
11
13
03
01
29
25
24
28
10
16
08
15
06
08
07
05
09

Lid left

Pos.	Part no.	Description	Qty.
1	24.01.107	Lid welded, left, pressure 112P	
2	1008.0761V	Hex screw M8x25	
3	1106.0803V	Hex combination nut M6 galv	
4	1308.0160V	Washer A8,4	
5	24.01.153	Lid gasket left	
6	24.01.195	Maintenance arises bends joint lid	
7	24.01.175	Adapter regulation pipe steam	
8	10.00.648	Hose clamp d.20.2	
9	24.01.122	Core temperature probe	
10	20.00.680	O-ring 21x 1.5	
11	10.00.612	Hex nut M16 flat	
12	24.00.769	Magnet for lid (core temperature)	
13	1106.0160F	Hex nut M6	
14	24.01.218	Hinge lid pressure	
15	24.00.766	Lid grille	
16	20.00.879	O-ring 25X1.5 EPDM	
17	10.00.225	Nut 3/8"	
18	40.01.971	Lifting cylinder for lid lock	
19	24.00.765	Shaft front jack of the lid	
20	24.00.767	Shaft back jack of the lid	
21	20.00.480	Split-pin 3.2x22 A2	
22	24.01.211	Ring teflon shaft locking	
23	24.01.210	Distance nut locking hook	
24	24.01.213	Cover hook left	
25	24.01.212	Cover hook right	
26	10.00.610	Allen screw A2 M5X16	
27	24.01.146	Lid cover left welded	
28	10.00.606	Allen screw M5x8 A2	
29	24.01.099	Plate for lid watertightness	
30	24.01.108	Cover back left lid	
31	24.01.089	Pipe water filling	
32	24.01.116	Locking handle left	


Lid right


27
28
03
32
03
30
17
20
13
18
21
19
04
02
17
03
11
12
23
22
26
31
02
04
03
13
14
01
29
25
24
28
10
16
15
09
08
07
08
06
05

Lid right

Pos.	Part no.	Description	Qty.
1	24.01.064	Lid welded	
2	1008.0761V	Hex screw M8x25	
3	1106.0803V	Hex combination nut M6 galv	
4	1308.0160V	Washer A8,4	
5	24.01.151	Lid gasket right	
6	24.01.195	Maintenance arises bends joint lid	
7	24.01.175	Adapter regulation pipe steam	
8	10.00.648	Hose clamp d.20.2	
9	24.01.122	Core temperature probe	
10	20.00.680	O-ring 21x 1.5	
11	10.00.612	Hex nut M16 flat	
12	24.00.769	Magnet for lid (core temperature)	
13	1106.0160F	Hex nut M6	
14	24.01.218	Hinge lid pressure	
15	24.00.766	Lid grille	
16	20.00.879	O-ring 25X1.5 EPDM	
17	10.00.225	Nut 3/8"	
18	40.01.971	Lifting cylinder for lid lock	
19	24.00.765	Shaft front jack of the lid	
20	24.00.767	Shaft back jack of the lid	
21	20.00.480	Split-pin 3.2x22 A2	
22	24.01.211	Ring teflon shaft locking	
23	24.01.210	Distance nut locking hook	
24	24.01.213	Cover hook left	
25	24.01.212	Cover hook right	
26	10.00.610	Allen screw A2 M5X16	
27	24.01.144	Lid cover right welded	
28	10.00.606	Allen screw M5x8 A2	
29	24.01.099	Plate for lid watertightness	
30	24.01.072	Cover back right lid	
31	24.01.089	Pipe water filling	
32	24.01.084	Lid handle right	


Lid as of 02/06 up to 11/06



Lid as of 02/06 up to 11/06

Pos.	Part no.	Description	Qty.
1		Lid left	
2		Lid right	


Lid left


31
19
20
17
20
18
16
14
15
10
09
33
31
27
21
23
13
06
29
34
33
28
12
11
05
04
22
07
08
01
03
02
34
26
25
28
32
24
27
26

Lid left

Pos.	Part no.	Description	Qty.
1	24.01.107	Lid welded, left, pressure 112P	
2	1008.0761V	Hex screw M8x25	
3	1308.0160V	Washer A8,4	
4	24.00.766	Lid grille	
5	20.00.879	O-ring 25X1.5 EPDM	
6	10.00.225	Nut 3/8"	
7	24.01.153	Lid gasket left	
8	24.01.195	Maintenance arises bends joint lid	
9	24.01.175	Adapter regulation pipe steam	
10	10.00.648	Hose clamp d.20.2	
11	24.01.300	Meat probe sensor	
12	20.00.680	O-ring 21x 1.5	
13	10.00.612	Hex nut M16 flat	
14	24.00.769	Magnet for lid (core temperature)	
15	1106.0160F	Hex nut M6	
16	1106.0803V	Hex combination nut M6 galv	
17	40.02.360	Cylinder for the lid lock	
18	24.00.765	Shaft front jack of the lid	
19	24.00.767	Shaft back jack of the lid	
20	10.00.748	Circlip f. bolt Ø10	
21	24.01.108	Cover back left lid	
22	24.01.089	Pipe water filling	
23	24.01.218	Hinge lid pressure	
24	24.01.213	Cover hook left	
25	24.01.212	Cover hook right	
26	24.01.210	Distance nut locking hook	
27	24.01.211	Ring teflon shaft locking	
28	10.00.610	Allen screw A2 M5X16	
29	10.00.189	Tooth lock washer A4 AZ6	
30	50.00.617	Spring f. hose, water filling	
31	24.01.146	Lid cover left welded	
32	24.01.116	Locking handle left	
33	10.00.606	Allen screw M5x8 A2	
34	24.01.099	Plate for lid watertightness	


Lid right


31
19
20
17
20
18
21
23
30
09
10
06
13
06
16
14
15
29
33
16
32
28
24
27
26
34
33
22
05
04
12
11
08
07
01
03
02
34
26
27
25
28

Lid right

Pos.	Part no.	Description	Qty.
1	24.01.064	Lid welded	
2	1008.0761V	Hex screw M8x25	
3	1308.0160V	Washer A8,4	
4	24.00.766	Lid grille	
5	20.00.879	O-ring 25X1.5 EPDM	
6	10.00.225	Nut 3/8"	
7	24.01.151	Lid gasket right	
8	24.01.195	Maintenance arises bends joint lid	
9	24.01.175	Adapter regulation pipe steam	
10	10.00.648	Hose clamp d.20.2	
11	24.01.300	Meat probe sensor	
12	20.00.680	O-ring 21x 1.5	
13	10.00.612	Hex nut M16 flat	
14	24.00.769	Magnet for lid (core temperature)	
15	1106.0160F	Hex nut M6	
16	1106.0803V	Hex combination nut M6 galv	
17	40.02.360	Cylinder for the lid lock	
18	24.00.765	Shaft front jack of the lid	
19	24.00.767	Shaft back jack of the lid	
20	10.00.748	Circlip f. bolt Ø10	
21	24.01.072	Cover back right lid	
22	24.01.089	Pipe water filling	
23	24.01.218	Hinge lid pressure	
24	24.01.213	Cover hook left	
25	24.01.212	Cover hook right	
26	24.01.210	Distance nut locking hook	
27	24.01.211	Ring teflon shaft locking	
28	10.00.610	Allen screw A2 M5X16	
29	10.00.189	Tooth lock washer A4 AZ6	
30	50.00.617	Spring f. hose, water filling	
31	24.01.144	Lid cover right welded	
32	24.01.084	Lid handle right	
33	10.00.606	Allen screw M5x8 A2	
34	24.01.099	Plate for lid watertightness	


Control panel as of 01/05 up to 03/06



Control panel as of 01/05 up to 03/06

Pos.	Part no.	Description	Qty.
1	87.00.162	Control panel Vitro with overlay RAT	
2	10.00.606	Allen screw M5x8 A2	
3	42.00.002V	Control pcb	
4	40.01.996	Distance bush PA d12/5x7.2	
5	1306.0218V	Washer A4,3	
6	1104.0121V	Hex nut M4 self locking	
7	87.00.165	External memory flashed	
8	3006.0107F	Buzzer	
9	87.00.136F	Conversion kit buzzer	
10	87.00.622	Pulse generator with gasket	
11	16.00.845	Holding bracket front panel	
12	1106.0803V	Hex combination nut M6 galv	
13	16.01.169	Overlay VCC/E *Rational* 112-311	
14	16.00.232	Dial f. pulse generator blue	
15	16.01.126	Isolation cover for Vitro	
16	1106.0160F	Hex nut M6	
17	10.00.189	Tooth lock washer A4 AZ6	
18	10.00.179	Washer M6 A2	
19	24.00.376	Silicone adhesive caf 33	
20	16.00.934	Glass for Vitro	
21	40.01.612	Heating element f. vitro	
22	40.01.966	Bundle 4 cable Vitro	
23	16.00.932	Isolation heating element Vitro	
24	16.00.844	Bottom plate f. isolation cover Vitro	
25	40.00.852	Grommet ø9.5	
26	74.00.386	Compression spring Vitro 1.8X16X52	
27	10.00.596	Hex screw M6x50 A2	
28	10.00.186	Washer broad LL6	
29	60.70.618	Safety loop Vitro	


Control panel as of 04/06 up to 11/06



Control panel as of 04/06 up to 11/06

Pos.	Part no.	Description	Qty.
1	87.00.162	Control panel Vitro with overlay RAT	
2	10.00.610	Allen screw A2 M5X16	
3	24.00.376	Silicone adhesive caf 33	
4	40.00.852	Grommet ø9.5	
5	40.01.612	Heating element f. vitro	
6	40.02.280	Power harness Vitro	
7	10.00.189	Tooth lock washer A4 AZ6	
8	1106.0160F	Hex nut M6	
9	16.01.187	Isolation front panel Vitro	
10	16.01.189	Isolation perforated front panel Vitro	
11	74.00.386	Compression spring Vitro 1.8X16X52	
12	1106.0803V	Hex combination nut M6 galv	
13	10.00.596	Hex screw M6x50 A2	
14	16.00.844	Bottom plate f. isolation cover Vitro	
15	42.00.002V	Control pcb	
16	40.01.996	Distance bush PA d12/5x7.2	
17	1306.0218V	Washer A4,3	
18	1104.0121V	Hex nut M4 self locking	
19	2020.0400V	Fixing device for cable harness	
20	40.02.087	Buzzer	
21	87.00.622	Pulse generator with gasket	
22	87.00.165	External memory flashed	
23	40.00.847	Tie rap 2.4X140	
24	42.00.006	Network interface Ethernet	
25	16.01.169	Overlay VCC/E *Rational* 112-311	
26	16.00.232	Dial f. pulse generator blue	
27	60.70.618	Safety loop Vitro	


Option Storage case as of 01/05 upto 01/06



Option Storage case as of 01/05 upto 01/06

Pos.	Part no.	Description	Qty.
1	16.00.933	Storage case left complete	
2	10.00.150	Slotted pan head screw M6x12 A2	
3	10.00.186	Washer broad LL6	
4	16.01.107	Storage case right complete	
5	10.00.150	Slotted pan head screw M6x12 A2	
6	10.00.186	Washer broad LL6	

Option Storage case as of 02/06 up to 11/06



Option Storage case as of 02/06 up to 11/06

Pos.	Part no.	Description	Qty.
1	16.01.251	Storage case right with door	
2	10.00.756	Hex socket countersunk head screw M6x16	
3	1105.0121V	Hex combination nut M5 galv	
4	16.01.230	Storage case left with door	

Index

Part no.	Description	Page
20.00.986		7
16.00.402	"Elbow fitting to crimp 3/4"" D12"	35
50.00.600	"Elbow fitting to crimp M3/4"" D13"	35
50.00.562	"Plug brass F 1/2"""	35
50.00.494	"Reducing nipple M1/2"" F3/8"""	39
40.00.751	- RACCORD INST. COUDE EGAL 4/6	49
40.00.648	- Reihenklemme V/J 4mm2	53
40.00.726	- TE RAPIDE 3X6	49
24.00.366	- Teflonschlauch 4/6 HT	49
12.00.600	5 relay pcb holder	47
20.01.031	Actuation for pan valve	31
20.01.027	Actuation for pan valve cpl.	25, 31
50.00.564	Adapter fluting pressure sensor	49
24.01.175	Adapter regulation pipe steam	69, 71, 75, 77
10.00.598	Allen screw A2 M5X8 TF	17
10.00.610	Allen screw A2 M5X16	69, 71, 75, 77, 81
1004.0663V	Allen screw M4x12	23, 25, 31, 53
10.00.606	Allen screw M5x8 A2	59, 63, 69, 71, 75, 77, 79
1005.0663V	Allen screw M5x10	17, 25, 31
1006.0626F	Allen screw M6x30	7
24.00.794	Arm raising lid	15
20.00.684	Arm raising pan	7
24.01.299	Axle sleeve VCC 112	15
16.00.851	Back panel console	59, 63
20.00.989	Bearing coupling for cable	23
20.00.688	Bearing raising arm	7
24.01.208	Bearing shaft lid	15
24.01.209	Bearing shaft lid central complete	15
24.01.221	Bearing shaft pan inside left	5, 11
20.00.687	Bearing shaft pan L/R	7
20.00.844	Bearing shaft pan left	7

Index

Part no.	Description	Page
40.02.335	Bimetal switch 110°	25
10.00.613	Bolt M8x8 A2	7
16.00.844	Bottom plate f. isolation cover Vitro	79, 81
20.01.092	Bowden cable	31
20.00.915	Bowden cable for pan valve	17, 25
16.01.197	Bracket watertightness L/R frame	63
40.01.966	Bundle 4 cable Vitro	79
40.01.964	Bundle power supply contactor exit	49
10.00.676	Bundle-clip	53
40.01.091	Bus cable 0.4m	51, 55
40.00.471	Bus cable 0.8m	55
40.00.472	Bus cable 1.3m	51, 55
54.00.581	Bushing PP D40/D30-32	43
3006.0107F	Buzzer	79
40.02.087	Buzzer	81
40.01.949	Cable 112 X19D	51
40.01.908	Cable 112 X19G solenoide valve water	51
40.01.913	Cable 112 X25	51
40.01.902	Cable 112 X118.1	51
40.01.903	Cable 112 X119.1	51
40.01.916	Cable X15	49
40.02.356	Cable X24 right 112P	55
40.01.954	Cable 112 X14	49
40.01.952	cable 112 X13-X126	49
40.01.918	Cable 112 X21	51
40.01.956	cable 112 X26 micro-switch lid	51
40.01.955	Cable 112 X27	51
40.01.901	Cable 112 X117.1	51
40.01.904	Cable 112 X120.1	51
40.01.959	Cable 112 X125	51
40.01.960	Cable 112P X128	49
10.00.471F	Cable clip d10-12mm	51, 57

Index

Part no.	Description	Page
10.00.472F	Cable clip d13,5-16mm	51, 57
10.00.111	Cable clip long	5, 11, 47, 53
10.00.420	Cable clip middle	5
40.00.320	Cable connection M20x1.5	53
46.00.100	Cable control harness heating, left	17
46.00.103	Cable control harness heating, right	19
40.02.281	Cable safety chain pressure	55
40.01.962	Cable X1 X46	49
40.02.242	Cable X1 X46 112	55
40.02.279	Cable X13 Left VCC 112P	55
40.02.148	Cable X13right-X126right 112P	55
40.02.245	Cable X14 112	55
40.02.282	Cable X18 left 112P	55
40.02.283	Cable X18 right 112P	55
40.02.012	Cable X18-solenoide valve NO left	51
40.02.011	Cable X18-solenoide valve NO right	51
40.02.262	Cable X19 left	55
40.02.357	Cable X24 left 112P	55
40.01.914	Cable X24-127	49
40.02.151	Cable X26 left	55
40.02.276	Cable X26 right 112P	55
40.02.263	Cable X117.1 112	55
40.02.264	Cable X118.1 112	55
40.02.265	Cable X119.1 112	55
40.02.269	Cable X120.1 112	55
40.02.277	Cable X125 112	55
40.02.252	Cable X128 left 112P	55
40.02.150	Cable X128 right 112P	55
24.00.791	Cap of shaft lid	11
1900.0203F	Ceramic tube 40mm for	45, 49
12.00.624	Chassis	11
10.00.748	Circlip f. bolt Ø10	75, 77

Index

Part no.	Description	Page
50.00.156	Clamp f. hand shower roll guide	35, 37
20.01.033	Collar	13, 15
74.00.386	Compression spring Vitro 1.8X16X52	79, 81
40.02.316	Contactor assembly 112	53
40.01.556	Contactor CL04A310M6-M	47, 53
40.02.239	Control harness 112	55
87.00.162	Control panel Vitro with overlay RAT	79, 81
42.00.002V	Control pcb	79, 81
40.00.277	Control transformer	49, 53
87.00.136F	Conversion kit buzzer	79
3101.1008V	Cooling fan	47, 53
24.01.122	Core temperature probe	69, 71
20.00.898	Coupling valve evacuation	17
24.01.108	Cover back left lid	69, 75
24.01.072	Cover back right lid	71, 77
16.00.329	Cover f. USB interface	59, 63
24.01.213	Cover hook left	69, 71, 75, 77
24.01.212	Cover hook right	69, 71, 75, 77
40.02.360	Cylinder for the lid lock	75, 77
16.00.232	Dial f. pulse generator blue	79, 81
40.01.255	Differential switch	53
10.00.672	Disc IGUS 112-311	25, 31
87.00.475	Discharge pipe of pan	37
40.01.996	Distance bush PA d12/5x7.2	79, 81
24.01.210	Distance nut locking hook	69, 71, 75, 77
40.02.015	Distance nut PA H10 x 4.3 D.8MM	47, 53
50.00.627	Drain hose pan left 112	25, 31
50.00.628	Drain hose pan right 112	25, 31
12.00.609	Drain pipe holder	35
12.00.635	Drip collector	11
10.00.103	EJOT PT-screw KA 3.5x10	59, 63
10.00.460	EJOT PT-Screw Torx 3,5x14	59, 63

Index

Part no.	Description	Page
54.00.576	Elbow-pipe PP DN40 45°	43
54.00.575	Elbow-pipe PP DN40 87.5°	43
40.00.465	Electronic noice filter	47
40.02.471	Electronic noice filter	53
50.00.647	Ellbow pipe 1/2 D10	43
40.00.764	End plate for mounting rail	53
40.01.776F	Energy_opt.-terminal *crimp type*	53
40.00.338	Energy_opt.-terminal *screw typ*	53
40.00.914	Equipotentiality sticker	63
87.00.165	External memory flashed	79, 81
50.00.655	Fitting F1/4 D9	43
12.00.688	Fixing angle cpl. 112	55
40.00.417F	Fixing clip f. pcb	47
40.02.047	Fixing clip white p/1.6mm	47, 53
2020.0400V	Fixing device for cable harness	81
40.01.967	Fixing device for SSR	47, 53
20.01.061	Fixing plate lever pan	13
16.00.850	Frame bottom	5
16.01.168	Frame bottom complete	5
16.00.847	Front panel console	59, 63
4001.0224V	Fuse 6.35x32mm 6,3A slow-blow	47, 55
4001.0226V	Fuse 6.35x32mm 16A, time-lag	47, 55
40.01.941	Fuse 6.35x32mm 250V 8A	47, 55
40.02.099	Fuse holder 1003SI	55
4001.1295V	Fuse holder e 1003Si/1DS	47, 55
50.00.656	Gasket EPDM 18.5-13 x 8	43
20.00.946	Gasket f. pan valve fixing device	17
16.00.725	Gasket f. Tulip	59, 63
5110.1024V	Gasket for G3/4" threaded joint	35, 37, 39, 43
20.00.992	Gasket for plug pan valve	21, 25, 31
50.00.659	Gasket Tesnit 3/8"	37
50.00.599	Gasket TESNIT 20x12x2 1/2"	35, 37

Index

Part no.	Description	Page
40.02.040	Gear motor pan valve	23
16.00.934	Glass for Vitro	79
20.00.714	Graphit plate big for heating element 5600W	17, 25, 31
20.00.987	Graphit plate for Bimetall switch	25, 31
20.00.710	Graphit plate for heating element 1400W	17, 25, 31
40.00.852	Grommet ø9.5	79, 81
40.02.318	Grommet Ø30x35x1	53
50.00.590	Hand shower blue	35, 37
50.00.552	Hand shower roll guide VCC	35
50.00.626	Hand shower roll guide VCC	37
40.01.940	Heating element 2x2800W	17
40.02.145	Heating element 4X1400W	25, 31
40.01.939	Heating element 1400W	17, 25, 31
40.01.612	Heating element f. vitro	79, 81
40.01.975	Heating element safety chain bundle	49
40.01.976	Heating element safety chain bundle	49
10.00.632	Hex combination nut M3	47, 55
1104.0122F	Hex combination nut M4 galv	17
1105.0121V	Hex combination nut M5 galv	11, 17, 25, 31, 47, 85
1106.0801F	Hex combination nut M6	5, 39
1106.0803V	Hex combination nut M6 galv	5, 11, 17, 23, 35, 41, 47, 59, 63, 69, 71, 75, 77, 79, 81
10.00.607	Hex combination nut M8	5, 9, 11, 15, 25, 31, 35, 37, 47, 53
10.00.636	Hex nut M2 self-locking	17
1104.0120V	Hex nut M4	27, 33, 47, 53
1104.0121V	Hex nut M4 self locking	23, 25, 31, 55, 79, 81
1105.0120V	Hex nut M5	11, 49
1106.0160F	Hex nut M6	17, 69, 71, 75, 77, 79, 81
1108.0260V	Hex nut M8	25, 31
24.00.280	Hex nut M10 A2	11
10.00.612	Hex nut M16 flat	69, 71, 75, 77
10.00.617	Hex screw 3X16 St/Zn	49

Index

Part no.	Description	Page
10.00.588	Hex screw M5x12 DIN933	47
1006.0762F	Hex screw M6x10	11, 49
1006.0760V	Hex screw M6x16	5, 13, 43, 53
10.00.596	Hex screw M6x50 A2	9, 15, 79, 81
1006.2060F	Hex screw M6x55	35
1008.0760V	Hex screw M8x16	7, 35, 47
1008.0763V	Hex screw M8x20	37
1008.0761V	Hex screw M8x25	69, 71, 75, 77
1008.0766F	Hex screw M8x30	9
10.00.756	Hex socket countersunk head screw M6x16	85
10.00.619	Hex socket head cap screw A2 M2X16	17
10.00.611	Hex socket head cap screw A2 M3X20	47, 55
10.00.626	Hex socket head cap screw A2 M4X20	47, 53
10.00.633	Hex socket head cap screw M5X45	15
10.00.615	Hex socket set screw cup point A2 M6X8	9
10.00.452	Hex socket set screw cup point A2 M4X4	9, 15
10.00.595	Hex socket set screw cup point A2_70 M6x6 Tuflok	15
1004.0905V	Hex socket set screw M5x6	5, 11
24.01.218	Hinge lid pressure	69, 71, 75, 77
24.00.795	Holder raising jack gas	5
16.00.845	Holding bracket front panel	79
50.00.348	Hose clamp 12.22 L9	35, 43
20.00.715	Hose clamp 31,3 mm, Ring MB DU 12/12	17, 27, 33, 25
10.00.648	Hose clamp d.20.2	69, 71, 75, 77
10.00.635	Hose clamp d7mm	51, 55
10.00.656	Hose clamp D9.1	43, 49
10.00.645	Hose clamp D44.4	17, 39
2066.0533V	Hose clamp ø10.1	35, 43, 49
2066.0532F	Hose clamp ø11.9	49
2066.0527V	Hose clamp ø14mm	39, 43
2066.0530V	Hose clamp ø16.4mm	35, 37, 39, 43
2066.0525V	Hose clamp ø22,1 mm	5, 39, 43

Index

Part no.	Description	Page
12.00.611	I/O relay pcb A4 holder	49
40.00.470	Interface cable USB 1.5m	59, 63
16.01.126	Isolation cover for Vitro	79
16.01.187	Isolation front panel Vitro	81
16.00.932	Isolation heating element Vitro	79
16.01.189	Isolation perforated front panel Vitro	81
24.01.140	Jack gas 1100N	5, 11
20.00.689	Key toppling ppan/lid	7, 9, 15
20.01.068	Left pan shaft	13
20.00.947	Lever cpl. f. pan valve	17
20.00.957	Lever f. bowden cable pan valve	23, 25
24.01.146	Lid cover left welded	69, 75
24.01.144	Lid cover right welded	71, 77
24.01.153	Lid gasket left	69, 75
24.01.151	Lid gasket right	71, 77
24.00.766	Lid grille	69, 71, 75, 77
24.01.084	Lid handle right	71, 77
24.01.064	Lid welded	71, 77
24.01.107	Lid welded, left, pressure 112P	69, 75
20.01.059	Lift arm for pan	13
40.01.708	Lifting cylinder for left pan	5, 11
24.00.803	Lifting cylinder for lid	5, 11
40.01.971	Lifting cylinder for lid lock	69, 71
40.01.972	Lifting cylinder for right pan	5, 11
40.02.351	Link f. terminal block BJDP3	53
10.00.187	Lock washer AZ 4	17, 27, 33, 47, 53
24.01.116	Locking handle left	69, 75
50.00.086	Locking plate f. water distribution	35, 37
20.00.716	Locking roller pan	17, 25, 33
12.00.224	Lower part of pedestal 110mm	5, 11
24.00.769	Magnet for lid (core temperature)	69, 71, 75, 77
40.01.965	Main bundle	49

Index

Part no.	Description	Page
24.01.195	Maintenance arises bends joint lid	69, 71, 75, 77
24.01.300	Meat probe sensor	75, 77
12.00.598	Micro switch holder lid position	49, 57
40.01.709	Micro switch lid position	49, 57
20.00.923	Micro switch pan left valve position	17
40.01.710	Micro switch pan right valve position	19
20.00.983	Mounting device for Bimetall switch	25, 31
46.00.123	Mounting device thermocouple for heating element	31
42.00.049	Mounting support for pressure sensor	43
42.00.006	Network interface Ethernet	81
50.00.078	Non return valve DW16/DN12	35, 37
10.00.225	Nut 3/8"	69, 71, 75, 77
20.00.680	O-ring 21x 1.5	69, 71, 75, 77
20.00.692	O-ring 24X3 EPDM	7
20.00.879	O-ring 25X1.5 EPDM	69, 71, 75, 77
10.00.675	O-ring f. pan valve 17.3 x 2.4	21, 25, 31
40.02.014	O-ring NITRILE D16	43, 49
1008.0769V	Ornamental screw M8x30	5, 11
16.01.169	Overlay VCC/E *Rational* 112-311	79, 81
10.00.507	Pan head screw Torx 5/16" T20	47, 55
20.01.071	Pan left	25, 31
20.00.712	Pan left assembly	17
16.00.856	Pan left front panel assembly	59, 63
16.00.848	Pan panel for left pan	59, 63
16.00.859	Pan panel for right pan	59, 63
20.01.054	Pan right	25, 31
20.00.958	Pan right assembly	17
16.00.855	Pan right front panel assembly	59, 63
20.01.056	Pan shaft right	13
20.00.876	Pan valve motor holder	23, 25
24.01.089	Pipe water filling	69, 71, 75, 77
24.01.099	Plate for lid watertightness	69, 71, 75, 77

Index

Part no.	Description	Page
20.00.970	Plug for pan valve	21, 25, 31
50.00.085	Plug-in spring f. hand shower roll guide	37
40.02.314	Power harness K1 input 112	55
40.02.313	Power harness K1 output 112	55
40.02.280	Power harness Vitro	81
40.02.278	Power supply cable	11
40.01.989	Power supply cable 3NAC 400V	51
42.00.036	Pressostat holder	49
2067.0050V	Pressure hose d10mm	35, 39, 43
40.01.980	Pressure safety chain bundle	49
40.02.348	Pressure sensor left	43
40.01.969	Pressure sensor left	49
40.02.347	Pressure sensor right	43
40.01.719	Pressure sensor right	49
40.02.048	Pressure switch 25 mbar	43, 49
40.00.750	Pressure switch 200mbar	43, 49
87.00.622	Pulse generator with gasket	79, 81
54.00.601	Quenching box	43
2016.0936F	Quenching nozzle 3.9 l/min	41
54.00.491	Quenching nozzle gasket	41
10.00.444	Raised countersunk head screw Torx M4x8	53
1004.0500F	Raised countersunk metal screw M4x8 oval head	47
50.00.653	Reducing nipple 1/2 - 3/8	37
50.00.658	Reducing nipple 3/4 - 1/2	37
50.00.654	Reducing nipple 3/4 - 3/8	37
42.00.038	Relay pcb (5 Relay)	47, 53
42.00.055V	Relay-I/O pcb	47, 53
42.00.039	Relay-I/O pcb A4	49, 53
20.01.036	Rest for motor, pan valve	31
20.00.799	Ring for sheath	7, 9
20.01.062	Ring friction pan shaft	13, 15
24.00.798	Ring sheath pan left / right	7, 9

Index

Part no.	Description	Page
24.01.211	Ring teflon shaft locking	69, 71, 75, 77
1105.0400F	Rivet nut M5	63
60.70.618	Safety loop Vitro	79, 81
3014.0325V	Safety temperature limiter 110°C	17
40.02.337	Safety temperature limiter 215°C	25, 31
40.00.673	Safety temperature limiter 220° (Oil too hot)	47
1328.0102F	Safety washer A10,2	5
1251.1000V	Safety washer ø5mm	17, 25, 31
10.00.747	Securing device for bolt d=12	11
10.00.188	Serrated lock washer A5.1	11
24.00.767	Shaft back jack of the lid	69, 71, 75, 77
24.00.765	Shaft front jack of the lid	69, 71, 75, 77
24.00.760	Shaft hoist swing shaft	7, 11, 13
20.00.883	Shaft jack pan	5
24.00.793	Shaft jack raising lid	11
24.01.057	Shaft Toppling	15
20.00.685	Shaft toppling pan welded	7
20.00.905	Sheath for pan valve	21, 25, 31
24.00.801	Sheath shaft pan L/R	7, 9
12.00.617	Shower roll guide holder	35, 37
16.01.123	Side panel left console	59
16.01.124	Side panel right conole	59
24.00.376	Silicone adhesive caf 33	79, 81
24.01.232	Silicone hose 6x9	35, 37, 43, 49
24.01.231	Silicone hose 16/20	39, 43
24.00.348	Silicone hose D30/40	39
50.00.568	Silicone hose diameter out 14mm in 8mm	35, 37, 39, 43
50.00.139	Single solenoid valve	35
50.00.316	Single solenoid valve	35
10.00.597	Slot counter head secur screw A2 M5X10	27, 33
1004.0023F	Slotted pan head screw M4x6	47
10.00.150	Slotted pan head screw M6x12 A2	59, 83

Index

Part no.	Description	Page
10.00.677	Snap on cap f. bundle-clip	53
40.01.410	Socket 2P+T 16A (Germany)	59, 63
10.00.144	Socket cap screw M3x16mm	57
10.00.107	Socket cap screw M10x35	5, 11
87.00.196	Socket cover for tulip blue	61, 65
40.01.721	Solenoid valve f. decompression 1/2" left	39, 43
40.01.720	Solenoid valve f. decompression 1/2" right	39, 43
50.00.575	Solenoide valve (connector color brown)	35
40.01.589	Solid state relais	47, 53
20.00.480	Split-pin 3.2x22 A2	5, 7, 69, 71
50.00.617	Spring f. hose, water filling	75, 77
1205.0260F	Spring washer B5	17, 29
1208.0260F	Spring washer B8	7
50.00.639	Square seal	11
1107.0100F	Star lock ø4	29
1107.0101V	Star lock ø5	59, 63
24.00.889	Stop ring	9, 15
16.00.933	Storage case left complete	83
16.01.230	Storage case left with door	85
16.01.107	Storage case right complete	83
16.01.251	Storage case right with door	85
1805.1709F	Straight pin 4x12 A2	29
10.00.781	Straight pin ISO2338 A2 3m6x20	31
20.01.069	Switching cam f. pan drain valve	31
20.00.951	T evacuation waste water	39
54.00.548	T-fitting center 36981217	39
54.00.537	T-fitting G3/8 D12	39
44.00.749	T-fitting plastic DN6	43
50.00.612	T-fitting plastic TS16	43
54.01.388	T-fitting TS10 brass	35, 43
40.00.707	Terminal block 6qmm blue	53
40.00.826	Terminal block 25qmm blue	47, 53

Index

Part no.	Description	Page
40.00.639	Terminal block 25qmm g/y	47, 53
20.00.849	Thermocouple bundle	17
20.00.850	Thermocouple bundle	19
87.00.094	Thermocouple for heating element	25, 31
20.00.853	Thermocouple pan left	17, 27
20.00.854	Thermocouple pan right	19, 27
54.00.479	Thermocouple quenching box	39, 43
12.00.603	Thermostat and fuse holder complete	47, 53
54.00.536	Threaded connection 3/4" 1/2" revolving nut	39, 43
40.00.847	Tie rap 2.4X140	81
10.00.189	Tooth lock washer A4 AZ6	17, 75, 77, 79, 81
1208.0160V	Tooth lock washer A8,4	9
40.01.712	Transformer	11, 49
50.00.634	Triple solenoid valve	37
10.00.652	Tube for drip collector fixation	5, 11
87.00.256	Tulip blue for hand shower part n° 87.00.256	59, 63
12.00.205	Upper part of pedestal	5, 11
1306.0218V	Washer A4,3	23, 47, 53, 79, 81
1306.0120V	Washer A6,4	17, 25, 31
1308.0161V	Washer A8,4	7, 25, 31
1308.0160V	Washer A8,4	9, 47, 69, 71, 75, 77
1310.0160V	Washer A10,5	5, 11
10.00.186	Washer broad LL6	53, 79, 83
91.00.140	Washer L6 A2	43
10.00.625	Washer M2 A2	17
10.00.179	Washer M6 A2	79
10.00.805	Washer M6 x 1.2 A2	31
10.00.423	Washer M12 A2	43, 49
20.00.975	Washer maintenance roller bolt	17, 27, 33
8664.1007V	Water distribution unit	35
50.00.072	Water distribution vert roll guide con.	37
50.00.073	Water distribution vert w/o roll guide con.	35

Index

Part no.	Description	Page
1900.0202V	Water filter	35, 37
40.01.311	Water volume sensor Vision 2000 3/8"	35
40.02.349	Water volume sensor with wire	37
54.00.492	Welded nipple	41
46.00.118	Wiring harness, heating elements, pan left	25, 31
46.00.119	Wiring harness, heating elements, pan right	25, 31
54.00.589	Y PP DN40 45°	43
54.00.571	Y PP DN40 87°	43
24.01.230	Y-fitting Y 16	5, 39

RATIONAL Aktiengesellschaft
Siegfried-Meister-Straße 1
86899 Landsberg am Lech
Germany

Web: www.rational-online.com
info@rational-online.com

Telephone: +49 8191-327-0

Managing Board: Managing Director Dr. Peter Stadelmann,
Peter Wiedemann, Markus Paschmann
Chairman of the Supervisory Board: Walter Kurtz

Registered Office: Landsberg am Lech
Court of Registration: Augsburg
District Court Commercial Register Dept. B: 2001
VAT number: DE 128673942