
# MOD: XVC504

# EXPLODED VIEW
# DISEGNO ESPLOSO



## LEGEND - LEGENDA

| | | | |
|---|---|---|---|
| **1** | 0D1445A0 | **56** | TR255B |
| **2** | 0D1455B0 | **57** | VE1005A2 |
| **3** | 0D1456B0 | **58** | VE1010A1 |
| **4** | 0F1165A0 | **59** | VE1015A1 |
| **5** | 0G1175A0 | **60** | VE1020A0 |
| **6** | 0G1190A0 | **61** | VE1030A1 |
| **7** | 0H1450A0 | **62** | VE1075A0 |
| **8** | 0H2005A2 | **63** | VE1095A0 |
| **9** | 0H2550A0 | **64** | VE1100A0 |
| **10** | 0H2560A0 | **65** | VE221 |
| **11** | 0H2570A0 | **66** | VI1035A1 |
| **12** | 0H2571A0 | **67** | VI1515A1 |
| **13** | 0H2595A1 | **68** | VM1065A0 |
| **14** | 0H2611A1 | **69** | VM1075A1 |
| **15** | 0H2612A1 | **71** | VM1160A0 |
| **16** | 0H2650A0 | **72** | VM1165A0 |
| **17** | 0H2730A0 | **73** | VM1166A0 |
| **18** | 0H2735A1 | **74** | VM1170A0 |
| **19** | 0H3020A0 | **75** | VM1171A0 |
| **20** | 0H3040A0 | **76** | VM1175A0 |
| **21** | CE1310A0 | **77** | VM1190A1 |
| **22** | CE1285A0 | **78** | VM1191A1 |
| **23** | CE1355A0 | **79** | VM1192A0 |
| **24** | CE212 | **80** | VM1195A0 |
| **25** | EL1055A0 | **82** | VM1201A0 |
| **26** | EL1185A0 | **83** | VM1206B0 |
| **27** | EL1195A0 | **84** | VM1216B0 |
| **28** | EL1250A0 | **85** | VM1220A0 |
| **29** | GN1000B0 | **86** | VM1230A0 |
| **30** | GN1045A0 | **87** | VM1231A0 |
| **31** | GN1055A0 | **88** | VM1235A0 |
| **32** | GN1065A1 | **89** | VM1236A0 |
| **33** | GN1140A0 | **90** | VM1260A0 |
| **34** | GN1180A0 | **91** | VM250 |
| **35** | GN1285A0 | **92** | VN1000B0 |
| **36** | GN1200A0 | **93** | VN1025A2 |
| **37** | GN224 | **94** | VT1100A0 |
| **38** | GRL1065A1 | **95** | VT1101A1 |
| **39** | GRP805 | | |
| **40** | VM1180A0 | | |
| **41** | PD1001A0 | | |
| **42** | PE102 | | |
| **43** | PE1610A1 | | |
| **44** | PE1365C2 | | |
| **45** | RC1170A1 | | |
| **46** | RC1210A0 | | |
| **47** | RS1150A0 | | |
| **48** | TB008 | | |
| **49** | TB1050A0 | | |
| **50** | TB1055A0 | | |
| **51** | VE1135A0 | | |
| **52** | TB1515A0 | | |
| **53** | TF1010A0 | | |
| **54** | TR1041A2 | | |
| **55** | TR1095A0 | | |

# MOD: XVC504

# EXPLODED VIEW
# DISEGNO ESPLOSO

## DESCRIZIONE CODICI

| | | |
|---|---|---|
| 1 | 0D1445A0 | COPERCHIO INOX XVC304/504/704 |
| 2 | 0D1455B0 | FIANCO SX INOX XVC504 |
| 3 | 0D1456B0 | FIANCO DX INOX XVC504 |
| 4 | 0F1165A0 | SCHIENA INOX XVC504 |
| 5 | 0G1175A0 | CARTER ARIA INOX XVC504 |
| 6 | 0G1190A0 | DIVISORIO CARTER ARIA INOX XVC304/504/7 |
| 7 | 0H1450A0 | ANGOLO FACCIATA MUFFOLA INOX XB-XV-XG |
| 8 | 0H2005A2 | PROFILO SOSTEGNO MOTORE XB603/803 |
| 9 | 0H2550A0 | TAPPO PER TUBO DI SCARICO INOX C.T. |
| 10 | 0H2560A0 | CONTROSTAFFA ZINCATA PORTA C.T. |
| 11 | 0H2570A0 | COLONNINA LATERALE DX INOX PORTA XVC504 |
| 12 | 0H2571A0 | COLONNINA LATERALE SX INOX PORTA XVC504 |
| 13 | 0H2595A1 | PROFILO PORTA COMPONENTI INOX |
| 14 | 0H2611A1 | LISTELLO QUADRO SUP PORTA INOX |
| 15 | 0H2612A1 | LISTELLO QUADRO INF PORTA INOX |
| 16 | 0H2650A0 | CERNIERA INOX VETRO INTERNO XVC204/304/ |
| 17 | 0H2730A0 | STAFFA ZINCATA SOSTEGNO MUFFOLA |
| 18 | 0H2735A1 | PROFILO INOX PARACALORE CRUSCOTTO |
| 19 | 0H3020A0 | DISCO TENUTA ALBERO MOTORE INOX |
| 20 | 0H3040A0 | PROFILO COPRICAMINO INOX C.T. |
| 21 | CE1310A0 | CAVO COLLEGAMENTO POTENZA CONTROLLO |
| 22 | CE1285A0 | FERRITE EMI ROUND MOD. 2643801502 |
| 23 | CE1355A0 | CAVO 5 X 2,5 MMQ H07RNF L = 1,5 MT |
| 24 | CE212 | MORSETT. SFK/7FTW GV V0 00160593 |
| 25 | EL1055A0 | RIDUZIONE J.G. DA D=10 A D=8 PM201008E |
| 26 | EL1185A0 | RACCORDO A GOMITO J.GUEST Ø8 - Ø8 |
| 27 | EL1195A0 | RACCORDO A GOMITO CON J.GUEST |
| 28 | EL1250A0 | ELETTROVALVOLA H2O 1 VIA RID. |
| 29 | GN1000B0 | GUARNIZIONE NERA 50 SHORE FORNI XB-XG-XV |
| 30 | GN1045A0 | GUARN.ANTIVIBR. CAMINO-SCARICO |
| 31 | GN1055A0 | OR 46x2 VMQ 70 ROSSO |
| 32 | GN1065A1 | GUARNIZIONE PORTALAMPADA DE=53.2 |
| 33 | GN1140A0 | GUARNIZIONE PORTAMOTORE STAMP. |
| 34 | GN1180A0 | GUARNIZIONE CERNIERE VETRO INT. |
| 35 | GN1285A0 | GUARNIZIONE SONDA DI TEMPERATURA NTC |
| 36 | GN1200A0 | GUARNIZIONE D=24 RACCORDO 3/4 GOMMA+RETE |
| 37 | GN224 | GUARN.PTFE+CARB 100x22x0,8sp-c/fori 1999 |
| 38 | GRL1065A1 | GRIGLIA LATERALE DX/SX INOX 7 |
| 39 | GRP805 | GRIGLIA GN1/1 PIANA INOX BRILLANTATA |
| 40 | VM1180A0 | IMPUGNATURA MANIGLIA XVC204/304/504/704 |
| 41 | PD1001A0 | PIEDINO 35X35 H26 PLASTICA+GOMMA GRIGIO |
| 42 | PE102 | SUPPORTO PER SCHEDA 24POT98 |
| 43 | PE1610A1 | ASSIEME SCHEDA CONTR. PE1355D1 |
| 44 | PE1365C2 | SCHEDA POTENZA FORNI COMBINATI |
| 45 | RC1170A1 | DADO M14 H=8 CH=22 INOX |
| 46 | RC1210A0 | RACCORDO 3/4 FEMM. - J.GUEST Ø8 |
| 47 | RS1150A0 | RESISTENZA CIRC. D=230 5 SPIRE |
| 48 | TB008 | TUBO PE 7,93x4,75 TRASPARENTE |
| 49 | TB1050A0 | TUBO INTERNO UMIDITA D=16 SP=1 |
| 50 | TB1055A0 | TUBO INTERNO UMIDITA DX D=16 SP=1 |
| 51 | VE1135A0 | ATTUATORE VENTURI 220V 50/60 Hz SERIE 2 |
| 52 | TB1515A0 | TUBO ESTERNO UMIDITA + RACCORDO |
| 53 | TF1010A0 | BOCCOLA TEFLON CERNIERA VETRO |
| 54 | TR1041A2 | SONDA AL CUORE STAMPATA L=2000 |
| 55 | TR1095A0 | SONDA TEMPERATURA NTC 150 L=1050 |
| 56 | TR255B | TERMOSTATO SIC.+UNIPOL.330°C Ty95H |
| 57 | VE1005A2 | LAMPADA HALOPIN ES H66733ES 33W |
| 58 | VE1010A1 | VETRO COPRILAMPADA TEMPERATO ANTISHOCK |
| 59 | VE1015A1 | PORTA LAMPADA SERIE 2 PER LAMPADA |
| 60 | VE1020A0 | MICROINTERRUTTORE PORTA MAGNETICO |
| 61 | VE1030A1 | CALAMITA D=22,9mm PER MICROPORTA |
| 62 | VE1075A0 | PRESSACAVO FV 268 RO+VITI FISSAGGIO |
| 63 | VE1095A0 | TELERUTTORE GE 25A 230V 50/60 |
| 64 | VE1100A0 | SCATOLA COPRI MORSETTIERA NYLON XBT/XVT |
| 65 | VE221 | CONDENS.ICAR PRL 5uF 450V FASTON |
| 66 | VI1035A1 | NOTTOLINO M6x12,5 CON TAGLIO OTT.CROM.FE |
| 67 | VI1515A1 | SUPPORTO SONDA AL CUORE CON CAVA |
| 68 | VM1065A0 | CUFFIA COPRI CAMINO FUMI L.M. |
| 69 | VM1075A1 | CLIP DI FISSAGGIO PER TELERUTTORI |
| 71 | VM1160A0 | STAFFA INFERIORE PORTA XVC204/304/504/7 |
| 72 | VM1165A0 | STAFFA SUPERIORE PORTA XVC204/304/504/7 |
| 73 | VM1166A0 | COPERCHIO STAFFA SUPERIORE PORTA |
| 74 | VM1170A0 | TAPPO FULCRO SUPERIORE PORTA XVC204/304 |
| 75 | VM1171A0 | TAPPO FULCRO INFERIORE PORTA XVC204/304 |
| 76 | VM1175A0 | TAPPO ESTETICO COLONNINA PORTA |
| 77 | VM1190A1 | SCROCCO MANIGLIA DX XVC204/304/504/704 |
| 78 | VM1191A1 | 6CROCCO MANIGLIA SX XVC204/304/504/704 |
| 79 | VM1192A0 | COPERCHIO SCROCCO MANIGLIA XVC204/304/5 |
| 80 | VM1195A0 | PIASTRINA COPRIFORI XVC204/304/504/704 |
| 82 | VM1201A0 | PIASTRINA SUPPORTO MICROPORTA MAGNETICO |
| 83 | VM1206B0 | PROFILO SALVAGOCCIA PORTA XVC304/504/704 |
| 84 | VM1216B0 | CASSETTO RACCOGLIGOCCE XVC104/304/504/7 |
| 85 | VM1220A0 | CLIP FISSAGGIO CASSETTO RACCOGLIGOCCE |
| 86 | VM1230A0 | CERNIERA SUP. ALLUMINIO VETRO |
| 87 | VM1231A0 | CERNIERA INF. ALLUMINIO VETRO |
| 88 | VM1235A0 | FERMA VETRO INTERNO SUP. XVC204/304/504 |
| 89 | VM1236A0 | FERMA VETRO INTERNO INF. XVC204/304/504 |
| 90 | VM1260A0 | CURVA A 90° RACCORDO SCARICO |
| 91 | VM250 | MORSETT.A PETTINE |
| 92 | VN1000B0 | MOTORE COND.5uF 200W ALB.M8 CONN.5 POLI |
| 93 | VN1025A2 | VENTOLA D=196 H=61 38 PALE INOX DADO M8 |
| 94 | VT1100A0 | VETRO INTERNO 633X620X6 BETFL XVC504 |
| 95 | VT1101A1 | VETRO ESTERNO SER. 647X743X4 CTFL XVC504 |

## DESCRIPTION

| | | |
|---|---|---|
| 1 | 0D1445A0 | STAINLESS STEEL COVER XVC304/504/704 |
| 2 | 0D1455B0 | STAINLESS STEEL LEFT SIDE PANEL XVC504 |
| 3 | 0D1456B0 | STAINLESS STEEL RIGHT SIDE PANEL XVC504 |
| 4 | 0F1165A0 | STAINLESS STEEL BACK PANEL XVC504 |
| 5 | 0G1175A0 | STAINLESS STEEL FAN GUARD XVC504 |
| 6 | 0G1190A0 | STAINLESS STEEL FAN GUARD PARTITION |
| 7 | 0H1450A0 | STAINLESS STEEL MUFFLE FRONT FACE |
| 8 | 0H2005A2 | MOTOR SUPPORT PROFILE XB603/803 |
| 9 | 0H2550A0 | STAINLESS STEEL COVER FOR DRAIN |
| 10 | 0H2560A0 | ZINC PLATED DOOR COUNTERSTIRRUP C.T. |
| 11 | 0H2570A0 | STAINLESS STEEL RIGHT DOOR COLUMN XVC504 |
| 12 | 0H2571A0 | STAINLESS STEEL LEFT DOOR COLUMN XVC504 |
| 13 | 0H2595A1 | STAINLESS STEEL COMPONENTS HOLDER |
| 14 | 0H2611A1 | STAINLESS STEEL DOOR UPPER SQUARE |
| 15 | 0H2612A1 | STAINLESS STEEL DOOR LOWER SQUARE |
| 16 | 0H2650A0 | STAINLESS STEEL INTERNAL GLASS |
| 17 | 0H2730A0 | ZINC PLATED MUFFLE SUPPORT BRACKET |
| 18 | 0H2735A1 | STAINLESS STEEL HEAT-GUARD FOR |
| 19 | 0H3020A0 | STAINLESS STEEL SEALING DISC FOR MOTOR |
| 20 | 0H3040A0 | STAINLESS STEEL PLATE FOR CHIMNEY |
| 21 | CE1310A0 | CONNECTION CABLE POWER - CONTROL |
| 22 | CE1285A0 | EMI ROUND FERRITE MOD.2643801502 |
| 23 | CE1355A0 | CABLE 5 X 2,5 MMQ H07RNF L = 1,5 MT |
| 24 | CE212 | TERMINAL BOARD SFK/7FTW GV V0 00160593 |
| 25 | EL1055A0 | STRAIGHT REDUCTION FROM D=10 TO |
| 26 | EL1185A0 | ELBOW CONNECTION J. GUEST Ø8 - Ø8 |
| 27 | EL1195A0 | ELBOW UNION WITH J.GUEST TERMINAL |
| 28 | EL1250A0 | WATER SOLENOID VALVE 1-WAY RED |
| 29 | GN1000B0 | BLACK DOOR SEAL 50 SHORE OVENS XB-XG-XV |
| 30 | GN1045A0 | ANTIVIBR.SEAL FOR EXHAUST CHIMNEY |
| 31 | GN1055A0 | OR 46x2 VMQ 70 RED |
| 32 | GN1065A1 | SEAL FOR LAMP GLASS COVER IPURE |
| 33 | GN1140A0 | MOTOR GASKET |
| 34 | GN1180A0 | INTERNAL GLASS HINGE CARBOGRAPHITE |
| 35 | GN1285A0 | |
| 36 | GN1200A0 | 3/4 CONNECTION SEAL D=24 RUBBER+NET |
| 37 | GN224 | PTFE+CARB 100x22x0,8sp-w/holes |
| 38 | GRL1065A1 | RIGHT/LEFT STAINLESS STEEL GN |
| 39 | GRP805 | GRID GN1/1 FLAT STAINLESS STEEL POLISHED |
| 40 | VM1180A0 | HANDLE HAFT XVC204/304/504/704 |
| 41 | PD1001A0 | FOOT 35X35 H26 GREY PLASTIC+RUBBER |
| 42 | PE102 | SUPPORT FOR CARD 24POT98 |
| 43 | PE1610A1 | CONTROL BOARD PE1355 + BOARD COVER |
| 44 | PE1365C2 | |
| 45 | RC1170A1 | STAINLESS STEEL NUT M14 H=8 CH=22 |
| 46 | RC1210A0 | Ø8 J.GUEST 3/4 FEMALE CONNECTION |
| 47 | RS1150A0 | CIRC.HEAT. ELEMENT D=230 5 TURNS |
| 48 | TB008 | TRANSPARENT TUBE PE 7,93x4,75 |
| 49 | TB1050A0 | STAINLESS STEEL INNER WATER TUBE |
| 50 | TB1055A0 | STAINLESS STEEL INNER RIGHT WATER |
| 51 | VE1135A0 | VENTURI ACTUATOR 220 V 50/60 Hz SERIES 2 |
| 52 | TB1515A0 | STAINLESS STEEL EXTERNAL WATER |
| 53 | TF1010A0 | TEFLON BUSHING FOR INTERNAL GLASS |
| 54 | TR1041A2 | MOLDED CORE PROBE L=2000 |
| 55 | TR1095A0 | TEMPERATURE PROBE NTC 150 L=1050 |
| 56 | TR255B | SAFETY THERMOSTAT+UNIPOL. 330°C |
| 57 | VE1005A2 | HALOGEN LAMP 33W ENERGY SAVER |
| 58 | VE1010A1 | TEMPERED LIGHT BULB GLASS COVER |
| 59 | VE1015A1 | LAMP HOLDER SERIE 2 FOR HALOGEN LAMP |
| 60 | VE1020A0 | MAGNETIC DOOR MICROSWITCH |
| 61 | VE1030A1 | MAGNET FOR DOOR MICROSWITCH D=22,9mm |
| 62 | VE1075A0 | CABLE PRESS FV 268 RO |
| 63 | VE1095A0 | REMOTE CONTROL SWITCH GE 25A 230V |
| 64 | VE1100A0 | TERMINAL BOARD BLACK NYLON COVER XBT/XVT |
| 65 | VE221 | ICAR CONDENSER PRL 5uF 450V FASTON |
| 66 | VI1035A1 | CHROMIUM PLATED BRASS NUT M6x12,5 |
| 67 | VI1515A1 | STAINLESS STEEL CORE PROBE SUPPORT |
| 68 | VM1065A0 | PLASTIC COVER FOR FUMES CHIMNEY L.M. |
| 69 | VM1075A1 | PLASTIC CLIP TO FIX CONTACTORS |
| 71 | VM1160A0 | LOWER DOOR BRACKET XVC204/304/504/704 |
| 72 | VM1165A0 | UPPER DOOR BRACKET XVC204/304/504/704 |
| 73 | VM1166A0 | CAP FOR DOOR UPPER STIRRUP XVC204/304/5 |
| 74 | VM1170A0 | DOOR UPPER FULCRUM-CAP XVC204/304/504/7 |
| 75 | VM1171A0 | DOOR LOWER FULCRUM-CAP XVC204/304/504/7 |
| 76 | VM1175A0 | DOOR COLUMN BLANKING CAP XVC204/304/504 |
| 77 | VM1190A1 | RIGHT DOOR SPRING LATCH XVC204/304/504/ |
| 78 | VM1191A1 | LEFT DOOR SPRING LATCH XVC204/304/504/7 |
| 79 | VM1192A0 | DOOR SPRING LATCH CAP XVC204/304/504/704 |
| 80 | VM1195A0 | HOLES BLANKING PLATE XVC204/304/504/704 |
| 82 | VM1201A0 | SUPPORT PLATE FOR DOOR MAGNETIC |
| 83 | VM1206B0 | DOOR DROP PRESERVER FORM XVC304/504/704 |
| 84 | VM1216B0 | DRIP TRAY XVC304/504/704 |
| 85 | VM1220A0 | CLIP TO FIX DRIP TRAY C.T. |
| 86 | VM1230A0 | UPPER ALUMINIUM HINGE FOR INTERNAL |
| 87 | VM1231A0 | LOWER ALUMINIUM HINGE FOR INTERNAL |
| 88 | VM1235A0 | UPPER HOOK TO STOP INNER GLASS |
| 89 | VM1236A0 | LOWER HOOK TO STOP INNER GLASS |
| 90 | VM1260A0 | 90°C CURVED DRAIN PIPE |
| 91 | VM250 | "COMB" TERMINAL BOARD |
| 92 | VN1000B0 | MOTOR COND.5uF 200W ALB.M8 CONN.5 |
| 93 | VN1025A2 | FAN D=196 H=61 38 BLADES STAINLESS |
| 94 | VT1100A0 | INNER GLASS 633X620X6 BETFL XVC504 |
| 95 | VT1101A1 | EXTERNAL SER. GLASS 647X743X4 XVC504 |