# Service part catalogue

## Modell CM 102


**G12MD0112**



20.04.2021
2 AC 208V 60Hz

Kat-RTS_140922
©Copyright by RATIONAL Technical Service
All Rights reserved


# Overview



# Overview


| Pos. | Assembly | Page |
|---|---|---|
| 1 | Control panel | 4 |
| 2 | Electrical installation | 12 |
| 3 | Clima Plus | 20 |
| 4 | Steam generator, Bypass | 22 |
| 5 | Hot air heating | 32 |
| 6 | Motor and fan wheel | 34 |
| 7 | Interior cabinet | 38 |
| 8 | Door | 48 |
| 9 | Water supply, quenching box | 58 |
| 10 | Hand shower | 66 |
| 12 | Gas parts | 68 |
| 13 | Exterior cabinet | 78 |
| 14 | Miscellaneous | 96 |

# Control panel



# Control panel


| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 3 | 3040.0304 | Protection cover for RS232 connection | |
| 7 | 8720.1397 | Control panel insert with overlay | |
| 9 | 8455.1377 | Air inlet filter | |
| B | | Panel insert | |

# Panel insert









# Panel insert

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1106.0160 | Hex nut M6 | |
| 2 | 1206.0120 | Tooth lock washer A6,4 | |
| A | | Panel insert | |


# Panel insert



# Panel insert

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1103.0120 | Hex nut M3 | |
| 2 | 1104.0121 | Hex nut M4 self locking | |
| 3 | 1304.0160 | Washer A4,3 | |
| 4 | 1306.0218 | Washer A4,3 | |
| 5 | 2039.0326 | Spacer for pcb | |
| 6 | 3006.0107 | Buzzer | |
| 7 | 3013.0359 | Dial black RAL9005 | |
| 8 | 4005.0103 | Tie rap black | |
| 8 | 4005.0101 | Tie rap 145 mm | |
| 9 | 5100.1011 | Gasket | |
| 10 | 5110.1027 | Distance plate for front panel | |
| 11 | 5110.1028 | Gasket poti hot air, core temperature | |
| 12 | 8720.1300 | Bus cable CPU - operator pcb | |
| 13 | 8462.1305 | Control panel insert welded | |
| 14 | 1603.0166 | Rivet 3,2x7,9 CNS closed | |
| A | 3040.3210 | Operator pcb | |


# Operator pcb



# Operator pcb

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1315.0101 | Copper washer 6x10 | |
| 2 | 5110.1029 | Gasket mode switch | |
| 3 | 2760.1100 | Stop for Poti-Core temperature | |
| 4 | 2760.1129 | Stop for mode switch | |
| 5 | 2022.0100 | Silicone gasket red, for PG 9 15x4mm | |


# Electrical installation



# Electrical installation

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 3 | 3040.0281 | E-Prom C1_090 | |
| 3 | 3040.0316 | E-Prom C5.02 | |
| 4 | 4004.0114 | Wire end sleeve 0,75 mm² blue insulated | |
| 6 | 2005.0106 | Protective grid for cooling fan | |
| 7 | 4004.0302 | Circular pin sleeve for ignition and monring electrode | |
| B | | Contactor assembly | |


# Contactor assembly



# Contactor assembly

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1004.0660 | Allen screw M4x10 | |
| 2 | 1006.0761 | Hex screw M6x12 | |
| 4 | 1105.0123 | Hex combination nut M4 | |
| 5 | 1107.0103 | Star lock ø3 | |
| 6 | 1306.0221 | Washer A6,4 | |
| 6 | 1306.0120 | Washer A6,4 | |
| 7 | 2724.1385 | Mounting angle | |
| 9 | 3014.0326 | Safety temperature limiter 365°C, | |
| 10 | 3014.0327 | Hex nut M10x1,0 | |
| 14 | 3037.0247 | Control transformer | |
| 17 | 3040.0262 | Multipoint connector left 10pin, 3.5 | |
| 18 | 3040.3001 | Main pcb | |
| 19 | 3040.3040 | Motor control for fan motor | |
| 20 | 3101.1008 | Cooling fan | |
| 22 | 4002.0110 | Cable connector, junction | |
| A | | Contactor assembly | |


# Contactor assembly



# Contactor assembly

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 1004.0660 | Allen screw M4x10 | |
| 4 | 1104.0121 | Hex nut M4 self locking | |
| 5 | 1104.0122 | Hex combination nut M4 galv | |
| 6 | 1105.0800 | Snap nut M5 | |
| 7 | 1204.0120 | Tooth lock washer A4,3 | |
| 8 | 1304.0160 | Washer A4,3 | |
| 10 | 2020.0400 | Fixing device for cable harness | |
| 11 | 2020.0401 | Fixing device for wire harness | |
| 12 | 2039.0370 | Spacer 12x1,6 | |
| 14 | 3001.0469 | Electronic noise filter | |
| 15 | 3014.0300 | Dry up protector 257°F/135°C | |
| 16 | 3014.0327 | Hex nut M10x1,0 | |
| 19 | 3028.0551 | Contactor AEG LS4K10 | |
| 23 | 3035.0485 | Relay for CleanJet | |
| 24 | 3037.0243 | Control transformer | |
| 25 | 3101.1013 | Cooling fan | |
| 27 | 4001.0201 | Fuse holder 1-pol | |
| 28 | 4001.0202 | Fuse | |
| 32 | 4001.0220 | Fuse | |
| 33 | 4001.0219 | Fuse holder 1-pol | |
| 34 | 4001.1203 | End plate for mounting rail | |
| 35 | 4001.1210 | Earth terminal 16mm² yellow/green | |
| 36 | 4001.1216 | Terminal block 4smm² grey | |
| 37 | 4005.0101 | Tie rap 145 mm | |
| 38 | 5013.0100 | Edge protection profile | |

# Contactor assembly



# Contactor assembly

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 1004.0660 | Allen screw M4x10 | |
| 4 | 1104.0121 | Hex nut M4 self locking | |
| 5 | 1104.0122 | Hex combination nut M4 galv | |
| 6 | 1105.0800 | Snap nut M5 | |
| 7 | 1204.0120 | Tooth lock washer A4,3 | |
| 8 | 1304.0160 | Washer A4,3 | |
| 10 | 2020.0400 | Fixing device for cable harness | |
| 11 | 2020.0401 | Fixing device for wire harness | |
| 12 | 2039.0370 | Spacer 12x1,6 | |
| 14 | 3001.0469 | Electronic noise filter | |
| 15 | 3014.0300 | Dry up protector 257°F/135°C | |
| 16 | 3014.0327 | Hex nut M10x1,0 | |
| 19 | 3028.0551 | Contactor AEG LS4K10 | |
| 23 | 3035.0485 | Relay for CleanJet | |
| 24 | 3037.0243 | Control transformer | |
| 25 | 3101.1013 | Cooling fan | |
| 27 | 4001.0201 | Fuse holder 1-pol | |
| 28 | 4001.0202 | Fuse | |
| 32 | 4001.0220 | Fuse | |
| 33 | 4001.0219 | Fuse holder 1-pol | |
| 34 | 4001.1203 | End plate for mounting rail | |
| 35 | 4001.1210 | Earth terminal 16mm² yellow/green | |
| 36 | 4001.1216 | Terminal block 4smm² grey | |
| 37 | 4005.0101 | Tie rap 145 mm | |
| 38 | 5013.0100 | Edge protection profile | |

# Clima Plus




























# Clima Plus

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 2112.1301 | Silicone hose safety valve | |
| 4 | 3014.1016 | Thermocouple | |

# Steam generator, Bypass



# Steam generator, Bypass

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 2066.0516 | Hose clamp 60-80 mm | |
| 3 | 2112.1307 | Hose 70x5mm | |
| 6 | 5003.0300 | Insulation, melamin resin foam | |
| A | | Steam generator | |


# Steam generator



# Steam generator

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1106.0803 | Hex combination nut M6 galv | |
| 1 | 1105.0121 | Hex combination nut M5 galv | |
| 4 | 2001.0040 | Loctite 243 50ml | |
| 7 | 2036.0612 | Union nut | |
| 8 | 2036.0613 | Cutting ring for gas fitting | |
| 10 | 2066.0205 | Hose clamp 8-16x9 mm SW 7mm | |
| 11 | 2066.0300 | Hose clamp 50-70 mm | |
| 12 | 2112.1006 | Steam hose Ø50x50mm | |
| 13 | 2112.1019 | Silicon hose | |
| 14 | 2740.1040 | Fixing plate steam generator thermostat | |
| 16 | 3014.1013 | Thermocouple steam generator B5,1300mm | |
| 18 | 3101.1017 | Blower for burner RG130 | |
| 19 | 5110.1318 | Gasket for burner housing | |
| 21 | 9003.0211 | Klüberpaste HEL 46-450 70g tube | |
| A | | Steam generator | |


# Steam generator



# Steam generator

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1006.0761 | Hex screw M6x12 | |
| 2 | 1105.0121 | Hex combination nut M5 galv | |
| 5 | 1306.0120 | Washer A6,4 | |
| 11 | 2066.0205 | Hose clamp 8-16x9 mm SW 7mm | |
| 13 | 2066.0519 | Hose clamp Ø35,6mm | |
| 13 | 2066.0522 | Hose clamp ø 31,3 mm | |
| 13 | 2066.0526 | Hose clamp ø46mm | |
| 16 | 2112.1318 | Emptying hose | |
| 17 | 2112.1319 | Silicone hose for steam generator | |
| 20 | 3002.1005 | Emptying pump | |
| A | 8350.3102 | Steam generator insolated | |
| B | | Pump connection | |

# Steam generator insolated



# Steam generator insolated

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1105.0122 | Hex combination nut M5 V2A | |
| 2 | 3002.0409 | Filling-level electrode 74mm | |
| 3 | 5003.0300 | Insulation, melamin resin foam | |
| 4 | 5006.0500 | Polyurethan-Glue for insulation 310ml | |
| 5 | 5110.1308 | Gasket for level elektrode insert | |
| 6 | 8300.2300 | Mounting device for filling celectorde | |
| 7 | 9003.0211 | Klüberpaste HEL 46-450 70g tube | |


# Pump connection



# Pump connection

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 2062.0331 | Junction pressure hose GS 10 | |
| 2 | 2066.0527 | Hose clamp ø14mm | |
| 3 | 2066.0530 | Hose clamp ø16.4mm | |
| 4 | | Silicon hose | |
| 5 | 2118.1000 | Pump connection spout | |
| 6 | 2120.1259 | Stop plug 10mm | |
| 7 | 4005.0101 | Tie rap 145 mm | |


# Hot air heating



# Hot air heating

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 8668.1313 | Hot air burner | |

# Motor and fan wheel



# Motor and fan wheel

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 2120.1306 | Spacer SW19x17 | |
| 3 | 2920.1301 | Inner sealing flange | |
| 6 | 3100.1084 | Fan motor 4pol | |
| 8 | 5001.0207 | Motor shaft gasket | |
| 9 | 8514.1339 | Motor shaft gasket mounting support | |
| 11 | 8720.1384 | Hallsensor cpl | |
| A | | Fan motor assy | |


# Fan motor assy



# Fan motor assy

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1010.0762 | Hex screw M10x20 | |
| 2 | 1108.0260 | Hex nut M8 | |
| 3 | 1208.0260 | Spring washer B8 | |
| 4 | 1328.0102 | Safety washer A10,2 | |
| 6 | 2012.0514 | Fan wheel | |

# Interior cabinet



# Interior cabinet

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 4 | 2005.0308 | Outlet sieve | |
| 5 | 2035.0111 | Moistening nozzle | |
| 6 | 2720.1073 | Mounting device for int.cabinet sensor | |
| 11 | 2760.1089 | Guide bush for core temperatur sensor | |
| 12 | 3014.0162 | Sealing cone for thermocouple | |
| 13 | 3014.0163 | Gasket sleeve with nipple | |
| 15 | 3014.1000 | Thermocouple for interior cabinet | |
| 16 | 3035.0712 | Meat probe sensor | |
| 19 | 5105.1022 | Door gasket | |
| 20 | 8514.1018 | Reflector for interior light | |
| 23 | 2760.1132 | Holding bracket core probe tip | |
| A | | Interior light | |
| B | 8516.1359 | Air baffle | |


# Interior light



1




2



# Interior light

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1008.0753 | Hex screw M5x8 | |
| 2 | 3024.0201 | Halogen bulb 300°C | |
| A | 8514.1034 | Gasket frame with glass and gaskets | |

# Gasket frame with glass and gaskets




# Gasket frame with glass and gaskets

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 5110.1022 | External gasket frame for interior light | |
| 2 | 5110.1023 | Internal gasket frame for interior light | |
| 3 | 5201.1000 | Glass for interior lamp | |
| 4 | 8514.1017 | Gasket frame for interior light | |

# Air baffle



# Air baffle

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1603.0168 | Rivet 3,2x8 A4 | |
| 1 | 1603.0166 | Rivet 3,2x7,9 CNS closed | |
| A | 8516.1343 | Air baffle | |


# Air baffle



# Air baffle

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 1304.0160 | Washer A4,3 | |
| 3 | 1604.0167 | Rivet 4x10 | |
| 3 | 1604.0165 | Rivet 4x9,9 | |
| 7 | 2005.0103 | Protective grating,ø259 | |
| 9 | 2760.1370 | Latch hook for air baffle | |


# Door



# Door

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 8474.1338 | Inner glass pane | |
| 2 | 1107.0104 | Star lock ø6 | |
| A | | Door | |
| B | 8474.1373 | Inner glass pane | |


# Door



# Door

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1005.2000 | Interlocking tooth screw M5x8 | |
| 2 | 1008.0766 | Hex screw M8x30 | |
| 2 | 1006.0760 | Hex screw M6x16 | |
| 3 | 1008.0768 | Ornamental screw M8x16 | |
| 4 | 1306.0120 | Washer A6,4 | |
| 4 | 1308.0162 | Washer A8,4 | |
| 4 | 1308.0160 | Washer A8,4 | |
| 5 | 2001.0109 | Compression spring | |
| 6 | 2016.1515 | Door handle, black | |
| 7 | 2039.0340 | Internal lock cover | |
| 8 | 2120.1254 | Door bolt top | |
| 9 | 2760.1406 | Shim | |
| 10 | 2930.1306 | Door mounting support bottom | |
| 10 | 2930.1316 | Door mounting support bottom | |
| 11 | 2930.1307 | Door mounting support top | |
| 12 | 2940.1303 | Door setting console 110° | |
| 14 | 2940.1313 | Base for door catch | |
| 15 | 2940.1314 | Door catch for 1- and 2-step lock | |
| A | 8470.1302 | Door cpl. | |

# Door cpl.



# Door cpl.

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1005.1966 | Countersunk screw Torx M5x16 | |
| 3 | 1105.0122 | Hex combination nut M5 V2A | |
| 5 | 1901.0041 | Spring clip stainless steel | |
| 7 | 2760.1396 | Spring supp. f. int. glass holding bra. | |
| 8 | 2940.1300 | Sleeve for door bolt top | |
| 9 | 2940.1302 | Door setting bolt | |
| 10 | 2940.1309 | Hinge for inner glass | |
| 11 | 3016.1409 | Magnet round for door contact d10x40 | |
| 12 | 5006.0200 | Silicon tube E41 90ml | |
| 13 | 5006.0212 | Silicone tube E127, 310 ml silver | |
| 14 | 9003.0210 | Optimol paste white T400 ml | |
| 15 | 9003.0211 | Klüberpaste HEL 46-450 70g tube | |
| 16 | 8474.1300 | Door lock | |
| 17 | 1603.0166 | Rivet 3,2x7,9 CNS closed | |
| 18 | 2002.0106 | Tension spring for inner window | |
| 19 | 2039.0402 | Spacer for interior door | |
| 20 | 2760.1395 | Fixing bracket for interior glass pane | |
| A | 8474.1379 | Door drip collector | |

# Door drip collector



# Door drip collector

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1103.0122 | Hex nut M3 self-locking | |
| 2 | 2001.0122 | Cone compression spring for drip tray | |
| 3 | 2039.0339 | Plastic knop for door drip tray | |
| 4 | 2120.1308 | Distance nut M3 for door drip collector | |
| 5 | 2760.1540 | Opening device for drain door drip colle | |

# Inner glass pane



# Inner glass pane

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 2120.1258 | Knurled bolt for inner door hinge | |
| 2 | 5006.0200 | Silicon tube E41 90ml | |

# Water supply, quenching box



# Water supply, quenching box

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 3 | 2066.0503 | Hose clamp 25-40mm | |
| 3 | 2066.0504 | Hose clamp 40-60mm | |
| 4 | | Pressure hose | |
| 7 | 3002.0310 | Double solenoid valve | |
| 8 | 3002.0332 | Single solenoid valve | |
| 13 | 2066.0525 | Hose clamp ø22,1 mm | |
| A | | Venting valve | |
| B | | Water connection | |
| C | | Quenching box | |


# Venting valve



# Venting valve

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 2062.0332 | Receptacle for ventilation valve SG | |
| 2 | 2066.0205 | Hose clamp 8-16x9 mm SW 7mm | |
| 3 | 2066.0506 | Hose clamp 20-32mm | |
| 4 | 2067.0050 | Pressure hose d10mm | |
| 5 | 2069.0108 | Ventilation valve | |
| 6 | 2112.1310 | Form hose for ventilation of steam generator | |


# Water connection



# Water connection

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1004.0666 | Hex screw M4x10 | |
| 2 | 1105.0122 | Hex combination nut M5 V2A | |
| 6 | 1900.0202 | Water filter | |
| 9 | 2062.0333 | Housing for non returne valve | |
| 10 | 2066.0205 | Hose clamp 8-16x9 mm SW 7mm | |
| 11 | | Pressure hose | |
| 11 | 2067.0050 | Pressure hose d10mm | |
| 12 | 2069.0108 | Ventilation valve | |
| 13 | 3002.0339 | Fixing bracket for solenoid valve | |
| 15 | 5110.1024 | Gasket for G3/4" threaded joint | |
| 16 | 8664.1301 | T-fitting water connection | |
| A | | Venting valve | |


# Quenching box



# Quenching box

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1008.0750 | Hex screw M5x16 | |
| 2 | 2016.0936 | Quenching nozzle 3.9 l/min | |
| 3 | 3014.0162 | Sealing cone for thermocouple | |
| 4 | 3014.0163 | Gasket sleeve with nipple | |
| 6 | 3014.1003 | Thermocouple long 1500mm | |
| 7 | 5003.0300 | Insulation, melamin resin foam | |
| 8 | 5006.0500 | Polyurethan-Glue for insulation 310ml | |
| 9 | 5012.0566 | Gasket f. inspection lid | |
| 11 | 8666.1318 | Flange quenching chamber | |
| 12 | 8666.1325 | Cross bar for flange quenching chamber | |


# Hand shower



# Hand shower

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 2060.0228 | O-ring for shower hose | |
| 2 | 2060.1006 | Hand shower | |
| 4 | 2062.0328 | Connection pipe for hand shower | |
| 6 | 2069.0106 | Non return valve DN 10 Handshower | |
| 8 | 8655.2021 | Hand shower roll guide | |
| 11 | 8664.1300 | T-fitting handshower connection | |


# Gas parts



# Gas parts

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 3 | 2112.1328 | Air sucking hose PG29 650mm | |
| 4 | 5110.1310 | Gasket for exhaust flange | |
| 5 | 5110.1311 | Gasket for Burner flange | |
| 6 | 8668.1306 | Exhaust pipe | |
| 7 | 8720.1504 | Conversion kit gas to natural gasG21 | |
| 7 | 8720.1486 | Conversion kit gas to natural g. low | |
| 7 | 8720.1485 | Conversion kit gas to natural g high | |
| 7 | 8720.1487 | Conversion kit gas to LPG 3B/P, 3+ | |
| 7 | 8720.1488 | Conversion kit gas to LPG 3P | |
| 7 | 8720.1489 | Conversion kit gas to Towngas | |
| A | | Gas module | |
| B | | Burner | |

# Gas module


1
2
3
5
6
7
8
9
4
10
11
12
15
20
21
22
16
18
23
13
14
17
19
24
27
28
A
B
25
26
29

# Gas module

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1106.0801 | Hex combination nut M6 | |
| 1 | 1105.0122 | Hex combination nut M5 V2A | |
| 1 | 1106.0803 | Hex combination nut M6 galv | |
| 3 | 1206.0261 | Spring washer B6 | |
| 4 | 2001.0043 | Loctite 54234 50ml | |
| 9 | 2112.1019 | Silicon hose | |
| 14 | 3039.0107 | Gas ignition module | |
| 18 | 3101.1016 | Blower for burner RG100 | |
| 20 | 4002.0111 | Slip-on terminal 0,5-1,0mm², 6,3mm | |
| 21 | 4004.0302 | Circular pin sleeve for ignition and monring electrode | |
| 23 | 5110.1311 | Gasket for Burner flange | |
| 24 | 5110.1338 | Air orifice gasket hot air | |
| 25 | 5110.1318 | Gasket for burner housing | |
| 26 | 8801.1217 | Wire set ignition/monitoring | |
| 27 | 9003.0211 | Klüberpaste HEL 46-450 70g tube | |
| 28 | 1006.0623 | Allen screw M6x10 | |
| 29 | 8668.1343 | Angle flange | |
| A | | Gas supply | |
| B | | Burner | |

# Gas supply



# Gas supply

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 2001.0043 | Loctite 54234 50ml | |
| 4 | 2036.0600 | Ermeto gas fitting GE-15 | |
| 5 | 2036.0606 | Ermeto threading EOG-15PL, A3C | |
| 7 | 2036.0612 | Union nut | |
| 8 | 2036.0613 | Cutting ring for gas fitting | |
| 9 | 2036.0614 | Connecting flange 1/2" f.gas valve | |
| 11 | 2115.1012 | Corrugated hose G1/2 lenght 440mm | |
| 11 | 2115.1013 | Corrugated hose G1/2 lenght 575mm | |
| 11 | 2115.1014 | Corrugated hose G1/2 lenght 640mm | |
| 13 | 2910.1358 | Gas valve connection manifold | |
| 16 | 3039.0245 | Gas valve | |
| 19 | 8668.1365 | Blower connection | |

# Burner



# Burner

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1203.0260 | Spring washer B3 | |
| 2 | 2022.0111 | Grommet for ignition/monitoring wire | |
| 3 | 2068.0300 | Ignition electrode | |
| 4 | 1003.0660 | Allen screw M3x8 | |


# Burner



# Burner

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1203.0260 | Spring washer B3 | |
| 2 | 2022.0111 | Grommet for ignition/monitoring wire | |
| 3 | 2068.0300 | Ignition electrode | |
| 4 | 1003.0660 | Allen screw M3x8 | |
| 5 | 8668.1315 | Burner pipe | |


# Exterior cabinet



# Exterior cabinet

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 9 | 8464.1307 | Opening mechanism for panel insert | |
| 10 | 2510.530746 | Stop for potentiometer hot air | |
| 14 | 8700.0317 | Floor fixing for units | |
| 16 | 2002.0107 | Tension spring for front panel | |
| 19 | 2812.1304 | Spacer for vent cover | |
| 20 | 3016.1415 | Door switch | |
| 21 | 5013.0100 | Edge protection profile | |
| 22 | 8455.1209 | Vent cover | |
| 22 | 8450.1310 | Spacer ring | |
| A | | Exterior cabinet | |
| C | | Base frame | |
| D | 8700.0318 | Floor fixing set | |


# Exterior cabinet



# Exterior cabinet

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1003.2261 | Raised counters. head self tapp. screw 4,2x13 | |
| 2 | 1003.2265 | Countersunk self tapping screw 4,2x16 | |
| 3 | 1004.0666 | Hex screw M4x10 | |
| 4 | 1004.2160 | Hex self tapping screw 4,2x16 | |
| 5 | 1104.0820 | Snap nut 4,2mm | |
| 7 | 1107.0100 | Star lock ø4 | |
| 9 | 2039.0331 | Cap for service door | |
| 10 | 2060.1210 | Tulip for handshower | |
| 11 | 2066.0525 | Hose clamp ø22,1 mm | |
| 12 | 2110.1002 | Silicone hose d15x3 | |
| 13 | 2710.1310 | Back panel right | |
| 14 | 2710.1318 | Crossbar top | |
| 15 | 2710.1380 | Top crossbar left side | |
| 17 | 3040.0308 | Spacer sleeve for connector Sub-D | |
| 18 | 3040.0309 | Locking screw for D-SUB | |
| 19 | 5100.1012 | Gasket venting pipe-top cover | |
| 19 | 5105.1028 | Gasket f. breather tube d=74mm | |
| 20 | 8455.1304 | Side panel right | |
| 21 | 8455.1306 | Back panel left | |
| 22 | 8455.1317 | Drip collector | |
| 23 | 8817.1040 | Interface cable for RS232 | |
| 24 | 1304.0166 | Spicer D4.3/8.0 L5.0 | |
| 25 | 1603.0161 | Rivet 3,2x6 | |
| 25 | 1603.0166 | Rivet 3,2x7,9 CNS closed | |
| A | 8455.1427 | Side panel left | |
| A | 8455.1376 | Front panel | |
| A | | Door switch | |
| B | 8457.1329 | Top cover | |


# Door switch



# Door switch

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1003.2160 | Hex self tapping screw 2,9x9,5 | |
| 2 | 1103.0600 | PVC plug in nut for metal screw 2.9mm | |
| 3 | 1304.0150 | Washer A3,2 | |
| 4 | 2710.1324 | Bracket for door contact switch | |
| 8 | 3016.1415 | Door switch | |


# Side panel left



# Side panel left

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 5 | 1104.0820 | Snap nut 4,2mm | |
| 10 | 2710.1315 | Side panel left | |
| 14 | 5100.1002 | Insulating tape 8x6mm | |


# Front panel



# Front panel

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1003.2261 | Raised counters. head self tapp. screw 4,2x13 | |
| 2 | 1006.0621 | Allen screw M6x12 | |
| 3 | 1104.0820 | Snap nut 4,2mm | |
| 4 | 1107.0104 | Star lock ø6 | |
| 5 | 2039.0331 | Cap for service door | |
| 8 | 5006.0212 | Silicone tube E127, 310 ml silver | |
| 9 | 5100.1011 | Gasket | |
| 10 | 8464.1307 | Opening mechanism for panel insert | |
| 11 | 2002.0107 | Tension spring for front panel | |


# Top cover



# Top cover

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1105.0260 | Cap nut M5, high shape | |
| 2 | 1305.0160 | Washer A5,3x10mm | |
| 3 | | Top cover | |
| 4 | 1603.0161 | Rivet 3,2x6 | |


# Base frame


1
2
3
4
5
6
7
8
9
10
11
12
A
Potentialausgleich
Equipotentiality
Equipotentialité

# Base frame

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1110.0800 | Cage nut M10 | |
| 2 | 1106.0160 | Hex nut M6 | |
| 3 | 1106.0360 | Cap nut M6, high shape | |
| 4 | 1206.0120 | Tooth lock washer A6,4 | |
| 5 | 1310.0160 | Washer A10,5 | |
| 6 | 1328.0102 | Safety washer A10,2 | |
| 8 | 2039.0122 | Upper part of pedestal, 70mm, black grey | |
| 9 | 2039.0123 | Lower part of pedestal, black grey | |
| 10 | 2049.0817 | Sticker, Equipotential bonding | |
| 12 | 5013.0100 | Edge protection profile | |
| A | | Base frame | |


# Base frame



# Base frame

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1104.0800 | Cage nut M4 | |
| 2 | 1603.0163 | Rivet 3,2x8 CNS | |
| 3 | 1604.0162 | Rivet 4x9, CNS closed | |
| 4 | 2005.0106 | Protective grid for cooling fan | |


# Floor fixing set



# Floor fixing set

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1106.0360 | Cap nut M6, high shape | |
| 2 | 1206.0261 | Spring washer B6 | |
| 3 | 1306.0120 | Washer A6,4 | |

# Miscellaneous



# Miscellaneous

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 8 | 1315.0105 | Copper washer 10x16x1,5 | |
| 13 | 9006.0800 | Adhesive solvent "Weicon" | |
| 17 | 2049.0433 | Sticker Drain connection DN 50 | |
| 19 | 2049.0484 | Sticker "Loading heights" | |

# Index


| Part no. | Description | Page |
|---|---|---|
| 9006.0800 | Adhesive solvent "Weicon" | 97 |
| 8516.1359 | Air baffle | 39 |
| 8516.1343 | Air baffle | 45 |
| 8455.1377 | Air inlet filter | 5 |
| 5110.1338 | Air orifice gasket hot air | 71 |
| 2112.1328 | Air sucking hose PG29 650mm | 69 |
| 1003.0660 | Allen screw M3x8 | 75, 77 |
| 1004.0660 | Allen screw M4x10 | 15, 17, 19 |
| 1006.0623 | Allen screw M6x10 | 71 |
| 1006.0621 | Allen screw M6x12 | 87 |
| 8668.1343 | Angle flange | 71 |
| 8455.1306 | Back panel left | 81 |
| 2710.1310 | Back panel right | 81 |
| 2940.1313 | Base for door catch | 51 |
| 8668.1365 | Blower connection | 73 |
| 3101.1016 | Blower for burner RG100 | 71 |
| 3101.1017 | Blower for burner RG130 | 25 |
| 2710.1324 | Bracket for door contact switch | 83 |
| 8668.1315 | Burner pipe | 77 |
| 8720.1300 | Bus cable CPU - operator pcb | 9 |
| 3006.0107 | Buzzer | 9 |
| 4002.0110 | Cable connector, junction | 15 |
| 1104.0800 | Cage nut M4 | 93 |
| 1110.0800 | Cage nut M10 | 91 |
| 2039.0331 | Cap for service door | 81, 87 |
| 1105.0260 | Cap nut M5, high shape | 89 |
| 1106.0360 | Cap nut M6, high shape | 91, 95 |
| 4004.0302 | Circular pin sleeve for ignition and monring electrode | 13, 71 |
| 2001.0109 | Compression spring | 51 |
| 2001.0122 | Cone compression spring for drip tray | 55 |
| 2036.0614 | Connecting flange 1/2" f.gas valve | 73 |
| 2062.0328 | Connection pipe for hand shower | 67 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 3028.0551 | Contactor AEG LS4K10 | 17, 19 |
| 8462.1305 | Control panel insert welded | 9 |
| 8720.1397 | Control panel insert with overlay | 5 |
| 3037.0247 | Control transformer | 15 |
| 3037.0243 | Control transformer | 17, 19 |
| 8720.1487 | Conversion kit gas to LPG 3B/P, 3+ | 69 |
| 8720.1488 | Conversion kit gas to LPG 3P | 69 |
| 8720.1485 | Conversion kit gas to natural g high | 69 |
| 8720.1486 | Conversion kit gas to natural g. low | 69 |
| 8720.1504 | Conversion kit gas to natural gasG21 | 69 |
| 8720.1489 | Conversion kit gas to Towngas | 69 |
| 3101.1008 | Cooling fan | 15 |
| 3101.1013 | Cooling fan | 17, 19 |
| 1315.0101 | Copper washer 6x10 | 11 |
| 1315.0105 | Copper washer 10x16x1,5 | 97 |
| 2115.1012 | Corrugated hose G1/2 lenght 440mm | 73 |
| 2115.1013 | Corrugated hose G1/2 lenght 575mm | 73 |
| 2115.1014 | Corrugated hose G1/2 lenght 640mm | 73 |
| 1005.1966 | Countersunk screw Torx M5x16 | 53 |
| 1003.2265 | Countersunk self tapping screw 4,2x16 | 81 |
| 8666.1325 | Cross bar for flange quenching chamber | 65 |
| 2710.1318 | Crossbar top | 81 |
| 2036.0613 | Cutting ring for gas fitting | 25, 73 |
| 3013.0359 | Dial black RAL9005 | 9 |
| 2120.1308 | Distance nut M3 for door drip collector | 55 |
| 5110.1027 | Distance plate for front panel | 9 |
| 2120.1254 | Door bolt top | 51 |
| 2940.1314 | Door catch for 1- and 2-step lock | 51 |
| 8470.1302 | Door cpl. | 51 |
| 8474.1379 | Door drip collector | 53 |
| 5105.1022 | Door gasket | 39 |
| 2016.1515 | Door handle, black | 51 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 8474.1300 | Door lock | 53 |
| 2930.1306 | Door mounting support bottom | 51 |
| 2930.1316 | Door mounting support bottom | 51 |
| 2930.1307 | Door mounting support top | 51 |
| 2940.1302 | Door setting bolt | 53 |
| 2940.1303 | Door setting console 110° | 51 |
| 3016.1415 | Door switch | 79, 83 |
| 3002.0310 | Double solenoid valve | 59 |
| 8455.1317 | Drip collector | 81 |
| 3014.0300 | Dry up protector 257°F/135°C | 17, 19 |
| 4001.1210 | Earth terminal 16mm² yellow/green | 17, 19 |
| 5013.0100 | Edge protection profile | 17, 19, 79, 91 |
| 3001.0469 | Electronic noise filter | 17, 19 |
| 2112.1318 | Emptying hose | 27 |
| 3002.1005 | Emptying pump | 27 |
| 4001.1203 | End plate for mounting rail | 17, 19 |
| 3040.0281 | E-Prom C1_090 | 13 |
| 3040.0316 | E-Prom C5.02 | 13 |
| 2036.0600 | Ermeto gas fitting GE-15 | 73 |
| 2036.0606 | Ermeto threading EOG-15PL, A3C | 73 |
| 8668.1306 | Exhaust pipe | 69 |
| 5110.1022 | External gasket frame for interior light | 43 |
| 3100.1084 | Fan motor 4pol | 35 |
| 2012.0514 | Fan wheel | 37 |
| 3002.0409 | Filling-level electrode 74mm | 29 |
| 2760.1395 | Fixing bracket for interior glass pane | 53 |
| 3002.0339 | Fixing bracket for solenoid valve | 63 |
| 2020.0400 | Fixing device for cable harness | 17, 19 |
| 2020.0401 | Fixing device for wire harness | 17, 19 |
| 2740.1040 | Fixing plate steam generator thermostat | 25 |
| 8666.1318 | Flange quenching chamber | 65 |
| 8700.0317 | Floor fixing for units | 79 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 8700.0318 | Floor fixing set | 79 |
| 2112.1310 | Form hose for ventilation of steam generator | 61 |
| 8455.1376 | Front panel | 81 |
| 4001.0202 | Fuse | 17, 19 |
| 4001.0220 | Fuse | 17, 19 |
| 4001.0201 | Fuse holder 1-pol | 17, 19 |
| 4001.0219 | Fuse holder 1-pol | 17, 19 |
| 3039.0107 | Gas ignition module | 71 |
| 3039.0245 | Gas valve | 73 |
| 2910.1358 | Gas valve connection manifold | 73 |
| 5100.1011 | Gasket | 9, 87 |
| 5105.1028 | Gasket f. breather tube d=74mm | 81 |
| 5012.0566 | Gasket f. inspection lid | 65 |
| 5110.1311 | Gasket for Burner flange | 69, 71 |
| 5110.1318 | Gasket for burner housing | 25, 71 |
| 5110.1310 | Gasket for exhaust flange | 69 |
| 5110.1024 | Gasket for G3/4" threaded joint | 63 |
| 5110.1308 | Gasket for level elektrode insert | 29 |
| 8514.1017 | Gasket frame for interior light | 43 |
| 8514.1034 | Gasket frame with glass and gaskets | 41 |
| 5110.1029 | Gasket mode switch | 11 |
| 5110.1028 | Gasket poti hot air, core temperature | 9 |
| 3014.0163 | Gasket sleeve with nipple | 39, 65 |
| 5100.1012 | Gasket venting pipe-top cover | 81 |
| 5201.1000 | Glass for interior lamp | 43 |
| 2022.0111 | Grommet for ignition/monitoring wire | 75, 77 |
| 2760.1089 | Guide bush for core temperatur sensor | 39 |
| 8720.1384 | Hallsensor cpl | 35 |
| 3024.0201 | Halogen bulb 300°C | 41 |
| 2060.1006 | Hand shower | 67 |
| 8655.2021 | Hand shower roll guide | 67 |
| 1105.0123 | Hex combination nut M4 | 15 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 1104.0122 | Hex combination nut M4 galv | 17, 19 |
| 1105.0121 | Hex combination nut M5 galv | 25, 27 |
| 1105.0122 | Hex combination nut M5 V2A | 29, 53, 63, 71 |
| 1106.0801 | Hex combination nut M6 | 71 |
| 1106.0803 | Hex combination nut M6 galv | 25, 71 |
| 1103.0120 | Hex nut M3 | 9 |
| 1103.0122 | Hex nut M3 self-locking | 55 |
| 1104.0121 | Hex nut M4 self locking | 9, 17, 19 |
| 1106.0160 | Hex nut M6 | 7, 91 |
| 1108.0260 | Hex nut M8 | 37 |
| 3014.0327 | Hex nut M10x1,0 | 15, 17, 19 |
| 1004.0666 | Hex screw M4x10 | 63, 81 |
| 1008.0753 | Hex screw M5x8 | 41 |
| 1008.0750 | Hex screw M5x16 | 65 |
| 1006.0761 | Hex screw M6x12 | 15, 27 |
| 1006.0760 | Hex screw M6x16 | 51 |
| 1008.0766 | Hex screw M8x30 | 51 |
| 1010.0762 | Hex screw M10x20 | 37 |
| 1003.2160 | Hex self tapping screw 2,9x9,5 | 83 |
| 1004.2160 | Hex self tapping screw 4,2x16 | 81 |
| 2940.1309 | Hinge for inner glass | 53 |
| 2760.1132 | Holding bracket core probe tip | 39 |
| 2112.1307 | Hose 70x5mm | 23 |
| 2066.0205 | Hose clamp 8-16x9 mm SW 7mm | 25, 27, 61, 63 |
| 2066.0506 | Hose clamp 20-32mm | 61 |
| 2066.0503 | Hose clamp 25-40mm | 59 |
| 2066.0504 | Hose clamp 40-60mm | 59 |
| 2066.0300 | Hose clamp 50-70 mm | 25 |
| 2066.0516 | Hose clamp 60-80 mm | 23 |
| 2066.0522 | Hose clamp ø 31,3 mm | 27 |
| 2066.0527 | Hose clamp ø14mm | 31 |
| 2066.0530 | Hose clamp ø16.4mm | 31 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 2066.0525 | Hose clamp ø22,1 mm | 59, 81 |
| 2066.0519 | Hose clamp Ø35,6mm | 27 |
| 2066.0526 | Hose clamp ø46mm | 27 |
| 8668.1313 | Hot air burner | 33 |
| 2062.0333 | Housing for non returne valve | 63 |
| 2068.0300 | Ignition electrode | 75, 77 |
| 8474.1338 | Inner glass pane | 49 |
| 8474.1373 | Inner glass pane | 49 |
| 2920.1301 | Inner sealing flange | 35 |
| 5100.1002 | Insulating tape 8x6mm | 85 |
| 5003.0300 | Insulation, melamin resin foam | 23, 29, 65 |
| 8817.1040 | Interface cable for RS232 | 81 |
| 1005.2000 | Interlocking tooth screw M5x8 | 51 |
| 5110.1023 | Internal gasket frame for interior light | 43 |
| 2039.0340 | Internal lock cover | 51 |
| 2062.0331 | Junction pressure hose GS 10 | 31 |
| 9003.0211 | Klüberpaste HEL 46-450 70g tube | 25, 29, 53, 71 |
| 2120.1258 | Knurled bolt for inner door hinge | 57 |
| 2760.1370 | Latch hook for air baffle | 47 |
| 3040.0309 | Locking screw for D-SUB | 81 |
| 2001.0040 | Loctite 243 50ml | 25 |
| 2001.0043 | Loctite 54234 50ml | 71, 73 |
| 2039.0123 | Lower part of pedestal, black grey | 91 |
| 3016.1409 | Magnet round for door contact d10x40 | 53 |
| 3040.3001 | Main pcb | 15 |
| 3035.0712 | Meat probe sensor | 39 |
| 2035.0111 | Moistening nozzle | 39 |
| 3040.3040 | Motor control for fan motor | 15 |
| 5001.0207 | Motor shaft gasket | 35 |
| 8514.1339 | Motor shaft gasket mounting support | 35 |
| 2724.1385 | Mounting angle | 15 |
| 8300.2300 | Mounting device for filling celectorde | 29 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 2720.1073 | Mounting device for int.cabinet sensor | 39 |
| 3040.0262 | Multipoint connector left 10pin, 3.5 | 15 |
| 2069.0106 | Non return valve DN 10 Handshower | 67 |
| 2760.1540 | Opening device for drain door drip colle | 55 |
| 8464.1307 | Opening mechanism for panel insert | 79, 87 |
| 3040.3210 | Operator pcb | 9 |
| 9003.0210 | Optimol paste white T400 ml | 53 |
| 2060.0228 | O-ring for shower hose | 67 |
| 1008.0768 | Ornamental screw M8x16 | 51 |
| 2005.0308 | Outlet sieve | 39 |
| 2039.0339 | Plastic knop for door drip tray | 55 |
| 5006.0500 | Polyurethan-Glue for insulation 310ml | 29, 65 |
| 2067.0050 | Pressure hose d10mm | 61, 63 |
| 3040.0304 | Protection cover for RS232 connection | 5 |
| 2005.0103 | Protective grating,ø259 | 47 |
| 2005.0106 | Protective grid for cooling fan | 13, 93 |
| 2118.1000 | Pump connection spout | 31 |
| 1103.0600 | PVC plug in nut for metal screw 2.9mm | 83 |
| 2016.0936 | Quenching nozzle 3.9 l/min | 65 |
| 1003.2261 | Raised counters. head self tapp. screw 4,2x13 | 81, 87 |
| 2062.0332 | Receptacle for ventilation valve SG | 61 |
| 8514.1018 | Reflector for interior light | 39 |
| 3035.0485 | Relay for CleanJet | 17, 19 |
| 1603.0161 | Rivet 3,2x6 | 81, 89 |
| 1603.0166 | Rivet 3,2x7,9 CNS closed | 9, 45, 53, 81 |
| 1603.0168 | Rivet 3,2x8 A4 | 45 |
| 1603.0163 | Rivet 3,2x8 CNS | 93 |
| 1604.0162 | Rivet 4x9, CNS closed | 93 |
| 1604.0165 | Rivet 4x9,9 | 47 |
| 1604.0167 | Rivet 4x10 | 47 |
| 3014.0326 | Safety temperature limiter 365°C, | 15 |
| 1328.0102 | Safety washer A10,2 | 37, 91 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 3014.0162 | Sealing cone for thermocouple | 39, 65 |
| 2760.1406 | Shim | 51 |
| 8455.1427 | Side panel left | 81 |
| 2710.1315 | Side panel left | 85 |
| 8455.1304 | Side panel right | 81 |
| 2112.1019 | Silicon hose | 25, 71 |
| 5006.0200 | Silicon tube E41 90ml | 53, 57 |
| 2022.0100 | Silicone gasket red, for PG 9 15x4mm | 11 |
| 2110.1002 | Silicone hose d15x3 | 81 |
| 2112.1319 | Silicone hose for steam generator | 27 |
| 2112.1301 | Silicone hose safety valve | 21 |
| 5006.0212 | Silicone tube E127, 310 ml silver | 53, 87 |
| 3002.0332 | Single solenoid valve | 59 |
| 2940.1300 | Sleeve for door bolt top | 53 |
| 4002.0111 | Slip-on terminal 0,5-1,0mm², 6,3mm | 71 |
| 1104.0820 | Snap nut 4,2mm | 81, 85, 87 |
| 1105.0800 | Snap nut M5 | 17, 19 |
| 2039.0370 | Spacer 12x1,6 | 17, 19 |
| 2039.0402 | Spacer for interior door | 53 |
| 2039.0326 | Spacer for pcb | 9 |
| 2812.1304 | Spacer for vent cover | 79 |
| 8450.1310 | Spacer ring | 79 |
| 3040.0308 | Spacer sleeve for connector Sub-D | 81 |
| 2120.1306 | Spacer SW19x17 | 35 |
| 1304.0166 | Spicer D4.3/8.0 L5.0 | 81 |
| 1901.0041 | Spring clip stainless steel | 53 |
| 2760.1396 | Spring supp. f. int. glass holding bra. | 53 |
| 1203.0260 | Spring washer B3 | 75, 77 |
| 1206.0261 | Spring washer B6 | 71, 95 |
| 1208.0260 | Spring washer B8 | 37 |
| 1107.0103 | Star lock ø3 | 15 |
| 1107.0100 | Star lock ø4 | 81 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 1107.0104 | Star lock ø6 | 49, 87 |
| 8350.3102 | Steam generator insolated | 27 |
| 2112.1006 | Steam hose Ø50x50mm | 25 |
| 2049.0484 | Sticker "Loading heights" | 97 |
| 2049.0433 | Sticker Drain connection DN 50 | 97 |
| 2049.0817 | Sticker, Equipotential bonding | 91 |
| 2760.1129 | Stop for mode switch | 11 |
| 2510.530746 | Stop for potentiometer hot air | 79 |
| 2760.1100 | Stop for Poti-Core temperature | 11 |
| 2120.1259 | Stop plug 10mm | 31 |
| 2002.0107 | Tension spring for front panel | 79, 87 |
| 2002.0106 | Tension spring for inner window | 53 |
| 4001.1216 | Terminal block 4smm² grey | 17, 19 |
| 8664.1300 | T-fitting handshower connection | 67 |
| 8664.1301 | T-fitting water connection | 63 |
| 3014.1016 | Thermocouple | 21 |
| 3014.1000 | Thermocouple for interior cabinet | 39 |
| 3014.1003 | Thermocouple long 1500mm | 65 |
| 3014.1013 | Thermocouple steam generator B5,1300mm | 25 |
| 4005.0101 | Tie rap 145 mm | 9, 17, 19, 31 |
| 4005.0103 | Tie rap black | 9 |
| 1204.0120 | Tooth lock washer A4,3 | 17, 19 |
| 1206.0120 | Tooth lock washer A6,4 | 7, 91 |
| 8457.1329 | Top cover | 81 |
| 2710.1380 | Top crossbar left side | 81 |
| 2060.1210 | Tulip for handshower | 81 |
| 2036.0612 | Union nut | 25, 73 |
| 2039.0122 | Upper part of pedestal, 70mm, black grey | 91 |
| 8455.1209 | Vent cover | 79 |
| 2069.0108 | Ventilation valve | 61, 63 |
| 1304.0150 | Washer A3,2 | 83 |
| 1304.0160 | Washer A4,3 | 9, 17, 19, 47 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 1306.0218 | Washer A4,3 | 9 |
| 1305.0160 | Washer A5,3x10mm | 89 |
| 1306.0221 | Washer A6,4 | 15 |
| 1306.0120 | Washer A6,4 | 15, 27, 51, 95 |
| 1308.0162 | Washer A8,4 | 51 |
| 1308.0160 | Washer A8,4 | 51 |
| 1310.0160 | Washer A10,5 | 91 |
| 1900.0202 | Water filter | 63 |
| 4004.0114 | Wire end sleeve 0,75 mm² blue insulated | 13 |
| 8801.1217 | Wire set ignition/monitoring | 71 |