# Service part catalogue

## Modell CPC 61


**E61CD0403**




08.07.2020
3 NAC 400V 50-60Hz

Kat-RTS_140922
©Copyright by RATIONAL Technical Service
All Rights reserved


# Overview



# Overview


| Pos. | Assembly | Page |
|---|---|---|
| 1 | Control panel | 4 |
| 2 | Electrical installation | 16 |
| 3 | Clima Plus | 36 |
| 4 | Steam generator, Bypass | 48 |
| 5 | Hot air heating | 64 |
| 6 | Motor and fan wheel | 68 |
| 7 | Interior cabinet | 74 |
| 8 | Door | 92 |
| 9 | Water supply, quenching box | 120 |
| 10 | Hand shower | 128 |
| 11 | CleanJet | 130 |
| 13 | Exterior cabinet | 148 |
| 14 | Miscellaneous | 174 |

# Control panel



# Control panel

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 2750.1334 | Protective grating plastic for filter | |
| 3 | 3040.0308 | Spacer sleeve for connector Sub-D | |
| 4 | 3040.0309 | Locking screw for D-SUB | |
| 5 | 5012.0565 | O-ring inlet filter | |
| 6 | 8720.1326 | Control panel insert with overlay | |
| 7 | 8817.1040 | Interface cable for RS232 | |
| 8 | 3040.0304 | Protection cover for RS232 connection | |
| 9 | 8455.1377 | Air inlet filter | |
| B | | Panel insert | |
| B | | Panel insert DOT-Matrix | |
| C | 8700.0324 | Cover for front panel insert, lockable | |

# Panel insert DOT-Matrix







# Panel insert DOT-Matrix

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1106.0160 | Hex nut M6 | |
| 2 | 1206.0120 | Tooth lock washer A6,4 | |
| A | | Panel insert | |

# Panel insert



# Panel insert

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1104.0121 | Hex nut M4 self locking | |
| 2 | 1304.0160 | Washer A4,3 | |
| 3 | 1306.0218 | Washer A4,3 | |
| 4 | 2039.0326 | Spacer for pcb | |
| 5 | 2039.0350 | Puls generator pressure setting gasket | |
| 6 | 2052.1180 | Sticker name trade sign Rational | |
| 7 | 2760.1368 | Spacer f. pulse generator | |
| 8 | 3006.0107 | Buzzer | |
| 9 | 3013.0355 | Dial for pulse generator | |
| 11 | 3040.3030 | Operator pcb DOT-matrix | |
| 12 | 4005.0103 | Tie rap black | |
| 12 | 4005.0101 | Tie rap 145 mm | |
| 13 | 5100.1011 | Gasket | |
| 14 | 5110.1028 | Gasket poti hot air, core temperature | |
| 15 | 8720.1300 | Bus cable CPU - operator pcb | |
| 16 | 8817.1303 | Pulse generator | |

# Panel insert










# Panel insert

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1106.0160 | Hex nut M6 | |
| 2 | 1206.0120 | Tooth lock washer A6,4 | |
| A | | Panel insert | |

# Panel insert



# Panel insert

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1104.0121 | Hex nut M4 self locking | |
| 2 | 1304.0160 | Washer A4,3 | |
| 3 | 1306.0218 | Washer A4,3 | |
| 4 | 2039.0326 | Spacer for pcb | |
| 5 | 2039.0350 | Puls generator pressure setting gasket | |
| 6 | 2052.1180 | Sticker name trade sign Rational | |
| 7 | 2760.1368 | Spacer f. pulse generator | |
| 8 | 3006.0107 | Buzzer | |
| 9 | 3013.0355 | Dial for pulse generator | |
| 10 | 3040.3020 | Operator pcb | |
| 12 | 4005.0101 | Tie rap 145 mm | |
| 13 | 5100.1011 | Gasket | |
| 14 | 5110.1028 | Gasket poti hot air, core temperature | |
| 15 | 8720.1300 | Bus cable CPU - operator pcb | |
| 16 | 8817.1303 | Pulse generator | |


# Cover for front panel insert, lockable



# Cover for front panel insert, lockable

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1106.0160 | Hex nut M6 | |
| 2 | 1306.0120 | Washer A6,4 | |
| 3 | 2016.1352 | Lock for panel cover | |
| 4 | 2039.0339 | Plastic knop for door drip tray | |
| 5 | 5006.0212 | Silicone tube E127, 310 ml silver | |


# Electrical installation



# Electrical installation

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1104.0122 | Hex combination nut M4 galv | |
| 3 | 3040.0311 | E-Prom XS5.06S | |
| 3 | 3040.0312 | E-Prom XS5.06NL | |
| 3 | 3040.0314 | E-Prom XS5.06IT | |
| 3 | 3040.0315 | E-Prom DXS5.06 | |
| 3 | 3040.0313 | E-Prom XS5.06SW Metos | |
| 4 | 4004.0114 | Wire end sleeve 0,75 mm² blue insulated | |
| B | | Contactor assembly ship | |
| B | | Contactor assembly | |
| B | | Contactor assembly 214 | |

# Contactor assembly 214



# Contactor assembly 214

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1004.0660 | Allen screw M4x10 | |
| 2 | 1004.2161 | Hex self tapping screw 4,2x13 | |
| 3 | 1006.0761 | Hex screw M6x12 | |
| 4 | 1106.0160 | Hex nut M6 | |
| 5 | 1107.0103 | Star lock ø3 | |
| 6 | 1206.0120 | Tooth lock washer A6,4 | |
| 6 | 1204.0120 | Tooth lock washer A4,3 | |
| 7 | 1304.0160 | Washer A4,3 | |
| 7 | 1306.0120 | Washer A6,4 | |
| 7 | 1306.0222 | Washer A6,4x15x1,5 | |
| 8 | 3038.0315 | Cover for terminal box | |
| 9 | 3040.0262 | Multipoint connector left 10pin, 3.5 | |
| 10 | 3040.3001 | Main pcb | |
| 11 | 3040.3040 | Motor control for fan motor | |
| A | 8801.0250 | Power connection box | |
| B | | Contactor assembly 214 | |
| C | | SSR assembly | |


# Power connection box



# Power connection box

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 4001.1202 | Terminal block 16mm² grey | |
| 2 | 4001.1210 | Earth terminal 16mm² yellow/green | |
| 3 | 4001.1250 | Terminal block 16mm² blue | |
| 4 | 3038.0313 | Terminal box M32 without cover | |


# Contactor assembly 214



# Contactor assembly 214

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 1004.2161 | Hex self tapping screw 4,2x13 | |
| 3 | 1104.0122 | Hex combination nut M4 galv | |
| 5 | 1112.0220 | Hex nut M12 flat | |
| 6 | 1212.0160 | Tooth lock washer A12,5 | |
| 8 | 2039.0370 | Spacer 12x1,6 | |
| 11 | 3001.0455 | Electronic noise filter | |
| 12 | 3014.0300 | Dry up protector 257°F/135°C | |
| 13 | 3014.0326 | Safety temperature limiter 365°C, | |
| 14 | 3014.0327 | Hex nut M10x1,0 | |
| 15 | 3017.1011 | Pressure sensor Huba 401 | |
| 16 | 3028.0566 | Contactor GE CL01A400 | |
| 18 | 3028.0560 | Auxilliary contact BCLF10 N/O | |
| 20 | 3035.0485 | Relay for CleanJet | |
| 21 | 3035.0490 | Relay for CleanJet 49.52 | |
| 21 | 3035.0491 | Relay for CleanJet 49.31 | |
| 23 | 3037.0240 | Control transformer | |
| 25 | 4001.0224 | Fuse 6.35x32mm | |
| 26 | 4001.1203 | End plate for mounting rail | |
| 27 | 4001.1295 | Fuse holder e 1003Si/1DS | |
| 28 | 4001.1298 | Sicotronic-Terminal 7poles | |
| 29 | 5013.0100 | Edge protection profile | |


# SSR assembly



# SSR assembly

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1004.0500 | Raised countersunk metal screw M4x8 oval head | |
| 2 | 1004.0662 | Allen screw M4x25 | |
| 3 | 1104.0120 | Hex nut M4 | |
| 4 | 1104.0122 | Hex combination nut M4 galv | |
| 5 | 1204.0120 | Tooth lock washer A4,3 | |
| 6 | 1306.0218 | Washer A4,3 | |
| 7 | 2930.1302 | Cooling plate solid state relay | |
| 8 | 3014.0325 | Bimetall switch 110°,SSR | |
| 10 | 3028.0533 | Solid state relais | |
| 11 | 3101.1008 | Cooling fan | |


# Contactor assembly



# Contactor assembly

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1004.0660 | Allen screw M4x10 | |
| 2 | 1004.2161 | Hex self tapping screw 4,2x13 | |
| 3 | 1006.0761 | Hex screw M6x12 | |
| 6 | 1106.0160 | Hex nut M6 | |
| 7 | 1107.0103 | Star lock ø3 | |
| 9 | 1206.0120 | Tooth lock washer A6,4 | |
| 9 | 1204.0120 | Tooth lock washer A4,3 | |
| 10 | 1306.0120 | Washer A6,4 | |
| 10 | 1304.0160 | Washer A4,3 | |
| 10 | 1306.0222 | Washer A6,4x15x1,5 | |
| 16 | 3038.0315 | Cover for terminal box | |
| 17 | 3040.0262 | Multipoint connector left 10pin, 3.5 | |
| 18 | 3040.3001 | Main pcb | |
| 19 | 3040.3040 | Motor control for fan motor | |
| A | 8801.0250 | Power connection box | |
| B | | Contactor assembly | |
| C | | SSR assembly | |


# Contactor assembly



# Contactor assembly

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 3 | 1004.2161 | Hex self tapping screw 4,2x13 | |
| 6 | 1104.0122 | Hex combination nut M4 galv | |
| 8 | 1112.0220 | Hex nut M12 flat | |
| 9 | 1212.0160 | Tooth lock washer A12,5 | |
| 12 | 2039.0370 | Spacer 12x1,6 | |
| 15 | 3001.0455 | Electronic noise filter | |
| 16 | 3014.0300 | Dry up protector 257°F/135°C | |
| 17 | 3014.0327 | Hex nut M10x1,0 | |
| 17 | 3014.0302 | Hex nut M10 for dry-up protector | |
| 19 | 3014.0326 | Safety temperature limiter 365°C, | |
| 21 | 3017.1011 | Pressure sensor Huba 401 | |
| 24 | 3028.0566 | Contactor GE CL01A400 | |
| 27 | 3028.0560 | Auxilliary contact BCLF10 N/O | |
| 28 | 3035.0485 | Relay for CleanJet | |
| 28 | 3035.0490 | Relay for CleanJet 49.52 | |
| 29 | 3035.0491 | Relay for CleanJet 49.31 | |
| 30 | 3037.0240 | Control transformer | |
| 38 | 4001.0224 | Fuse 6.35x32mm | |
| 40 | 4001.1203 | End plate for mounting rail | |
| 45 | 4001.1295 | Fuse holder e 1003Si/1DS | |
| 46 | 4001.1298 | Sicotronic-Terminal 7poles | |
| 48 | 5013.0100 | Edge protection profile | |


# Contactor assembly



# Contactor assembly

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 3 | 1004.2161 | Hex self tapping screw 4,2x13 | |
| 6 | 1104.0122 | Hex combination nut M4 galv | |
| 8 | 1112.0220 | Hex nut M12 flat | |
| 9 | 1212.0160 | Tooth lock washer A12,5 | |
| 12 | 2039.0370 | Spacer 12x1,6 | |
| 15 | 3001.0455 | Electronic noise filter | |
| 16 | 3014.0300 | Dry up protector 257°F/135°C | |
| 17 | 3014.0327 | Hex nut M10x1,0 | |
| 17 | 3014.0302 | Hex nut M10 for dry-up protector | |
| 19 | 3014.0326 | Safety temperature limiter 365°C, | |
| 21 | 3017.1011 | Pressure sensor Huba 401 | |
| 24 | 3028.0566 | Contactor GE CL01A400 | |
| 27 | 3028.0560 | Auxilliary contact BCLF10 N/O | |
| 28 | 3035.0485 | Relay for CleanJet | |
| 28 | 3035.0490 | Relay for CleanJet 49.52 | |
| 29 | 3035.0491 | Relay for CleanJet 49.31 | |
| 30 | 3037.0240 | Control transformer | |
| 38 | 4001.0224 | Fuse 6.35x32mm | |
| 40 | 4001.1203 | End plate for mounting rail | |
| 45 | 4001.1295 | Fuse holder e 1003Si/1DS | |
| 46 | 4001.1298 | Sicotronic-Terminal 7poles | |
| 48 | 5013.0100 | Edge protection profile | |

# Contactor assembly ship



# Contactor assembly ship

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1004.0660 | Allen screw M4x10 | |
| 2 | 1004.2161 | Hex self tapping screw 4,2x13 | |
| 3 | 1006.0761 | Hex screw M6x12 | |
| 5 | 1106.0160 | Hex nut M6 | |
| 6 | 1107.0103 | Star lock ø3 | |
| 7 | 1204.0120 | Tooth lock washer A4,3 | |
| 7 | 1206.0120 | Tooth lock washer A6,4 | |
| 8 | 1306.0120 | Washer A6,4 | |
| 8 | 1304.0160 | Washer A4,3 | |
| 8 | 1306.0222 | Washer A6,4x15x1,5 | |
| 10 | 3038.0315 | Cover for terminal box | |
| 11 | 3040.0262 | Multipoint connector left 10pin, 3.5 | |
| 12 | 3040.3001 | Main pcb | |
| 13 | 3040.3040 | Motor control for fan motor | |
| A | 8801.0250 | Power connection box | |
| B | | Contactor assembly ship | |
| C | | SSR assembly | |


# Contactor assembly ship



# Contactor assembly ship

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1004.2161 | Hex self tapping screw 4,2x13 | |
| 2 | 1104.0122 | Hex combination nut M4 galv | |
| 3 | 1112.0220 | Hex nut M12 flat | |
| 4 | 1212.0160 | Tooth lock washer A12,5 | |
| 5 | 2039.0370 | Spacer 12x1,6 | |
| 6 | 3001.0455 | Electronic noise filter | |
| 7 | 3014.0300 | Dry up protector 257°F/135°C | |
| 8 | 3014.0302 | Hex nut M10 for dry-up protector | |
| 8 | 3014.0327 | Hex nut M10x1,0 | |
| 9 | 3014.0326 | Safety temperature limiter 365°C, | |
| 10 | 3017.1011 | Pressure sensor Huba 401 | |
| 11 | 3028.0566 | Contactor GE CL01A400 | |
| 12 | 3028.0560 | Auxilliary contact BCLF10 N/O | |
| 13 | 3035.0485 | Relay for CleanJet | |
| 14 | 3035.0491 | Relay for CleanJet 49.31 | |
| 14 | 3035.0490 | Relay for CleanJet 49.52 | |
| 15 | 3037.0240 | Control transformer | |
| 17 | 4001.0224 | Fuse 6.35x32mm | |
| 18 | 4001.1203 | End plate for mounting rail | |
| 19 | 4001.1295 | Fuse holder e 1003Si/1DS | |
| 20 | 4001.1298 | Sicotronic-Terminal 7poles | |
| 21 | 5013.0100 | Edge protection profile | |


# Clima Plus



# Clima Plus

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 2066.0531 | Hose clamp ø56 | |
| A | 8450.1300 | Humidity control cpl | |
| A | 8450.1319 | Humidity valve | |
| B | | Humidity control | |
| B | 8680.1311 | Hose set f. humidity control | |


# Humidity valve



# Humidity valve

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1003.0020 | Slotted pan head screw M3x10 | |
| 2 | 1003.0033 | Slotted pan head screw M3x16 | |
| 3 | 1103.0122 | Hex nut M3 self-locking | |
| 4 | 1107.0103 | Star lock ø3 | |
| 5 | 1304.0150 | Washer A3,2 | |
| 6 | 3016.0102 | Micro switch | |
| 7 | 3101.1010 | Humidity control motor | |
| 8 | 2001.0117 | Compression spring for safety valve | |


# Humidity control cpl



# Humidity control cpl

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1003.0020 | Slotted pan head screw M3x10 | |
| 2 | 1003.0033 | Slotted pan head screw M3x16 | |
| 3 | 1103.0122 | Hex nut M3 self-locking | |
| 4 | 1107.0103 | Star lock ø3 | |
| 5 | 1304.0150 | Washer A3,2 | |
| 6 | 3016.0101 | Micro switch Clima Plus | |
| 7 | 3101.1010 | Humidity control motor | |
| 8 | 2001.0117 | Compression spring for safety valve | |


# Hose set f. humidity control



# Hose set f. humidity control

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1900.0203 | Ceramic tube 8x5x60mm for | |
| 3 | 4005.0101 | Tie rap 145 mm | |


# Humidity control



# Humidity control

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1305.0160 | Washer A5,3x10mm | |
| 2 | 1306.0120 | Washer A6,4 | |
| 3 | 1315.0104 | Copper washer 16x20x1,5 | |
| 4 | 4005.0101 | Tie rap 145 mm | |
| 4 | 4005.0105 | Tie rap 281mm, heat resistant | |
| 5 | 1900.0203 | Ceramic tube 8x5x60mm for | |
| A | | Plug for quenching box | |


# Plug for quenching box



# Plug for quenching box

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 2066.0527 | Hose clamp ø14mm | |
| 3 | 2120.1259 | Stop plug 10mm | |

# Steam generator, Bypass



# Steam generator, Bypass

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 2112.1300 | Hose 50x3 | |
| 2 | 2112.1006 | Steam hose Ø50x50mm | |
| 6 | 5003.0300 | Insulation, melamin resin foam | |
| A | | Steam generator | |


# Steam generator



# Steam generator

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1105.0120 | Hex nut M5 | |
| 2 | 1205.0120 | Tooth lock washer A5,3 | |
| 3 | 2066.0205 | Hose clamp 8-16x9 mm SW 7mm | |
| 4 | 2066.0300 | Hose clamp 50-70 mm | |
| 4 | 2066.0504 | Hose clamp 40-60mm | |
| 5 | 2066.0518 | Hose clamp 30mm | |
| 6 | 2112.1006 | Steam hose Ø50x50mm | |
| 7 | 2740.1040 | Fixing plate steam generator thermostat | |
| 8 | 3014.1011 | Thermocouple steam generator | |
| 10 | 8801.0975 | Neutral link 2,5mm² blue | |
| 11 | 1106.0803 | Hex combination nut M6 galv | |
| A | | Steam generator | |
| B | | Venting unit | |


# Steam generator



# Steam generator

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1006.0761 | Hex screw M6x12 | |
| 2 | 1106.0803 | Hex combination nut M6 galv | |
| 3 | 2066.0205 | Hose clamp 8-16x9 mm SW 7mm | |
| 4 | 2066.0519 | Hose clamp Ø35,6mm | |
| 4 | 2066.0518 | Hose clamp 30mm | |
| 4 | 2066.0526 | Hose clamp ø46mm | |
| 6 | 2112.1302 | Emptying hose steam generator | |
| 7 | 3002.1005 | Emptying pump | |
| 7 | 3002.1000 | Emptying pump | |
| 9 | 3201.1004 | Heating element | |
| 10 | 5110.1003 | Gasket for heating element | |
| 11 | 1306.0222 | Washer A6,4x15x1,5 | |
| A | 8350.1300 | Steam generator insolated | |
| B | | Pump connection | |
| B | 8354.1309 | Venting valve for steam generator | |

# Steam generator insolated



# Steam generator insolated

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 3002.0402 | Filling level electrode 90 mm | |
| 2 | 5003.0300 | Insulation, melamin resin foam | |
| 3 | 5006.0500 | Polyurethan-Glue for insulation 310ml | |
| 4 | 5110.1003 | Gasket for heating element | |
| 5 | 1106.0803 | Hex combination nut M6 galv | |
| 6 | 2920.1300 | Level elektrode insert | |


# Venting valve for steam generator



# Venting valve for steam generator

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 2066.0205 | Hose clamp 8-16x9 mm SW 7mm | |
| 2 | 2067.0050 | Pressure hose d10mm | |
| A | 8354.1304-- | Venting valve for steam generation | |

# Venting valve for steam generation



# Venting valve for steam generation

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 2062.0332 | Receptacle for ventilation valve SG | |
| 2 | 2066.0506 | Hose clamp 20-32mm | |
| 3 | 2069.0108 | Ventilation valve | |
| 4 | 2112.1310 | Form hose for ventilation of steam generator | |

# Pump connection



# Pump connection

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 2062.0331 | Junction pressure hose GS 10 | |
| 2 | 2066.0527 | Hose clamp ø14mm | |
| 3 | 2066.0530 | Hose clamp ø16.4mm | |
| 4 | | Silicon hose | |
| 5 | 2118.1000 | Pump connection spout | |
| 6 | 2120.1259 | Stop plug 10mm | |
| 7 | 4005.0101 | Tie rap 145 mm | |

# Venting unit



# Venting unit

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 2066.0205 | Hose clamp 8-16x9 mm SW 7mm | |
| 2 | 2067.0050 | Pressure hose d10mm | |
| 3 | 2112.1346 | Protecting hose ø28x2x70mm | |
| 4 | 3017.1050 | Water volume sensor | |
| A | 8354.1304-- | Venting valve for steam generation | |

# Hot air heating













# Hot air heating

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 2150.1250 | External flange hot air heating element | |
| A | | Heating assy | |


# Heating assy



# Heating assy

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1006.0766 | Hex screw M6x25 | |
| 2 | 1106.0360 | Cap nut M6, high shape | |
| 3 | 2150.1250 | External flange hot air heating element | |
| 6 | 3200.1000 | Inner heating assembly | |
| 10 | 5110.1009 | Seal for heating assembly | |
| 11 | 8801.0975 | Neutral link 2,5mm² blue | |
| 12 | 1106.0803 | Hex combination nut M6 galv | |
| 13 | 1306.0222 | Washer A6,4x15x1,5 | |

# Motor and fan wheel



# Motor and fan wheel

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1008.1005 | Square necked mushroom head bolt 8x40 | |
| 2 | 2120.1306 | Spacer SW19x17 | |
| 3 | 2920.1301 | Inner sealing flange | |
| 3 | 8514.1343 | Gasket flange | |
| 6 | 3100.1083 | Fan motor 4pol | |
| 7 | 3100.1082 | Hall-probe f. fan motor | |
| 8 | 5001.0207 | Motor shaft gasket | |
| 9 | 8514.1339 | Motor shaft gasket mounting support | |
| 11 | 8720.1384 | Hallsensor cpl | |
| A | | Fan motor assy | |
| A | | Fan motor assy | |

# Fan motor assy



# Fan motor assy

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1010.0762 | Hex screw M10x20 | |
| 2 | 1108.0260 | Hex nut M8 | |
| 3 | 1208.0260 | Spring washer B8 | |
| 4 | 1328.0102 | Safety washer A10,2 | |
| 5 | 2012.0512 | Fan wheel | |


# Fan motor assy



# Fan motor assy

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 1008.1005 | Square necked mushroom head bolt 8x40 | |
| 3 | 1010.0762 | Hex screw M10x20 | |
| 4 | 1106.0220 | Hex nut M6 flat | |
| 5 | 1108.0260 | Hex nut M8 | |
| 6 | 1208.0260 | Spring washer B8 | |
| 7 | 1306.0120 | Washer A6,4 | |
| 8 | 1315.0101 | Copper washer 6x10 | |
| 9 | 1315.0109 | Copper washer 8.5x16x1,2 | |
| 10 | 1328.0102 | Safety washer A10,2 | |
| 14 | 2012.0512 | Fan wheel | |
| 17 | 2120.1306 | Spacer SW19x17 | |
| 18 | 2920.1301 | Inner sealing flange | |
| 21 | 5001.0207 | Motor shaft gasket | |
| 23 | 8514.1339 | Motor shaft gasket mounting support | |
| 25 | 8514.1343 | Gasket flange | |


# Interior cabinet



# Interior cabinet

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 4 | 2005.0307 | Outlet sieve | |
| 5 | 2035.0112 | Moistening nozzle | |
| 6 | 2720.1073 | Mounting device for int.cabinet sensor | |
| 8 | 2720.1364 | Mounting device f. int. cabinet sensors | |
| 9 | 2720.1417 | Cover for steam inlet pipe | |
| 11 | 2760.1089 | Guide bush for core temperatur sensor | |
| 15 | 3014.1000 | Thermocouple for interior cabinet | |
| 17 | 3035.0714 | IQT-Sensor (CT-sensor) | |
| 18 | 5003.0300 | Insulation, melamin resin foam | |
| 19 | 5105.1020 | Door gasket | |
| 20 | 8514.1018 | Reflector for interior light | |
| 23 | 2760.1132 | Holding bracket core probe tip | |
| A | | Interior light | |
| B | 8516.1334 | Air baffle | |
| C | | Interior cabinet | |
| C | | Interior cabinet | |
| C | | Interior cabinet | |
| D | | Quenching box | |

# Interior light



# Interior light

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1008.0753 | Hex screw M5x8 | |
| 2 | 3024.0201 | Halogen bulb 300°C | |
| A | 8514.1034 | Gasket frame with glass and gaskets | |

# Gasket frame with glass and gaskets



# Gasket frame with glass and gaskets

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 5110.1022 | External gasket frame for interior light | |
| 2 | 5110.1023 | Internal gasket frame for interior light | |
| 3 | 5201.1000 | Glass for interior lamp | |
| 4 | 8514.1017 | Gasket frame for interior light | |


# Air baffle



# Air baffle

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 3 | 1603.0168 | Rivet 3,2x8 A4 | |
| 3 | 1603.0166 | Rivet 3,2x7,9 CNS closed | |
| 4 | 2005.0111 | Spiral add-on air baffle | |
| A | 8516.1328 | Air baffle | |

# Air baffle



# Air baffle

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1304.0160 | Washer A4,3 | |
| 2 | 1604.0167 | Rivet 4x10 | |
| 2 | 1604.0165 | Rivet 4x9,9 | |
| 3 | 2760.1370 | Latch hook for air baffle | |

# Interior cabinet



# Interior cabinet

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1306.0222 | Washer A6,4x15x1,5 | |
| 2 | 2760.1132 | Holding bracket core probe tip | |
| 4 | 5006.0500 | Polyurethan-Glue for insulation 310ml | |

# Interior cabinet



# Interior cabinet

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1306.0222 | Washer A6,4x15x1,5 | |
| 2 | 2760.1132 | Holding bracket core probe tip | |
| 4 | 5006.0500 | Polyurethan-Glue for insulation 310ml | |

# Interior cabinet



# Interior cabinet

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1306.0222 | Washer A6,4x15x1,5 | |
| 2 | 2760.1132 | Holding bracket core probe tip | |
| 4 | 5006.0500 | Polyurethan-Glue for insulation 310ml | |

# Quenching box



# Quenching box

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 5003.0300 | Insulation, melamin resin foam | |
| 2 | 5006.0500 | Polyurethan-Glue for insulation 310ml | |


# Door















# Door

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 8474.1336 | Inner glass pane | |
| 1 | 8474.1339 | Inner glass pane | |
| A | | Door 2-step safety catch | |
| A | 8470.1309 | Door cpl. | |
| A | | Door LH, 2-step safety catch | |
| A | | Door ship | |
| A | | Door | |
| A | | Door LH, ship | |


# Door LH, ship


1
2
3
4
5
6
7
8
9
11
12
13
14
15
16
10
17
18
19
20
23
24
21
22
27
28
29
30
A
B
C
25
26

# Door LH, ship

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 1005.2000 | Interlocking tooth screw M5x8 | |
| 3 | 1008.0766 | Hex screw M8x30 | |
| 3 | 1006.0760 | Hex screw M6x16 | |
| 4 | 1008.0768 | Ornamental screw M8x16 | |
| 6 | 1306.0120 | Washer A6,4 | |
| 6 | 1308.0160 | Washer A8,4 | |
| 6 | 1308.0162 | Washer A8,4 | |
| 9 | 2001.0109 | Compression spring | |
| 10 | 2016.1504 | Door handle Rational | |
| 11 | 2039.0340 | Internal lock cover | |
| 12 | 2120.1254 | Door bolt top | |
| 14 | 2930.1306 | Door mounting support bottom | |
| 19 | 2940.1304 | Door setting console 80° | |
| 21 | 2940.1313 | Base for door catch | |
| 22 | 2940.1314 | Door catch for 1- and 2-step lock | |
| A | 8470.1303 | Door cpl. | |
| C | 8700.0315-- | Door fixing mechanism marine version | |

# Door cpl.



# Door cpl.

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1005.1966 | Countersunk screw Torx M5x16 | |
| 2 | 1008.0750 | Hex screw M5x16 | |
| 3 | 1105.0122 | Hex combination nut M5 V2A | |
| 4 | 1305.0260 | Washer A5,3x15mm | |
| 5 | 1901.0041 | Spring clip stainless steel | |
| 6 | 2001.0040 | Loctite 243 50ml | |
| 7 | 2760.1396 | Spring supp. f. int. glass holding bra. | |
| 9 | 2940.1302 | Door setting bolt | |
| 10 | 2940.1309 | Hinge for inner glass | |
| 12 | 5006.0200 | Silicon tube E41 90ml | |
| 13 | 5006.0212 | Silicone tube E127, 310 ml silver | |
| 14 | 9003.0210 | Optimol paste white T400 ml | |
| 15 | 9003.0211 | Klüberpaste HEL 46-450 70g tube | |
| 17 | 1603.0166 | Rivet 3,2x7,9 CNS closed | |
| 17 | 1603.0161 | Rivet 3,2x6 | |
| 18 | 2002.0106 | Tension spring for inner window | |
| 19 | 2039.0402 | Spacer for interior door | |
| 20 | 2760.1395 | Fixing bracket for interior glass pane | |
| A | 8474.1377 | Door drip collector | |

# Door drip collector



# Door drip collector

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1103.0122 | Hex nut M3 self-locking | |
| 2 | 2001.0122 | Cone compression spring for drip tray | |
| 3 | 2039.0339 | Plastic knop for door drip tray | |
| 4 | 2120.1308 | Distance nut M3 for door drip collector | |
| 5 | 2760.1540 | Opening device for drain door drip colle | |

# Door fixing mechanism marine version






# Door fixing mechanism marine version

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1108.0320 | Cap nut M8 | |
| 2 | 1112.0110 | Hex nut M10 | |
| 3 | 2016.1454 | Washer A10,5 for door lock | |
| 3 | 1308.0160 | Washer A8,4 | |
| A | | Door mounting support | |


# Door mounting support



# Door mounting support

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1106.0360 | Cap nut M6, high shape | |
| 2 | 1206.0261 | Spring washer B6 | |
| 3 | 1308.0162 | Washer A8,4 | |
| 3 | 1306.0120 | Washer A6,4 | |


# Door



# Door

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1005.2000 | Interlocking tooth screw M5x8 | |
| 2 | 1006.0761 | Hex screw M6x12 | |
| 2 | 1008.0766 | Hex screw M8x30 | |
| 3 | 1008.0768 | Ornamental screw M8x16 | |
| 4 | 1308.0162 | Washer A8,4 | |
| 4 | 1306.0120 | Washer A6,4 | |
| 4 | 1308.0160 | Washer A8,4 | |
| 5 | 2001.0109 | Compression spring | |
| 6 | 2016.1504 | Door handle Rational | |
| 7 | 2039.0340 | Internal lock cover | |
| 8 | 2120.1254 | Door bolt top | |
| 10 | 2930.1306 | Door mounting support bottom | |
| 11 | 2930.1307 | Door mounting support top | |
| 12 | 2940.1303 | Door setting console 110° | |
| 14 | 2940.1313 | Base for door catch | |
| 15 | 2940.1314 | Door catch for 1- and 2-step lock | |
| A | 8470.1300 | Door cpl. | |


# Door cpl.



# Door cpl.

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1005.1966 | Countersunk screw Torx M5x16 | |
| 3 | 1105.0122 | Hex combination nut M5 V2A | |
| 5 | 1901.0041 | Spring clip stainless steel | |
| 7 | 2760.1396 | Spring supp. f. int. glass holding bra. | |
| 8 | 2940.1300 | Sleeve for door bolt top | |
| 9 | 2940.1302 | Door setting bolt | |
| 10 | 2940.1309 | Hinge for inner glass | |
| 11 | 3016.1409 | Magnet round for door contact d10x40 | |
| 12 | 5006.0200 | Silicon tube E41 90ml | |
| 13 | 5006.0212 | Silicone tube E127, 310 ml silver | |
| 14 | 9003.0210 | Optimol paste white T400 ml | |
| 15 | 9003.0211 | Klüberpaste HEL 46-450 70g tube | |
| 16 | 8474.1300 | Door lock | |
| 17 | 1603.0166 | Rivet 3,2x7,9 CNS closed | |
| 18 | 2002.0106 | Tension spring for inner window | |
| 19 | 2039.0402 | Spacer for interior door | |
| 20 | 2760.1395 | Fixing bracket for interior glass pane | |
| A | 8474.1377 | Door drip collector | |


# Door ship


1
2
3
4
5
6
7
8
9
11
12
13
14
15
16
10
17
18
19
20
23
24
21
22
27
28
29
30
A
B
C
25
26

# Door ship

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 1005.2000 | Interlocking tooth screw M5x8 | |
| 3 | 1008.0766 | Hex screw M8x30 | |
| 3 | 1006.0761 | Hex screw M6x12 | |
| 4 | 1008.0768 | Ornamental screw M8x16 | |
| 6 | 1306.0120 | Washer A6,4 | |
| 6 | 1308.0162 | Washer A8,4 | |
| 6 | 1308.0160 | Washer A8,4 | |
| 9 | 2001.0109 | Compression spring | |
| 10 | 2016.1504 | Door handle Rational | |
| 12 | 2120.1254 | Door bolt top | |
| 14 | 2930.1306 | Door mounting support bottom | |
| 15 | 2930.1307 | Door mounting support top | |
| 18 | 2940.1303 | Door setting console 110° | |
| 21 | 2940.1313 | Base for door catch | |
| 22 | 2940.1314 | Door catch for 1- and 2-step lock | |
| A | 8470.1300 | Door cpl. | |
| C | 8700.0315-- | Door fixing mechanism marine version | |


# Door 2-step safety catch



# Door 2-step safety catch

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1005.2000 | Interlocking tooth screw M5x8 | |
| 2 | 1008.0766 | Hex screw M8x30 | |
| 2 | 1006.0761 | Hex screw M6x12 | |
| 3 | 1008.0768 | Ornamental screw M8x16 | |
| 4 | 1308.0162 | Washer A8,4 | |
| 4 | 1308.0160 | Washer A8,4 | |
| 4 | 1306.0120 | Washer A6,4 | |
| 5 | 2001.0109 | Compression spring | |
| 6 | 2016.1504 | Door handle Rational | |
| 7 | 2039.0351 | Internal lock cover for safety lock | |
| 8 | 2120.1254 | Door bolt top | |
| 10 | 2930.1306 | Door mounting support bottom | |
| 11 | 2930.1307 | Door mounting support top | |
| 12 | 2940.1303 | Door setting console 110° | |
| 14 | 2940.1313 | Base for door catch | |
| 15 | 2940.1314 | Door catch for 1- and 2-step lock | |
| A | 8470.1318 | Door cpl. with safety lock | |


# Door cpl. with safety lock



# Door cpl. with safety lock

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1005.1966 | Countersunk screw Torx M5x16 | |
| 5 | 1105.0122 | Hex combination nut M5 V2A | |
| 7 | 1901.0041 | Spring clip stainless steel | |
| 13 | 2760.1396 | Spring supp. f. int. glass holding bra. | |
| 16 | 2940.1300 | Sleeve for door bolt top | |
| 17 | 2940.1302 | Door setting bolt | |
| 20 | 2940.1309 | Hinge for inner glass | |
| 23 | 3016.1409 | Magnet round for door contact d10x40 | |
| 24 | 5006.0200 | Silicon tube E41 90ml | |
| 25 | 5006.0212 | Silicone tube E127, 310 ml silver | |
| 26 | 9003.0211 | Klüberpaste HEL 46-450 70g tube | |
| 27 | 1603.0166 | Rivet 3,2x7,9 CNS closed | |
| 28 | 2002.0106 | Tension spring for inner window | |
| 29 | 2039.0402 | Spacer for interior door | |
| 30 | 2760.1395 | Fixing bracket for interior glass pane | |
| B | 8474.1377 | Door drip collector | |


# Door LH, 2-step safety catch



# Door LH, 2-step safety catch

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1005.2000 | Interlocking tooth screw M5x8 | |
| 2 | 1006.0760 | Hex screw M6x16 | |
| 2 | 1008.0766 | Hex screw M8x30 | |
| 3 | 1008.0768 | Ornamental screw M8x16 | |
| 4 | 1306.0120 | Washer A6,4 | |
| 4 | 1308.0162 | Washer A8,4 | |
| 4 | 1308.0160 | Washer A8,4 | |
| 5 | 2001.0109 | Compression spring | |
| 6 | 2016.1504 | Door handle Rational | |
| 7 | 2039.0351 | Internal lock cover for safety lock | |
| 8 | 2120.1254 | Door bolt top | |
| 10 | 2930.1306 | Door mounting support bottom | |
| 11 | 2930.1307 | Door mounting support top | |
| 13 | 2940.1304 | Door setting console 80° | |
| 14 | 2940.1313 | Base for door catch | |
| 15 | 2940.1314 | Door catch for 1- and 2-step lock | |
| 16 | 9003.0211 | Klüberpaste HEL 46-450 70g tube | |
| A | | Door LH | |


# Door LH


1
2
3
4
5
6
7
8
9
11
12
13
14
15
16
10
17
18
19
20
23
24
21
22
27
28
29
30
A
B
C
25
26

# Door LH

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1005.1966 | Countersunk screw Torx M5x16 | |
| 3 | 1008.0750 | Hex screw M5x16 | |
| 5 | 1105.0122 | Hex combination nut M5 V2A | |
| 6 | 1305.0260 | Washer A5,3x15mm | |
| 7 | 1901.0041 | Spring clip stainless steel | |
| 8 | 2001.0040 | Loctite 243 50ml | |
| 13 | 2760.1396 | Spring supp. f. int. glass holding bra. | |
| 17 | 2940.1302 | Door setting bolt | |
| 20 | 2940.1309 | Hinge for inner glass | |
| 24 | 5006.0200 | Silicon tube E41 90ml | |
| 25 | 5006.0212 | Silicone tube E127, 310 ml silver | |
| 26 | 9003.0211 | Klüberpaste HEL 46-450 70g tube | |
| 27 | 1603.0166 | Rivet 3,2x7,9 CNS closed | |
| 27 | 1603.0161 | Rivet 3,2x6 | |
| 28 | 2002.0106 | Tension spring for inner window | |
| 29 | 2039.0402 | Spacer for interior door | |
| 30 | 2760.1395 | Fixing bracket for interior glass pane | |
| B | 8474.1377 | Door drip collector | |


# Door cpl.



# Door cpl.

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1005.2000 | Interlocking tooth screw M5x8 | |
| 2 | 1008.0766 | Hex screw M8x30 | |
| 2 | 1006.0760 | Hex screw M6x16 | |
| 3 | 1008.0768 | Ornamental screw M8x16 | |
| 4 | 1308.0162 | Washer A8,4 | |
| 4 | 1306.0120 | Washer A6,4 | |
| 4 | 1308.0160 | Washer A8,4 | |
| 5 | 2001.0109 | Compression spring | |
| 6 | 2016.1504 | Door handle Rational | |
| 7 | 2039.0340 | Internal lock cover | |
| 8 | 2120.1254 | Door bolt top | |
| 10 | 2930.1306 | Door mounting support bottom | |
| 11 | 2930.1307 | Door mounting support top | |
| 13 | 2940.1304 | Door setting console 80° | |
| 14 | 2940.1313 | Base for door catch | |
| 15 | 2940.1314 | Door catch for 1- and 2-step lock | |
| 16 | 9003.0211 | Klüberpaste HEL 46-450 70g tube | |
| A | 8470.1303 | Door cpl. | |


# Water supply, quenching box



# Water supply, quenching box

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 3 | 2066.0504 | Hose clamp 40-60mm | |
| 4 | 2066.0525 | Hose clamp ø22,1 mm | |
| 5 | 2110.1017 | Pressure hose ø13mm 1000mm | |
| 5 | 2067.0050 | Pressure hose d10mm | |
| 7 | 2118.1250 | Rubber form piece venting pipe | |
| 8 | 3002.0330 | Double solenoid valve | |
| B | | Water connection | |
| C | | Quenching box | |


# Water connection



# Water connection

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1004.0666 | Hex screw M4x10 | |
| 2 | 1105.0122 | Hex combination nut M5 V2A | |
| 6 | 1900.0202 | Water filter | |
| 7 | 2039.0365 | Silicon fitting piece | |
| 9 | 2062.0333 | Housing for non returne valve | |
| 10 | 2066.0205 | Hose clamp 8-16x9 mm SW 7mm | |
| 11 | 2110.1017 | Pressure hose ø13mm 1000mm | |
| 11 | | Silicon hose | |
| 11 | 2067.0050 | Pressure hose d10mm | |
| 11 | | Pressure hose | |
| 11 | | Pressure hose | |
| 11 | | Pressure hose | |
| 12 | 2069.0108 | Ventilation valve | |
| 13 | 3002.0339 | Fixing bracket for solenoid valve | |
| 15 | 5110.1024 | Gasket for G3/4" threaded joint | |
| 16 | 8664.1301 | T-fitting water connection | |
| 17 | 1603.0166 | Rivet 3,2x7,9 CNS closed | |


# Quenching box



# Quenching box

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1008.0750 | Hex screw M5x16 | |
| 3 | 2016.0935 | Quenching nozzle 2.3 l/min. | |
| 6 | 3014.0162 | Sealing cone for thermocouple | |
| 7 | 3014.0163 | Gasket sleeve with nipple | |
| 9 | 5003.0300 | Insulation, melamin resin foam | |
| 10 | 5006.0500 | Polyurethan-Glue for insulation 310ml | |
| 11 | 5012.0566 | Gasket f. inspection lid | |
| 13 | 8666.1325 | Cross bar for flange quenching chamber | |
| 14 | 8666.1318 | Flange quenching chamber | |
| B | | Cover for quenching box | |


# Cover for quenching box



# Cover for quenching box

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 5003.0300 | Insulation, melamin resin foam | |
| 2 | 5006.0500 | Polyurethan-Glue for insulation 310ml | |


# Hand shower



# Hand shower

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 2060.0228 | O-ring for shower hose | |
| 2 | 2060.1006 | Hand shower | |
| 3 | 2060.1210 | Tulip for handshower | |
| 4 | 2062.0327 | Connecting pipe for hand shower | |
| 6 | 2069.0106 | Non return valve DN 10 Handshower | |
| 7 | 5110.1024 | Gasket for G3/4" threaded joint | |
| 8 | 8655.2021 | Hand shower roll guide | |
| 10 | 2110.1002 | Silicone hose d15x3 | |
| 11 | 8664.1300 | T-fitting handshower connection | |


# CleanJet



# CleanJet

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 8655.2100 | CleanJet cleaning arm 61 | |
| 5 | 8720.1521 | Conversion kit CleanJet | |
| 6 | 8720.1525 | Conversion kit suction plug f. container | |
| 7 | 8720.1526 | Pump f. CleanJet | |
| A | | CleanJet assy | |


# CleanJet assy



# CleanJet assy

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1004.0665 | Allen screw M4x6 | |
| 3 | 1006.0761 | Hex screw M6x12 | |
| 4 | 1108.0260 | Hex nut M8 | |
| 5 | 1208.0260 | Spring washer B8 | |
| 6 | 1603.0163 | Rivet 3,2x8 CNS | |
| 6 | 1604.0162 | Rivet 4x9, CNS closed | |
| 7 | 2016.0945 | Nozzle for CleanJet | |
| 8 | 2066.0205 | Hose clamp 8-16x9 mm SW 7mm | |
| 8 | 2066.0534 | Hose clamp ø8-12mm | |
| 13 | 8514.1346 | Rotating nozzle for CleanJet | |
| 15 | 1306.0222 | Washer A6,4x15x1,5 | |
| 16 | 2039.0366 | Spout *red* f. jerrycan | |
| 16 | 2039.0367 | Spout *blue* f. jerrycan | |
| 17 | 5013.0100 | Edge protection profile | |
| A | | Water coupling | |
| B | 8664.1354 | Container f. CleanJet | |
| B | | Distribution CleanJet | |
| B | | Distribution CleanJet | |
| B | | Distribution CleanJet | |
| B | | Pump | |


# Water coupling



# Water coupling

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 2120.1335 | Fixing device water coupling CleanJet | |
| 2 | 2910.1391 | Pipe with coupling for CleanJet | |
| 2 | 2910.1392 | Pressure pipe with coupling f. CleanJet | |
| A | 8514.1348 | Reed contact kit for CleanJet | |


# Reed contact kit for CleanJet



# Reed contact kit for CleanJet

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 2066.0205 | Hose clamp 8-16x9 mm SW 7mm | |
| 2 | 2066.0530 | Hose clamp ø16.4mm | |
| 3 | 2120.1259 | Stop plug 10mm | |

# Pump



# Pump

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 2062.0335 | Hose fitting WS6 | |
| 4 | 2062.0339 | Elbow fitting WES6 R1/8 | |
| 6 | 2066.0533 | Hose clamp ø10.1mm | |
| 8 | 2110.1029 | Silicon hose ø6x2 white | |
| 8 | 2110.1030 | Silicon hose ø6x2 red | |
| 10 | 3002.1003 | Pump f. CleanJet | |
| 11 | 8664.1347 | Fixing device for CleanJet pump | |


# Distribution CleanJet



# Distribution CleanJet

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 1004.0662 | Allen screw M4x25 | |
| 4 | 1104.0800 | Cage nut M4 | |
| 9 | 2062.0338 | Y-fitting, YS6 | |
| 11 | 2062.0340 | Elbow fitting WES6 1/4 NPT | |
| 12 | 2062.0341 | Fitting GES6 R1/4 | |
| 13 | 2062.0343 | Distribution manifold 4x1/4" | |
| 20 | 2066.0532 | Hose clamp ø11.9 | |
| 21 | 2110.1018 | Pressure hose for CleanJet | |
| 25 | 3016.1418 | Pressure switch for CleanJet | |

# Container f. CleanJet



# Container f. CleanJet

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 2039.0358 | Sealing cap (Cleaner) for container | |
| 2 | 2039.0359 | Sealing cap (Rinse) for container | |
| 3 | 2039.0360 | Grommet, red for container, ClenJet | |
| 4 | 2039.0362 | Grommet, blue for container, ClenJet | |
| 5 | 2062.0344 | Suction filter for CleanJet | |
| 6 | 2039.0376 | Suction filter for CleanJet tank, black | |
| 7 | 4115.1039 | Sticker kit suction plug | |

# Distribution CleanJet



# Distribution CleanJet

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 8 | 2062.0335 | Hose fitting WS6 | |
| 10 | 2062.0339 | Elbow fitting WES6 R1/8 | |
| 17 | 2062.0355 | CleanJet pipe cross connection | |
| 18 | 2062.0356 | CleanJet connecting pipe | |
| 19 | 2066.0534 | Hose clamp ø8-12mm | |
| 20 | 2066.0533 | Hose clamp ø10.1mm | |
| 20 | 2066.0536 | Hose clamp ø12,7mm | |
| 20 | 2066.0532 | Hose clamp ø11.9 | |
| 21 | 2110.1018 | Pressure hose for CleanJet | |
| 22 | 2110.1029 | Silicon hose ø6x2 white | |
| 22 | 2110.1030 | Silicon hose ø6x2 red | |
| 24 | 3002.1003 | Pump f. CleanJet | |
| 25 | 3016.1418 | Pressure switch for CleanJet | |
| 26 | 4005.0111 | Hose holder | |


# Distribution CleanJet



# Distribution CleanJet

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 2062.0335 | Hose fitting WS6 | |
| 4 | 2062.0351 | Straight screw joint GES6 R1/8 | |
| 5 | 2066.0533 | Hose clamp ø10.1mm | |
| 5 | 2066.0536 | Hose clamp ø12,7mm | |
| 6 | 2110.1018 | Pressure hose for CleanJet | |
| 7 | 2110.1030 | Silicon hose ø6x2 red | |
| 7 | 2110.1029 | Silicon hose ø6x2 white | |
| 9 | 3016.1441 | Pressure switch CleanJet | |


# Exterior cabinet



# Exterior cabinet

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 7 | 2039.0122 | Upper part of pedestal, 70mm, black grey | |
| 8 | 2039.0123 | Lower part of pedestal, black grey | |
| 11 | 2710.1324 | Bracket for door contact switch | |
| 19 | 2812.1304 | Spacer for vent cover | |
| 20 | 3016.1415 | Door switch | |
| 22 | 8455.1209 | Vent cover | |
| 22 | 8450.1310 | Spacer ring | |
| A | | Exterior cabinet LH w. hd. shower | |
| A | | Exterior cabinet | |
| A | | Exterior cabinet LH ship | |
| A | | Exterior cabinet ship | |
| C | | Base frame | |
| C | | Base frame | |
| D | 8700.0318 | Floor fixing set | |


# Exterior cabinet ship



# Exterior cabinet ship

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1003.2160 | Hex self tapping screw 2,9x9,5 | |
| 2 | 1003.2261 | Raised counters. head self tapp. screw 4,2x13 | |
| 3 | 1003.2265 | Countersunk self tapping screw 4,2x16 | |
| 4 | 1004.0666 | Hex screw M4x10 | |
| 5 | 1004.2160 | Hex self tapping screw 4,2x16 | |
| 6 | 1103.0600 | PVC plug in nut for metal screw 2.9mm | |
| 7 | 1104.0820 | Snap nut 4,2mm | |
| 8 | 1107.0100 | Star lock ø4 | |
| 9 | 1304.0150 | Washer A3,2 | |
| 10 | 2039.0331 | Cap for service door | |
| 11 | 2060.1210 | Tulip for handshower | |
| 12 | 2066.0525 | Hose clamp ø22,1 mm | |
| 13 | 2110.1002 | Silicone hose d15x3 | |
| 14 | 2710.1308 | Back panel | |
| 14 | 2710.1450 | Back panel | |
| 15 | 2710.1316 | Crossbar top | |
| 16 | 2710.1361 | Top cover | |
| 17 | 2710.1446 | Side panel right | |
| 17 | 2710.1418 | Side panel right | |
| 18 | 5100.1012 | Gasket venting pipe-top cover | |
| 20 | | Drip collector | |
| 20 | 8455.1465 | Drip collector | |
| 21 | 2039.0371 | Drip collector plastic | |
| 22 | 1304.0166 | Spicer D4.3/8.0 L5.0 | |
| 23 | 1603.0166 | Rivet 3,2x7,9 CNS closed | |
| A | 8455.1453 | Front panel | |
| A | 8455.1382 | Side panel left | |


# Side panel left



# Side panel left

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 5 | 1104.0820 | Snap nut 4,2mm | |
| 10 | 2710.1313 | Side panel left | |
| 14 | 5100.1002 | Insulating tape 8x6mm | |
| 16 | 5006.0500 | Polyurethan-Glue for insulation 310ml | |
| 17 | 5003.0300 | Insulation, melamin resin foam | |


# Front panel



# Front panel

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1003.2261 | Raised counters. head self tapp. screw 4,2x13 | |
| 3 | 1104.0820 | Snap nut 4,2mm | |
| 4 | 1107.0104 | Star lock ø6 | |
| 8 | 5006.0212 | Silicone tube E127, 310 ml silver | |
| 10 | 8464.1307 | Opening mechanism for panel insert | |
| 11 | 2002.0107 | Tension spring for front panel | |


# Exterior cabinet



# Exterior cabinet

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1003.2160 | Hex self tapping screw 2,9x9,5 | |
| 2 | 1003.2261 | Raised counters. head self tapp. screw 4,2x13 | |
| 3 | 1003.2265 | Countersunk self tapping screw 4,2x16 | |
| 4 | 1004.0666 | Hex screw M4x10 | |
| 5 | 1004.2160 | Hex self tapping screw 4,2x16 | |
| 6 | 1103.0600 | PVC plug in nut for metal screw 2.9mm | |
| 7 | 1104.0820 | Snap nut 4,2mm | |
| 8 | 1107.0100 | Star lock ø4 | |
| 9 | 1304.0150 | Washer A3,2 | |
| 10 | 2039.0331 | Cap for service door | |
| 11 | 2060.1210 | Tulip for handshower | |
| 12 | 2066.0525 | Hose clamp ø22,1 mm | |
| 13 | 2110.1002 | Silicone hose d15x3 | |
| 14 | 2710.1450 | Back panel | |
| 14 | 2710.1308 | Back panel | |
| 15 | 2710.1316 | Crossbar top | |
| 16 | 2710.1327 | Top cover | |
| 18 | 2710.1446 | Side panel right | |
| 18 | 2710.1418 | Side panel right | |
| 19 | 5100.1012 | Gasket venting pipe-top cover | |
| 20 | 8455.1465 | Drip collector | |
| 20 | | Drip collector | |
| 21 | 2039.0371 | Drip collector plastic | |
| 22 | 1304.0166 | Spicer D4.3/8.0 L5.0 | |
| 23 | 1603.0166 | Rivet 3,2x7,9 CNS closed | |
| A | 8455.1382 | Side panel left | |
| A | 8455.1453 | Front panel | |


# Exterior cabinet LH ship



# Exterior cabinet LH ship

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1003.2160 | Hex self tapping screw 2,9x9,5 | |
| 2 | 1003.2261 | Raised counters. head self tapp. screw 4,2x13 | |
| 3 | 1003.2265 | Countersunk self tapping screw 4,2x16 | |
| 4 | 1004.0666 | Hex screw M4x10 | |
| 5 | 1004.2160 | Hex self tapping screw 4,2x16 | |
| 6 | 1103.0600 | PVC plug in nut for metal screw 2.9mm | |
| 7 | 1104.0820 | Snap nut 4,2mm | |
| 8 | 1107.0100 | Star lock ø4 | |
| 9 | 1304.0150 | Washer A3,2 | |
| 10 | 2039.0331 | Cap for service door | |
| 11 | 2060.1210 | Tulip for handshower | |
| 12 | 2066.0525 | Hose clamp ø22,1 mm | |
| 13 | 2110.1002 | Silicone hose d15x3 | |
| 14 | 2710.1308 | Back panel | |
| 14 | 2710.1450 | Back panel | |
| 17 | 2710.1447 | Side panel right | |
| 18 | 5100.1012 | Gasket venting pipe-top cover | |
| 20 | | Drip collector | |
| 20 | 8455.1465 | Drip collector | |
| 21 | 2039.0371 | Drip collector plastic | |
| 22 | 1304.0166 | Spicer D4.3/8.0 L5.0 | |
| 23 | 1603.0166 | Rivet 3,2x7,9 CNS closed | |
| A | 8455.1382 | Side panel left | |
| A | | Front panel | |


# Front panel



# Front panel

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1003.2261 | Raised counters. head self tapp. screw 4,2x13 | |
| 3 | 1104.0820 | Snap nut 4,2mm | |
| 4 | 1107.0104 | Star lock ø6 | |
| 8 | 5006.0212 | Silicone tube E127, 310 ml silver | |
| 10 | 8464.1307 | Opening mechanism for panel insert | |
| 11 | 2002.0107 | Tension spring for front panel | |

# Exterior cabinet LH w. hd. shower



# Exterior cabinet LH w. hd. shower

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1003.2160 | Hex self tapping screw 2,9x9,5 | |
| 2 | 1003.2261 | Raised counters. head self tapp. screw 4,2x13 | |
| 3 | 1003.2265 | Countersunk self tapping screw 4,2x16 | |
| 4 | 1004.0666 | Hex screw M4x10 | |
| 5 | 1004.2160 | Hex self tapping screw 4,2x16 | |
| 6 | 1103.0600 | PVC plug in nut for metal screw 2.9mm | |
| 7 | 1104.0820 | Snap nut 4,2mm | |
| 8 | 1107.0100 | Star lock ø4 | |
| 9 | 1304.0150 | Washer A3,2 | |
| 10 | 2039.0331 | Cap for service door | |
| 11 | 2060.1210 | Tulip for handshower | |
| 12 | 2066.0525 | Hose clamp ø22,1 mm | |
| 13 | 2110.1002 | Silicone hose d15x3 | |
| 14 | 2710.1450 | Back panel | |
| 14 | 2710.1308 | Back panel | |
| 17 | 2710.1328 | Top cover | |
| 18 | 2710.1447 | Side panel right | |
| 19 | 5100.1012 | Gasket venting pipe-top cover | |
| 20 | | Drip collector | |
| 20 | 8455.1465 | Drip collector | |
| 21 | 2039.0371 | Drip collector plastic | |
| 22 | 1304.0166 | Spicer D4.3/8.0 L5.0 | |
| 23 | 1603.0166 | Rivet 3,2x7,9 CNS closed | |
| A | | Front panel | |
| A | 8455.1382 | Side panel left | |


# Base frame


1
2
3
4
5
6
9
10
7
13
8
11
A
12
14
Potentialausgleich
Equipotentiality
Equipotentialité

# Base frame

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1008.0750 | Hex screw M5x16 | |
| 2 | 1104.0800 | Cage nut M4 | |
| 2 | 1110.0800 | Cage nut M10 | |
| 3 | 1105.0122 | Hex combination nut M5 V2A | |
| 4 | 1106.0160 | Hex nut M6 | |
| 5 | 1106.0360 | Cap nut M6, high shape | |
| 6 | 1206.0120 | Tooth lock washer A6,4 | |
| 7 | 1310.0160 | Washer A10,5 | |
| 8 | 1328.0102 | Safety washer A10,2 | |
| 9 | 1603.0163 | Rivet 3,2x8 CNS | |
| 9 | 1604.0162 | Rivet 4x9, CNS closed | |
| 10 | 2039.0122 | Upper part of pedestal, 70mm, black grey | |
| 11 | 2039.0123 | Lower part of pedestal, black grey | |
| 12 | 2049.0817 | Sticker, Equipotential bonding | |
| 13 | 4005.0104 | Tie rap 140mm *Heat resisting* | |
| A | | Base frame | |


# Base frame



# Base frame

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1603.0163 | Rivet 3,2x8 CNS | |
| 2 | 1604.0162 | Rivet 4x9, CNS closed | |
| 3 | 2005.0106 | Protective grid for cooling fan | |


# Base frame


1
2
3
4
5
6
7
11
8
9
A
10
12
Potentialausgleich
Equipotentiality
Equipotentialité

# Base frame

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1104.0800 | Cage nut M4 | |
| 2 | 1106.0160 | Hex nut M6 | |
| 3 | 1106.0360 | Cap nut M6, high shape | |
| 4 | 1206.0120 | Tooth lock washer A6,4 | |
| 7 | 1603.0163 | Rivet 3,2x8 CNS | |
| 10 | 2049.0817 | Sticker, Equipotential bonding | |
| 11 | 4005.0104 | Tie rap 140mm *Heat resisting* | |
| A | | Base frame | |


# Base frame



# Base frame

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 1603.0163 | Rivet 3,2x8 CNS | |
| 3 | 1604.0162 | Rivet 4x9, CNS closed | |
| 4 | 2005.0106 | Protective grid for cooling fan | |


# Floor fixing set



# Floor fixing set

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1106.0360 | Cap nut M6, high shape | |
| 2 | 1206.0261 | Spring washer B6 | |
| 3 | 1306.0120 | Washer A6,4 | |

# Miscellaneous



# Miscellaneous

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1008.0753 | Hex screw M5x8 | |
| 4 | 1116.0160 | Hex nut M16 | |
| 5 | 1205.0362 | Disk spring ø12x5,2x0,6 | |
| 13 | 9006.0800 | Adhesive solvent "Weicon" | |
| 17 | 2049.0433 | Sticker Drain connection DN 50 | |
| 18 | 2049.0452 | Sticker water supply G3/4" | |
| 19 | 2049.0484 | Sticker "Loading heights" | |

# Index


| Part no. | Description | Page |
|---|---|---|
| 9006.0800 | Adhesive solvent "Weicon" | 175 |
| 8516.1334 | Air baffle | 75 |
| 8516.1328 | Air baffle | 81 |
| 8455.1377 | Air inlet filter | 5 |
| 1004.0665 | Allen screw M4x6 | 133 |
| 1004.0660 | Allen screw M4x10 | 19, 27, 33 |
| 1004.0662 | Allen screw M4x25 | 25, 141 |
| 3028.0560 | Auxilliary contact BCLF10 N/O | 23, 29, 31, 35 |
| 2710.1308 | Back panel | 151, 157, 159, 163 |
| 2710.1450 | Back panel | 151, 157, 159, 163 |
| 2940.1313 | Base for door catch | 95, 105, 109, 111, 115, 119 |
| 3014.0325 | Bimetall switch 110°,SSR | 25 |
| 2710.1324 | Bracket for door contact switch | 149 |
| 8720.1300 | Bus cable CPU - operator pcb | 9, 13 |
| 3006.0107 | Buzzer | 9, 13 |
| 1104.0800 | Cage nut M4 | 141, 165, 169 |
| 1110.0800 | Cage nut M10 | 165 |
| 2039.0331 | Cap for service door | 151, 157, 159, 163 |
| 1106.0360 | Cap nut M6, high shape | 67, 103, 165, 169, 173 |
| 1108.0320 | Cap nut M8 | 101 |
| 1900.0203 | Ceramic tube 8x5x60mm for | 43, 45 |
| 8655.2100 | CleanJet cleaning arm 61 | 131 |
| 2062.0356 | CleanJet connecting pipe | 145 |
| 2062.0355 | CleanJet pipe cross connection | 145 |
| 2001.0109 | Compression spring | 95, 105, 109, 111, 115, 119 |
| 2001.0117 | Compression spring for safety valve | 39, 41 |
| 2001.0122 | Cone compression spring for drip tray | 99 |
| 2062.0327 | Connecting pipe for hand shower | 129 |
| 3028.0566 | Contactor GE CL01A400 | 23, 29, 31, 35 |
| 8664.1354 | Container f. CleanJet | 133 |
| 8720.1326 | Control panel insert with overlay | 5 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 3037.0240 | Control transformer | 23, 29, 31, 35 |
| 8720.1521 | Conversion kit CleanJet | 131 |
| 8720.1525 | Conversion kit suction plug f. container | 131 |
| 3101.1008 | Cooling fan | 25 |
| 2930.1302 | Cooling plate solid state relay | 25 |
| 1315.0101 | Copper washer 6x10 | 73 |
| 1315.0109 | Copper washer 8.5x16x1,2 | 73 |
| 1315.0104 | Copper washer 16x20x1,5 | 45 |
| 1005.1966 | Countersunk screw Torx M5x16 | 97, 107, 113, 117 |
| 1003.2265 | Countersunk self tapping screw 4,2x16 | 151, 157, 159, 163 |
| 8700.0324 | Cover for front panel insert, lockable | 5 |
| 2720.1417 | Cover for steam inlet pipe | 75 |
| 3038.0315 | Cover for terminal box | 19, 27, 33 |
| 8666.1325 | Cross bar for flange quenching chamber | 125 |
| 2710.1316 | Crossbar top | 151, 157 |
| 3013.0355 | Dial for pulse generator | 9, 13 |
| 1205.0362 | Disk spring ø12x5,2x0,6 | 175 |
| 2120.1308 | Distance nut M3 for door drip collector | 99 |
| 2062.0343 | Distribution manifold 4x1/4" | 141 |
| 2120.1254 | Door bolt top | 95, 105, 109, 111, 115, 119 |
| 2940.1314 | Door catch for 1- and 2-step lock | 95, 105, 109, 111, 115, 119 |
| 8470.1309 | Door cpl. | 93 |
| 8470.1303 | Door cpl. | 95, 119 |
| 8470.1300 | Door cpl. | 105, 109 |
| 8470.1318 | Door cpl. with safety lock | 111 |
| 8474.1377 | Door drip collector | 97, 107, 113, 117 |
| 8700.0315-- | Door fixing mechanism marine version | 95, 109 |
| 5105.1020 | Door gasket | 75 |
| 2016.1504 | Door handle Rational | 95, 105, 109, 111, 115, 119 |
| 8474.1300 | Door lock | 107 |
| 2930.1306 | Door mounting support bottom | 95, 105, 109, 111, 115, 119 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 2930.1307 | Door mounting support top | 105, 109, 111, 115, 119 |
| 2940.1302 | Door setting bolt | 97, 107, 113, 117 |
| 2940.1304 | Door setting console 80° | 95, 115, 119 |
| 2940.1303 | Door setting console 110° | 105, 109, 111 |
| 3016.1415 | Door switch | 149 |
| 3002.0330 | Double solenoid valve | 121 |
| 8455.1465 | Drip collector | 151, 157, 159, 163 |
| 2039.0371 | Drip collector plastic | 151, 157, 159, 163 |
| 3014.0300 | Dry up protector 257°F/135°C | 23, 29, 31, 35 |
| 4001.1210 | Earth terminal 16mm² yellow/green | 21 |
| 5013.0100 | Edge protection profile | 23, 29, 31, 35, 133 |
| 2062.0340 | Elbow fitting WES6 1/4 NPT | 141 |
| 2062.0339 | Elbow fitting WES6 R1/8 | 139, 145 |
| 3001.0455 | Electronic noise filter | 23, 29, 31, 35 |
| 2112.1302 | Emptying hose steam generator | 53 |
| 3002.1005 | Emptying pump | 53 |
| 3002.1000 | Emptying pump | 53 |
| 4001.1203 | End plate for mounting rail | 23, 29, 31, 35 |
| 3040.0315 | E-Prom DXS5.06 | 17 |
| 3040.0314 | E-Prom XS5.06IT | 17 |
| 3040.0312 | E-Prom XS5.06NL | 17 |
| 3040.0311 | E-Prom XS5.06S | 17 |
| 3040.0313 | E-Prom XS5.06SW Metos | 17 |
| 2150.1250 | External flange hot air heating element | 65, 67 |
| 5110.1022 | External gasket frame for interior light | 79 |
| 3100.1083 | Fan motor 4pol | 69 |
| 2012.0512 | Fan wheel | 71, 73 |
| 3002.0402 | Filling level electrode 90 mm | 55 |
| 2062.0341 | Fitting GES6 R1/4 | 141 |
| 2760.1395 | Fixing bracket for interior glass pane | 97, 107, 113, 117 |
| 3002.0339 | Fixing bracket for solenoid valve | 123 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 8664.1347 | Fixing device for CleanJet pump | 139 |
| 2120.1335 | Fixing device water coupling CleanJet | 135 |
| 2740.1040 | Fixing plate steam generator thermostat | 51 |
| 8666.1318 | Flange quenching chamber | 125 |
| 8700.0318 | Floor fixing set | 149 |
| 2112.1310 | Form hose for ventilation of steam generator | 59 |
| 8455.1453 | Front panel | 151, 157 |
| 4001.0224 | Fuse 6.35x32mm | 23, 29, 31, 35 |
| 4001.1295 | Fuse holder e 1003Si/1DS | 23, 29, 31, 35 |
| 5100.1011 | Gasket | 9, 13 |
| 5012.0566 | Gasket f. inspection lid | 125 |
| 8514.1343 | Gasket flange | 69, 73 |
| 5110.1024 | Gasket for G3/4" threaded joint | 123, 129 |
| 5110.1003 | Gasket for heating element | 53, 55 |
| 8514.1017 | Gasket frame for interior light | 79 |
| 8514.1034 | Gasket frame with glass and gaskets | 77 |
| 5110.1028 | Gasket poti hot air, core temperature | 9, 13 |
| 3014.0163 | Gasket sleeve with nipple | 125 |
| 5100.1012 | Gasket venting pipe-top cover | 151, 157, 159, 163 |
| 5201.1000 | Glass for interior lamp | 79 |
| 2039.0362 | Grommet, blue for container, ClenJet | 143 |
| 2039.0360 | Grommet, red for container, ClenJet | 143 |
| 2760.1089 | Guide bush for core temperatur sensor | 75 |
| 3100.1082 | Hall-probe f. fan motor | 69 |
| 8720.1384 | Hallsensor cpl | 69 |
| 3024.0201 | Halogen bulb 300°C | 77 |
| 2060.1006 | Hand shower | 129 |
| 8655.2021 | Hand shower roll guide | 129 |
| 3201.1004 | Heating element | 53 |
| 1104.0122 | Hex combination nut M4 galv | 17, 23, 25, 29, 31, 35 |
| 1105.0122 | Hex combination nut M5 V2A | 97, 107, 113, 117, 123, 165 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 1106.0803 | Hex combination nut M6 galv | 51, 53, 55, 67 |
| 1103.0122 | Hex nut M3 self-locking | 39, 41, 99 |
| 1104.0120 | Hex nut M4 | 25 |
| 1104.0121 | Hex nut M4 self locking | 9, 13 |
| 1105.0120 | Hex nut M5 | 51 |
| 1106.0160 | Hex nut M6 | 7, 11, 15, 19, 27, 33, 165, 169 |
| 1106.0220 | Hex nut M6 flat | 73 |
| 1108.0260 | Hex nut M8 | 71, 73, 133 |
| 1112.0110 | Hex nut M10 | 101 |
| 3014.0302 | Hex nut M10 for dry-up protector | 29, 31, 35 |
| 3014.0327 | Hex nut M10x1,0 | 23, 29, 31, 35 |
| 1112.0220 | Hex nut M12 flat | 23, 29, 31, 35 |
| 1116.0160 | Hex nut M16 | 175 |
| 1004.0666 | Hex screw M4x10 | 123, 151, 157, 159, 163 |
| 1008.0753 | Hex screw M5x8 | 77, 175 |
| 1008.0750 | Hex screw M5x16 | 97, 117, 125, 165 |
| 1006.0761 | Hex screw M6x12 | 19, 27, 33, 53, 105, 109, 111, 133 |
| 1006.0760 | Hex screw M6x16 | 95, 115, 119 |
| 1006.0766 | Hex screw M6x25 | 67 |
| 1008.0766 | Hex screw M8x30 | 95, 105, 109, 111, 115, 119 |
| 1010.0762 | Hex screw M10x20 | 71, 73 |
| 1003.2160 | Hex self tapping screw 2,9x9,5 | 151, 157, 159, 163 |
| 1004.2161 | Hex self tapping screw 4,2x13 | 19, 23, 27, 29, 31, 33, 35 |
| 1004.2160 | Hex self tapping screw 4,2x16 | 151, 157, 159, 163 |
| 2940.1309 | Hinge for inner glass | 97, 107, 113, 117 |
| 2760.1132 | Holding bracket core probe tip | 75, 85, 87, 89 |
| 2112.1300 | Hose 50x3 | 49 |
| 2066.0205 | Hose clamp 8-16x9 mm SW 7mm | 51, 53, 57, 63, 123, 133, 137 |
| 2066.0506 | Hose clamp 20-32mm | 59 |
| 2066.0518 | Hose clamp 30mm | 51, 53 |
| 2066.0504 | Hose clamp 40-60mm | 51, 121 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 2066.0300 | Hose clamp 50-70 mm | 51 |
| 2066.0534 | Hose clamp ø8-12mm | 133, 145 |
| 2066.0533 | Hose clamp ø10.1mm | 139, 145, 147 |
| 2066.0532 | Hose clamp ø11.9 | 141, 145 |
| 2066.0536 | Hose clamp ø12,7mm | 145, 147 |
| 2066.0527 | Hose clamp ø14mm | 47, 61 |
| 2066.0530 | Hose clamp ø16.4mm | 61, 137 |
| 2066.0525 | Hose clamp ø22,1 mm | 121, 151, 157, 159, 163 |
| 2066.0519 | Hose clamp Ø35,6mm | 53 |
| 2066.0526 | Hose clamp ø46mm | 53 |
| 2066.0531 | Hose clamp ø56 | 37 |
| 2062.0335 | Hose fitting WS6 | 139, 145, 147 |
| 4005.0111 | Hose holder | 145 |
| 8680.1311 | Hose set f. humidity control | 37 |
| 2062.0333 | Housing for non returne valve | 123 |
| 8450.1300 | Humidity control cpl | 37 |
| 3101.1010 | Humidity control motor | 39, 41 |
| 8450.1319 | Humidity valve | 37 |
| 8474.1336 | Inner glass pane | 93 |
| 8474.1339 | Inner glass pane | 93 |
| 3200.1000 | Inner heating assembly | 67 |
| 2920.1301 | Inner sealing flange | 69, 73 |
| 5100.1002 | Insulating tape 8x6mm | 153 |
| 5003.0300 | Insulation, melamin resin foam | 49, 55, 75, 91, 125, 127, 153 |
| 8817.1040 | Interface cable for RS232 | 5 |
| 1005.2000 | Interlocking tooth screw M5x8 | 95, 105, 109, 111, 115, 119 |
| 5110.1023 | Internal gasket frame for interior light | 79 |
| 2039.0340 | Internal lock cover | 95, 105, 119 |
| 2039.0351 | Internal lock cover for safety lock | 111, 115 |
| 3035.0714 | IQT-Sensor (CT-sensor) | 75 |
| 2062.0331 | Junction pressure hose GS 10 | 61 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 9003.0211 | Klüberpaste HEL 46-450 70g tube | 97, 107, 113, 115, 117, 119 |
| 2760.1370 | Latch hook for air baffle | 83 |
| 2920.1300 | Level elektrode insert | 55 |
| 2016.1352 | Lock for panel cover | 15 |
| 3040.0309 | Locking screw for D-SUB | 5 |
| 2001.0040 | Loctite 243 50ml | 97, 117 |
| 2039.0123 | Lower part of pedestal, black grey | 149, 165 |
| 3016.1409 | Magnet round for door contact d10x40 | 107, 113 |
| 3040.3001 | Main pcb | 19, 27, 33 |
| 3016.0102 | Micro switch | 39 |
| 3016.0101 | Micro switch Clima Plus | 41 |
| 2035.0112 | Moistening nozzle | 75 |
| 3040.3040 | Motor control for fan motor | 19, 27, 33 |
| 5001.0207 | Motor shaft gasket | 69, 73 |
| 8514.1339 | Motor shaft gasket mounting support | 69, 73 |
| 2720.1364 | Mounting device f. int. cabinet sensors | 75 |
| 2720.1073 | Mounting device for int.cabinet sensor | 75 |
| 3040.0262 | Multipoint connector left 10pin, 3.5 | 19, 27, 33 |
| 8801.0975 | Neutral link 2,5mm² blue | 51, 67 |
| 2069.0106 | Non return valve DN 10 Handshower | 129 |
| 2016.0945 | Nozzle for CleanJet | 133 |
| 2760.1540 | Opening device for drain door drip colle | 99 |
| 8464.1307 | Opening mechanism for panel insert | 155, 161 |
| 3040.3020 | Operator pcb | 13 |
| 3040.3030 | Operator pcb DOT-matrix | 9 |
| 9003.0210 | Optimol paste white T400 ml | 97, 107 |
| 2060.0228 | O-ring for shower hose | 129 |
| 5012.0565 | O-ring inlet filter | 5 |
| 1008.0768 | Ornamental screw M8x16 | 95, 105, 109, 111, 115, 119 |
| 2005.0307 | Outlet sieve | 75 |
| 2910.1391 | Pipe with coupling for CleanJet | 135 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 2039.0339 | Plastic knop for door drip tray | 15, 99 |
| 5006.0500 | Polyurethan-Glue for insulation 310ml | 55, 85, 87, 89, 91, 125, 127, 153 |
| 8801.0250 | Power connection box | 19, 27, 33 |
| 2067.0050 | Pressure hose d10mm | 57, 63, 121, 123 |
| 2110.1018 | Pressure hose for CleanJet | 141, 145, 147 |
| 2110.1017 | Pressure hose ø13mm 1000mm | 121, 123 |
| 2910.1392 | Pressure pipe with coupling f. CleanJet | 135 |
| 3017.1011 | Pressure sensor Huba 401 | 23, 29, 31, 35 |
| 3016.1441 | Pressure switch CleanJet | 147 |
| 3016.1418 | Pressure switch for CleanJet | 141, 145 |
| 2112.1346 | Protecting hose ø28x2x70mm | 63 |
| 3040.0304 | Protection cover for RS232 connection | 5 |
| 2750.1334 | Protective grating plastic for filter | 5 |
| 2005.0106 | Protective grid for cooling fan | 167, 171 |
| 2039.0350 | Puls generator pressure setting gasket | 9, 13 |
| 8817.1303 | Pulse generator | 9, 13 |
| 2118.1000 | Pump connection spout | 61 |
| 8720.1526 | Pump f. CleanJet | 131 |
| 3002.1003 | Pump f. CleanJet | 139, 145 |
| 1103.0600 | PVC plug in nut for metal screw 2.9mm | 151, 157, 159, 163 |
| 2016.0935 | Quenching nozzle 2.3 l/min. | 125 |
| 1003.2261 | Raised counters. head self tapp. screw 4,2x13 | 151, 155, 157, 159, 161, 163 |
| 1004.0500 | Raised countersunk metal screw M4x8 oval head | 25 |
| 2062.0332 | Receptacle for ventilation valve SG | 59 |
| 8514.1348 | Reed contact kit for CleanJet | 135 |
| 8514.1018 | Reflector for interior light | 75 |
| 3035.0485 | Relay for CleanJet | 23, 29, 31, 35 |
| 3035.0491 | Relay for CleanJet 49.31 | 23, 29, 31, 35 |
| 3035.0490 | Relay for CleanJet 49.52 | 23, 29, 31, 35 |
| 1603.0161 | Rivet 3,2x6 | 97, 117 |
| 1603.0166 | Rivet 3,2x7,9 CNS closed | 81, 97, 107, 113, 117, 123, 151, 157, 159, 163 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 1603.0168 | Rivet 3,2x8 A4 | 81 |
| 1603.0163 | Rivet 3,2x8 CNS | 133, 165, 167, 169, 171 |
| 1604.0162 | Rivet 4x9, CNS closed | 133, 165, 167, 171 |
| 1604.0165 | Rivet 4x9,9 | 83 |
| 1604.0167 | Rivet 4x10 | 83 |
| 8514.1346 | Rotating nozzle for CleanJet | 133 |
| 2118.1250 | Rubber form piece venting pipe | 121 |
| 3014.0326 | Safety temperature limiter 365°C, | 23, 29, 31, 35 |
| 1328.0102 | Safety washer A10,2 | 71, 73, 165 |
| 5110.1009 | Seal for heating assembly | 67 |
| 2039.0358 | Sealing cap (Cleaner) for container | 143 |
| 2039.0359 | Sealing cap (Rinse) for container | 143 |
| 3014.0162 | Sealing cone for thermocouple | 125 |
| 4001.1298 | Sicotronic-Terminal 7poles | 23, 29, 31, 35 |
| 8455.1382 | Side panel left | 151, 157, 159, 163 |
| 2710.1313 | Side panel left | 153 |
| 2710.1446 | Side panel right | 151, 157 |
| 2710.1418 | Side panel right | 151, 157 |
| 2710.1447 | Side panel right | 159, 163 |
| 2039.0365 | Silicon fitting piece | 123 |
| 2110.1030 | Silicon hose ø6x2 red | 139, 145, 147 |
| 2110.1029 | Silicon hose ø6x2 white | 139, 145, 147 |
| 5006.0200 | Silicon tube E41 90ml | 97, 107, 113, 117 |
| 2110.1002 | Silicone hose d15x3 | 129, 151, 157, 159, 163 |
| 5006.0212 | Silicone tube E127, 310 ml silver | 15, 97, 107, 113, 117, 155, 161 |
| 2940.1300 | Sleeve for door bolt top | 107, 113 |
| 1003.0020 | Slotted pan head screw M3x10 | 39, 41 |
| 1003.0033 | Slotted pan head screw M3x16 | 39, 41 |
| 1104.0820 | Snap nut 4,2mm | 151, 153, 155, 157, 159, 161, 163 |
| 3028.0533 | Solid state relais | 25 |
| 2039.0370 | Spacer 12x1,6 | 23, 29, 31, 35 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 2760.1368 | Spacer f. pulse generator | 9, 13 |
| 2039.0402 | Spacer for interior door | 97, 107, 113, 117 |
| 2039.0326 | Spacer for pcb | 9, 13 |
| 2812.1304 | Spacer for vent cover | 149 |
| 8450.1310 | Spacer ring | 149 |
| 3040.0308 | Spacer sleeve for connector Sub-D | 5 |
| 2120.1306 | Spacer SW19x17 | 69, 73 |
| 1304.0166 | Spicer D4.3/8.0 L5.0 | 151, 157, 159, 163 |
| 2005.0111 | Spiral add-on air baffle | 81 |
| 2039.0367 | Spout *blue* f. jerrycan | 133 |
| 2039.0366 | Spout *red* f. jerrycan | 133 |
| 1901.0041 | Spring clip stainless steel | 97, 107, 113, 117 |
| 2760.1396 | Spring supp. f. int. glass holding bra. | 97, 107, 113, 117 |
| 1206.0261 | Spring washer B6 | 103, 173 |
| 1208.0260 | Spring washer B8 | 71, 73, 133 |
| 1008.1005 | Square necked mushroom head bolt 8x40 | 69, 73 |
| 1107.0103 | Star lock ø3 | 19, 27, 33, 39, 41 |
| 1107.0100 | Star lock ø4 | 151, 157, 159, 163 |
| 1107.0104 | Star lock ø6 | 155, 161 |
| 8350.1300 | Steam generator insolated | 53 |
| 2112.1006 | Steam hose Ø50x50mm | 49, 51 |
| 2049.0484 | Sticker "Loading heights" | 175 |
| 2049.0433 | Sticker Drain connection DN 50 | 175 |
| 4115.1039 | Sticker kit suction plug | 143 |
| 2052.1180 | Sticker name trade sign Rational | 9, 13 |
| 2049.0452 | Sticker water supply G3/4" | 175 |
| 2049.0817 | Sticker, Equipotential bonding | 165, 169 |
| 2120.1259 | Stop plug 10mm | 47, 61, 137 |
| 2062.0351 | Straight screw joint GES6 R1/8 | 147 |
| 2062.0344 | Suction filter for CleanJet | 143 |
| 2039.0376 | Suction filter for CleanJet tank, black | 143 |
| 2002.0107 | Tension spring for front panel | 155, 161 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 2002.0106 | Tension spring for inner window | 97, 107, 113, 117 |
| 4001.1250 | Terminal block 16mm² blue | 21 |
| 4001.1202 | Terminal block 16mm² grey | 21 |
| 3038.0313 | Terminal box M32 without cover | 21 |
| 8664.1300 | T-fitting handshower connection | 129 |
| 8664.1301 | T-fitting water connection | 123 |
| 3014.1000 | Thermocouple for interior cabinet | 75 |
| 3014.1011 | Thermocouple steam generator | 51 |
| 4005.0104 | Tie rap 140mm *Heat resisting* | 165, 169 |
| 4005.0101 | Tie rap 145 mm | 9, 13, 43, 45, 61 |
| 4005.0105 | Tie rap 281mm, heat resistant | 45 |
| 4005.0103 | Tie rap black | 9 |
| 1204.0120 | Tooth lock washer A4,3 | 19, 25, 27, 33 |
| 1205.0120 | Tooth lock washer A5,3 | 51 |
| 1206.0120 | Tooth lock washer A6,4 | 7, 11, 19, 27, 33, 165, 169 |
| 1212.0160 | Tooth lock washer A12,5 | 23, 29, 31, 35 |
| 2710.1361 | Top cover | 151 |
| 2710.1327 | Top cover | 157 |
| 2710.1328 | Top cover | 163 |
| 2060.1210 | Tulip for handshower | 129, 151, 157, 159, 163 |
| 2039.0122 | Upper part of pedestal, 70mm, black grey | 149, 165 |
| 8455.1209 | Vent cover | 149 |
| 2069.0108 | Ventilation valve | 59, 123 |
| 8354.1304-- | Venting valve for steam generation | 57, 63 |
| 8354.1309 | Venting valve for steam generator | 53 |
| 1304.0150 | Washer A3,2 | 39, 41, 151, 157, 159, 163 |
| 1304.0160 | Washer A4,3 | 9, 13, 19, 27, 33, 83 |
| 1306.0218 | Washer A4,3 | 9, 13, 25 |
| 1305.0160 | Washer A5,3x10mm | 45 |
| 1305.0260 | Washer A5,3x15mm | 97, 117 |
| 1306.0120 | Washer A6,4 | 15, 19, 27, 33, 45, 73, 95, 103, 105, 109 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 1306.0120 | Washer A6,4 | 111, 115, 119, 173 |
| 1306.0222 | Washer A6,4x15x1,5 | 19, 27, 33, 53, 67, 85, 87, 89, 133 |
| 1308.0160 | Washer A8,4 | 95, 101, 105, 109, 111, 115, 119 |
| 1308.0162 | Washer A8,4 | 95, 103, 105, 109, 111, 115, 119 |
| 1310.0160 | Washer A10,5 | 165 |
| 2016.1454 | Washer A10,5 for door lock | 101 |
| 1900.0202 | Water filter | 123 |
| 3017.1050 | Water volume sensor | 63 |
| 4004.0114 | Wire end sleeve 0,75 mm² blue insulated | 17 |
| 2062.0338 | Y-fitting, YS6 | 141 |