
Service part catalogue


VarioCooking Center 112E

E11VA0502



RATIONAL_CPC_SCC_VCC-G
©Copyright by RATIONAL Technical Service
All Rights reserved


Overview



Overview

Pos.	Assembly	Page
1	Chassis as of 01/05 upto 01/06	4
2	Pan as of 01/05 upto 01/06	10
3	Water distribution - hand shower roll guide as of 01/05 up to 01/06	16
4	Drain as of 01/05 upto 01/06	18
5	Electrical installation as of 01/05 upto 01/06	20
6	External sheet as of 01/05 upto 01/06	24
7	Lid as of 01/05 upto 01/06	28
8	Control panel as of 01/05 up to 03/06	34
9	Option Storage case as of 01/05 upto 01/06	36


Chassis as of 01/05 upto 01/06



Chassis as of 01/05 upto 01/06

Pos.	Part no.	Description	Qty.
1	10.00.111	Cable clip long	
2	10.00.420	Cable clip middle	
3	10.00.607	Hex combination nut M8	
4	12.00.205	Upper part of pedestal	
5	12.00.224	Lower part of pedestal 110mm	
6	1328.0102F	Safety washer A10,2	
7	10.00.107	Socket cap screw M10x35	
8	1310.0160V	Washer A10,5	
9	16.01.168	Frame bottom complete	
10	16.00.850	Frame bottom	
11		Shaft toppling pan	
12	40.01.708	Lifting cylinder for left pan	
13	40.01.972	Lifting cylinder for right pan	
14	20.00.883	Shaft jack pan	
15	20.00.480	Split-pin 3.2x22 A2	
16		Shaft toppling lid	
17	24.00.802	Gas-filled support 800N	
18	24.00.795	Holder raising jack gas	
19	1106.0803V	Hex combination nut M6 galv	
20	1006.0760V	Hex screw M6x16	
21	24.00.803	Lifting cylinder for lid	
22	1004.0905V	Hex socket set screw M5x6	
23	1106.0801F	Hex combination nut M6	
24	1008.0769V	Ornamental screw M8x30	
25	2066.0525V	Hose clamp ø22,1 mm	
26	10.00.652	Tube for drip collector fixation	
27	24.01.221	Bearing shaft pan inside left	
28	24.01.230	Y-fitting Y 16	


Shaft toppling pan



Shaft toppling pan

Pos.	Part no.	Description	Qty.
1	20.00.687	Bearing shaft pan L/R	
2	1208.0260F	Spring washer B8	
3	1008.0760V	Hex screw M8x16	
4	20.00.844	Bearing shaft pan left	
5	1308.0161V	Washer A8,4	
6	20.00.799	Ring for sheath	
7	24.00.798	Ring sheath pan left / right	
8	24.00.801	Sheath shaft pan L/R	
9	20.00.684	Arm raising pan	
10	20.00.689	Key toppling ppan/lid	
11	10.00.613	Bolt M8x8 A2	
12	20.00.480	Split-pin 3.2x22 A2	
13	24.00.760	Shaft hoist swing shaft	
14	20.00.688	Bearing raising arm	
15	20.00.685	Shaft toppling pan welded	
16	20.00.692	O-ring 24X3 EPDM	
17	1006.0626F	Allen screw M6x30	
18	20.00.986		


Shaft toppling lid



Shaft toppling lid

Pos.	Part no.	Description	Qty.
1	1008.0766F	Hex screw M8x30	
2	1308.0160V	Washer A8,4	
3	1208.0160V	Tooth lock washer A8,4	
4	24.00.798	Ring sheath pan left / right	
5	24.00.801	Sheath shaft pan L/R	
6	20.00.799	Ring for sheath	
7	10.00.452	Hex socket set screw cup point A2 M4X4	
8	10.00.596	Hex screw M6x50 A2	
9	24.00.889	Stop ring	
10	10.00.615	Hex socket set screw cup point A2 M6X8	
11	20.00.689	Key toppling ppan/lid	
12	10.00.607	Hex combination nut M8	


Pan as of 01/05 upto 01/06



Pan as of 01/05 upto 01/06

Pos.	Part no.	Description	Qty.
1	20.00.959	Pan right assembly	
2	20.00.960	Pan left assembly	
3	40.01.940	Heating element 2x2800W	
4	20.00.714	Graphit plate big for heating element 5600W	
5	1105.0121V	Hex combination nut M5 galv	
6	40.01.939	Heating element 1400W	
7	20.00.710	Graphit plate for heating element 1400W	
8	46.00.103	Cable control harness heating, right	
9	10.00.189	Tooth lock washer A4 AZ6	
10	1106.0160F	Hex nut M6	
11	46.00.100	Cable control harness heating, left	
12	20.00.850	Thermocouple bundle	
13	20.00.849	Thermocouple bundle	
14	20.00.854	Thermocouple pan right	
15	1104.0120V	Hex nut M4	
16	20.00.853	Thermocouple pan left	
17	1106.0803V	Hex combination nut M6 galv	
18	3014.0325V	Safety temperature limiter 110°C	
19		Actuation for pan valve cpl. VCC 112-311	
20	1005.0663V	Allen screw M5x10	
21	1205.0260F	Spring washer B5	
22	20.00.946	Gasket f. pan valve fixing device	
23	20.00.947	Lever cpl. f. pan valve	
24	20.00.915	Bowden cable for pan valve	
25	1251.1000V	Safety washer ø5mm	
26	1306.0120V	Washer A6,4	
27		Motor for pan valve	
28	20.00.923	Micro switch pan left valve position	
29	10.00.619	Hex socket head cap screw A2 M2X16	
30	10.00.636	Hex nut M2 self-locking	
31	10.00.625	Washer M2 A2	
32	40.01.710	Micro switch pan right valve position	
33	20.00.898	Coupling valve evacuation	
34	20.00.715	Hose clamp 31,3 mm	
35	10.00.645	Hose clamp D44.4	


Actuation for pan valve cpl. VCC 112-311



Actuation for pan valve cpl. VCC 112-311

Pos.	Part no.	Description	Qty.
1	20.00.905	Sheath for pan valve	
2	20.00.970	Plug for pan valve	
3	20.00.992	Gasket for plug pan valve	
4	10.00.675	O-ring f. pan valve 17.3 x 2.4	


Motor for pan valve



Motor for pan valve

Pos.	Part no.	Description	Qty.
1	40.02.040	Gear motor pan valve	
2	20.00.957	Lever f. bowden cable pan valve	
3	20.00.876	Pan valve motor holder	
4	1106.0803V	Hex combination nut M6 galv	
5	1004.0663V	Allen screw M4x12	
6	1104.0121V	Hex nut M4 self locking	
7	1306.0218V	Washer A4,3	
8	20.00.989	Bearing coupling for cable	


Water distribution - hand shower roll guide as of 01/05



Water distribution - hand shower roll guide as of 01/05

Pos.	Part no.	Description	Qty.
1	12.00.609	Drain pipe holder	
2	8664.1007V	Water distribution unit	
3	1006.2060F	Hex screw M6x55	
4	1106.0803V	Hex combination nut M6 galv	
5	50.00.562	"Plug brass F 1/2"""	
6	50.00.599	Gasket TESNIT 20x12x2 1/2"	
7	50.00.575	Solenoide valve (connector color brown)	
8	50.00.568	Silicone hose diameter out 14mm in 8mm	
9	2066.0530V	Hose clamp ø16.4mm	
10	50.00.592	"Plug brass M 3/4"""	
11	50.00.316	Single solenoid valve	
12	16.00.402	"Elbow fitting to crimp 3/4"" D12"	
13	5110.1024V	Gasket for G3/4" threaded joint	
14	2067.0050V	Pressure hose d10mm	
15	50.00.348	Hose clamp 12.22 L9	
16	40.01.311	Water volume sensor Vision 2000 3/8"	
17	54.01.388	T-fitting TS10 brass	
18	50.00.600	"Elbow fitting to crimp M3/4"" D13"	
19	50.00.073	Water distribution vert w/o roll guide con.	
20	50.00.086	Locking plate f. water distribution	
21	50.00.078	Non return valve DW16/DN12	
22	1900.0202V	Water filter	
23	12.00.617	Shower roll guide holder	
24	50.00.552	Hand shower roll guide VCC	
25	1008.0760V	Hex screw M8x16	
26	10.00.607	Hex combination nut M8	
27	50.00.590	Hand shower blue	
28	50.00.156	Clamp f. hand shower roll guide	
29	24.01.232	Silicone hose 6x9	
30	2066.0533V	Hose clamp ø10.1	


Drain as of 01/05 upto 01/06



Drain as of 01/05 upto 01/06

Pos.	Part no.	Description	Qty.
1	1106.0803V	Hex combination nut M6 galv	
2	24.00.348	Silicone hose D30/40	
3	10.00.645	Hose clamp D44.4	
4	50.00.568	Silicone hose diameter out 14mm in 8mm	
5	2066.0530V	Hose clamp ø16.4mm	
6	2062.0338F	Y-fitting, YS6	
7	24.01.232	Silicone hose 6x9	
8	10.00.656	Hose clamp D9.1	


Electrical installation as of 01/05 upto 01/06



Electrical installation as of 01/05 upto 01/06

Pos.	Part no.	Description	Qty.
1	12.00.603	Thermostat and fuse holder complete	
2	1106.0803V	Hex combination nut M6 galv	
3	40.00.673	Safety temperature limiter 220° (Oil too hot)	
4	1004.0023F	Slotted pan head screw M4x6	
5	40.00.826	Terminal block 25qmm blue	
6	40.00.639	Terminal block 25qmm g/y	
7	4001.1295V	Fuse holder e 1003Si/1DS	
8	10.00.611	Hex socket head cap screw A2 M3X20	
9	10.00.632	Hex combination nut M3	
10	4001.0224V	Fuse 6.35x32mm 6,3A slow-blow	
11	40.01.941	Fuse 6.35x32mm 250V 8A	
12	4001.0226V	Fuse 6.35x32mm 16A, time-lag	
13	40.01.556	Contactor CL04A310M6-M	
14	40.00.465	Electronic noice filter	
15	10.00.607	Hex combination nut M8	
16	1008.0760V	Hex screw M8x16	
17	10.00.111	Cable clip long	
18	1308.0160V	Washer A8,4	
19	42.00.055V	Relay-I/O pcb	
20	40.00.417F	Fixing clip f. pcb	
21	40.02.015	Distance nut PA H10 x 4.3 D.8MM	
22	40.02.047	Fixing clip white p/1.6mm	
23	1104.0120V	Hex nut M4	
24	10.00.187	Lock washer AZ 4	
25	40.01.589	Solid state relais	
26	10.00.507	Pan head screw Torx 5/16" T20	
27	1004.0500F	Raised countersunk metal screw M4x8 oval head	
28	40.01.967	Fixing device for SSR	
29	10.00.588	Hex screw M5x12 DIN933	
30	1105.0121V	Hex combination nut M5 galv	
31	3101.1008V	Cooling fan	
32	10.00.626	Hex socket head cap screw A2 M4X20	
33	40.02.015	Distance nut PA H10 x 4.3 D.8MM	
34	1306.0218V	Washer A4,3	
35	42.00.038	Relay pcb (5 Relay)	
36	12.00.600	5 relay pcb holder	


Electrical installation as of 01/05 upto 01/06



Electrical installation as of 01/05 upto 01/06

Pos.	Part no.	Description	Qty.
37	42.00.039	Relay-I/O pcb A4	
38	12.00.611	I/O relay pcb A4 holder	
39	40.00.277	Control transformer	
40	1105.0120V	Hex nut M5	
41	40.01.712	Transformer	
42	40.01.709	Micro switch lid position	
43	10.00.617	Hex screw 3X16 St/Zn	
44	12.00.598	Micro switch holder lid position	
45	1006.0762F	Hex screw M6x10	
46	40.01.964	Bundle power supply contactor exit	
46	40.01.965	Main bundle	
46	40.01.975	Heating element safety chain bundle	
46	40.01.976	Heating element safety chain bundle	
46	40.01.962	Cable X1 X46	
46	40.01.954	Cable 112 X14	
46	40.01.914	Cable X24-127	
46	40.01.960	Cable 112P X128	
46	40.01.916	Cable X15	
46	40.01.913	Cable 112 X25	
46	40.01.908	Cable 112 X19G solenoide valve water	
46	40.01.901	Cable 112 X117.1	
46	40.01.902	Cable 112 X118.1	
46	40.01.903	Cable 112 X119.1	
46	40.01.904	Cable 112 X120.1	
46	40.01.918	Cable 112 X21	
46	40.01.955	Cable 112 X27	
46	40.01.959	Cable 112 X125	
46	40.01.989	Power supply cable 3NAC 400V	
47	40.01.091	Bus cable 0.4m	
48	40.00.472	Bus cable 1.3m	
49	10.00.635	Hose clamp d7mm	
50	10.00.472F	Cable clip d13,5-16mm	
51	10.00.471F	Cable clip d10-12mm	


External sheet as of 01/05 upto 01/06



External sheet as of 01/05 upto 01/06

Pos.	Part no.	Description	Qty.
1	16.00.859	Pan panel for right pan	
2	1106.0803V	Hex combination nut M6 galv	
3	10.00.606	Allen screw M5x8 A2	
4	16.00.848	Pan panel for left pan	
5	16.00.855	Pan right front panel assembly	
6	16.00.856	Pan left front panel assembly	
7	16.01.124	Side panel right conole	
8	10.00.150	Slotted pan head screw M6x12 A2	
9	16.01.123	Side panel left console	
10	16.00.851	Back panel console	
11	16.00.847	Front panel console	
12	87.00.256	Tulip blue for hand shower part n° 87.00.256	
13	1107.0101V	Star lock ø5	
14	16.00.725	Gasket f. Tulip	
15	40.01.410	Socket 2P+T 16A (Germany)	
16	16.00.329	Cover f. USB interface	
17	10.00.103	EJOT PT-screw KA 3.5x10	
18	40.00.470	Interface cable USB 1.5m	
19	10.00.460	EJOT PT-Screw Torx 3,5x14	


Tulip blue for hand shower part n° 87.00.256



Tulip blue for hand shower part n° 87.00.256

Pos.	Part no.	Description	Qty.
1	87.00.196	Socket cover for tulip blue	


Lid as of 01/05 upto 01/06



Lid as of 01/05 upto 01/06

Pos.	Part no.	Description	Qty.
1		Lid left	
2		Lid right	


Lid left


17
19
12
18
12
09
11
15
03
12
16
03
02
04
01
10
02
21
20
04
14
05
13
08
06
08
07

Lid left

Pos.	Part no.	Description	Qty.
1	24.01.115	Lid welded	
2	1008.0761V	Hex screw M8x25	
3	1106.0160F	Hex nut M6	
4	1105.0121V	Hex combination nut M5 galv	
5	24.01.153	Lid gasket left	
6	24.01.195	Maintenance arises bends joint lid	
7	24.01.175	Adapter regulation pipe steam	
8	10.00.648	Hose clamp d.20.2	
9	24.01.108	Cover back left lid	
10	24.01.089	Pipe water filling	
11	10.00.225	Nut 3/8"	
12	1106.0803V	Hex combination nut M6 galv	
13	24.01.122	Core temperature probe	
14	20.00.680	O-ring 21x 1.5	
15	10.00.612	Hex nut M16 flat	
16	24.00.769	Magnet for lid (core temperature)	
17	24.01.150	Lid cover left welded	
18	10.00.606	Allen screw M5x8 A2	
19	24.01.116	Locking handle left	
20	24.01.218	Hinge lid pressure	
21	1308.0160V	Washer A8,4	


Lid right


17
18
12
19
12
09
11
02
12
03
02
15
16
03
04
10
21
01
20
04
08
07
08
06
05
14
13

Lid right

Pos.	Part no.	Description	Qty.
1	24.01.081	Lid welded	
2	1008.0761V	Hex screw M8x25	
3	1106.0160F	Hex nut M6	
4	1105.0121V	Hex combination nut M5 galv	
5	24.01.151	Lid gasket right	
6	24.01.195	Maintenance arises bends joint lid	
7	24.01.175	Adapter regulation pipe steam	
8	10.00.648	Hose clamp d.20.2	
9	24.01.072	Cover back right lid	
10	24.01.089	Pipe water filling	
11	10.00.225	Nut 3/8"	
12	1106.0803V	Hex combination nut M6 galv	
13	24.01.122	Core temperature probe	
14	20.00.680	O-ring 21x 1.5	
15	10.00.612	Hex nut M16 flat	
16	24.00.769	Magnet for lid (core temperature)	
17	24.01.149	Lid cover right welded	
18	10.00.606	Allen screw M5x8 A2	
19	24.01.084	Lid handle right	
20	24.01.218	Hinge lid pressure	
21	1308.0160V	Washer A8,4	


Control panel as of 01/05 up to 03/06



Control panel as of 01/05 up to 03/06

Pos.	Part no.	Description	Qty.
1	87.00.162	Control panel Vitro with overlay RAT	
2	10.00.606	Allen screw M5x8 A2	
3	42.00.002V	Control pcb	
4	40.01.996	Distance bush PA d12/5x7.2	
5	1306.0218V	Washer A4,3	
6	1104.0121V	Hex nut M4 self locking	
7	87.00.165	External memory flashed	
8	3006.0107F	Buzzer	
9	87.00.136F	Conversion kit buzzer	
10	87.00.622	Pulse generator with gasket	
11	16.00.845	Holding bracket front panel	
12	1106.0803V	Hex combination nut M6 galv	
13	16.01.169	Overlay VCC/E *Rational* 112-311	
14	16.00.232	Dial f. pulse generator blue	
15	16.01.126	Isolation cover for Vitro	
16	1106.0160F	Hex nut M6	
17	10.00.189	Tooth lock washer A4 AZ6	
18	10.00.179	Washer M6 A2	
19	24.00.376	Silicone adhesive caf 33	
20	16.00.934	Glass for Vitro	
21	40.01.612	Heating element f. vitro	
22	40.01.966	Bundle 4 cable Vitro	
23	16.00.932	Isolation heating element Vitro	
24	16.00.844	Bottom plate f. isolation cover Vitro	
25	40.00.852	Grommet ø9.5	
26	74.00.386	Compression spring Vitro 1.8X16X52	
27	10.00.596	Hex screw M6x50 A2	
28	10.00.186	Washer broad LL6	
29	60.70.618	Safety loop Vitro	

Option Storage case as of 01/05 upto 01/06



Option Storage case as of 01/05 upto 01/06

Pos.	Part no.	Description	Qty.
1	16.00.933	Storage case left complete	
2	10.00.150	Slotted pan head screw M6x12 A2	
3	10.00.186	Washer broad LL6	
4	16.01.107	Storage case right complete	
5	10.00.150	Slotted pan head screw M6x12 A2	
6	10.00.186	Washer broad LL6	

Index

Part no.	Description	Page
20.00.986		7
16.00.402	"Elbow fitting to crimp 3/4"" D12"	17
50.00.600	"Elbow fitting to crimp M3/4"" D13"	17
50.00.562	"Plug brass F 1/2"""	17
50.00.592	"Plug brass M 3/4"""	17
12.00.600	5 relay pcb holder	21
24.01.175	Adapter regulation pipe steam	31, 33
1004.0663V	Allen screw M4x12	15
10.00.606	Allen screw M5x8 A2	25, 31, 33, 35
1005.0663V	Allen screw M5x10	11
1006.0626F	Allen screw M6x30	7
20.00.684	Arm raising pan	7
16.00.851	Back panel console	25
20.00.989	Bearing coupling for cable	15
20.00.688	Bearing raising arm	7
24.01.221	Bearing shaft pan inside left	5
20.00.687	Bearing shaft pan L/R	7
20.00.844	Bearing shaft pan left	7
10.00.613	Bolt M8x8 A2	7
16.00.844	Bottom plate f. isolation cover Vitro	35
20.00.915	Bowden cable for pan valve	11
40.01.966	Bundle 4 cable Vitro	35
40.01.964	Bundle power supply contactor exit	23
40.01.091	Bus cable 0.4m	23
40.00.472	Bus cable 1.3m	23
3006.0107F	Buzzer	35
40.01.908	Cable 112 X19G solenoide valve water	23
40.01.913	Cable 112 X25	23
40.01.902	Cable 112 X118.1	23
40.01.903	Cable 112 X119.1	23
40.01.916	Cable X15	23
40.01.954	Cable 112 X14	23

Index

Part no.	Description	Page
40.01.918	Cable 112 X21	23
40.01.955	Cable 112 X27	23
40.01.901	Cable 112 X117.1	23
40.01.904	Cable 112 X120.1	23
40.01.959	Cable 112 X125	23
40.01.960	Cable 112P X128	23
10.00.471F	Cable clip d10-12mm	23
10.00.472F	Cable clip d13,5-16mm	23
10.00.111	Cable clip long	5, 21
10.00.420	Cable clip middle	5
46.00.100	Cable control harness heating, left	11
46.00.103	Cable control harness heating, right	11
40.01.962	Cable X1 X46	23
40.01.914	Cable X24-127	23
50.00.156	Clamp f. hand shower roll guide	17
74.00.386	Compression spring Vitro 1.8X16X52	35
40.01.556	Contactor CL04A310M6-M	21
87.00.162	Control panel Vitro with overlay RAT	35
42.00.002V	Control pcb	35
40.00.277	Control transformer	23
87.00.136F	Conversion kit buzzer	35
3101.1008V	Cooling fan	21
24.01.122	Core temperature probe	31, 33
20.00.898	Coupling valve evacuation	11
24.01.108	Cover back left lid	31
24.01.072	Cover back right lid	33
16.00.329	Cover f. USB interface	25
16.00.232	Dial f. pulse generator blue	35
40.01.996	Distance bush PA d12/5x7.2	35
40.02.015	Distance nut PA H10 x 4.3 D.8MM	21
12.00.609	Drain pipe holder	17
10.00.103	EJOT PT-screw KA 3.5x10	25

Index

Part no.	Description	Page
10.00.460	EJOT PT-Screw Torx 3,5x14	25
40.00.465	Electronic noice filter	21
87.00.165	External memory flashed	35
40.00.417F	Fixing clip f. pcb	21
40.02.047	Fixing clip white p/1.6mm	21
40.01.967	Fixing device for SSR	21
16.00.850	Frame bottom	5
16.01.168	Frame bottom complete	5
16.00.847	Front panel console	25
4001.0224V	Fuse 6.35x32mm 6,3A slow-blow	21
4001.0226V	Fuse 6.35x32mm 16A, time-lag	21
40.01.941	Fuse 6.35x32mm 250V 8A	21
4001.1295V	Fuse holder e 1003Si/1DS	21
24.00.802	Gas-filled support 800N	5
20.00.946	Gasket f. pan valve fixing device	11
16.00.725	Gasket f. Tulip	25
5110.1024V	Gasket for G3/4" threaded joint	17
20.00.992	Gasket for plug pan valve	13
50.00.599	Gasket TESNIT 20x12x2 1/2"	17
40.02.040	Gear motor pan valve	15
16.00.934	Glass for Vitro	35
20.00.714	Graphit plate big for heating element 5600W	11
20.00.710	Graphit plate for heating element 1400W	11
40.00.852	Grommet ø9.5	35
50.00.590	Hand shower blue	17
50.00.552	Hand shower roll guide VCC	17
40.01.940	Heating element 2x2800W	11
40.01.939	Heating element 1400W	11
40.01.612	Heating element f. vitro	35
40.01.975	Heating element safety chain bundle	23
40.01.976	Heating element safety chain bundle	23
10.00.632	Hex combination nut M3	21

Index

Part no.	Description	Page
1105.0121V	Hex combination nut M5 galv	11, 21, 31, 33
1106.0801F	Hex combination nut M6	5
1106.0803V	Hex combination nut M6 galv	5, 11, 15, 17, 19, 21, 25, 31, 33, 35
10.00.607	Hex combination nut M8	5, 9, 17, 21
10.00.636	Hex nut M2 self-locking	11
1104.0120V	Hex nut M4	11, 21
1104.0121V	Hex nut M4 self locking	15, 35
1105.0120V	Hex nut M5	23
1106.0160F	Hex nut M6	11, 31, 33, 35
10.00.612	Hex nut M16 flat	31, 33
10.00.617	Hex screw 3X16 St/Zn	23
10.00.588	Hex screw M5x12 DIN933	21
1006.0762F	Hex screw M6x10	23
1006.0760V	Hex screw M6x16	5
10.00.596	Hex screw M6x50 A2	9, 35
1006.2060F	Hex screw M6x55	17
1008.0760V	Hex screw M8x16	7, 17, 21
1008.0761V	Hex screw M8x25	31, 33
1008.0766F	Hex screw M8x30	9
10.00.619	Hex socket head cap screw A2 M2X16	11
10.00.611	Hex socket head cap screw A2 M3X20	21
10.00.626	Hex socket head cap screw A2 M4X20	21
10.00.615	Hex socket set screw cup point A2 M6X8	9
10.00.452	Hex socket set screw cup point A2 M4X4	9
1004.0905V	Hex socket set screw M5x6	5
24.01.218	Hinge lid pressure	31, 33
24.00.795	Holder raising jack gas	5
16.00.845	Holding bracket front panel	35
50.00.348	Hose clamp 12.22 L9	17
20.00.715	Hose clamp 31,3 mm	11
10.00.648	Hose clamp d.20.2	31, 33

Index

Part no.	Description	Page
10.00.635	Hose clamp d7mm	23
10.00.656	Hose clamp D9.1	19
10.00.645	Hose clamp D44.4	11, 19
2066.0533V	Hose clamp ø10.1	17
2066.0530V	Hose clamp ø16.4mm	17, 19
2066.0525V	Hose clamp ø22,1 mm	5
12.00.611	I/O relay pcb A4 holder	23
40.00.470	Interface cable USB 1.5m	25
16.01.126	Isolation cover for Vitro	35
16.00.932	Isolation heating element Vitro	35
20.00.689	Key toppling ppan/lid	7, 9
20.00.947	Lever cpl. f. pan valve	11
20.00.957	Lever f. bowden cable pan valve	15
24.01.150	Lid cover left welded	31
24.01.149	Lid cover right welded	33
24.01.153	Lid gasket left	31
24.01.151	Lid gasket right	33
24.01.084	Lid handle right	33
24.01.115	Lid welded	31
24.01.081	Lid welded	33
40.01.708	Lifting cylinder for left pan	5
24.00.803	Lifting cylinder for lid	5
40.01.972	Lifting cylinder for right pan	5
10.00.187	Lock washer AZ 4	21
24.01.116	Locking handle left	31
50.00.086	Locking plate f. water distribution	17
12.00.224	Lower part of pedestal 110mm	5
24.00.769	Magnet for lid (core temperature)	31, 33
40.01.965	Main bundle	23
24.01.195	Maintenance arises bends joint lid	31, 33
12.00.598	Micro switch holder lid position	23
40.01.709	Micro switch lid position	23

Index

Part no.	Description	Page
20.00.923	Micro switch pan left valve position	11
40.01.710	Micro switch pan right valve position	11
50.00.078	Non return valve DW16/DN12	17
10.00.225	Nut 3/8"	31, 33
20.00.680	O-ring 21x 1.5	31, 33
20.00.692	O-ring 24X3 EPDM	7
10.00.675	O-ring f. pan valve 17.3 x 2.4	13
1008.0769V	Ornamental screw M8x30	5
16.01.169	Overlay VCC/E *Rational* 112-311	35
10.00.507	Pan head screw Torx 5/16" T20	21
20.00.960	Pan left assembly	11
16.00.856	Pan left front panel assembly	25
16.00.848	Pan panel for left pan	25
16.00.859	Pan panel for right pan	25
20.00.959	Pan right assembly	11
16.00.855	Pan right front panel assembly	25
20.00.876	Pan valve motor holder	15
24.01.089	Pipe water filling	31, 33
20.00.970	Plug for pan valve	13
40.01.989	Power supply cable 3NAC 400V	23
2067.0050V	Pressure hose d10mm	17
87.00.622	Pulse generator with gasket	35
1004.0500F	Raised countersunk metal screw M4x8 oval head	21
42.00.038	Relay pcb (5 Relay)	21
42.00.055V	Relay-I/O pcb	21
42.00.039	Relay-I/O pcb A4	23
20.00.799	Ring for sheath	7, 9
24.00.798	Ring sheath pan left / right	7, 9
60.70.618	Safety loop Vitro	35
3014.0325V	Safety temperature limiter 110°C	11
40.00.673	Safety temperature limiter 220° (Oil too hot)	21
1328.0102F	Safety washer A10,2	5

Index

Part no.	Description	Page
1251.1000V	Safety washer ø5mm	11
24.00.760	Shaft hoist swing shaft	7
20.00.883	Shaft jack pan	5
20.00.685	Shaft toppling pan welded	7
20.00.905	Sheath for pan valve	13
24.00.801	Sheath shaft pan L/R	7, 9
12.00.617	Shower roll guide holder	17
16.01.123	Side panel left console	25
16.01.124	Side panel right conole	25
24.00.376	Silicone adhesive caf 33	35
24.01.232	Silicone hose 6x9	17, 19
24.00.348	Silicone hose D30/40	19
50.00.568	Silicone hose diameter out 14mm in 8mm	17, 19
50.00.316	Single solenoid valve	17
1004.0023F	Slotted pan head screw M4x6	21
10.00.150	Slotted pan head screw M6x12 A2	25, 37
40.01.410	Socket 2P+T 16A (Germany)	25
10.00.107	Socket cap screw M10x35	5
87.00.196	Socket cover for tulip blue	27
50.00.575	Solenoide valve (connector color brown)	17
40.01.589	Solid state relais	21
20.00.480	Split-pin 3.2x22 A2	5, 7
1205.0260F	Spring washer B5	11
1208.0260F	Spring washer B8	7
1107.0101V	Star lock ø5	25
24.00.889	Stop ring	9
16.00.933	Storage case left complete	37
16.01.107	Storage case right complete	37
54.01.388	T-fitting TS10 brass	17
40.00.826	Terminal block 25qmm blue	21
40.00.639	Terminal block 25qmm g/y	21
20.00.850	Thermocouple bundle	11

Index

Part no.	Description	Page
20.00.849	Thermocouple bundle	11
20.00.853	Thermocouple pan left	11
20.00.854	Thermocouple pan right	11
12.00.603	Thermostat and fuse holder complete	21
10.00.189	Tooth lock washer A4 AZ6	11, 35
1208.0160V	Tooth lock washer A8,4	9
40.01.712	Transformer	23
10.00.652	Tube for drip collector fixation	5
87.00.256	Tulip blue for hand shower part n° 87.00.256	25
12.00.205	Upper part of pedestal	5
1306.0218V	Washer A4,3	15, 21, 35
1306.0120V	Washer A6,4	11
1308.0161V	Washer A8,4	7
1308.0160V	Washer A8,4	9, 21, 31, 33
1310.0160V	Washer A10,5	5
10.00.186	Washer broad LL6	35, 37
10.00.625	Washer M2 A2	11
10.00.179	Washer M6 A2	35
8664.1007V	Water distribution unit	17
50.00.073	Water distribution vert w/o roll guide con.	17
1900.0202V	Water filter	17
40.01.311	Water volume sensor Vision 2000 3/8"	17
24.01.230	Y-fitting Y 16	5
2062.0338F	Y-fitting, YS6	19

RATIONAL Aktiengesellschaft
Siegfried-Meister-Straße 1
86899 Landsberg am Lech
Germany

Web: www.rational-online.com
info@rational-online.com

Telephone: +49 8191-327-0

Managing Board: Managing Director Dr. Peter Stadelmann,
Peter Wiedemann, Markus Paschmann
Chairman of the Supervisory Board: Walter Kurtz

Registered Office: Landsberg am Lech
Court of Registration: Augsburg
District Court Commercial Register Dept. B: 2001
VAT number: DE 128673942