# Service part catalogue

## Modell CM 101


**G11MD0403**




28.07.2020
1 NAC 230V 50-60Hz

Kat-RTS_140922
©Copyright by RATIONAL Technical Service
All Rights reserved


# Overview



# Overview


| Pos. | Assembly | Page |
|---|---|---|
| 1 | Control panel | 4 |
| 2 | Electrical installation | 12 |
| 3 | Clima Plus | 22 |
| 4 | Steam generator, Bypass | 24 |
| 5 | Hot air heating | 38 |
| 6 | Motor and fan wheel | 40 |
| 7 | Interior cabinet | 46 |
| 8 | Door | 56 |
| 9 | Water supply, quenching box | 68 |
| 10 | Hand shower | 76 |
| 12 | Gas parts | 78 |
| 13 | Exterior cabinet | 88 |
| 14 | Miscellaneous | 114 |

# Control panel



# Control panel


| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 2750.1334 | Protective grating plastic for filter | |
| 6 | 5012.0565 | O-ring inlet filter | |
| 9 | 8720.1343 | Control panel insert with overlay | |
| 10 | 8455.1377 | Air inlet filter | |
| B | | Panel insert | |

# Panel insert









# Panel insert

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1106.0160 | Hex nut M6 | |
| 2 | 1206.0120 | Tooth lock washer A6,4 | |
| A | | Panel insert | |


# Panel insert



# Panel insert

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1103.0120 | Hex nut M3 | |
| 2 | 1104.0121 | Hex nut M4 self locking | |
| 3 | 1306.0218 | Washer A4,3 | |
| 3 | 1304.0160 | Washer A4,3 | |
| 6 | 2039.0326 | Spacer for pcb | |
| 7 | 2052.1180 | Sticker name trade sign Rational | |
| 9 | 3006.0107 | Buzzer | |
| 10 | 3013.0344 | Dial blue, | |
| 14 | 4005.0101 | Tie rap 145 mm | |
| 14 | 4005.0103 | Tie rap black | |
| 15 | 5100.1011 | Gasket | |
| 16 | 5110.1027 | Distance plate for front panel | |
| 17 | 5110.1028 | Gasket poti hot air, core temperature | |
| 18 | 8720.1300 | Bus cable CPU - operator pcb | |
| 20 | 1603.0166 | Rivet 3,2x7,9 CNS closed | |
| A | 3040.3210 | Operator pcb | |


# Operator pcb



# Operator pcb

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1315.0101 | Copper washer 6x10 | |
| 2 | 5110.1029 | Gasket mode switch | |
| 3 | 2760.1100 | Stop for Poti-Core temperature | |
| 4 | 2760.1129 | Stop for mode switch | |
| 5 | 2022.0100 | Silicone gasket red, for PG 9 15x4mm | |


# Electrical installation



# Electrical installation

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1104.0122 | Hex combination nut M4 galv | |
| 3 | 3040.0316 | E-Prom C5.02 | |
| 4 | 4004.0114 | Wire end sleeve 0,75 mm² blue insulated | |
| 7 | 4004.0302 | Circular pin sleeve for ignition and monring electrode | |
| B | | Contactor assembly | |


# Contactor assembly



# Contactor assembly

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1004.0660 | Allen screw M4x10 | |
| 2 | 1004.2161 | Hex self tapping screw 4,2x13 | |
| 3 | 1006.0761 | Hex screw M6x12 | |
| 5 | 1104.0122 | Hex combination nut M4 galv | |
| 7 | 1107.0103 | Star lock ø3 | |
| 8 | 1204.0120 | Tooth lock washer A4,3 | |
| 9 | 1306.0120 | Washer A6,4 | |
| 11 | 3014.0300 | Dry up protector 257°F/135°C | |
| 12 | 3014.0302 | Hex nut M10 for dry-up protector | |
| 12 | 3014.0327 | Hex nut M10x1,0 | |
| 13 | 3014.0326 | Safety temperature limiter 365°C, | |
| 23 | 3038.0315 | Cover for terminal box | |
| 25 | 3040.0262 | Multipoint connector left 10pin, 3.5 | |
| 26 | 3040.3001 | Main pcb | |
| 27 | 3040.3040 | Motor control for fan motor | |
| 28 | 3101.1008 | Cooling fan | |
| 30 | 4002.0110 | Cable connector, junction | |
| A | | Power connection box | |
| B | | Contactor assembly | |


# Power connection box



# Power connection box

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 4001.1203 | End plate for mounting rail | |
| 2 | 4001.1210 | Earth terminal 16mm² yellow/green | |
| 3 | 4001.1216 | Terminal block 4smm² grey | |
| 4 | 3038.0313 | Terminal box M32 without cover | |


# Contactor assembly



# Contactor assembly

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 1004.2161 | Hex self tapping screw 4,2x13 | |
| 4 | 1104.0121 | Hex nut M4 self locking | |
| 5 | 1104.0122 | Hex combination nut M4 galv | |
| 6 | 1104.0800 | Cage nut M4 | |
| 10 | 1304.0160 | Washer A4,3 | |
| 12 | 2020.0400 | Fixing device for cable harness | |
| 14 | 2039.0370 | Spacer 12x1,6 | |
| 17 | 3001.0469 | Electronic noise filter | |
| 25 | 3028.0551 | Contactor AEG LS4K10 | |
| 36 | 3037.0240 | Control transformer | |
| 51 | 4001.0224 | Fuse 6.35x32mm | |
| 52 | 4001.1203 | End plate for mounting rail | |
| 54 | 4001.1216 | Terminal block 4smm² grey | |
| 55 | 4001.1217 | Side plate for terminal block 4mm² | |
| 57 | 4001.1295 | Fuse holder e 1003Si/1DS | |
| 60 | 4005.0101 | Tie rap 145 mm | |
| 61 | 5013.0100 | Edge protection profile | |

# Contactor assembly



# Contactor assembly

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 1004.2161 | Hex self tapping screw 4,2x13 | |
| 4 | 1104.0121 | Hex nut M4 self locking | |
| 5 | 1104.0122 | Hex combination nut M4 galv | |
| 6 | 1104.0800 | Cage nut M4 | |
| 10 | 1304.0160 | Washer A4,3 | |
| 12 | 2020.0400 | Fixing device for cable harness | |
| 14 | 2039.0370 | Spacer 12x1,6 | |
| 17 | 3001.0469 | Electronic noise filter | |
| 25 | 3028.0551 | Contactor AEG LS4K10 | |
| 36 | 3037.0240 | Control transformer | |
| 51 | 4001.0224 | Fuse 6.35x32mm | |
| 52 | 4001.1203 | End plate for mounting rail | |
| 54 | 4001.1216 | Terminal block 4smm² grey | |
| 55 | 4001.1217 | Side plate for terminal block 4mm² | |
| 57 | 4001.1295 | Fuse holder e 1003Si/1DS | |
| 60 | 4005.0101 | Tie rap 145 mm | |
| 61 | 5013.0100 | Edge protection profile | |

# Clima Plus








# Clima Plus

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 4 | 3014.1016 | Thermocouple | |
| 22 | 8455.1209 | Vent cover | |


# Steam generator, Bypass



# Steam generator, Bypass

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 5 | 5003.0300 | Insulation, melamin resin foam | |
| A | | Steam generator | |
| C | | Safety valve | |


# Steam generator



# Steam generator

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1106.0803 | Hex combination nut M6 galv | |
| 1 | 1105.0122 | Hex combination nut M5 V2A | |
| 4 | 1206.0261 | Spring washer B6 | |
| 5 | 2001.0040 | Loctite 243 50ml | |
| 8 | 2036.0612 | Union nut | |
| 9 | 2036.0613 | Cutting ring for gas fitting | |
| 11 | 2066.0503 | Hose clamp 25-40mm | |
| 13 | 2067.1633 | Steam hose silicon 60mm long | |
| 14 | 2112.1019 | Silicon hose | |
| 15 | 2740.1040 | Fixing plate steam generator thermostat | |
| 22 | 3101.1016 | Blower for burner RG100 | |
| 25 | 5110.1318 | Gasket for burner housing | |
| 26 | 9003.0211 | Klüberpaste HEL 46-450 70g tube | |
| 28 | 1006.0623 | Allen screw M6x10 | |
| 29 | | Silicon hose | |
| A | | Steam generator | |


# Steam generator



# Steam generator

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1006.0761 | Hex screw M6x12 | |
| 2 | 1105.0122 | Hex combination nut M5 V2A | |
| 11 | 2066.0205 | Hose clamp 8-16x9 mm SW 7mm | |
| 13 | 2066.0526 | Hose clamp ø46mm | |
| 13 | 2066.0522 | Hose clamp ø 31,3 mm | |
| 13 | 2066.0519 | Hose clamp Ø35,6mm | |
| 16 | 2112.1309 | Emptying hose steam generator | |
| 20 | 3002.1005 | Emptying pump | |
| 30 | 1306.0222 | Washer A6,4x15x1,5 | |
| 32 | 3002.1000 | Emptying pump | |
| A | 8350.3101 | Steam generator insolated | |
| B | | Pump connection | |

# Steam generator insolated



# Steam generator insolated

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1105.0122 | Hex combination nut M5 V2A | |
| 2 | 3002.0409 | Filling-level electrode 74mm | |
| 3 | 5003.0300 | Insulation, melamin resin foam | |
| 4 | 5006.0500 | Polyurethan-Glue for insulation 310ml | |
| 5 | 5110.1308 | Gasket for level elektrode insert | |
| 6 | 5110.1317 | Gasket for flange steam generator top | |


# Pump connection



# Pump connection

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 2062.0331 | Junction pressure hose GS 10 | |
| 2 | 2066.0527 | Hose clamp ø14mm | |
| 3 | 2066.0530 | Hose clamp ø16.4mm | |
| 4 | | Silicon hose | |
| 5 | 2118.1000 | Pump connection spout | |
| 6 | 2120.1259 | Stop plug 10mm | |
| 7 | 4005.0101 | Tie rap 145 mm | |


# Safety valve



# Safety valve

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1107.0103 | Star lock ø3 | |
| 2 | 2001.0124 | Compression spring | |
| 3 | 2066.0531 | Hose clamp ø56 | |
| 4 | 2112.1311 | Steam hose 50x3 215mm | |
| 5 | 8450.1310 | Spacer ring | |
| A | 8450.1304 | Safety valve | |


# Safety valve



# Safety valve

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1107.0103 | Star lock ø3 | |
| 2 | 2001.0117 | Compression spring for safety valve | |
| 3 | | Base for safety valve | |
| 4 | 2064.1304 | Cover for safety valve | |


# Hot air heating



# Hot air heating

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 8668.1340 | Flange, air intake fitting hot air | |
| 2 | 8668.1313 | Hot air burner | |

# Motor and fan wheel



# Motor and fan wheel

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1008.1005 | Square necked mushroom head bolt 8x40 | |
| 2 | 2120.1306 | Spacer SW19x17 | |
| 3 | 2920.1301 | Inner sealing flange | |
| 6 | 3100.1083 | Fan motor 4pol | |
| 8 | 5001.0207 | Motor shaft gasket | |
| 9 | 8514.1339 | Motor shaft gasket mounting support | |
| 11 | 8720.1384 | Hallsensor cpl | |
| A | | Fan motor assy | |
| A | | Fan motor assy | |

# Fan motor assy



# Fan motor assy

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1010.0762 | Hex screw M10x20 | |
| 2 | 1108.0260 | Hex nut M8 | |
| 3 | 1208.0260 | Spring washer B8 | |
| 4 | 1328.0102 | Safety washer A10,2 | |
| 5 | 2012.0512 | Fan wheel | |


# Fan motor assy



# Fan motor assy

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 1008.1005 | Square necked mushroom head bolt 8x40 | |
| 3 | 1010.0762 | Hex screw M10x20 | |
| 4 | 1106.0220 | Hex nut M6 flat | |
| 5 | 1108.0260 | Hex nut M8 | |
| 6 | 1208.0260 | Spring washer B8 | |
| 7 | 1306.0120 | Washer A6,4 | |
| 8 | 1315.0101 | Copper washer 6x10 | |
| 9 | 1315.0109 | Copper washer 8.5x16x1,2 | |
| 10 | 1328.0102 | Safety washer A10,2 | |
| 14 | 2012.0512 | Fan wheel | |
| 17 | 2120.1306 | Spacer SW19x17 | |
| 18 | 2920.1301 | Inner sealing flange | |
| 21 | 5001.0207 | Motor shaft gasket | |
| 23 | 8514.1339 | Motor shaft gasket mounting support | |
| 25 | 8514.1343 | Gasket flange | |

# Interior cabinet



# Interior cabinet

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 3 | 2005.0305 | Outlet sieve w. disc | |
| 5 | 2035.0112 | Moistening nozzle | |
| 6 | 2720.1073 | Mounting device for int.cabinet sensor | |
| 11 | 2760.1089 | Guide bush for core temperatur sensor | |
| 12 | 3014.0162 | Sealing cone for thermocouple | |
| 13 | 3014.0163 | Gasket sleeve with nipple | |
| 15 | 3014.1000 | Thermocouple for interior cabinet | |
| 16 | 3035.0711 | Meat probe sensor | |
| 19 | 5105.1021 | Door gasket | |
| 20 | 8514.1018 | Reflector for interior light | |
| 23 | 2760.1132 | Holding bracket core probe tip | |
| A | | Interior light | |
| B | 8516.1329 | Air baffle | |
| D | | Quenching box | |


# Interior light



1



2



A

# Interior light

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1008.0753 | Hex screw M5x8 | |
| 2 | 3024.0201 | Halogen bulb 300°C | |
| A | 8514.1034 | Gasket frame with glass and gaskets | |


# Gasket frame with glass and gaskets



# Gasket frame with glass and gaskets

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 5110.1022 | External gasket frame for interior light | |
| 2 | 5110.1023 | Internal gasket frame for interior light | |
| 3 | 5201.1000 | Glass for interior lamp | |
| 4 | 8514.1017 | Gasket frame for interior light | |


# Air baffle



# Air baffle

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1304.0160 | Washer A4,3 | |
| 2 | 1604.0165 | Rivet 4x9,9 | |
| 2 | 1604.0167 | Rivet 4x10 | |
| 3 | 2760.1370 | Latch hook for air baffle | |

# Quenching box



# Quenching box

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 5003.0300 | Insulation, melamin resin foam | |
| 2 | 5006.0500 | Polyurethan-Glue for insulation 310ml | |


# Door















# Door

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 8474.1337 | Inner glass pane | |
| 1 | 8474.1340 | Inner glass pane | |
| A | | Door | |
| A | | Door LH | |


# Door LH



# Door LH

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1005.2000 | Interlocking tooth screw M5x8 | |
| 2 | 1006.0760 | Hex screw M6x16 | |
| 2 | 1008.0766 | Hex screw M8x30 | |
| 3 | 1008.0768 | Ornamental screw M8x16 | |
| 4 | 1308.0160 | Washer A8,4 | |
| 4 | 1306.0120 | Washer A6,4 | |
| 4 | 1308.0162 | Washer A8,4 | |
| 5 | 2001.0109 | Compression spring | |
| 6 | 2016.1504 | Door handle Rational | |
| 7 | 2039.0340 | Internal lock cover | |
| 8 | 2120.1254 | Door bolt top | |
| 10 | 2930.1306 | Door mounting support bottom | |
| 11 | 2930.1307 | Door mounting support top | |
| 13 | 2940.1304 | Door setting console 80° | |
| 14 | 2940.1313 | Base for door catch | |
| 15 | 2940.1314 | Door catch for 1- and 2-step lock | |
| 16 | 9003.0211 | Klüberpaste HEL 46-450 70g tube | |
| A | 8470.1304 | Door cpl. | |

# Door cpl.



# Door cpl.

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1005.1966 | Countersunk screw Torx M5x16 | |
| 2 | 1008.0750 | Hex screw M5x16 | |
| 3 | 1105.0122 | Hex combination nut M5 V2A | |
| 4 | 1305.0260 | Washer A5,3x15mm | |
| 5 | 1901.0041 | Spring clip stainless steel | |
| 6 | 2001.0040 | Loctite 243 50ml | |
| 7 | 2760.1396 | Spring supp. f. int. glass holding bra. | |
| 9 | 2940.1302 | Door setting bolt | |
| 10 | 2940.1309 | Hinge for inner glass | |
| 12 | 5006.0200 | Silicon tube E41 90ml | |
| 13 | 5006.0212 | Silicone tube E127, 310 ml silver | |
| 14 | 9003.0210 | Optimol paste white T400 ml | |
| 15 | 9003.0211 | Klüberpaste HEL 46-450 70g tube | |
| 17 | 1603.0166 | Rivet 3,2x7,9 CNS closed | |
| 17 | 1603.0161 | Rivet 3,2x6 | |
| 18 | 2002.0106 | Tension spring for inner window | |
| 19 | 2039.0402 | Spacer for interior door | |
| 20 | 2760.1395 | Fixing bracket for interior glass pane | |
| A | 8474.1377 | Door drip collector | |


# Door drip collector



# Door drip collector

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1103.0122 | Hex nut M3 self-locking | |
| 2 | 2001.0122 | Cone compression spring for drip tray | |
| 3 | 2039.0339 | Plastic knop for door drip tray | |
| 4 | 2120.1308 | Distance nut M3 for door drip collector | |
| 5 | 2760.1540 | Opening device for drain door drip colle | |


# Door



# Door

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1005.2000 | Interlocking tooth screw M5x8 | |
| 2 | 1006.0760 | Hex screw M6x16 | |
| 2 | 1008.0766 | Hex screw M8x30 | |
| 3 | 1008.0768 | Ornamental screw M8x16 | |
| 4 | 1306.0120 | Washer A6,4 | |
| 4 | 1308.0160 | Washer A8,4 | |
| 4 | 1308.0162 | Washer A8,4 | |
| 5 | 2001.0109 | Compression spring | |
| 6 | 2016.1504 | Door handle Rational | |
| 7 | 2039.0340 | Internal lock cover | |
| 8 | 2120.1254 | Door bolt top | |
| 10 | 2930.1306 | Door mounting support bottom | |
| 11 | 2930.1307 | Door mounting support top | |
| 12 | 2940.1303 | Door setting console 110° | |
| 14 | 2940.1313 | Base for door catch | |
| 15 | 2940.1314 | Door catch for 1- and 2-step lock | |
| A | 8470.1301 | Door cpl. | |

# Door cpl.



# Door cpl.

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1005.1966 | Countersunk screw Torx M5x16 | |
| 3 | 1105.0122 | Hex combination nut M5 V2A | |
| 5 | 1901.0041 | Spring clip stainless steel | |
| 7 | 2760.1396 | Spring supp. f. int. glass holding bra. | |
| 8 | 2940.1300 | Sleeve for door bolt top | |
| 9 | 2940.1302 | Door setting bolt | |
| 10 | 2940.1309 | Hinge for inner glass | |
| 11 | 3016.1409 | Magnet round for door contact d10x40 | |
| 12 | 5006.0200 | Silicon tube E41 90ml | |
| 13 | 5006.0212 | Silicone tube E127, 310 ml silver | |
| 14 | 9003.0210 | Optimol paste white T400 ml | |
| 15 | 9003.0211 | Klüberpaste HEL 46-450 70g tube | |
| 16 | 8474.1300 | Door lock | |
| 17 | 1603.0166 | Rivet 3,2x7,9 CNS closed | |
| 18 | 2002.0106 | Tension spring for inner window | |
| 19 | 2039.0402 | Spacer for interior door | |
| 20 | 2760.1395 | Fixing bracket for interior glass pane | |
| A | 8474.1377 | Door drip collector | |

# Water supply, quenching box



# Water supply, quenching box

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 2066.0205 | Hose clamp 8-16x9 mm SW 7mm | |
| 3 | 2066.0504 | Hose clamp 40-60mm | |
| 3 | 2066.0503 | Hose clamp 25-40mm | |
| 4 | 2067.0050 | Pressure hose d10mm | |
| 6 | 2118.1250 | Rubber form piece venting pipe | |
| 7 | 3002.0330 | Double solenoid valve | |
| 8 | 3002.0331 | Single solenoid valve | |
| 13 | 2066.0525 | Hose clamp ø22,1 mm | |
| A | | Venting valve | |
| B | | Water connection | |
| C | | Quenching box | |


# Venting valve



# Venting valve

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 2062.0332 | Receptacle for ventilation valve SG | |
| 2 | 2066.0205 | Hose clamp 8-16x9 mm SW 7mm | |
| 3 | 2066.0506 | Hose clamp 20-32mm | |
| 4 | 2067.0050 | Pressure hose d10mm | |
| 5 | 2069.0108 | Ventilation valve | |
| 6 | 2112.1310 | Form hose for ventilation of steam generator | |


# Water connection



# Water connection

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1004.0666 | Hex screw M4x10 | |
| 2 | 1105.0122 | Hex combination nut M5 V2A | |
| 6 | 1900.0202 | Water filter | |
| 9 | 2062.0333 | Housing for non returne valve | |
| 10 | 2066.0205 | Hose clamp 8-16x9 mm SW 7mm | |
| 11 | 2067.0050 | Pressure hose d10mm | |
| 12 | 2069.0108 | Ventilation valve | |
| 13 | 3002.0339 | Fixing bracket for solenoid valve | |
| 15 | 5110.1024 | Gasket for G3/4" threaded joint | |
| 16 | 8664.1301 | T-fitting water connection | |
| 17 | 1603.0166 | Rivet 3,2x7,9 CNS closed | |
| A | | Venting valve | |


# Quenching box



# Quenching box

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1008.0750 | Hex screw M5x16 | |
| 3 | 2016.0935 | Quenching nozzle 2.3 l/min. | |
| 5 | 3014.0162 | Sealing cone for thermocouple | |
| 6 | 3014.0163 | Gasket sleeve with nipple | |
| 7 | 5003.0300 | Insulation, melamin resin foam | |
| 8 | 5006.0500 | Polyurethan-Glue for insulation 310ml | |
| 9 | 5012.0566 | Gasket f. inspection lid | |
| 11 | 8666.1325 | Cross bar for flange quenching chamber | |
| 12 | 8666.1318 | Flange quenching chamber | |


# Hand shower



# Hand shower

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 2060.0228 | O-ring for shower hose | |
| 2 | 2060.1006 | Hand shower | |
| 3 | 2060.1210 | Tulip for handshower | |
| 4 | 2062.0327 | Connecting pipe for hand shower | |
| 6 | 2069.0106 | Non return valve DN 10 Handshower | |
| 7 | 5110.1024 | Gasket for G3/4" threaded joint | |
| 8 | 8655.2021 | Hand shower roll guide | |
| 10 | 2110.1002 | Silicone hose d15x3 | |
| 11 | 8664.1300 | T-fitting handshower connection | |

# Gas parts



# Gas parts

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 3 | 2112.1328 | Air sucking hose PG29 650mm | |
| 3 | 2112.1321 | Air sucking hose for blower motor steam | |
| 3 | 2112.1323 | Air sucking hose for blower motor steam | |
| 3 | 2112.1322 | Air sucking hose for blower motor steam | |
| 5 | 5110.1310 | Gasket for exhaust flange | |
| 6 | 5110.1311 | Gasket for Burner flange | |
| 7 | 8668.1306 | Exhaust pipe | |
| 9 | 8720.1503 | Conversion kit gas to natural gasG21 | |
| 9 | 8720.1483 | Conversion kit gas to LPG 3P | |
| 9 | 8720.1482 | Conversion kit gas to LPG 3B/P, 3+ | |
| 9 | 8720.1480 | Conversion kit gas to natural g high | |
| 9 | 8720.1484 | Conversion kit gas to Towngas | |
| 9 | 8720.1481 | Conversion kit gas to natural g. low | |
| 10 | 8668.1315 | Burner pipe | |
| A | | Gas module | |
| B | | Burner | |


# Gas module



# Gas module

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1106.0803 | Hex combination nut M6 galv | |
| 1 | 1105.0121 | Hex combination nut M5 galv | |
| 1 | 1105.0122 | Hex combination nut M5 V2A | |
| 3 | 1206.0261 | Spring washer B6 | |
| 4 | 1306.0120 | Washer A6,4 | |
| 5 | 2001.0043 | Loctite 54234 50ml | |
| 8 | 2112.1019 | Silicon hose | |
| 9 | | Primäry gas diffuser | |
| 13 | 3039.0107 | Gas ignition module | |
| 16 | 3101.1016 | Blower for burner RG100 | |
| 17 | 4002.0111 | Slip-on terminal 0,5-1,0mm², 6,3mm | |
| 18 | 4004.0302 | Circular pin sleeve for ignition and monring electrode | |
| 19 | 5110.1311 | Gasket for Burner flange | |
| 20 | 5110.1343 | Air orifice gasket hot air Natural Gas | |
| 21 | 5110.1318 | Gasket for burner housing | |
| 23 | 9003.0211 | Klüberpaste HEL 46-450 70g tube | |
| 24 | 8801.1209 | Wire set ignition/monitoring | |
| 26 | 1006.0623 | Allen screw M6x10 | |
| A | | Gas supply | |
| B | | Burner | |

# Gas supply



# Gas supply

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 2001.0043 | Loctite 54234 50ml | |
| 2 | 2036.0600 | Ermeto gas fitting GE-15 | |
| 3 | 2036.0606 | Ermeto threading EOG-15PL, A3C | |
| 4 | 2036.0607 | Ermeto gas angle W15 PL A3C | |
| 5 | 2036.0612 | Union nut | |
| 6 | 2036.0613 | Cutting ring for gas fitting | |
| 7 | 2036.0614 | Connecting flange 1/2" f.gas valve | |
| 9 | 2115.1013 | Corrugated hose G1/2 lenght 575mm | |
| 11 | 2910.1327 | Gas conection manifold | |
| 15 | 3039.0245 | Gas valve | |
| 16 | 8668.1365 | Blower connection | |

# Burner



# Burner

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1203.0260 | Spring washer B3 | |
| 2 | 2022.0111 | Grommet for ignition/monitoring wire | |
| 3 | 2068.0300 | Ignition electrode | |
| 4 | 1003.0660 | Allen screw M3x8 | |


# Burner



# Burner

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1203.0260 | Spring washer B3 | |
| 2 | 2022.0111 | Grommet for ignition/monitoring wire | |
| 3 | 2068.0300 | Ignition electrode | |
| 4 | 1003.0660 | Allen screw M3x8 | |
| 5 | 8668.1315 | Burner pipe | |


# Exterior cabinet



# Exterior cabinet

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 7 | 2039.0122 | Upper part of pedestal, 70mm, black grey | |
| 8 | 2039.0123 | Lower part of pedestal, black grey | |
| 10 | 2510.530746 | Stop for potentiometer hot air | |
| 12 | 2710.1325 | Bracket for door contact switch | |
| 19 | 2812.1304 | Spacer for vent cover | |
| 20 | 3016.1415 | Door switch | |
| 21 | 5013.0100 | Edge protection profile | |
| 22 | 8450.1310 | Spacer ring | |
| 22 | 8455.1209 | Vent cover | |
| A | | Exterior cabinet | |
| A | | Exterior cabinet LH | |
| B | | Draft diverter | |
| C | | Base frame | |
| C | | Base frame | |


# Exterior cabinet



# Exterior cabinet

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1003.2160 | Hex self tapping screw 2,9x9,5 | |
| 2 | 1003.2261 | Raised counters. head self tapp. screw 4,2x13 | |
| 3 | 1003.2265 | Countersunk self tapping screw 4,2x16 | |
| 4 | 1004.0666 | Hex screw M4x10 | |
| 5 | 1004.2160 | Hex self tapping screw 4,2x16 | |
| 6 | 1103.0600 | PVC plug in nut for metal screw 2.9mm | |
| 7 | 1104.0820 | Snap nut 4,2mm | |
| 8 | 1105.0260 | Cap nut M5, high shape | |
| 9 | 1107.0100 | Star lock ø4 | |
| 10 | 1305.0160 | Washer A5,3x10mm | |
| 10 | 1304.0150 | Washer A3,2 | |
| 11 | 2039.0331 | Cap for service door | |
| 12 | 2060.1210 | Tulip for handshower | |
| 13 | 2066.0525 | Hose clamp ø22,1 mm | |
| 14 | 2110.1002 | Silicone hose d15x3 | |
| 15 | 2710.1451 | Back panel | |
| 15 | 2710.1309 | Back panel | |
| 18 | 2710.1316 | Crossbar top | |
| 19 | 2710.1448 | Side panel right | |
| 19 | 8455.1439 | Side panel right | |
| 23 | 3016.1415 | Door switch | |
| 26 | 5100.1012 | Gasket venting pipe-top cover | |
| 28 | 2039.0371 | Drip collector plastic | |
| 28 | | Drip collector | |
| 28 | 8455.1465 | Drip collector | |
| 30 | 8457.1338 | Top cover | |
| 31 | 1304.0166 | Spicer D4.3/8.0 L5.0 | |
| 32 | 1603.0161 | Rivet 3,2x6 | |
| 32 | 1603.0166 | Rivet 3,2x7,9 CNS closed | |
| A | 8455.1383 | Side panel left | |
| A | 8455.1459 | Front panel | |
| B | 8457.1315 | Top cover | |


# Front panel



# Front panel

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1003.2261 | Raised counters. head self tapp. screw 4,2x13 | |
| 3 | 1104.0820 | Snap nut 4,2mm | |
| 4 | 1107.0104 | Star lock ø6 | |
| 7 | | Front panel | |
| 8 | 5006.0212 | Silicone tube E127, 310 ml silver | |
| 10 | 8464.1307 | Opening mechanism for panel insert | |
| 11 | 2002.0107 | Tension spring for front panel | |


# Side panel left



# Side panel left

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 5 | 1104.0820 | Snap nut 4,2mm | |
| 14 | 5100.1002 | Insulating tape 8x6mm | |
| 16 | 5006.0500 | Polyurethan-Glue for insulation 310ml | |
| 17 | 5003.0300 | Insulation, melamin resin foam | |


# Top cover



# Top cover

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1105.0260 | Cap nut M5, high shape | |
| 2 | 1305.0160 | Washer A5,3x10mm | |
| 3 | 1603.0161 | Rivet 3,2x6 | |


# Exterior cabinet LH



# Exterior cabinet LH

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1003.2160 | Hex self tapping screw 2,9x9,5 | |
| 2 | 1003.2261 | Raised counters. head self tapp. screw 4,2x13 | |
| 3 | 1003.2265 | Countersunk self tapping screw 4,2x16 | |
| 4 | 1004.0666 | Hex screw M4x10 | |
| 5 | 1004.2160 | Hex self tapping screw 4,2x16 | |
| 6 | 1103.0600 | PVC plug in nut for metal screw 2.9mm | |
| 7 | 1104.0820 | Snap nut 4,2mm | |
| 8 | 1105.0260 | Cap nut M5, high shape | |
| 9 | 1107.0100 | Star lock ø4 | |
| 10 | 1305.0160 | Washer A5,3x10mm | |
| 10 | 1304.0150 | Washer A3,2 | |
| 11 | 2039.0331 | Cap for service door | |
| 12 | 2060.1210 | Tulip for handshower | |
| 13 | 2066.0525 | Hose clamp ø22,1 mm | |
| 14 | 2110.1002 | Silicone hose d15x3 | |
| 15 | 2710.1309 | Back panel | |
| 15 | 2710.1451 | Back panel | |
| 19 | 8455.1440 | Side panel right | |
| 19 | 2710.1449 | Side panel right | |
| 23 | 3016.1415 | Door switch | |
| 26 | 5100.1012 | Gasket venting pipe-top cover | |
| 28 | | Drip collector | |
| 28 | 8455.1465 | Drip collector | |
| 28 | 2039.0371 | Drip collector plastic | |
| 31 | 1304.0166 | Spicer D4.3/8.0 L5.0 | |
| 32 | 1603.0161 | Rivet 3,2x6 | |
| 32 | 1603.0166 | Rivet 3,2x7,9 CNS closed | |
| A | 8455.1460 | Front panel | |
| A | 8455.1383 | Side panel left | |


# Front panel



# Front panel

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1003.2261 | Raised counters. head self tapp. screw 4,2x13 | |
| 3 | 1104.0820 | Snap nut 4,2mm | |
| 4 | 1107.0104 | Star lock ø6 | |
| 7 | 8455.1448 | Front panel | |
| 7 | 2710.1427 | Front panel | |
| 8 | 5006.0212 | Silicone tube E127, 310 ml silver | |
| 10 | 8464.1307 | Opening mechanism for panel insert | |
| 11 | 2002.0107 | Tension spring for front panel | |


# Draft diverter



# Draft diverter

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 8455.1402 | Draft diverter | |
| 3 | 8700.0317 | Floor fixing for units | |
| A | 8700.0318 | Floor fixing set | |


# Floor fixing set



# Floor fixing set

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1106.0360 | Cap nut M6, high shape | |
| 2 | 1206.0261 | Spring washer B6 | |
| 3 | 1306.0120 | Washer A6,4 | |


# Base frame


1
2
3
4
5
6
7
Potentialausgleich
Equipotentiality
Equipotentialité
A

# Base frame

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1110.0800 | Cage nut M10 | |
| 1 | 1104.0800 | Cage nut M4 | |
| 2 | 1106.0160 | Hex nut M6 | |
| 3 | 1106.0360 | Cap nut M6, high shape | |
| 4 | 1206.0120 | Tooth lock washer A6,4 | |
| 5 | 1603.0163 | Rivet 3,2x8 CNS | |
| 5 | 1604.0162 | Rivet 4x9, CNS closed | |
| 6 | 2049.0817 | Sticker, Equipotential bonding | |
| 7 | 4005.0104 | Tie rap 140mm *Heat resisting* | |
| A | | Base frame | |


# Base frame



# Base frame

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 1603.0163 | Rivet 3,2x8 CNS | |
| 3 | 1604.0162 | Rivet 4x9, CNS closed | |
| 4 | 2005.0106 | Protective grid for cooling fan | |


# Base frame


1
2
3
4
5
6
9
10
7
13
8
11
A
12
Potentialausgleich
Equipotentiality
Equipotentialité

# Base frame

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1008.0750 | Hex screw M5x16 | |
| 2 | 1110.0800 | Cage nut M10 | |
| 2 | 1104.0800 | Cage nut M4 | |
| 3 | 1105.0122 | Hex combination nut M5 V2A | |
| 4 | 1106.0160 | Hex nut M6 | |
| 5 | 1106.0360 | Cap nut M6, high shape | |
| 6 | 1206.0120 | Tooth lock washer A6,4 | |
| 7 | 1310.0160 | Washer A10,5 | |
| 8 | 1328.0102 | Safety washer A10,2 | |
| 9 | 1603.0163 | Rivet 3,2x8 CNS | |
| 9 | 1604.0162 | Rivet 4x9, CNS closed | |
| 10 | 2039.0122 | Upper part of pedestal, 70mm, black grey | |
| 11 | 2039.0123 | Lower part of pedestal, black grey | |
| 12 | 2049.0817 | Sticker, Equipotential bonding | |
| 13 | 4005.0104 | Tie rap 140mm *Heat resisting* | |
| A | | Base frame | |


# Base frame



# Base frame

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1603.0163 | Rivet 3,2x8 CNS | |
| 2 | 1604.0162 | Rivet 4x9, CNS closed | |
| 3 | 2005.0106 | Protective grid for cooling fan | |

# Miscellaneous



# Miscellaneous

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1008.0753 | Hex screw M5x8 | |
| 5 | 1205.0362 | Disk spring ø12x5,2x0,6 | |
| 8 | 1315.0105 | Copper washer 10x16x1,5 | |
| 13 | 9006.0800 | Adhesive solvent "Weicon" | |
| 17 | 2049.0433 | Sticker Drain connection DN 50 | |
| 18 | 2049.0452 | Sticker water supply G3/4" | |
| 19 | 2049.0484 | Sticker "Loading heights" | |

# Index


| Part no. | Description | Page |
|---|---|---|
| 9006.0800 | Adhesive solvent "Weicon" | 115 |
| 8516.1329 | Air baffle | 47 |
| 8455.1377 | Air inlet filter | 5 |
| 5110.1343 | Air orifice gasket hot air Natural Gas | 81 |
| 2112.1321 | Air sucking hose for blower motor steam | 79 |
| 2112.1323 | Air sucking hose for blower motor steam | 79 |
| 2112.1322 | Air sucking hose for blower motor steam | 79 |
| 2112.1328 | Air sucking hose PG29 650mm | 79 |
| 1003.0660 | Allen screw M3x8 | 85, 87 |
| 1004.0660 | Allen screw M4x10 | 15 |
| 1006.0623 | Allen screw M6x10 | 27, 81 |
| 2710.1451 | Back panel | 91, 99 |
| 2710.1309 | Back panel | 91, 99 |
| 2940.1313 | Base for door catch | 59, 65 |
| 8668.1365 | Blower connection | 83 |
| 3101.1016 | Blower for burner RG100 | 27, 81 |
| 2710.1325 | Bracket for door contact switch | 89 |
| 8668.1315 | Burner pipe | 79, 87 |
| 8720.1300 | Bus cable CPU - operator pcb | 9 |
| 3006.0107 | Buzzer | 9 |
| 4002.0110 | Cable connector, junction | 15 |
| 1104.0800 | Cage nut M4 | 19, 21, 107, 111 |
| 1110.0800 | Cage nut M10 | 107, 111 |
| 2039.0331 | Cap for service door | 91, 99 |
| 1105.0260 | Cap nut M5, high shape | 91, 97, 99 |
| 1106.0360 | Cap nut M6, high shape | 105, 107, 111 |
| 4004.0302 | Circular pin sleeve for ignition and monring electrode | 13, 81 |
| 2001.0124 | Compression spring | 35 |
| 2001.0109 | Compression spring | 59, 65 |
| 2001.0117 | Compression spring for safety valve | 37 |
| 2001.0122 | Cone compression spring for drip tray | 63 |
| 2036.0614 | Connecting flange 1/2" f.gas valve | 83 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 2062.0327 | Connecting pipe for hand shower | 77 |
| 3028.0551 | Contactor AEG LS4K10 | 19, 21 |
| 8720.1343 | Control panel insert with overlay | 5 |
| 3037.0240 | Control transformer | 19, 21 |
| 8720.1482 | Conversion kit gas to LPG 3B/P, 3+ | 79 |
| 8720.1483 | Conversion kit gas to LPG 3P | 79 |
| 8720.1480 | Conversion kit gas to natural g high | 79 |
| 8720.1481 | Conversion kit gas to natural g. low | 79 |
| 8720.1503 | Conversion kit gas to natural gasG21 | 79 |
| 8720.1484 | Conversion kit gas to Towngas | 79 |
| 3101.1008 | Cooling fan | 15 |
| 1315.0101 | Copper washer 6x10 | 11, 45 |
| 1315.0109 | Copper washer 8.5x16x1,2 | 45 |
| 1315.0105 | Copper washer 10x16x1,5 | 115 |
| 2115.1013 | Corrugated hose G1/2 lenght 575mm | 83 |
| 1005.1966 | Countersunk screw Torx M5x16 | 61, 67 |
| 1003.2265 | Countersunk self tapping screw 4,2x16 | 91, 99 |
| 2064.1304 | Cover for safety valve | 37 |
| 3038.0315 | Cover for terminal box | 15 |
| 8666.1325 | Cross bar for flange quenching chamber | 75 |
| 2710.1316 | Crossbar top | 91 |
| 2036.0613 | Cutting ring for gas fitting | 27, 83 |
| 3013.0344 | Dial blue, | 9 |
| 1205.0362 | Disk spring ø12x5,2x0,6 | 115 |
| 2120.1308 | Distance nut M3 for door drip collector | 63 |
| 5110.1027 | Distance plate for front panel | 9 |
| 2120.1254 | Door bolt top | 59, 65 |
| 2940.1314 | Door catch for 1- and 2-step lock | 59, 65 |
| 8470.1304 | Door cpl. | 59 |
| 8470.1301 | Door cpl. | 65 |
| 8474.1377 | Door drip collector | 61, 67 |
| 5105.1021 | Door gasket | 47 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 2016.1504 | Door handle Rational | 59, 65 |
| 8474.1300 | Door lock | 67 |
| 2930.1306 | Door mounting support bottom | 59, 65 |
| 2930.1307 | Door mounting support top | 59, 65 |
| 2940.1302 | Door setting bolt | 61, 67 |
| 2940.1304 | Door setting console 80° | 59 |
| 2940.1303 | Door setting console 110° | 65 |
| 3016.1415 | Door switch | 89, 91, 99 |
| 3002.0330 | Double solenoid valve | 69 |
| 8455.1402 | Draft diverter | 103 |
| 8455.1465 | Drip collector | 91, 99 |
| 2039.0371 | Drip collector plastic | 91, 99 |
| 3014.0300 | Dry up protector 257°F/135°C | 15 |
| 3040.0316 | E-Prom C5.02 | 13 |
| 4001.1210 | Earth terminal 16mm² yellow/green | 17 |
| 5013.0100 | Edge protection profile | 19, 21, 89 |
| 3001.0469 | Electronic noise filter | 19, 21 |
| 2112.1309 | Emptying hose steam generator | 29 |
| 3002.1005 | Emptying pump | 29 |
| 3002.1000 | Emptying pump | 29 |
| 4001.1203 | End plate for mounting rail | 17, 19, 21 |
| 2036.0607 | Ermeto gas angle W15 PL A3C | 83 |
| 2036.0600 | Ermeto gas fitting GE-15 | 83 |
| 2036.0606 | Ermeto threading EOG-15PL, A3C | 83 |
| 8668.1306 | Exhaust pipe | 79 |
| 5110.1022 | External gasket frame for interior light | 51 |
| 3100.1083 | Fan motor 4pol | 41 |
| 2012.0512 | Fan wheel | 43, 45 |
| 3002.0409 | Filling-level electrode 74mm | 31 |
| 2760.1395 | Fixing bracket for interior glass pane | 61, 67 |
| 3002.0339 | Fixing bracket for solenoid valve | 73 |
| 2020.0400 | Fixing device for cable harness | 19, 21 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 2740.1040 | Fixing plate steam generator thermostat | 27 |
| 8666.1318 | Flange quenching chamber | 75 |
| 8668.1340 | Flange, air intake fitting hot air | 39 |
| 8700.0317 | Floor fixing for units | 103 |
| 8700.0318 | Floor fixing set | 103 |
| 2112.1310 | Form hose for ventilation of steam generator | 71 |
| 8455.1459 | Front panel | 91 |
| 8455.1460 | Front panel | 99 |
| 8455.1448 | Front panel | 101 |
| 2710.1427 | Front panel | 101 |
| 4001.0224 | Fuse 6.35x32mm | 19, 21 |
| 4001.1295 | Fuse holder e 1003Si/1DS | 19, 21 |
| 2910.1327 | Gas conection manifold | 83 |
| 3039.0107 | Gas ignition module | 81 |
| 3039.0245 | Gas valve | 83 |
| 5100.1011 | Gasket | 9 |
| 5012.0566 | Gasket f. inspection lid | 75 |
| 8514.1343 | Gasket flange | 45 |
| 5110.1311 | Gasket for Burner flange | 79, 81 |
| 5110.1318 | Gasket for burner housing | 27, 81 |
| 5110.1310 | Gasket for exhaust flange | 79 |
| 5110.1317 | Gasket for flange steam generator top | 31 |
| 5110.1024 | Gasket for G3/4" threaded joint | 73, 77 |
| 5110.1308 | Gasket for level elektrode insert | 31 |
| 8514.1017 | Gasket frame for interior light | 51 |
| 8514.1034 | Gasket frame with glass and gaskets | 49 |
| 5110.1029 | Gasket mode switch | 11 |
| 5110.1028 | Gasket poti hot air, core temperature | 9 |
| 3014.0163 | Gasket sleeve with nipple | 47, 75 |
| 5100.1012 | Gasket venting pipe-top cover | 91, 99 |
| 5201.1000 | Glass for interior lamp | 51 |
| 2022.0111 | Grommet for ignition/monitoring wire | 85, 87 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 2760.1089 | Guide bush for core temperatur sensor | 47 |
| 8720.1384 | Hallsensor cpl | 41 |
| 3024.0201 | Halogen bulb 300°C | 49 |
| 2060.1006 | Hand shower | 77 |
| 8655.2021 | Hand shower roll guide | 77 |
| 1104.0122 | Hex combination nut M4 galv | 13, 15, 19, 21 |
| 1105.0121 | Hex combination nut M5 galv | 81 |
| 1105.0122 | Hex combination nut M5 V2A | 27, 29, 31, 61, 67, 73, 81, 111 |
| 1106.0803 | Hex combination nut M6 galv | 27, 81 |
| 1103.0120 | Hex nut M3 | 9 |
| 1103.0122 | Hex nut M3 self-locking | 63 |
| 1104.0121 | Hex nut M4 self locking | 9, 19, 21 |
| 1106.0160 | Hex nut M6 | 7, 107, 111 |
| 1106.0220 | Hex nut M6 flat | 45 |
| 1108.0260 | Hex nut M8 | 43, 45 |
| 3014.0302 | Hex nut M10 for dry-up protector | 15 |
| 3014.0327 | Hex nut M10x1,0 | 15 |
| 1004.0666 | Hex screw M4x10 | 73, 91, 99 |
| 1008.0753 | Hex screw M5x8 | 49, 115 |
| 1008.0750 | Hex screw M5x16 | 61, 75, 111 |
| 1006.0761 | Hex screw M6x12 | 15, 29 |
| 1006.0760 | Hex screw M6x16 | 59, 65 |
| 1008.0766 | Hex screw M8x30 | 59, 65 |
| 1010.0762 | Hex screw M10x20 | 43, 45 |
| 1003.2160 | Hex self tapping screw 2,9x9,5 | 91, 99 |
| 1004.2161 | Hex self tapping screw 4,2x13 | 15, 19, 21 |
| 1004.2160 | Hex self tapping screw 4,2x16 | 91, 99 |
| 2940.1309 | Hinge for inner glass | 61, 67 |
| 2760.1132 | Holding bracket core probe tip | 47 |
| 2066.0205 | Hose clamp 8-16x9 mm SW 7mm | 29, 69, 71, 73 |
| 2066.0506 | Hose clamp 20-32mm | 71 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 2066.0503 | Hose clamp 25-40mm | 27, 69 |
| 2066.0504 | Hose clamp 40-60mm | 69 |
| 2066.0522 | Hose clamp ø 31,3 mm | 29 |
| 2066.0527 | Hose clamp ø14mm | 33 |
| 2066.0530 | Hose clamp ø16.4mm | 33 |
| 2066.0525 | Hose clamp ø22,1 mm | 69, 91, 99 |
| 2066.0519 | Hose clamp Ø35,6mm | 29 |
| 2066.0526 | Hose clamp ø46mm | 29 |
| 2066.0531 | Hose clamp ø56 | 35 |
| 8668.1313 | Hot air burner | 39 |
| 2062.0333 | Housing for non returne valve | 73 |
| 2068.0300 | Ignition electrode | 85, 87 |
| 8474.1337 | Inner glass pane | 57 |
| 8474.1340 | Inner glass pane | 57 |
| 2920.1301 | Inner sealing flange | 41, 45 |
| 5100.1002 | Insulating tape 8x6mm | 95 |
| 5003.0300 | Insulation, melamin resin foam | 25, 31, 55, 75, 95 |
| 1005.2000 | Interlocking tooth screw M5x8 | 59, 65 |
| 5110.1023 | Internal gasket frame for interior light | 51 |
| 2039.0340 | Internal lock cover | 59, 65 |
| 2062.0331 | Junction pressure hose GS 10 | 33 |
| 9003.0211 | Klüberpaste HEL 46-450 70g tube | 27, 59, 61, 67, 81 |
| 2760.1370 | Latch hook for air baffle | 53 |
| 2001.0040 | Loctite 243 50ml | 27, 61 |
| 2001.0043 | Loctite 54234 50ml | 81, 83 |
| 2039.0123 | Lower part of pedestal, black grey | 89, 111 |
| 3016.1409 | Magnet round for door contact d10x40 | 67 |
| 3040.3001 | Main pcb | 15 |
| 3035.0711 | Meat probe sensor | 47 |
| 2035.0112 | Moistening nozzle | 47 |
| 3040.3040 | Motor control for fan motor | 15 |
| 5001.0207 | Motor shaft gasket | 41, 45 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 8514.1339 | Motor shaft gasket mounting support | 41, 45 |
| 2720.1073 | Mounting device for int.cabinet sensor | 47 |
| 3040.0262 | Multipoint connector left 10pin, 3.5 | 15 |
| 2069.0106 | Non return valve DN 10 Handshower | 77 |
| 2060.0228 | O-ring for shower hose | 77 |
| 5012.0565 | O-ring inlet filter | 5 |
| 2760.1540 | Opening device for drain door drip colle | 63 |
| 8464.1307 | Opening mechanism for panel insert | 93, 101 |
| 3040.3210 | Operator pcb | 9 |
| 9003.0210 | Optimol paste white T400 ml | 61, 67 |
| 1008.0768 | Ornamental screw M8x16 | 59, 65 |
| 2005.0305 | Outlet sieve w. disc | 47 |
| 2039.0339 | Plastic knop for door drip tray | 63 |
| 5006.0500 | Polyurethan-Glue for insulation 310ml | 31, 55, 75, 95 |
| 2067.0050 | Pressure hose d10mm | 69, 71, 73 |
| 2750.1334 | Protective grating plastic for filter | 5 |
| 2005.0106 | Protective grid for cooling fan | 109, 113 |
| 2118.1000 | Pump connection spout | 33 |
| 1103.0600 | PVC plug in nut for metal screw 2.9mm | 91, 99 |
| 2016.0935 | Quenching nozzle 2.3 l/min. | 75 |
| 1003.2261 | Raised counters. head self tapp. screw 4,2x13 | 91, 93, 99, 101 |
| 2062.0332 | Receptacle for ventilation valve SG | 71 |
| 8514.1018 | Reflector for interior light | 47 |
| 1603.0161 | Rivet 3,2x6 | 61, 91, 97, 99 |
| 1603.0166 | Rivet 3,2x7,9 CNS closed | 9, 61, 67, 73, 91, 99 |
| 1603.0163 | Rivet 3,2x8 CNS | 107, 109, 111, 113 |
| 1604.0162 | Rivet 4x9, CNS closed | 107, 109, 111, 113 |
| 1604.0165 | Rivet 4x9,9 | 53 |
| 1604.0167 | Rivet 4x10 | 53 |
| 2118.1250 | Rubber form piece venting pipe | 69 |
| 3014.0326 | Safety temperature limiter 365°C, | 15 |
| 8450.1304 | Safety valve | 35 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 1328.0102 | Safety washer A10,2 | 43, 45, 111 |
| 3014.0162 | Sealing cone for thermocouple | 47, 75 |
| 8455.1383 | Side panel left | 91, 99 |
| 2710.1448 | Side panel right | 91 |
| 8455.1439 | Side panel right | 91 |
| 8455.1440 | Side panel right | 99 |
| 2710.1449 | Side panel right | 99 |
| 4001.1217 | Side plate for terminal block 4mm² | 19, 21 |
| 2112.1019 | Silicon hose | 27, 81 |
| 5006.0200 | Silicon tube E41 90ml | 61, 67 |
| 2022.0100 | Silicone gasket red, for PG 9 15x4mm | 11 |
| 2110.1002 | Silicone hose d15x3 | 77, 91, 99 |
| 5006.0212 | Silicone tube E127, 310 ml silver | 61, 67, 93, 101 |
| 3002.0331 | Single solenoid valve | 69 |
| 2940.1300 | Sleeve for door bolt top | 67 |
| 4002.0111 | Slip-on terminal 0,5-1,0mm², 6,3mm | 81 |
| 1104.0820 | Snap nut 4,2mm | 91, 93, 95, 99, 101 |
| 2039.0370 | Spacer 12x1,6 | 19, 21 |
| 2039.0402 | Spacer for interior door | 61, 67 |
| 2039.0326 | Spacer for pcb | 9 |
| 2812.1304 | Spacer for vent cover | 89 |
| 8450.1310 | Spacer ring | 35, 89 |
| 2120.1306 | Spacer SW19x17 | 41, 45 |
| 1304.0166 | Spicer D4.3/8.0 L5.0 | 91, 99 |
| 1901.0041 | Spring clip stainless steel | 61, 67 |
| 2760.1396 | Spring supp. f. int. glass holding bra. | 61, 67 |
| 1203.0260 | Spring washer B3 | 85, 87 |
| 1206.0261 | Spring washer B6 | 27, 81, 105 |
| 1208.0260 | Spring washer B8 | 43, 45 |
| 1008.1005 | Square necked mushroom head bolt 8x40 | 41, 45 |
| 1107.0103 | Star lock ø3 | 15, 35, 37 |
| 1107.0100 | Star lock ø4 | 91, 99 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 1107.0104 | Star lock ø6 | 93, 101 |
| 8350.3101 | Steam generator insolated | 29 |
| 2112.1311 | Steam hose 50x3 215mm | 35 |
| 2067.1633 | Steam hose silicon 60mm long | 27 |
| 2049.0484 | Sticker "Loading heights" | 115 |
| 2049.0433 | Sticker Drain connection DN 50 | 115 |
| 2052.1180 | Sticker name trade sign Rational | 9 |
| 2049.0452 | Sticker water supply G3/4" | 115 |
| 2049.0817 | Sticker, Equipotential bonding | 107, 111 |
| 2760.1129 | Stop for mode switch | 11 |
| 2510.530746 | Stop for potentiometer hot air | 89 |
| 2760.1100 | Stop for Poti-Core temperature | 11 |
| 2120.1259 | Stop plug 10mm | 33 |
| 8664.1300 | T-fitting handshower connection | 77 |
| 8664.1301 | T-fitting water connection | 73 |
| 2002.0107 | Tension spring for front panel | 93, 101 |
| 2002.0106 | Tension spring for inner window | 61, 67 |
| 4001.1216 | Terminal block 4smm² grey | 17, 19, 21 |
| 3038.0313 | Terminal box M32 without cover | 17 |
| 3014.1016 | Thermocouple | 23 |
| 3014.1000 | Thermocouple for interior cabinet | 47 |
| 4005.0104 | Tie rap 140mm *Heat resisting* | 107, 111 |
| 4005.0101 | Tie rap 145 mm | 9, 19, 21, 33 |
| 4005.0103 | Tie rap black | 9 |
| 1204.0120 | Tooth lock washer A4,3 | 15 |
| 1206.0120 | Tooth lock washer A6,4 | 7, 107, 111 |
| 8457.1338 | Top cover | 91 |
| 8457.1315 | Top cover | 91 |
| 2060.1210 | Tulip for handshower | 77, 91, 99 |
| 2036.0612 | Union nut | 27, 83 |
| 2039.0122 | Upper part of pedestal, 70mm, black grey | 89, 111 |
| 8455.1209 | Vent cover | 23, 89 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 2069.0108 | Ventilation valve | 71, 73 |
| 1304.0150 | Washer A3,2 | 91, 99 |
| 1306.0218 | Washer A4,3 | 9 |
| 1304.0160 | Washer A4,3 | 9, 19, 21, 53 |
| 1305.0160 | Washer A5,3x10mm | 91, 97, 99 |
| 1305.0260 | Washer A5,3x15mm | 61 |
| 1306.0120 | Washer A6,4 | 15, 45, 59, 65, 81, 105 |
| 1306.0222 | Washer A6,4x15x1,5 | 29 |
| 1308.0160 | Washer A8,4 | 59, 65 |
| 1308.0162 | Washer A8,4 | 59, 65 |
| 1310.0160 | Washer A10,5 | 111 |
| 1900.0202 | Water filter | 73 |
| 4004.0114 | Wire end sleeve 0,75 mm² blue insulated | 13 |
| 8801.1209 | Wire set ignition/monitoring | 81 |