
# SCC 62 G
## Valid as of G62SE0404 up to G62SE....

Gas unit

## ▶ SCC 62 G

Voltage **1NAC 230V 50-60Hz**




| Item no. | Part no | Reference | Description |
|---|---|---|---|
| 1 | | ▶1 | Control panel |
| 2 | | ▶2 | Electrical installation |
| 3 | | ▶3 | Clima Plus |
| 4 | | ▶4 | Steam generator, Bypass |
| 5 | | ▶5 | Hot air heating |
| 6 | | ▶6 | Motor and fan wheel |
| 7 | | ▶7 | Interior cabinet |
| 8 | | ▶8 | Door |
| 9 | | ▶9 | Water supply, quenching box |
| 10 | | ▶10 | Hand shower |
| 11 | | ▶11 | CleanJet |
| 12 | | ▶12 | Gas parts |
| 13 | | ▶13 | Exterior cabinet |
| 14 | | ▶14 | Miscellaneous |
| 15 | | ▶15 | Voltage depending parts |

Gas unit

# ▶ Table of contents

Voltage: **1NAC 230V 50-60Hz**



1 Control panel ....3
1.A Control panel ....4
2 Electrical installation ....5
2.A Contactor assembly ....6
3 Clima Plus ....7
3.A Hose set f. humidity control ....8
4 Steam generator, Bypass ....9
4.A Pump connection ....10
4.B Venting valve for steam generator ....11
5 Hot air heating ....12
5.A Burner hot air ....13
6 Motor and fan wheel ....14
7 Interior cabinet ....15
7.A Interior cabinet ....16
7.B Gasket frame w. glass a. gaskets ....17
7.C Air baffle ....18
7.C Air baffle ....19
8 Door ....20
8.A Door ....21
9 Water supply, quenching box ....22
10 Hand shower ....23
11 CleanJet ....24
12 Gas parts ....25
12.A Gas valve cpl. ND 055 RG130 ....26
12.B Gas valve cpl. WND 055 RG130 ....27
13 Exterior cabinet ....28
13.A Exterior cabinet ....29
14 Miscellaneous ....30
15 Voltage depending parts ....31

Gas unit

## ▶ 1 Control panel

1

1 Control panel Voltage **1NAC 230V 50-60Hz**




| Item no. | Part no | Reference | Description |
|---|---|---|---|
| A | 16.00.676 | ▶1.A | Control panel |
| 1 | 87.00.002 | | Control panel insert with overlay |

**Attention!** Individual parts shown might not be used in this component group!

▶ 15* **Voltage depending parts shown in chapter 15**


# SCC 62 G

## Valid as of G62SE0404 up to G62SE....

Gas unit

## ▶ 1.A Control panel 1

1 Control panel Voltage **1NAC 230V 50-60Hz**





| Item no. | Part no | Reference | Description |
|---|---|---|---|
| 1 | 42.00.002 | | Control pcb |
| 2 | 1104.0121 | | Hex nut M4 self locking |
| 3 | 10.00.355 | | Spacer black |
| 4 | 2020.0400 | | Fixing device for cable harness |
| 5 | 16.00.232 | | Dial f. pulse generator |
| 6 | 3006.0107 | | Buzzer |
| 7 | 5110.1028 | | Gasket poti hot air, core temperature |
| 8 | 40.00.404 | | Pulse generator |
| 9 | 16.00.387 | | Mounting device f.sealing + sealing lip |
| 10 | 1306.0218 | | Washer A4,3 |

**Attention!** Individual parts shown might not be used in this component group!

▶ 15* **Voltage depending parts shown in chapter 15**


2 Electrical installation Voltage **1NAC 230V 50-60Hz**




| Item no. | Part no | Reference | Description |
|---|---|---|---|
| A | | ▶2.A | Contactor assembly |
| 1 | 4007.0620 | | Membrane DGC 29 |
| 2 | 4007.0621 | | Membrane DGC 36 |
| 3 | 1106.0803 | | Hex combination nut M6 galv |
| 4 | 10.00.239 | | EJOT PT-Screw Torx 4x10 |
| 5 | 42.00.007 | | External memory |
| 6 | 40.00.049 | | Relay-I/O pcb |
| 7 | 40.00.417 | | Fixing clip f. pcb |
| 8 | 1104.0801 | | Cage nut M4 |
| 9 | 10.00.243 | | Spacer M4x8 |
| 10 | 1104.0120 | | Hex nut M4 |
| 11 | 40.01.579 | | Fixing clip f. pcb |
| 12 | 10.00.112 | | Cable clip short |
| 13 | 10.00.421 | | Cable clip |
| 14 | 10.00.111 | | Cable clip long |
| 15 | 10.00.471 | | Cable clip d10-12mm |
| 16 | 40.01.596 | | Power supply cable 3x2,5mm² 3m |
| 17 | 40.00.320 | | Cable connection M20x1.5 |
| 18 | 1106.0160 | | Hex nut M6 |
| 19 | 1206.0120 | | Tooth lock washer A6,4 |
| 20 | 4002.0110 | | Cable connector, junction |
| 21 | 40.01.091 | | Bus cable 0.4m |
| 21 | 40.00.471 | | Bus cable 0.8m |

**Attention!** Individual parts shown might not be used in this component group!


▶ 15* **Voltage depending parts shown in chapter 15**




| Item no. | Part no | Reference | Description |
|---|---|---|---|
| 1 | 3014.0328 | | Dry up protector 275°F/135°C |
| 2 | 3014.0302 | | Hex nut M10 for dry-up protector |
| 3 | 40.01.482 | | Safety temperature limiter 365°C |
| 4 | 3014.0327 | | Hex nut M10x1,0 |
| 5 | 40.00.451 | | Contactor MC1A 310 AH6 |
| 6 | 3101.1008 | | Cooling fan |
| 7 | 10.00.238 | | Screw Torx 4x50 |
| 8 | 40.00.277 | | Control transformer |
| 9 | 40.01.483 | | Electronic noise filter |
| 10 | 4001.0224 | | Fuse 6.35x32mm |
| 11 | 4001.1295 | | Fuse holder e 1003Si/1DS |
| 12 | 10.00.240 | | Screw Torx 3x20 |
| 13 | 2005.0106 | | Protective grid for cooling fan |
| 14 | 40.00.519 | | Installation rail for Contactor 75mm |
| 15 | 10.00.239 | | EJOT PT-Screw Torx 4x10 |
| 16 | 4001.1203 | | End plate for mounting rail |
| 17 | 10.00.111 | | Cable clip long |
| 18 | 40.01.484 | | Cable burner blower |
| 18 | 40.00.209 | | Cable buzzer |
| 18 | 40.01.540 | | Cable CDS sensor |
| 18 | 40.00.213 | | Cable control transformer sec. |
| 18 | 40.00.207 | | Cable differencial pressure switch |
| 18 | 40.00.230 | | Cable gas valve |
| 18 | 40.00.208 | | Cable humidity control |
| 18 | 40.00.205 | | Cable level electrode |
| 18 | 40.00.204 | | Cable SC pump |
| 18 | 40.00.203 | | Cable solenoid valve |
| 18 | 40.00.231 | | Cable transformer for cooling fan sec. |

**Attention!** Individual parts shown might not be used in this component group!

▶ 15* **Voltage depending parts shown in chapter 15**




| Item no. | Part no | Reference | Description |
|---|---|---|---|
| A | 22.00.234 | ▶3.A | Hose set f. humidity control |
| 1 | 22.00.199 | | Inner humidity meas. Piece |
| 2 | 22.00.318 | | Humidity control cpl. with motor |
| 3 | 22.00.200 | | Outer humidity meas. Piece |
| 4 | 22.00.198 | | Gasket f. hum. meas. Pipe |
| 5 | 22.00.174 | | Hose d50x83 |
| 6 | 2066.0531 | | Hose clamp ø56 |
| 8 | 22.00.326 | | Mounting device f. pressure sensor |
| 9 | 3017.1011 | | Pressure sensor for humidity control |
| 10 | 10.00.239 | | EJOT PT-Screw Torx 4x10 |
| 11 | 3101.1010 | | Humidity control motor |
| 12 | 3016.0102 | | Micro switch |


**Attention!** Individual parts shown might not be used in this component group!
▶ 15* **Voltage depending parts shown in chapter 15**

# SCC 62 G

## Valid as of G62SE0404 up to G62SE....

Gas unit | ▶ 3.A Hose set f. humidity control | 3


3 Clima Plus Voltage **1NAC 230V 50-60Hz**




| Item no. | Part no | Reference | Description |
|---|---|---|---|
| 1 | 4005.0101 | | Tie rap 145 mm |
| 2 | 2110.1020 | | Silicon hose ø5x1.5 blue |
| 3 | 2110.1019 | | Silicone hose ø5x1,5 "red" |
| 4 | 1900.0203 | | Ceramic tube 8x5x60mm for |
| 5 | 2112.1338 | | Silicone hose ø8x2x20 |
| 6 | 2110.1008 | | Silicon hose ø10x2mm |


**Attention!** Individual parts shown might not be used in this component group!

▶ 15* **Voltage depending parts shown in chapter 15**





| Item no. | Part no | Reference | Description |
|---|---|---|---|
| A | | ▶4.A | Pump connection |
| B | 8354.1304 | ▶4.B | Venting valve for steam generator |
| 1 | 44.00.253 | | Filling level electrode 85mm |
| 2 | 44.00.183 | | Steam generator insolated |
| 3 | 72.00.008 | | Burner steam gen. |
| 4 | 72.00.048 | | Insulation f. burner steam gen. |
| 5 | 1104.0122 | | Hex combination nut M4 galv |
| 6 | 72.00.020 | | Gasket f. burner carrier |
| 7 | 1105.0121 | | Hex combination nut M5 galv |
| 8 | 44.00.251 | | Ignition electrode steam generator |
| 9 | 1104.0120 | | Hex nut M4 |
| 10 | 44.00.250 | | Gasket f. ignition electrode |
| 11 | 2066.0519 | | Hose clamp 35,6mm |
| 12 | 2066.0526 | | Hose clamp ø46mm |
| 13 | 44.00.207 | | Emptying pump |
| 14 | 1006.0762 | | Hex screw M6x10 |
| 15 | 1306.0222 | | Washer A6.4x15x1.5 |
| 16 | 44.00.226 | | Fixing device f. pump steam generator |
| 17 | 1106.0803 | | Hex combination nut M6 galv |
| 18 | 44.00.212 | | Drain hose steam generator |
| 19 | 2066.0518 | | Hose clamp 30mm |
| 20 | 40.01.094 | | Thermocouple steam gen. (B5) |
| 20 | 40.00.291 | | Thermocouple steam generator |
| 21 | 44.00.516 | | Fixing plate steam generator thermostat |
| 22 | 2112.1006 | | Steam hose 50x7mm |
| 23 | 2066.0504 | | Hose clamp 40-60mm |
| 24 | 2066.0506 | | Hose clamp 20-32mm |
| 25 | 1105.0120 | | Hex nut M5 |
| 26 | 1205.0120 | | Tooth lock washer A5,3 |

**Attention!** Individual parts shown might not be used in this component group!




| Item no. | Part no | Reference | Description |
|---|---|---|---|
| 1 | 2118.1000 | | Pump connection spout |
| 2 | 2120.1259 | | Stop plug 10mm |
| 3 | 2066.0527 | | Hose clamp ø14mm |
| 4 | 2066.0530 | | Hose clamp ø16.4mm |
| 5 | 2062.0331 | | Junction pressure hose GS 10 |
| 6 | 4005.0101 | | Tie rap 145 mm |
| 7 | 2110.1008 | | Silicon hose ø10x2mm |


**Attention!** Individual parts shown might not be used in this component group!




| Item no. | Part no | Reference | Description |
|---|---|---|---|
| 1 | 2062.0332 | | Receptacle for ventilation valve SG |
| 2 | 2069.0108 | | Ventilation valve |
| 3 | 2112.1310 | | Form hose for ventilation of steam generator |
| 4 | 2066.0506 | | Hose clamp 20-32mm |

**Attention!** Individual parts shown might not be used in this component group!

5 Hot air heating Voltage **1NAC 230V 50-60Hz**




| Item no. | Part no | Reference | Description |
|---|---|---|---|
| A | 74.00.247 | ▶5.A | Burner hot air |
| 1 | 74.00.142 | | Hot air heat exchanger |
| 2 | 74.00.234 | | Gasket hot air heat exchanger/interior cabinet |
| 3 | 74.00.313 | | Mating flange heat exchanger |
| 4 | 74.00.296 | | Gasket f. heat exchanger below |
| 5 | 1105.0122 | | Hex combination nut M5 V2A |

**Attention!** Individual parts shown might not be used in this component group!

▶ 15* **Voltage depending parts shown in chapter 15**


Gas unit

## ▶ 5.A Burner hot air

5

5 Hot air heating

Voltage **1NAC 230V 50-60Hz**




| Item no. | Part no | Reference | Description |
|---|---|---|---|
| 1 | 74.00.342 | | Burner welded hot air |
| 2 | 74.00.230 | | Ignitionelectrode1 f. hot air |
| 3 | 74.00.235 | | Ignitionelectrode2 f. hot air |
| 4 | 74.00.290 | | Gasket electrode hot air |
| 5 | 10.00.060 | | Pan head screw Torx M4x6 |


**Attention!** Individual parts shown might not be used in this component group!

▶ 15* **Voltage depending parts shown in chapter 15**

# ▶ 6 Motor and fan wheel



6 Motor and fan wheel Voltage **1NAC 230V 50-60Hz**





| Item no. | Part no | Reference | Description |
|---|---|---|---|
| 1 | 2120.1306 | | Spacer SW19x17 |
| 2 | 22.00.123 | | Flange f. motor shaft gasket |
| 3 | 22.00.120 | | Mounting support f. gasket flange |
| 4 | 22.00.083 | | Motor shaft gasket |
| 5 | 1315.0101 | | Copper washer 6x10 |
| 6 | 1106.0220 | | Hex nut M6 flat |
| 7 | 22.00.192 | | Fan wheel d340x135 |
| 8 | 1008.0763 | | Hex screw M8x20 |
| 9 | 40.00.310 | | Exhaust pipe below |
| 11 | 40.00.274 | | Fan motor |
| 12 | 1108.0260 | | Hex nut M8 |
| 12 | 10.00.071 | | Hex nut M8 |
| 13 | 1208.0260 | | Spring washer B8 |
| 14 | 1008.1005 | | Square necked mushroom head bolt 8x40 |

**Attention!** Individual parts shown might not be used in this component group!

▶ 15* **Voltage depending parts shown in chapter 15**


7 Interior cabinet Voltage **1NAC 230V 50-60Hz**





| Item no. | Part no | Reference | Description |
|---|---|---|---|
| A | | ▶7.A | Interior cabinet |
| B | 40.00.091 | ▶7.B | Gasket frame w. glass a. gaskets |
| C | 22.00.294 | ▶7.C | Air baffle |
| C | 22.00.380 | ▶7.C | Air baffle |
| 3 | 3024.0201 | | Halogen bulb for interior cabinet |
| 4 | 40.00.211 | | Wiring interior light |
| 5 | 20.00.395 | | Door gasket |
| 6 | 40.00.294 | | Meat probe sensor |
| 7 | 1315.0104 | | Copper washer 16x20x1,5 |
| 8 | 10.00.422 | | Hex nut M16 |
| 9 | 3014.0162 | | Sealing cone for thermocouple |
| 10 | 3014.0163 | | Gasket sleeve with nipple |
| 11 | 40.01.097 | | Thermocouple interior cabinet (B1) |
| 12 | 2005.0308 | | Outlet sieve |
| 13 | 50.00.395 | | Nozzle f. moistening |
| 14 | 50.00.394 | | Union nut M12x12 |

**Attention!** Individual parts shown might not be used in this component group!


▶ 15* **Voltage depending parts shown in chapter 15**




| Item no. | Part no | Reference | Description |
|---|---|---|---|
| 1 | 40.00.290 | | Thermocouple humidity |
| 2 | 40.00.098 | | Reflector f. interior light |
| 3 | 4001.1248 | | Porcelain connector 2-pin interior light |
| 4 | 1330.0100 | | Clamp strap f. sensor |
| 5 | 1106.0224 | | Hex nut M6 self locking |
| 6 | 1306.0120 | | Washer A6,4 |
| 7 | 1104.0120 | | Hex nut M4 |
| 8 | 1204.0120 | | Tooth lock washer A4,3 |





| Item no. | Part no | Reference | Description |
|---|---|---|---|
| 1 | 40.00.093 | | Outer gasket f. interior light |
| 2 | 40.00.094 | | Inner gasket f. interior light |
| 3 | 40.00.095 | | Glass pane f. interior light |
| 4 | 40.00.096 | | Gasket frame f. interior light |





| Item no. | Part no | Reference | Description |
|---|---|---|---|
| 1 | 1304.0160 | | Washer A4,3 |
| 2 | 1604.0167 | | Rivet 4x10 |
| 3 | 22.00.332 | | Air sucking ring f. air baffle |
| 4 | 2760.1370 | | Latch hook for air baffle |
| 5 | 40.01.289 | | Fixing clip core temp. cable |
| 6 | 1603.0168 | | Rivet 3,2x8 A4 |
| 6 | 1603.0168 | | Rivet 3,2x8 A4 |

**Attention!** Individual parts shown might not be used in this component group!




| Item no. | Part no | Reference | Description |
|---|---|---|---|
| 1 | 40.01.289 | | Fixing clip core temp. cable |
| 2 | 1304.0160 | | Washer A4,3 |
| 3 | 1604.0167 | | Rivet 4x10 |
| 4 | 22.00.332 | | Air sucking ring f. air baffle |
| 5 | 2760.1370 | | Latch hook for air baffle |
| 6 | 1603.0168 | | Rivet 3,2x8 A4 |
| 7 | 22.00.361 | | Deep-draw f. air baffle |

8 Door Voltage **1NAC 230V 50-60Hz**





| Item no. | Part no | Reference | Description |
|---|---|---|---|
| A | 24.00.105 | ▶8.A | Door |
| 1 | 24.01.100 | | Spring clip f. door lock |
| 3 | 24.00.152 | | Door handle |
| 4 | 24.00.176 | | Door lock |
| 5 | 24.00.504 | | Lock cover |
| 6 | 24.00.133 | | Door mounting support top |
| 7 | 1008.0768 | | Ornamental screw M8x16 |
| 8 | 1308.0160 | | Washer A8,4 |
| 9 | 24.00.223 | | Door mounting support bottom |
| 10 | 1006.1962 | | Countersunk screw Torx M6x16 |
| 11 | 10.00.090 | | Cap f. Torx T30 |
| 12 | 1006.0760 | | Hex screw M6x16 |
| 13 | 1106.0802 | | Cage nut M6 |
| 14 | 24.00.137 | | Door bolt |
| 15 | 10.00.099 | | Hex screw M8x12 |
| 16 | 24.00.048 | | Door bolt |
| 17 | 1008.0769 | | Ornamental screw M8x30 |
| 18 | 2001.0109 | | Compression spring |
| 19 | 24.00.141 | | Holding bracket f. door catch |
| 20 | 1306.0120 | | Washer A6,4 |
| 21 | 24.00.142 | | Door catch |
| 22 | 1308.0162 | | Washer A8.4 |

**Attention!** Individual parts shown might not be used in this component group!

▶ 15* **Voltage depending parts shown in chapter 15**


8 Door Voltage **1NAC 230V 50-60Hz**




| Item no. | Part no | Reference | Description |
|---|---|---|---|
| 1 | 24.00.198 | | Inner glass pane |
| 2 | 24.00.147 | | Sleeve for door bolt top |
| 3 | 24.00.146 | | Door setting bolt |
| 4 | 24.00.502 | | Fixing device f. magnet |

**Attention!** Individual parts shown might not be used in this component group!

▶ 15* **Voltage depending parts shown in chapter 15**





| Item no. | Part no | Reference | Description |
|---|---|---|---|
| 1 | 54.00.221 | | Exhaust pipe |
| 2 | 54.00.241 | | Rubber form piece venting pipe |
| 3 | 40.00.287 | | Thermocouple quenching |
| 4 | 50.00.138 | | Double solenoid valve |
| 5 | 50.00.139 | | Single solenoid valve |
| 6 | 50.00.070 | | Water distribution hor roll guide con. |
| 7 | 50.00.071 | | Water distribution hor. w/o roll guide con. |
| 8 | 50.00.086 | | Locking plate f. water distribution |
| 9 | 50.00.078 | | Non return valve DW16/DN12 |
| 10 | 1900.0202 | | Water filter |
| 11 | 2066.0205 | | Hose clamp 8-16x9 mm SW 7mm |
| 12 | 8664.1301 | | T-fitting water connection |
| 13 | 5110.1024 | | Gasket for G3/4" threaded joint |
| 14 | 50.00.085 | | Plug-in spring f. hand shower roll guide |
| 15 | 54.00.357 | | Ball valve drain SCC cpl. |
| 16 | 10.00.511 | | O-ring for ball valve drain 46x3.5 |
| 17 | 10.00.512 | | O-ring for ball valve drain 26x3.5 |
| 19 | 54.00.228 | | Inspection lid f. quenching chamber |
| 20 | 5012.0566 | | Gasket quenching chamber 0-ring |
| 21 | 54.00.225 | | Clamping bar |
| 22 | 2016.0940 | | Quenching nozzle rear double sprey |
| 22 | 2016.0942 | | Quenching nozzle rear double sprey |
| 23 | 2067.0050 | | Pressure hose d10mm |
| 24 | 44.00.211 | | Water volume sensor |
| 25 | 2112.1346 | | Protecting hose ø28x2x70mm |
| 26 | 2066.0516 | | Hose clamp 60-80 mm |

**Attention!** Individual parts shown might not be used in this component group!

▶ 15* **Voltage depending parts shown in chapter 15**

10 Hand shower Voltage **1NAC 230V 50-60Hz**





| Item no. | Part no | Reference | Description |
|---|---|---|---|
| 1 | 50.00.140 | | Hand shower roll guide |
| 2 | 50.00.273 | | Connect. pipe f. hand shower roll guide |
| 3 | 50.00.130 | | Hand shower |
| 4 | 50.00.156 | | Clamp f. hand shower roll guide |
| 5 | 1107.0100 | | Star lock d4 |
| 6 | 50.00.279 | | Tulip for handshower |
| 7 | 50.00.298 | | Tape f. tulip |

**Attention!** Individual parts shown might not be used in this component group!

▶ 15* **Voltage depending parts shown in chapter 15**

11 CleanJet Voltage **1NAC 230V 50-60Hz**





| Item no. | Part no | Reference | Description |
|---|---|---|---|
| 1 | 12.00.319 | | Housing f. Cleaning pump |
| 2 | 56.00.166 | | Pressure hose f. cleaning |
| 3 | 2066.0521 | | Hose clamp 27mm |
| 4 | 56.00.120 | | Suction hose f. cleaning |
| 5 | 56.00.153 | | Pump f. cleaning UP30 |

**Attention!** Individual parts shown might not be used in this component group!

▶ 15* **Voltage depending parts shown in chapter 15**

12 Gas parts Voltage **1NAC 230V 50-60Hz**




| Item no. | Part no | Reference | Description |
|---|---|---|---|
| A | 70.00.033 | ▶12.A | Gas valve cpl. ND 055 RG130 |
| B | 70.00.029 | ▶12.B | Gas valve cpl. WND 055 RG130 |
| 1 | 70.00.222 | | Air hose fixing device 50mm |
| 2 | 70.00.028 | | Blower for burner RG130 |
| 3 | 1008.0750 | | Hex screw M5x16 |
| 4 | 1305.0160 | | Washer A5,3 x 10 mm |
| 5 | 74.00.310 | | Flange f. burner blower RG130 |
| 6 | 1105.0122 | | Hex combination nut M5 V2A |
| 7 | 74.00.301 | | Gasket f. blower burner |
| 8 | 10.00.065 | | Countersunk screw Torx T20 M4x12 |
| 9 | 70.00.069 | | Spacer sleeve f. gas burner blower |
| 10 | 70.00.262 | | O-ring 21.89x2.62 |
| 11 | 10.00.064 | | Pan head screw Torx T20 M4x30 |
| 12 | 70.00.103 | | Corrugated hose 170mm |
| 13 | 70.00.090 | | Corrugated hose 580mm |
| 14 | 10.00.061 | | Pan head screw Torx T20 M4x12 |
| 15 | 10.00.063 | | Pan head screw Torx T20 M4x25 |
| 16 | 74.00.308 | | Gas connection manifold 2x3/4" |
| 17 | 1006.0762 | | Hex screw M6x10 |
| 18 | 1306.0222 | | Washer A6.4x15x1.5 |
| 19 | 74.00.221 | | Automatic ignition controller |
| 20 | 10.00.062 | | Pan head screw Torx T20 M4x20 |
| 21 | 70.00.098 | | Air hose D50x350mm |
| 22 | 70.00.096 | | Air hose D50x650mm |
| 23 | 10.00.456 | | Truss head screw Torx M4x30 T20 |
| 24 | 1204.0120 | | Tooth lock washer A4,3 |


**Attention!** Individual parts shown might not be used in this component group!

▶ 15* **Voltage depending parts shown in chapter 15**

Gas unit

## ▶ 12.A Gas valve cpl. ND 055 RG130 12


12 Gas parts Voltage **1NAC 230V 50-60Hz**




| Item no. | Part no | Reference | Description |
|---|---|---|---|
| 1 | 70.00.220 | | Gas valve GB 055 ND (straight) |
| 2 | 70.00.255 | | Premix chamber cover gas f. RG130 |
| 3 | 70.00.030 | | Premix chamber gas f. RG130 |
| 4 | 70.00.106 | | Premix disc gas |
| 5 | 70.00.256 | | Disc premix chamber-blower RG130 |
| 6 | 70.00.108 | | Disc gas valve-premix chamber |
| 7 | 70.00.260 | | Gas nozzle 7mm |
| 8 | 70.00.261 | | O-ring 17x1.5 |

**Attention!** Individual parts shown might not be used in this component group!


▶ 15* **Voltage depending parts shown in chapter 15**




| Item no. | Part no | Reference | Description |
|---|---|---|---|
| 1 | 70.00.031 | | Gas valve GB 055 WND (lateral) |
| 2 | 70.00.255 | | Premix chamber cover gas f. RG130 |
| 3 | 70.00.030 | | Premix chamber gas f. RG130 |
| 4 | 70.00.106 | | Premix disc gas |
| 5 | 70.00.256 | | Disc premix chamber-blower RG130 |

**Attention!** Individual parts shown might not be used in this component group!

13 Exterior cabinet Voltage **1NAC 230V 50-60Hz**





| Item no. | Part no | Reference | Description |
|---|---|---|---|
| A | | ▶13.A | Exterior cabinet |
| 1 | 8450.1310 | | Spacer ring |
| 2 | 8455.1209 | | Vent cover |
| 3 | 1110.0800 | | Cage nut M10 |
| 3 | 1110.0800 | | Cage nut M10 |
| 4 | 2022.0101 | | Grommet 18 mm |
| 5 | 12.00.205 | | Upper part of pedestal |
| 6 | 12.00.206 | | Lower part of pedestal |
| 7 | 1328.0102 | | Safety washer A10,2 |
| 8 | 10.00.107 | | Allen screw M10x30 |

**Attention!** Individual parts shown might not be used in this component group!

▶ 15* **Voltage depending parts shown in chapter 15**


13 Exterior cabinet Voltage **1NAC 230V 50-60Hz**




| Item no. | Part no | Reference | Description |
|---|---|---|---|
| 1 | 16.00.275 | | Top cover |
| 2 | 1003.2265 | | Countersunk self tapping screw 4,2x16 |
| 3 | 1104.0820 | | Snap nut 4.2mm |
| 4 | 1105.0260 | | Cap nut M5, high shape |
| 5 | 1305.0160 | | Washer A5,3 x 10 mm |
| 6 | 16.00.146 | | Side panel right |
| 7 | 1603.0166 | | Rivet 3.2x7,9, CNS closed |
| 8 | 16.00.147 | | Side panel left |
| 9 | 10.00.102 | | Hex self tapping screw 4,2x32 |
| 10 | 16.00.201 | | Back panel |
| 11 | 16.00.297 | | Front panel |
| 12 | 1603.0161 | | Rivet 3,2x6 |
| 13 | 10.00.069 | | Slotted pan head screw M6x90 |
| 14 | 2002.0107 | | Tension spring for front panel |
| 15 | 16.00.673 | | Air inlet filter |
| 16 | 16.00.384 | | Bracket for door contact switch |
| 17 | 2039.0331 | | Cap for service door |
| 18 | 16.00.322 | | Crossbar below f. tulip |
| 19 | 1004.2160 | | Hex self tapping screw 4,2x16 |
| 20 | 16.00.186 | | Crossbar top |
| 21 | 5105.1027 | | Gasket f. exhaust pipe d=54mm |
| 22 | 16.00.329 | | Cover f. USB interface |
| 23 | 10.00.103 | | EJOT PT-screw KA 3.5x10 |
| 24 | 40.00.469 | | Interface cable USB 0.9m |
| 25 | 50.00.300 | | Drip collector |
| 26 | 50.00.303 | | Bushing drip collector |
| 27 | 50.00.304 | | Drain drip collector |
| 28 | 50.00.296 | | Clip f. drip collector |
| 29 | 40.00.335 | | Door switch |
| 30 | 16.00.338 | | Edge protection profile |

**Attention!** Individual parts shown might not be used in this component group!

▶ 15* **Voltage depending parts shown in chapter 15**




| Item no. | Part no | Reference | Description |
|---|---|---|---|
| 1 | 60.62.001 | | Hinging rack left |
| 2 | 60.62.002 | | Hinging rack right |
| 3 | 10.00.448 | | Phillips countersunk-head screw M5x16 |
| 4 | 1004.0666 | | Hex screw M4x10 |
| 5 | 10.00.565 | | Hex screw M8x20 |
| 6 | 1208.0160 | | Tooth lock washer A8,4 |
| 9 | 1106.0360 | | Cap nut M6, high shape |
| 12 | 2049.0817 | | Sticker, Equipotential bonding |
| 13 | 60.60.574 | | Positioning support f. core sensor |
| 14 | 42.00.029 | | Memory-Stick |

**Attention!** Individual parts shown might not be used in this component group!

▶ 15* **Voltage depending parts shown in chapter 15**

# SCC 62 G

## Valid as of up to .....

| Gas unit | ▶ 15 Voltage depending parts | 0 |
|---|---|---|

0 Voltage depending parts Voltage **1NAC 230V 50-60Hz**

| Item no. | Part no | Reference | Description |
|---|---|---|---|

**Attention!** Individual parts shown might not be used in this component group!

▶ 15* **Voltage depending parts shown in chapter 15**