# Service part catalogue

## SelfCookingCenter® ab 09/2016
## Combi Master 101 - 10 x 1/1 GastronormE


**E11MI1704**




7/5/2017
3 AC208V (240V) 60Hz UL

Kat-RTS_140922
©Copyright by RATIONAL Technical Service
All Rights reserved


# Overview



# Overview


| Pos. | Assembly | Page |
|---|---|---|
| 1 | Control panel | 4 |
| 2 | Electrical installation | 6 |
| 3 | ClimaPlus | 10 |
| 4 | Steam generator | 12 |
| 5 | Hot air heating | 16 |
| 6 | Motor and fan wheel | 18 |
| 7 | Interior cabinet | 20 |
| 8 | Door | 24 |
| 9 | Exterior cabinet | 28 |
| 10 | Water | 32 |
| 11 | CleanJet + Care | 34 |
| 13 | Standard accessory | 36 |


# Control panel



# Control panel

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 87.01.302 | Control panel insert with overlay *RAT* | 1 |
| 2 | 42.00.269 | Control pcb *Energy opt* | 1 |
| 7 | 16.03.205 | Dial | 3 |
| 8 | 40.00.464 | Potentiometer CT | 1 |
| 9 | 5110.1027 | Distance plate for front panel | 2 |
| 10 | 5110.1029 | Gasket mode switch | 3 |
| 12 | 16.02.865 | Sealing f. panel insert | 1 |
| 13 | 42.00.007 | External memory | 1 |
| 14 | 42.00.094 | Mode switch mechanism | 1 |
| 15 | 42.00.044 | Pot. Hot Air | 1 |


# Electrical installation



# Electrical installation

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 40.00.453 | Solid state relais | 3 |
| 2 | 10.00.061 | Pan head screw Torx T20 M4x12 | 6 |
| 3 | 10.00.061 | Pan head screw Torx T20 M4x12 | 2 |
| 4 | 1204.0120 | Tooth lock washer A4,3 | 2 |
| 5 | 40.03.932 | Heat sink big 2 SSR | 2 |
| 6 | 40.03.371 | Mounting device heat sink SSR | 1 |
| 7 | 10.01.266 | Pan head screw Torx T20 10,5mm | 9 |
| 8 | 1105.0120 | Hex nut M5 | 1 |
| 9 | 1205.0120 | Tooth lock washer A5,3 | 1 |
| 10 | 40.03.373 | Fan housing *UL* | 1 |
| 11 | 40.03.428 | Cooling fan with NTC | 1 |
| 12 | 40.03.257 | Converter 230VAC 24VDC | 1 |
| 26 | 40.03.732 | Tie rap 160 mm | 1 |
| 27 | 40.04.180 | Energy_opt-Terminal 4poles | 1 |
| 28 | 40.03.769 | Tie rap 173 mm | 2 |
| 34 | 40.01.071 | Cable entry | 1 |
| 41 | 40.04.048 | Buzzer | 1 |
| 42 | 1104.0121 | Hex nut M4 self locking | 1 |
| 100 | 40.03.996 | Bus cable 1.15m | 1 |
| 107 | 40.04.362 | Wiring interior light | 1 |
| A | | Electrical installation | 1 |


# Electrical installation



# Electrical installation

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 40.03.322 | Contactor assembly | 1 |
| 2 | 40.01.329 | Dry up protector 183°C | 1 |
| 3 | 3014.0327 | Hex nut M10x1,0 | 1 |
| 4 | 40.01.482 | Safety temperature limiter 365°C | 1 |
| 5 | 3014.0327 | Hex nut M10x1,0 | 1 |
| 6 | 40.03.669 | Contactor B&J K3-40B00 190 R | 1 |
| 7 | 40.02.641 | Auxilliary contact B&J HN10 N/O | 1 |
| 10 | 40.03.348 | Control transformer T1 | 1 |
| 11 | 10.01.065 | Hex nut M5 | 1 |
| 12 | 40.03.404 | Mounting support transformer | 1 |
| 13 | 10.01.065 | Hex nut M5 | 1 |
| 14 | 40.02.425 | Varistor | 1 |
| 18 | 40.01.588 | Fuse SC-8A 10x38 | 2 |
| 18 | 4001.0224 | Fuse 6.35x32mm | 2 |
| 19 | 40.02.512 | Fuse holder 2x6.3A | 1 |
| 19 | 40.01.487 | Fuse holder 2pol | 1 |
| 22 | 40.04.122 | Cover for Fuse *UL* | 2 |
| 23 | 10.00.365 | Pan head screw Torx M3x20 | 2 |
| 34 | 40.03.729 | Terminal block grey WKN 35/U | 3 |
| 36 | 40.03.731 | Earth terminal WKN 35SL/U | 1 |
| 47 | 40.03.282 | Drip protection for air inlet filter 1 UL | 1 |
| 48 | 10.00.515 | Rivet 3,2x5 A4 | 1 |
| 49 | 10.01.218 | Edge protection profile | 1 |
| 50 | 40.03.755 | Cover behind 2 UL | 1 |
| 51 | 10.00.365 | Pan head screw Torx M3x20 | 2 |
| 100 | 40.03.981 | Change-over switch with cable USA | 1 |
| 103 | 40.05.032 | Cable contactor-SSR | 1 |
| 104 | 40.04.985 | Cable control harness | 1 |


# ClimaPlus



# ClimaPlus

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 22.00.882 | Mounting device f. pressure sensor | 1 |
| 2 | 3017.1011 | Pressure sensor for humidity control Huba 401 | 1 |
| 4 | 22.00.850 | Outer humidity meas. Piece | 1 |
| 5 | 22.00.881 | Gasket f. hum. meas. Pipe | 1 |
| 6 | 1104.0122 | Hex combination nut M4 galv | 3 |
| 7 | 22.00.525 | Hose set f. humidity control | 1 |
| 8 | 22.00.725 | Humidity control cpl. | 1 |
| 9 | 22.00.915 | Air inlet pipe | 1 |
| 10 | 22.00.960 | Drain hose for humidity control | 1 |
| 11 | 2066.0527 | Hose clamp ø14mm | 2 |
| 12 | 22.00.767 | Vent cover | 1 |
| 13 | 22.00.837 | O-ring for humidity control | 2 |
| 14 | 10.00.111 | Cable clip long | 2 |


# Steam generator



# Steam generator

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 44.00.941 | Steam generator insolated | 1 |
| 2 | 10.00.709 | Hex nut M6 w. locking | 2 |
| 3 | 44.01.347 | Heating element | 1 |
| 4 | 44.01.374 | Heating element w/o pipe | 1 |
| 6 | 44.00.280 | Gasket f. heating element+Level elektrode insert | 2 |
| 7 | 10.00.709 | Hex nut M6 w. locking | 10 |
| 16 | 2066.0519 | Hose clamp Ø35,6mm | 1 |
| 17 | 2066.0526 | Hose clamp ø46mm | 1 |
| 18 | 44.00.207 | Emptying pump | 1 |
| 19 | 1006.0762 | Hex screw M6x10 | 2 |
| 20 | 44.00.232 | Fixing device f. pump steam generator | 1 |
| 21 | 10.00.709 | Hex nut M6 w. locking | 2 |
| 22 | 44.01.221 | Drain hose steam generator | 1 |
| 23 | 2066.0518 | Hose clamp 30mm | 2 |
| 24 | 40.04.106 | Thermocouple steam generator *B5* | 1 |
| 26 | 10.00.414 | Cable strap black 120° | 1 |
| 27 | 1104.0122 | Hex combination nut M4 galv | 1 |
| 28 | 2112.1006 | Steam hose Ø50x50mm | 1 |
| 30 | 2066.0504 | Hose clamp 40-60mm | 1 |
| 31 | 2066.0504 | Hose clamp 40-60mm | 1 |
| 33 | 44.00.280 | Gasket f. heating element+Level elektrode insert | 1 |
| 34 | 2920.1300 | Level elektrode insert | 1 |
| 35 | 10.00.709 | Hex nut M6 w. locking | 4 |
| 36 | 44.01.417 | Filling level electrode 90 mm | 1 |
| 37 | 44.01.168 | Fixing angle steam generator | 1 |
| 38 | 44.01.181 | Fixing angle steam generator | 1 |
| 39 | 44.01.031 | Closing cap for steam generator | 1 |
| 40 | 10.00.982 | Hose clamp D=18.2 | 1 |
| A | 8354.1320 | Pump connection spout cpl. | 1 |


# Pump connection spout



# Pump connection spout

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 2118.1000 | Pump connection spout | 1 |
| 2 | 2120.1259 | Stop plug 10mm | 1 |
| 3 | 2110.1008 | Silicon hose ø10x2mm | 1 |
| 4 | 2066.0527 | Hose clamp ø14mm | 2 |
| 5 | 2066.0530 | Hose clamp ø16.4mm | 1 |
| 6 | 2062.0331 | Junction pressure hose GS 10 | 1 |
| 7 | 4005.0101 | Tie rap 145 mm | 1 |


# Hot air heating



# Hot air heating

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 40.03.410 | Mating flange f. heating assembly | 1 |
| 2 | 40.03.639 | Heating assembly | 1 |
| 4 | 10.00.109 | Hex screw M5x23 | 6 |
| 5 | 10.01.076 | Cap nut M5*A2 | 1 |
| 6 | 40.03.415 | Gasket f. heating assembly | 1 |
| 7 | 1107.0103 | Star lock ø3 | 2 |
| 8 | 10.00.991 | Sealing cap | 1 |
| 9 | 50.01.454 | Cap nut M12x11.5 | 1 |


# Motor and fan wheel



# Motor and fan wheel

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 40.03.378 | Fan motor with motor shaft gasket | 1 |
| 3 | 10.01.049 | Square necked mushroom head bolt 6x30 | 4 |
| 4 | 10.00.709 | Hex nut M6 w. locking | 2 |
| 5 | 22.00.721 | Flange f. motor shaft gasket | 1 |
| 6 | 22.00.722 | Mounting support f. gasket flange | 1 |
| 7 | 22.00.985 | Motor shaft gasket D15 | 1 |
| 8 | 22.01.196 | Graphit seal for gasket flange | 1 |
| 9 | 10.01.065 | Hex nut M5 | 3 |
| 10 | 22.00.828 | Fan wheel | 1 |
| 11 | 10.00.936 | Hex screw M8x20 | 1 |
| 12 | 1308.0162 | Washer A8,4 | 1 |
| 13 | 10.00.111 | Cable clip long | 3 |
| 15 | 20.01.755 | Isolation for mounting plate for motor | 1 |


# Interior cabinet



# Interior cabinet

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 40.00.290 | Thermocouple humidity *B4* | 1 |
| 2 | 10.00.087 | Clamp strap f. sensor | 1 |
| 3 | 10.00.100 | Hex nut M4, self-locking | 1 |
| 4 | 40.00.098 | Reflector f. interior light | 1 |
| 5 | 10.01.429 | Rivet nut M5 hexagon closed with gasket | 4 |
| 6 | 40.00.091 | Gasket frame w. glass a. gaskets | 1 |
| 7 | 40.03.994 | Halogen bulb 300°C | 1 |
| 8 | 40.04.362 | Wiring interior light | 1 |
| 9 | 20.02.552 | Door gasket | 1 |
| 10 | 40.04.039 | Meat probe sensor | 1 |
| 11 | 10.00.612 | Hex nut M16 flat | 1 |
| 12 | 1315.0104 | Copper washer 16x20x1,5 | 1 |
| 13 | 40.04.373 | Screen core temperature sensor | 1 |
| 14 | 10.01.076 | Cap nut M5*A2 | 2 |
| 17 | 40.04.085 | Thermocouple interior cabinet B1 | 1 |
| 18 | 40.03.782 | Screen interior cabinet sensor | 1 |
| 19 | 10.01.076 | Cap nut M5*A2 | 2 |
| 20 | 54.01.117 | Outlet sieve | 1 |
| 21 | 40.01.482 | Safety temperature limiter 365°C | 1 |
| 22 | 3014.0327 | Hex nut M10x1,0 | 1 |
| A | 22.00.704 | Air baffle | 1 |


# Air baffle



# Air baffle

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 4 | 22.00.730 | Hand protection | 1 |
| 6 | 10.00.515 | Rivet 3,2x5 A4 | 4 |
| 7 | 40.03.780 | Fixing clip core temp. cable | 1 |
| 8 | 22.00.491 | Surge guard for Meat probe sensor | 1 |
| 9 | 2760.1370 | Latch hook for air baffle | 2 |
| 10 | 1604.0167 | Rivet 4x10 | 3 |
| 11 | 22.00.361 | Deep-draw f. air baffle | 1 |
| 12 | 10.00.515 | Rivet 3,2x5 A4 | 4 |
| 13 | 10.00.744 | Washer A4,3 *A4 | 3 |


# Door



# Door

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 24.02.923 | Door handle | 1 |
| 2 | 24.03.041 | Door lock with spring U-bolt | 1 |
| 3 | 24.03.184 | Lock cover | 1 |
| 4 | 24.02.814 | Door mounting support bottom | 1 |
| 5 | 10.00.090 | Cap f. Torx T30 | 2 |
| 6 | 1006.1962 | Countersunk screw Torx M6x16 | 2 |
| 7 | 24.00.133 | Door mounting support top | 1 |
| 8 | 1008.0768 | Ornamental screw M8x16 | 3 |
| 10 | 24.02.967 | Cable cover | 1 |
| 11 | 24.02.951 | Door bolt | 1 |
| 12 | 10.01.527 | Hex screw M8x12 | 1 |
| 14 | 24.03.040 | Door bolt | 1 |
| 15 | 1008.0769 | Ornamental screw M8x30 | 1 |
| 17 | 2001.0109 | Compression spring | 1 |
| 18 | 24.02.958 | Holding bracket f. door catch | 1 |
| 19 | 1006.0760 | Hex screw M6x16 | 2 |
| 20 | 1306.0120 | Washer A6,4 | 2 |
| 21 | 24.02.959 | Door catch | 1 |
| 22 | 24.02.960 | Interlocking tooth screw M5x6 | 1 |
| 24 | 24.03.288 | Spring U-bolt for door lock | 1 |
| A | 24.03.601 | Door | 1 |


# Door



# Door

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 24.03.607 | Inner door pane | 1 |
| 3 | 24.03.052 | Sleeve for door bolt top | 1 |
| 4 | 24.02.966 | Door setting bolt | 1 |
| 5 | 24.00.502 | Fixing device f. magnet with magnet | 1 |
| 6 | 87.01.428 | Door drip collector | 1 |
| 7 | 24.03.056 | Slide bush for door | 1 |
| 8 | 24.03.060 | Fixing bracket for  interior glass pane | 2 |
| 9 | 24.03.057 | Abrasion protection for glide socket | 1 |
| 13 | 24.03.762 | Base for spacer | 6 |
| 14 | 24.00.171 | Silicone buffer 7mm for door | 6 |
| 16 | 10.00.890 | Rivet 4x10 | 1 |
| 17 | 10.00.904 | Rivet B4x8 | 2 |


# Exterior cabinet



# Exterior cabinet

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1110.0800 | Cage nut M10 | 4 |
| 2 | 12.00.205 | Upper part of pedestal | 1 |
| 3 | 12.00.516 | Turning lock f. lower part of pedestal | 1 |
| 4 | 12.01.133 | Lower part of pedestal | 4 |
| 5 | 10.00.975 | Hex screw M10x35 | 1 |
| 6 | 10.00.745 | Cap nut M6*A2 | 1 |
| 7 | 1206.0120 | Tooth lock washer A6,4 | 1 |
| 9 | 16.01.146 | Bracket for door contact switch | 1 |
| 12 | 40.04.342 | Door switch 0.45m | 1 |
| 13 | 10.00.916 | Hex nut M4 w. locking | 1 |
| 16 | 22.00.767 | Vent cover | 1 |
| 17 | 16.02.870 | Opening mechanism for panel insert | 1 |
| 21 | 1104.0820 | Snap nut 4,2mm | 2 |
| A | | Exterior cabinet | 1 |


# Exterior cabinet



# Exterior cabinet

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 16.02.152 | Top cover | 1 |
| 2 | 1003.2265 | Countersunk self tapping screw 4,2x16 | 9 |
| 3 | 1104.0820 | Snap nut 4,2mm | 7 |
| 4 | 16.00.127 | Side panel right | 1 |
| 5 | 1603.0166 | Rivet 3,2x7,9 CNS closed | 4 |
| 6 | 16.00.128 | Side panel left | 1 |
| 7 | 10.00.992 | Hex self tapping screw B4,2x32 | 2 |
| 8 | 1104.0820 | Snap nut 4,2mm | 2 |
| 9 | 16.01.926 | Back panel | 1 |
| 11 | 16.02.737 | Front panel | 1 |
| 12 | 1603.0166 | Rivet 3,2x7,9 CNS closed | 4 |
| 15 | 16.02.098 | Crossbar below | 1 |
| 16 | 1004.2160 | Hex self tapping screw 4,2x16 | 2 |
| 17 | 16.00.180 | Crossbar top | 1 |
| 18 | 1603.0166 | Rivet 3,2x7,9 CNS closed | 4 |
| 21 | 40.02.684 | Air inlet filter cpl. | 1 |
| 22 | 50.00.286 | Drip collector | 1 |
| 23 | 50.01.613 | Drain pipe with bushing | 1 |
| 24 | 50.00.296 | Clip f. drip collector | 3 |
| 25 | 50.00.303 | Bushing drip collector | 2 |
| 26 | 16.00.329 | Cover f. USB interface | 1 |
| 27 | 10.00.103 | EJOT PT-screw KA 3.5x10 | 1 |
| 28 | 40.04.046 | Interface cable USB 1.0m | 1 |
| 29 | 10.00.460 | EJOT PT-Screw Torx 3,5x14 | 2 |
| 30 | 16.01.748 | Gasket f. breather tube d=63mm | 1 |


# Water


41
1
14
32
3
2
4
11
31
38
27
53
28
13
12
40
25
24
15
42
8
5
10
6
39
22
16
23
21
19
26

# Water

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 54.00.738 | Ventilation pipe | 1 |
| 2 | 54.01.141 | Rubber form piece venting pipe | 1 |
| 3 | 10.01.261 | Hose clamp 66 mm | 1 |
| 4 | 10.01.262 | Hose clamp 76 mm | 1 |
| 5 | 50.00.086 | Locking plate f. water distribution | 1 |
| 6 | 1900.0202 | Water filter | 2 |
| 8 | 2066.0205 | Hose clamp 8-16x9 mm SW 7mm | 1 |
| 10 | 50.00.313 | T-fitting water connection | 1 |
| 11 | 52.00.060 | Hand shower roll guide | 1 |
| 12 | 50.01.818 | Connect. hose f. hand shower roll guide | 1 |
| 13 | 50.00.085 | Plug-in spring f. hand shower roll guide | 1 |
| 14 | 87.00.417 | Repair set shaft seal 01/2004 | 1 |
| 15 | 50.00.282 | Hand shower black | 1 |
| 16 | 50.00.156 | Clamp f. hand shower roll guide | 1 |
| 18 | 1105.0121 | Hex combination nut M5 galv | 1 |
| 19 | 56.00.618 | Ball valve drain SCC cpl. | 1 |
| 21 | 10.00.449 | Pan head screw M6x16 | 2 |
| 22 | 10.00.511 | O-ring for ball valve drain 46x3.5 | 1 |
| 23 | 10.00.512 | O-ring for ball valve drain 26x3.5 | 1 |
| 24 | 54.01.148 | Inspection lid, quenching nozzle, B2 | 1 |
| 25 | 54.01.168 | Gasket f. inspection lid | 1 |
| 26 | 54.01.191 | Collecting pan | 1 |
| 27 | 50.01.147 | Single solenoid valve Y1 | 1 |
| 28 | 50.00.071 | Water distribution hor. w/o roll guide con. | 1 |
| 31 | 2067.0050 | Pressure hose d10mm | 1.27 |
| 32 | 2067.0050 | Pressure hose d10mm | .65 |
| 38 | 50.01.146 | Single solenoid valve Y2 | 1 |
| 39 | 50.00.070 | Water distribution hor roll guide con. | 1 |
| 40 | 2067.0050 | Pressure hose d10mm | .31 |
| 41 | 8354.1304 | Venting valve for steam generator | 1 |
| 42 | 2022.0101 | Grommet d8mm | 1 |
| 53 | 1900.0102 | Flow controller red 5 l/min | 1 |
| 54 | 50.00.554 | O-ring for hand shower 11x2mm | 2 |


# CleanJet + Care



# CleanJet + Care

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 56.00.153 | Pump f. cleaning UP30 | 1 |
| 2 | 12.00.898 | Housing f. Cleaning pump | 1 |
| 3 | 1004.0666 | Hex screw M4x10 | 1 |
| 5 | 56.00.166 | Pressure hose f. cleaning | 1 |
| 6 | 2066.0518 | Hose clamp 30mm | 1 |
| 7 | 2066.0521 | Hose clamp 27mm | 1 |
| 8 | 56.00.605 | Suction hose f. cleaning | 1 |
| 9 | 2066.0518 | Hose clamp 30mm | 2 |
| 10 | 1107.0100 | Star lock ø4 | 5 |
| 11 | 50.00.754 | Tulip for handshower with tape black | 1 |

# Standard accessory



# Standard accessory

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 3 | 60.71.022 | Positioning support f. core sensor | 1 |
| 8 | 10.01.191 | Sticker set | 1 |
| 10 | 60.71.379 | Water connection kit, table unit E/USA | 1 |
| 10 | 60.71.379 | Water connection kit, table unit E/USA | 1 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 24.03.057 | Abrasion protection for glide socket | 27 |
| 22.00.704 | Air baffle | 21 |
| 40.02.684 | Air inlet filter cpl. | 31 |
| 22.00.915 | Air inlet pipe | 11 |
| 40.02.641 | Auxilliary contact B&J HN10 N/O | 9 |
| 16.01.926 | Back panel | 31 |
| 56.00.618 | Ball valve drain SCC cpl. | 33 |
| 24.03.762 | Base for spacer | 27 |
| 16.01.146 | Bracket for door contact switch | 29 |
| 40.03.996 | Bus cable 1.15m | 7 |
| 50.00.303 | Bushing drip collector | 31 |
| 40.04.048 | Buzzer | 7 |
| 10.00.111 | Cable clip long | 11, 19 |
| 40.05.032 | Cable contactor-SSR | 9 |
| 40.04.985 | Cable control harness | 9 |
| 24.02.967 | Cable cover | 25 |
| 40.01.071 | Cable entry | 7 |
| 10.00.414 | Cable strap black 120° | 13 |
| 1110.0800 | Cage nut M10 | 29 |
| 10.00.090 | Cap f. Torx T30 | 25 |
| 10.01.076 | Cap nut M5*A2 | 17, 21 |
| 10.00.745 | Cap nut M6*A2 | 29 |
| 50.01.454 | Cap nut M12x11.5 | 17 |
| 40.03.981 | Change-over switch with cable USA | 9 |
| 50.00.156 | Clamp f. hand shower roll guide | 33 |
| 10.00.087 | Clamp strap f. sensor | 21 |
| 50.00.296 | Clip f. drip collector | 31 |
| 44.01.031 | Closing cap for steam generator | 13 |
| 54.01.191 | Collecting pan | 33 |
| 2001.0109 | Compression spring | 25 |
| 50.01.818 | Connect. hose f. hand shower roll guide | 33 |
| 40.03.322 | Contactor assembly | 9 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 40.03.669 | Contactor B&J K3-40B00 190 R | 9 |
| 87.01.302 | Control panel insert with overlay *RAT* | 5 |
| 42.00.269 | Control pcb *Energy opt* | 5 |
| 40.03.348 | Control transformer T1 | 9 |
| 40.03.257 | Converter 230VAC 24VDC | 7 |
| 40.03.428 | Cooling fan with NTC | 7 |
| 1315.0104 | Copper washer 16x20x1,5 | 21 |
| 1006.1962 | Countersunk screw Torx M6x16 | 25 |
| 1003.2265 | Countersunk self tapping screw 4,2x16 | 31 |
| 40.03.755 | Cover behind 2 UL | 9 |
| 16.00.329 | Cover f. USB interface | 31 |
| 40.04.122 | Cover for Fuse *UL* | 9 |
| 16.02.098 | Crossbar below | 31 |
| 16.00.180 | Crossbar top | 31 |
| 22.00.361 | Deep-draw f. air baffle | 23 |
| 16.03.205 | Dial | 5 |
| 5110.1027 | Distance plate for front panel | 5 |
| 24.03.601 | Door | 25 |
| 24.02.951 | Door bolt | 25 |
| 24.03.040 | Door bolt | 25 |
| 24.02.959 | Door catch | 25 |
| 87.01.428 | Door drip collector | 27 |
| 20.02.552 | Door gasket | 21 |
| 24.02.923 | Door handle | 25 |
| 24.03.041 | Door lock with spring U-bolt | 25 |
| 24.02.814 | Door mounting support bottom | 25 |
| 24.00.133 | Door mounting support top | 25 |
| 24.02.966 | Door setting bolt | 27 |
| 40.04.342 | Door switch 0.45m | 29 |
| 22.00.960 | Drain hose for humidity control | 11 |
| 44.01.221 | Drain hose steam generator | 13 |
| 50.01.613 | Drain pipe with bushing | 31 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 50.00.286 | Drip collector | 31 |
| 40.03.282 | Drip protection for air inlet filter 1 UL | 9 |
| 40.01.329 | Dry up protector 183°C | 9 |
| 40.03.731 | Earth terminal WKN 35SL/U | 9 |
| 10.01.218 | Edge protection profile | 9 |
| 10.00.103 | EJOT PT-screw KA 3.5x10 | 31 |
| 10.00.460 | EJOT PT-Screw Torx 3,5x14 | 31 |
| 44.00.207 | Emptying pump | 13 |
| 40.04.180 | Energy_opt-Terminal 4poles | 7 |
| 42.00.007 | External memory | 5 |
| 40.03.373 | Fan housing *UL* | 7 |
| 40.03.378 | Fan motor with motor shaft gasket | 19 |
| 22.00.828 | Fan wheel | 19 |
| 44.01.417 | Filling level electrode 90 mm | 13 |
| 44.01.168 | Fixing angle steam generator | 13 |
| 44.01.181 | Fixing angle steam generator | 13 |
| 24.03.060 | Fixing bracket for interior glass pane | 27 |
| 40.03.780 | Fixing clip core temp. cable | 23 |
| 24.00.502 | Fixing device f. magnet with magnet | 27 |
| 44.00.232 | Fixing device f. pump steam generator | 13 |
| 22.00.721 | Flange f. motor shaft gasket | 19 |
| 1900.0102 | Flow controller red 5 l/min | 33 |
| 16.02.737 | Front panel | 31 |
| 4001.0224 | Fuse 6.35x32mm | 9 |
| 40.01.487 | Fuse holder 2pol | 9 |
| 40.02.512 | Fuse holder 2x6.3A | 9 |
| 40.01.588 | Fuse SC-8A 10x38 | 9 |
| 16.01.748 | Gasket f. breather tube d=63mm | 31 |
| 40.03.415 | Gasket f. heating assembly | 17 |
| 44.00.280 | Gasket f. heating element+Level elektrode insert | 13 |
| 22.00.881 | Gasket f. hum. meas. Pipe | 11 |
| 54.01.168 | Gasket f. inspection lid | 33 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 40.00.091 | Gasket frame w. glass a. gaskets | 21 |
| 5110.1029 | Gasket mode switch | 5 |
| 22.01.196 | Graphit seal for gasket flange | 19 |
| 2022.0101 | Grommet d8mm | 33 |
| 40.03.994 | Halogen bulb 300°C | 21 |
| 22.00.730 | Hand protection | 23 |
| 50.00.282 | Hand shower black | 33 |
| 52.00.060 | Hand shower roll guide | 33 |
| 40.03.932 | Heat sink big 2 SSR | 7 |
| 40.03.639 | Heating assembly | 17 |
| 44.01.347 | Heating element | 13 |
| 44.01.374 | Heating element w/o pipe | 13 |
| 1104.0122 | Hex combination nut M4 galv | 11, 13 |
| 1105.0121 | Hex combination nut M5 galv | 33 |
| 1104.0121 | Hex nut M4 self locking | 7 |
| 10.00.916 | Hex nut M4 w. locking | 29 |
| 10.00.100 | Hex nut M4, self-locking | 21 |
| 1105.0120 | Hex nut M5 | 7 |
| 10.01.065 | Hex nut M5 | 9, 19 |
| 10.00.709 | Hex nut M6 w. locking | 13, 19 |
| 3014.0327 | Hex nut M10x1,0 | 9, 21 |
| 10.00.612 | Hex nut M16 flat | 21 |
| 1004.0666 | Hex screw M4x10 | 35 |
| 10.00.109 | Hex screw M5x23 | 17 |
| 1006.0762 | Hex screw M6x10 | 13 |
| 1006.0760 | Hex screw M6x16 | 25 |
| 10.01.527 | Hex screw M8x12 | 25 |
| 10.00.936 | Hex screw M8x20 | 19 |
| 10.00.975 | Hex screw M10x35 | 29 |
| 1004.2160 | Hex self tapping screw 4,2x16 | 31 |
| 10.00.992 | Hex self tapping screw B4,2x32 | 31 |
| 24.02.958 | Holding bracket f. door catch | 25 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 2066.0205 | Hose clamp 8-16x9 mm SW 7mm | 33 |
| 2066.0521 | Hose clamp 27mm | 35 |
| 2066.0518 | Hose clamp 30mm | 13, 35 |
| 2066.0504 | Hose clamp 40-60mm | 13 |
| 10.01.261 | Hose clamp 66 mm | 33 |
| 10.01.262 | Hose clamp 76 mm | 33 |
| 10.00.982 | Hose clamp D=18.2 | 13 |
| 2066.0527 | Hose clamp ø14mm | 11, 15 |
| 2066.0530 | Hose clamp ø16.4mm | 15 |
| 2066.0519 | Hose clamp Ø35,6mm | 13 |
| 2066.0526 | Hose clamp ø46mm | 13 |
| 22.00.525 | Hose set f. humidity control | 11 |
| 12.00.898 | Housing f. Cleaning pump | 35 |
| 22.00.725 | Humidity control cpl. | 11 |
| 24.03.607 | Inner door pane | 27 |
| 54.01.148 | Inspection lid, quenching nozzle, B2 | 33 |
| 40.04.046 | Interface cable USB 1.0m | 31 |
| 24.02.960 | Interlocking tooth screw M5x6 | 25 |
| 20.01.755 | Isolation for mounting plate for motor | 19 |
| 2062.0331 | Junction pressure hose GS 10 | 15 |
| 2760.1370 | Latch hook for air baffle | 23 |
| 2920.1300 | Level elektrode insert | 13 |
| 24.03.184 | Lock cover | 25 |
| 50.00.086 | Locking plate f. water distribution | 33 |
| 12.01.133 | Lower part of pedestal | 29 |
| 40.03.410 | Mating flange f. heating assembly | 17 |
| 40.04.039 | Meat probe sensor | 21 |
| 42.00.094 | Mode switch mechanism | 5 |
| 22.00.985 | Motor shaft gasket D15 | 19 |
| 22.00.882 | Mounting device f. pressure sensor | 11 |
| 40.03.371 | Mounting device heat sink SSR | 7 |
| 22.00.722 | Mounting support f. gasket flange | 19 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 40.03.404 | Mounting support transformer | 9 |
| 10.00.512 | O-ring for ball valve drain 26x3.5 | 33 |
| 10.00.511 | O-ring for ball valve drain 46x3.5 | 33 |
| 50.00.554 | O-ring for hand shower 11x2mm | 33 |
| 22.00.837 | O-ring for humidity control | 11 |
| 16.02.870 | Opening mechanism for panel insert | 29 |
| 1008.0768 | Ornamental screw M8x16 | 25 |
| 1008.0769 | Ornamental screw M8x30 | 25 |
| 22.00.850 | Outer humidity meas. Piece | 11 |
| 54.01.117 | Outlet sieve | 21 |
| 10.00.449 | Pan head screw M6x16 | 33 |
| 10.00.365 | Pan head screw Torx M3x20 | 9 |
| 10.01.266 | Pan head screw Torx T20 10,5mm | 7 |
| 10.00.061 | Pan head screw Torx T20 M4x12 | 7 |
| 50.00.085 | Plug-in spring f. hand shower roll guide | 33 |
| 60.71.022 | Positioning support f. core sensor | 37 |
| 42.00.044 | Pot. Hot Air | 5 |
| 40.00.464 | Potentiometer CT | 5 |
| 2067.0050 | Pressure hose d10mm | 33 |
| 56.00.166 | Pressure hose f. cleaning | 35 |
| 3017.1011 | Pressure sensor for humidity control Huba 401 | 11 |
| 2118.1000 | Pump connection spout | 15 |
| 8354.1320 | Pump connection spout cpl. | 13 |
| 56.00.153 | Pump f. cleaning UP30 | 35 |
| 40.00.098 | Reflector f. interior light | 21 |
| 87.00.417 | Repair set shaft seal 01/2004 | 33 |
| 10.00.515 | Rivet 3,2x5 A4 | 9, 23 |
| 1603.0166 | Rivet 3,2x7,9 CNS closed | 31 |
| 1604.0167 | Rivet 4x10 | 23 |
| 10.00.890 | Rivet 4x10 | 27 |
| 10.00.904 | Rivet B4x8 | 27 |
| 10.01.429 | Rivet nut M5 hexagon closed with gasket | 21 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 54.01.141 | Rubber form piece venting pipe | 33 |
| 40.01.482 | Safety temperature limiter 365°C | 9, 21 |
| 40.04.373 | Screen core temperature sensor | 21 |
| 40.03.782 | Screen interior cabinet sensor | 21 |
| 10.00.991 | Sealing cap | 17 |
| 16.02.865 | Sealing f. panel insert | 5 |
| 16.00.128 | Side panel left | 31 |
| 16.00.127 | Side panel right | 31 |
| 2110.1008 | Silicon hose ø10x2mm | 15 |
| 24.00.171 | Silicone buffer 7mm for door | 27 |
| 50.01.147 | Single solenoid valve Y1 | 33 |
| 50.01.146 | Single solenoid valve Y2 | 33 |
| 24.03.052 | Sleeve for door bolt top | 27 |
| 24.03.056 | Slide bush for door | 27 |
| 1104.0820 | Snap nut 4,2mm | 29, 31 |
| 40.00.453 | Solid state relais | 7 |
| 24.03.288 | Spring U-bolt for door lock | 25 |
| 10.01.049 | Square necked mushroom head bolt 6x30 | 19 |
| 1107.0103 | Star lock ø3 | 17 |
| 1107.0100 | Star lock ø4 | 35 |
| 44.00.941 | Steam generator insolated | 13 |
| 2112.1006 | Steam hose Ø50x50mm | 13 |
| 10.01.191 | Sticker set | 37 |
| 2120.1259 | Stop plug 10mm | 15 |
| 56.00.605 | Suction hose f. cleaning | 35 |
| 22.00.491 | Surge guard for Meat probe sensor | 23 |
| 50.00.313 | T-fitting water connection | 33 |
| 40.03.729 | Terminal block grey WKN 35/U | 9 |
| 40.00.290 | Thermocouple humidity *B4* | 21 |
| 40.04.085 | Thermocouple interior cabinet B1 | 21 |
| 40.04.106 | Thermocouple steam generator *B5* | 13 |
| 4005.0101 | Tie rap 145 mm | 15 |


# Index


| Part no. | Description | Page |
|---|---|---|
| 40.03.732 | Tie rap 160 mm | 7 |
| 40.03.769 | Tie rap 173 mm | 7 |
| 1204.0120 | Tooth lock washer A4,3 | 7 |
| 1205.0120 | Tooth lock washer A5,3 | 7 |
| 1206.0120 | Tooth lock washer A6,4 | 29 |
| 16.02.152 | Top cover | 31 |
| 50.00.754 | Tulip for handshower with tape black | 35 |
| 12.00.516 | Turning lock f. lower part of pedestal | 29 |
| 12.00.205 | Upper part of pedestal | 29 |
| 40.02.425 | Varistor | 9 |
| 22.00.767 | Vent cover | 11, 29 |
| 54.00.738 | Ventilation pipe | 33 |
| 8354.1304 | Venting valve for steam generator | 33 |
| 10.00.744 | Washer A4,3 *A4 | 23 |
| 1306.0120 | Washer A6,4 | 25 |
| 1308.0162 | Washer A8,4 | 19 |
| 60.71.379 | Water connection kit, table unit E/USA | 37 |
| 50.00.070 | Water distribution hor roll guide con. | 33 |
| 50.00.071 | Water distribution hor. w/o roll guide con. | 33 |
| 1900.0202 | Water filter | 33 |
| 40.04.362 | Wiring interior light | 7, 21 |


# Deckblatt Elektrische Dokumentation, Cover sheet electrical Documentation

Die Elektrische Dokumentation besteht aus: 1. diesem Deckblatt, 2. dem Schaltplan und 3. der Legende der elektrischen Bauteile
The electric documentation contains: 1. this cover sheet, 2. the wiring diagram and 3. the bill of material (BOM)


| | | | |
|---|---|---|---|
| **Typ**<br>**Type** | CMP 101E | | |
| **Spannung (SPL)**<br>**Voltage** | 3AC208 V 60 Hz | | |
| **Deckblatt-Nr.**<br>**Front Page No.** | 75-22405 | **Version** | 0 |
| **Schaltplan**<br>**Wiring diagram** | 76-00943 | **Version** | 0 |
| **Legende**<br>**Legend electr. components** | 78-01853 | **Version** | 0 |
| **Geräteserialnr.**<br>**Serial number** | E11MI1703 | **Version** | 1703 |
| **Erstellt am**<br>**Created at** | 11.01.2017 | **Ersteller**<br>**Creator** | HEJA |
| **Gültig ab**<br>**Valid from** | 11.01.2017 | **Änderung**<br>**Modification** | 20160108 |




| | | | |
|---|---|---|---|
| 76-00943 | MODUL 1<br>Leistung/Power | CMP 101E UL | Erstellt von HEJA |
| Version 0 | | 3AC208 V 60 Hz | Datum 11.01.2017<br>Blatt 1 |




| | | | |
|---|---|---|---|
| 76-00943 | MODUL 2<br>Heizung/Heating | CMP 101E UL | Erstellt von: HEJA |
| Version: 0 | | 3AC208 V 60 Hz | Datum: 11.01.2017<br>Blatt: 2 |




| | | | |
|---|---|---|---|
| 76-00943 | MODUL 3<br>Sensoren/Sensors | CMP 101E UL | Erstellt von: HEJA |
| Version: 0 | | 3AC208 V 60 Hz | Datum: 11.01.2017<br>Blatt: 3 |

**Positionsliste**
**Bill of material**



| **Name**<br>**Name** | **Artikelnr.**<br>**Item number** | **Artikelbezeichnung** | **Item description** |
|---|---|---|---|
| -A4 | 42.00.269 | Bedienplatine CMP | Operator PCB CMP |
| -B1 | 40.04.085 | Thermoelement Garraum | Thermocouple interior cabinet |
| -B2 | 54.01.148 | Thermoelement Steuerventil | Thermocouple control valve |
| -B3 | 40.04.039 | Thermoelement Kerntemperatur | Thermocouple core sensor |
| -B4 | 40.00.290 | Thermoelement Feuchte | Thermocouple humidity |
| -B5 | 40.04.106 | Thermoelement Dampfgenerator | Thermocouple steam generator |
| -F1/F2 | 40.01.588 | Steuersicherung | Control fuse |
| -F3 | 40.01.329 | Sicherheitstemperaturbegrenzer DG | Safety thermostat steam generator SG |
| -F4 | 40.01.482 | Sicherheitstemperaturbegrenzer 360°C/680°F | Safety thermostat interior cabinet 360°C/680°F |
| -G1 | 40.03.257 | Gleichrichter Kühllüfter | DC converter cooling fan |
| -H1 | 3024.0201 | Garraumbeleuchtung | Interior cabinet light |
| -K1 | 40.03.669 | Hauptschütz | Main contactor |
| -M1 | 40.03.378 | Lüftermotor | Fan motor |
| -M4 | 44.00.207 | SC-Pumpe | SC-pump |
| -M5 | 40.03.428 | Kühllüfter | Cooling fan |
| -M6 | 56.00.153 | CleanJet Pumpe SCC WE | CleanJet pump SCC WE |
| -M7 | 56.00.618 | Kugelhahn Ablauf | Drain valve |
| -P1 | 3017.1011 | Differenzdrucksensor | Differential pressure sensor |
| -R1 | 44.01.347 | Dampfheizkörper | Heating element steam |
| -R2 | 44.01.374 | Dampfheizkörper | Heating element steam |
| -R4 | 40.03.639 | Heißluftheizkörper | Heating element hot air |
| -S2 | 44.01.417 | Niveauelektrode | Water level electrode |
| -S3 | 40.04.342 | Türkontaktschalter | Door contact switch |
| -S7 | 40.00.464 | Potentiometer Zeit / Kerntemperatur | Time / Core potentiometer |
| -T1 | 40.03.348 | Steuertrafo | Control transformer |
| -T1-F1 | 3019.0120 | Sicherung Steuertrafo T1 2AT | Fuse control transformer T1 2AT |
| -T1-F2 | 3019.0114 | Sicherung Steuertrafo T1 5AmT | Fuse control transformer T1 5AmT |
| -T2 | 40.04.048 | SCC WE: Lautsprecher / CMP: Alarmsummer | SCC WE: Speaker / CMP: Buzzer |
| -V1-V12 | 40.00.453 | Leistungshalbleiter | Solid state relais |
| -W11 | 40.04.362 | Kabel: Garraumbeleuchtung | Cable: interior cabinet light |
| -W16 | 40.05.032 | Kabel: Klemmen/Hauptschütz/SSR | Cable: terminal/main contactor/SSR |

| | | | | | |
|---|---|---|---|---|---|
| Änderungsdatum | **11.01.2017** | Name | **CMP 101E UL** | Dokument-Nr. | **78-01853** |
| Erzeuger | **HEJA** | Spannung | **3AC208 V 60 Hz** | Version | **0** |

**Positionsliste**
**Bill of material**



| **Name**<br>**Name** | **Artikelnr.**<br>**Item number** | **Artikelbezeichnung** | **Item description** |
|---|---|---|---|
| -W17 | 40.04.985 | Kabel: Steuerstamm | Cable: control harness |
| -W20 | 40.03.981 | Kabel: Spannungswahlschalter UL | Cable: selector switch UL |
| -X20 | 40.04.180 | Energieoptimierungsanlage-Klemme | Energy optimising appliance link |
| -Y1 | 50.01.147 | Magnetventil Füllen | Solenoid valve filling |
| -Y2 | 50.01.146 | Magnetventil Steuerventil | Solenoid valve control valve |
| -Y5 | 22.00.725 | Klimaventil | Clima valve |
| -Z1 | 40.02.425 | Entstörfilter/Varistor | Electronic noise filter |