# Service part catalogue


# SelfCooking Center® Linie
# Combi Master 61G

**validity: 10/2008**




05.05.2009
1NAC100V 50/60Hz


# Overview



# Overview


| Pos. | Module | Page |
|---|---|---|
| 1 | Control panel | 4 |
| 2 | Electrical installation | 6 |
| 3 | ClimaPlus | 10 |
| 4 | Steam generator | 12 |
| 5 | Hot air heating | 18 |
| 6 | Motor and fan wheel | 22 |
| 7 | Interior cabinet | 24 |
| 8 | Door cpl. f. assembly line | 28 |
| 9 | Exterior cabinet | 32 |
| 10 | Water | 36 |
| 11 | CleanJet + Care | 38 |
| 12 | Gas parts | 40 |
| 13 | Miscellaneous | 46 |


# Control panel



# Control panel

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 87.00.001 | Control panel insert with overlay | 1 |
| 2 | 42.00.048 | Control pcb Index "MF" | 1 |
| 3 | 10.00.916 | Hex nut M4 w. locking | 8 |
| 4 | 10.00.355 | Spacer black | 8 |
| 5 | 2020.0400 | Fixing device for cable harness | 1 |
| 6 | 16.00.282 | Dial | 3 |
| 8 | 5110.1027 | Distance plate for front panel | 2 |
| 9 | 40.02.087 | Buzzer | 1 |
| 10 | 1104.0121 | Hex nut M4 self locking | 1 |
| 11 | 5110.1029 | Gasket mode switch | 1 |
| 12 | 40.00.464 | Potentiometer CT | 1 |
| 13 | 5110.1029 | Gasket mode switch | 1 |
| 14 | 16.00.387 | Mounting device f.sealing + sealing lip | 1 |


# Electrical installation



# Electrical installation

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 10.00.709 | Hex nut M6 w. locking | 2 |
| 2 | 10.00.239 | EJOT PT-Screw Torx 4x10 | 3 |
| 17 | 40.00.417 | Fixing clip f. pcb | 1 |
| 18 | 1104.0801 | Cage nut M4 | 1 |
| 19 | 10.00.243 | Spacer M4x8 | 1 |
| 20 | 1104.0120 | Hex nut M4 | 1 |
| 21 | 40.01.579 | Fixing clip f. pcb | 3 |
| 22 | 40.00.472 | Bus cable 1.3m | 1 |
| 25 | 10.00.112 | Cable clip short | 4 |
| 27 | 10.00.421 | Cable clip | 8 |
| 28 | 10.00.111 | Cable clip long | 4 |
| 28 | 10.00.111 | Cable clip long | 1 |
| 29 | 10.00.112 | Cable clip short | 2 |
| 31 | 10.00.471 | Cable clip d10-12mm | 3 |
| 32 | 10.00.471 | Cable clip d10-12mm | 3 |
| 33 | 40.00.279 | Control transformer | 1 |
| 34 | 10.00.565 | Hex screw M8x20 | 1 |
| 35 | 40.01.600 | Insulating screw joint 2pol. | 1 |
| 43 | 1106.0160 | Hex nut M6 | 1 |
| 44 | 1206.0120 | Tooth lock washer A6,4 | 1 |
| 45 | 4002.0110 | Cable connector, junction | 2 |
| 57 | 40.01.596 | Power supply cable 3x2,5mm² 3m | 1 |
| 59 | 40.00.320 | Cable connection M20x1.5 | 1 |
| A | | Electrical installation | 1 |


# Electrical installation



# Electrical installation

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 40.00.248 | Cable harness isolating transformer | 1 |
| 1 | 40.02.956 | Cable control harness | 1 |
| 2 | 10.00.111 | Cable clip long | 4 |
| 3 | 40.02.515 | Dry up protector 315°F/157°C | 1 |
| 4 | 3014.0302 | Hex nut M10 for dry-up protector | 1 |
| 5 | 40.01.482 | Safety temperature limiter 365°C | 1 |
| 6 | 3014.0327 | Hex nut M10x1,0 | 1 |
| 7 | 40.02.917 | Contactor 3TG1010-2AK2 | 1 |
| 10 | 3101.1008 | Cooling fan | 1 |
| 11 | 10.00.238 | Screw Torx 4x50 | 2 |
| 13 | 40.00.277 | Control transformer | 1 |
| 14 | 10.00.239 | EJOT PT-Screw Torx 4x10 | 1 |
| 15 | 40.01.483 | Electronic noise filter | 1 |
| 21 | 40.02.512 | Fuse holder 2x6.3A | 1 |
| 26 | 10.00.240 | Screw Torx 3x20 | 2 |
| 47 | 2005.0106 | Protective grid for cooling fan | 1 |
| 48 | 4007.0620 | Membrane DGC 29 | 2 |
| 53 | 40.00.519 | Installation rail for Contactor 75mm | 1 |
| 54 | 10.00.239 | EJOT PT-Screw Torx 4x10 | 2 |
| 55 | 4001.1203 | End plate for mounting rail | 1 |


# ClimaPlus



# ClimaPlus

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 8 | 22.00.578 | Safety valve | 1 |
| 12 | 22.00.564 | Gasket f. ventilation | 1 |
| 13 | 2066.0504 | Hose clamp 40-60mm | 1 |


# Steam generator



# Steam generator

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 1106.0803 | Hex combination nut M6 galv | 1 |
| 3 | 72.00.003 | Burner steam gen. | 1 |
| 4 | 72.00.048 | Insulation f. burner steam gen. | 1 |
| 5 | 1104.0122 | Hex combination nut M4 galv | 4 |
| 6 | 70.00.039 | Burner pipe | 1 |
| 7 | 72.00.020 | Gasket f. burner carrier | 1 |
| 8 | 1105.0121 | Hex combination nut M5 galv | 4 |
| 9 | 44.00.251 | Ignition electrode steam generator | 1 |
| 10 | 1104.0120 | Hex nut M4 | 2 |
| 11 | 44.00.250 | Gasket f. ignition electrode | 1 |
| 17 | 2066.0519 | Hose clamp 35,6mm | 1 |
| 18 | 2066.0526 | Hose clamp ø46mm | 1 |
| 19 | 44.00.207 | Emptying pump | 1 |
| 20 | 1006.0762 | Hex screw M6x10 | 2 |
| 21 | 1306.0222 | Washer A6,4x15x1,5 | 2 |
| 22 | 44.00.226 | Fixing device f. pump steam generator | 1 |
| 23 | 10.00.709 | Hex nut M6 w. locking | 2 |
| 24 | 44.00.234 | Drain hose steam generator | 1 |
| 25 | 2066.0518 | Hose clamp 30mm | 2 |
| 26 | 40.01.094 | Thermocouple steam gen. (B5) | 1 |
| 27 | 44.00.516 | Fixing plate steam generator thermostat | 1 |
| 30 | 2112.1006 | Steam hose 50x7mm | 2 |
| 31 | 2066.0504 | Hose clamp 40-60mm | 4 |
| 32 | 44.00.349 | Steam pipe | 1 |
| 33 | 10.00.982 | Hose clamp D=18.2 | 1 |
| 34 | 2066.0205 | Hose clamp 8-16x9 mm SW 7mm | 1 |
| 35 | 1105.0120 | Hex nut M5 | 1 |
| 36 | 1205.0120 | Tooth lock washer A5,3 | 1 |
| 37 | 44.01.031 | Closing cap for steam generator | 1 |
| A | 8354.1320 | Pump connection spout cpl. | 1 |
| B | 44.00.182 | Steam generator insolated | 1 |


# Pump connection spout



# Pump connection spout

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 2118.1000 | Pump connection spout | 1 |
| 2 | 2120.1259 | Stop plug 10mm | 1 |
| 3 | 2110.1008 | Silicon hose ø10x2mm | 1 |
| 4 | 2066.0527 | Hose clamp ø14mm | 2 |
| 5 | 2066.0530 | Hose clamp ø16.4mm | 1 |
| 6 | 2062.0331 | Junction pressure hose GS 10 | 1 |
| 7 | 4005.0101 | Tie rap 145 mm | 1 |


# Steam generator, insulated



# Steam generator, insulated

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 3 | 5012.0566 | Gasket f. inspection lid | 1 |
| 4 | 44.00.263 | Panel for revision hole steam generator | 1 |
| 5 | 44.00.264 | Clamping bar for panel revision hole | 1 |
| 6 | 44.00.253 | Filling level electrode 85mm | 1 |
| 7 | 1105.0121 | Hex combination nut M5 galv | 2 |


# Hot air heating



# Hot air heating

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 10 | 74.00.134 | Hot air heat exchanger | 1 |
| 12 | 74.00.234 | Gasket hot air heat exchanger/interior cabinet | 1 |
| 13 | 74.00.313 | Mating flange heat exchanger | 1 |
| 15 | 74.00.296 | Gasket f. heat exchanger below | 2 |
| 16 | 1105.0122 | Hex combination nut M5 V2A | 10 |
| 17 | 1105.0122 | Hex combination nut M5 V2A | 8 |
| A | 74.00.276 | Burner hot air | 1 |


# Burner hot air



# Burner hot air

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 74.00.230 | Ignitionelectrode1 f. hot air | 1 |
| 2 | 74.00.235 | Ignitionelectrode2 f. hot air | 1 |
| 3 | 74.00.290 | Gasket electrode hot air | 1 |
| 4 | 10.00.696 | Allen screw M4x6 w. Precoat 85 | 4 |


# Motor and fan wheel



# Motor and fan wheel

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 40.00.274 | Fan motor | 1 |
| 3 | 10.00.710 | Hex nut M8 w. locking | 4 |
| 5 | 2120.1306 | Spacer SW19x17 | 4 |
| 6 | 1008.1005 | Square necked mushroom head bolt 8x40 | 4 |
| 7 | 22.00.123 | Flange f. motor shaft gasket | 1 |
| 8 | 22.00.120 | Mounting support f. gasket flange | 1 |
| 9 | 22.00.083 | Motor shaft gasket | 1 |
| 10 | 1315.0101 | Copper washer 6x10 | 4 |
| 11 | 1306.0120 | Washer A6,4 | 4 |
| 12 | 1106.0220 | Hex nut M6 flat | 4 |
| 13 | 22.00.188 | Fan wheel d340x110 | 1 |
| 14 | 10.00.565 | Hex screw M8x20 | 1 |
| 15 | 1308.0162 | Washer A8,4 | 1 |
| 16 | 40.00.310 | Exhaust pipe below | 1 |
| 18 | 10.00.989 | Rivet with screw | 2 |


# Interior cabinet



# Interior cabinet

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 2120.1277 | Base for sensor connection | 1 |
| 3 | 40.00.098 | Reflector f. interior light | 1 |
| 4 | 10.00.041 | Rivet nut M5 hexagon closed | 4 |
| 10 | 1006.0760 | Hex screw M6x16 | 1 |
| 11 | 40.02.127 | Wiring interior light | 1 |
| 12 | 20.00.394 | Door gasket | 1 |
| 13 | 40.00.296 | Meat probe sensor | 1 |
| 14 | 10.00.612 | Hex nut M16 flat | 1 |
| 15 | 1315.0104 | Copper washer 16x20x1,5 | 1 |
| 17 | 2760.1089 | Guide bush for core temperatur sensor | 3 |
| 18 | 10.00.745 | Cap nut M6*A2 | 3 |
| 21 | 40.01.097 | Thermocouple interior cabinet (B1) | 1 |
| 22 | 40.00.531 | Screen interior cabinet sensor | 1 |
| 23 | 10.00.745 | Cap nut M6*A2 | 1 |
| 24 | 20.00.998 | Outlet sieve Ø70 | 1 |
| 25 | 40.00.091 | Gasket frame w. glass a. gaskets | 1 |
| 26 | 3024.0201 | Halogen bulb 300°C | 1 |
| A | 22.00.293 | Air baffle | 1 |


# Air baffle



# Air baffle

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 10.00.515 | Rivet 3,2x5 A4 | 1 |
| 3 | 10.00.744 | Washer A4,3 *A4 | 1 |
| 4 | 1604.0167 | Rivet 4x10 | 1 |
| 6 | 2760.1370 | Latch hook for air baffle | 1 |


# Door



# Door

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 24.00.152 | Door handle | 1 |
| 2 | 24.00.176 | Door lock | 1 |
| 8 | 24.00.504 | Lock cover | 1 |
| 10 | 24.00.133 | Door mounting support top | 1 |
| 11 | 1008.0768 | Ornamental screw M8x16 | 3 |
| 12 | 1308.0160 | Washer A8,4 | 3 |
| 13 | 24.00.223 | Door mounting support bottom | 1 |
| 14 | 1006.1962 | Countersunk screw Torx M6x16 | 2 |
| 15 | 10.00.090 | Cap f. Torx T30 | 2 |
| 16 | 24.00.137 | Door bolt | 1 |
| 17 | 10.00.099 | Hex screw M8x12 | 1 |
| 18 | 1308.0160 | Washer A8,4 | 1 |
| 19 | 24.00.048 | Door bolt | 1 |
| 20 | 1008.0769 | Ornamental screw M8x30 | 1 |
| 21 | 1308.0160 | Washer A8,4 | 1 |
| 22 | 2001.0109 | Compression spring | 1 |
| 23 | 24.00.141 | Holding bracket f. door catch | 1 |
| 24 | 1006.0760 | Hex screw M6x16 | 2 |
| 25 | 1306.0120 | Washer A6,4 | 2 |
| 27 | 24.00.142 | Door catch | 1 |
| 28 | 1005.2000 | Interlocking tooth screw M5x8 | 1 |
| 33 | 24.01.100 | Spring clip f. door lock | 1 |
| A | 24.00.088 | Door | 1 |


# Door



# Door

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 24.00.163 | Inner door pane | 1 |
| 2 | 24.00.147 | Sleeve for door bolt top | 1 |
| 3 | 24.00.146 | Door setting bolt | 1 |
| 4 | 24.00.502 | Fixing device f. magnet with magnet | 1 |
| 5 | 24.01.188 | Drain door drip collector | 1 |
| 6 | 24.01.800 | Door drip collector | 1 |
| 9 | 24.00.171 | Silicone buffer 7mm | 1 |


# Exterior cabinet



# Exterior cabinet

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 1104.0820 | Snap nut 4,2mm | 2 |
| 4 | 12.00.205 | Upper part of pedestal | 4 |
| 5 | 12.00.206 | Lower part of pedestal | 4 |
| 7 | 1328.0102 | Safety washer A10,2 | 4 |
| 8 | 10.00.975 | Hex screw M10x35 | 4 |
| 9 | 12.00.516 | Turning lock f. lower part of pedestal | 4 |
| 10 | 10.00.745 | Cap nut M6*A2 | 1 |
| 11 | 1206.0120 | Tooth lock washer A6,4 | 1 |
| 12 | 1105.0123 | Hex combination nut M4 | 1 |
| 14 | 22.00.354 | Spacer ring | 1 |
| 15 | 22.00.353 | Vent cover | 1 |
| 16 | 16.01.327 | Opening mechanism for panel insert | 1 |
| 23 | 1106.0802 | Cage nut M6 | 4 |
| A | | Exterior cabinet | 1 |


# Exterior cabinet



# Exterior cabinet

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 16.00.815 | Top cover | 1 |
| 2 | 1003.2265 | Countersunk self tapping screw 4,2x16 | 9 |
| 3 | 1104.0820 | Snap nut 4,2mm | 9 |
| 4 | 1004.2160 | Hex self tapping screw 4,2x16 | 2 |
| 5 | 16.00.135 | Side panel right | 1 |
| 6 | 1603.0166 | Rivet 3,2x7,9 CNS closed | 4 |
| 7 | 16.00.136 | Side panel left | 1 |
| 8 | 10.00.102 | Hex self tapping screw B4,2x32 | 2 |
| 9 | 1104.0820 | Snap nut 4,2mm | 2 |
| 10 | 16.00.187 | Back panel | 1 |
| 11 | 16.00.294 | Front panel | 1 |
| 12 | 16.00.673 | Air inlet filter | 1 |
| 13 | 10.00.103 | EJOT PT-screw KA 3.5x10 | 1 |
| 14 | 1104.0820 | Snap nut 4,2mm | 1 |
| 17 | 16.00.325 | Crossbar below | 1 |
| 18 | 1004.2160 | Hex self tapping screw 4,2x16 | 2 |
| 19 | 1107.0100 | Star lock ø4 | 5 |
| 20 | 50.00.751 | Tulip for handshower with tape | 1 |
| 21 | 16.00.180 | Crossbar top | 1 |
| 22 | 1603.0166 | Rivet 3,2x7,9 CNS closed | 4 |
| 24 | 16.01.433 | Gasket f. breather tube d=53mm | 1 |
| 28 | 16.00.360 | Cover f. RS232 interface | 1 |
| 29 | 10.00.103 | EJOT PT-screw KA 3.5x10 | 1 |
| 32 | 50.00.286 | Drip collector | 1 |
| 33 | 50.00.303 | Bushing drip collector | 2 |
| 34 | 50.00.556 | Drain drip collector | 1 |
| 35 | 50.00.296 | Clip f. drip collector | 3 |
| 36 | 40.00.335 | Door switch | 1 |
| 37 | 16.01.146 | Bracket for door contact switch | 1 |


# Water



# Water

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 2022.0101 | Grommet d8mm | 1 |
| 2 | 54.00.464 | Exhaust pipe | 1 |
| 4 | 54.00.086 | Rubber form piece venting pipe | 1 |
| 5 | 2066.0504 | Hose clamp 40-60mm | 2 |
| 7 | 40.00.287 | Thermocouple quenching | 1 |
| 8 | 50.00.316 | Single solenoid valve | 1 |
| 9 | 50.00.070 | Water distribution hor roll guide con. | 1 |
| 11 | 2067.0050 | Pressure hose d10mm | 1 |
| 17 | 50.00.139 | Single solenoid valve | 1 |
| 18 | 50.00.071 | Water distribution hor. w/o roll guide con. | 1 |
| 19 | 2067.0050 | Pressure hose d10mm | .65 |
| 20 | 50.00.078 | Non return valve DW16/DN12 | 2 |
| 21 | 10.00.810 | Hose clamp Cobra 16/8 | 4 |
| 22 | 2067.0050 | Pressure hose d10mm | .43 |
| 23 | 1900.0202 | Water filter | 2 |
| 25 | 50.00.086 | Locking plate f. water distribution | 1 |
| 26 | 1900.0202 | Water filter | 1 |
| 27 | 10.00.873 | Hose clamp CLIC d=15.5mm | 1 |
| 28 | 8664.1301 | T-fitting water connection | 1 |
| 36 | 54.00.778 | Inspection lid with quenching nozzle | 1 |
| 37 | 54.00.805 | Gasket f. inspection lid quenching | 1 |
| 38 | 54.00.225 | Clamping bar | 1 |
| 39 | 1008.0750 | Hex screw M5x16 | 1 |
| 40 | 50.00.140 | Hand shower roll guide | 1 |
| 41 | 50.00.178 | Connect. pipe f. hand shower roll guide | 1 |
| 42 | 50.00.085 | Plug-in spring f. hand shower roll guide | 1 |
| 43 | 50.00.130 | Hand shower | 1 |
| 44 | 50.00.156 | Clamp f. hand shower roll guide | 1 |
| 54 | 1105.0121 | Hex combination nut M5 galv | 1 |
| 55 | 8354.1304 | Venting valve for steam generator | 1 |


# CleanJet + Care



# CleanJet + Care

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 2 | 12.00.320 | Cover for CleanJet pump opening | 1 |


# Gas parts


40
42
33
3
B
22
23
29
13
14
25
38
A
1
4
5
28
7
9
27
6
10
24
30
15
32
31
43
45
36

# Gas parts

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 70.00.028 | Blower for burner RG130 | 1 |
| 3 | 70.00.028 | Blower for burner RG130 | 1 |
| 4 | 1008.0750 | Hex screw M5x16 | 4 |
| 5 | 1305.0160 | Washer A5,3x10mm | 4 |
| 6 | 74.00.310 | Flange f. burner blower RG130 | 2 |
| 7 | 1105.0122 | Hex combination nut M5 V2A | 4 |
| 9 | 74.00.301 | Gasket f. blower burner | 2 |
| 10 | 10.00.065 | Countersunk screw Torx T20 M4x12 | 3 |
| 13 | 70.00.069 | Spacer sleeve f. gas burner blower | 1 |
| 14 | 70.00.262 | O-ring 21.89x2.62 | 1 |
| 15 | 10.00.068 | Countersunk screw Torx T20 M4x40 | 4 |
| 16 | 10.00.456 | Truss head screw Torx M4x30 T20 | 3 |
| 18 | 1204.0120 | Tooth lock washer A4,3 | 6 |
| 22 | 10.00.064 | Pan head screw Torx T20 M4x30 | 3 |
| 23 | 10.00.065 | Countersunk screw Torx T20 M4x12 | 3 |
| 24 | 70.00.132 | Corrugated hose 230mm | 1 |
| 25 | 70.00.090 | Corrugated hose 600mm | 1 |
| 27 | 10.00.061 | Pan head screw Torx T20 M4x12 | 8 |
| 28 | 10.00.063 | Pan head screw Torx T20 M4x25 | 8 |
| 29 | 70.00.301 | Combustion air angle pipe hot air | 1 |
| 30 | 74.00.308 | Gas connection manifold 2x3/4" | 1 |
| 31 | 1006.0762 | Hex screw M6x10 | 2 |
| 32 | 1306.0222 | Washer A6,4x15x1,5 | 2 |
| 33 | 74.00.221 | Automatic ignition controller | 1 |
| 35 | 10.00.062 | Pan head screw Torx T20 M4x20 | 1 |
| 36 | 70.00.094 | Air hose D40x200mm | 1 |
| 38 | 70.00.093 | Air hose D40x650mm | 1 |
| 40 | 70.00.280 | Silicone hose ø4x1,5 | .214 |
| 42 | 70.00.280 | Silicone hose ø4x1,5 | .214 |
| 45 | 70.00.221 | Air hose fixing device 40mm | 2 |
| A | 70.00.029 | Gas valve cpl. WND 055 RG130 | 1 |
| B | 70.00.033 | Gas valve cpl. ND 055 RG130 | 1 |


# Gas valve



# Gas valve

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 70.00.031 | Gas valve GB 055 WND (lateral) | 1 |
| 2 | 70.00.255 | Premix chamber cover gas f. RG130 | 1 |
| 3 | 70.00.030 | Premix chamber gas f. RG130 | 1 |
| 4 | 70.00.106 | Premix disc gas | 1 |
| 5 | 70.00.256 | Disc premix chamber-blower RG130 | 1 |


# Gas valve



# Gas valve

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 70.00.220 | Gas valve GB 055 ND (straight) | 1 |
| 2 | 70.00.255 | Premix chamber cover gas f. RG130 | 1 |
| 3 | 70.00.030 | Premix chamber gas f. RG130 | 1 |
| 4 | 70.00.106 | Premix disc gas | 1 |
| 5 | 70.00.256 | Disc premix chamber-blower RG130 | 1 |
| 6 | 70.00.108 | Disc gas valve-premix chamber | 1 |
| 7 | 70.00.261 | O-ring 17x1.5 | 1 |

# Miscellaneous



# Miscellaneous

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 60.61.016 | Hinging rack left | 1 |
| 2 | 60.61.017 | Hinging rack right | 1 |
| 4 | 10.00.390 | Sticker set | 1 |

# Index


| Part-no. | Description | Page |
|---|---|---|
| 22.00.293 | Air baffle | 25 |
| 70.00.094 | Air hose D40x200mm | 41 |
| 70.00.093 | Air hose D40x650mm | 41 |
| 70.00.221 | Air hose fixing device 40mm | 41 |
| 16.00.673 | Air inlet filter | 35 |
| 10.00.696 | Allen screw M4x6 w. Precoat 85 | 21 |
| 74.00.221 | Automatic ignition controller | 41 |
| 16.00.187 | Back panel | 35 |
| 2120.1277 | Base for sensor connection | 25 |
| 70.00.028 | Blower for burner RG130 | 41 |
| 16.01.146 | Bracket for door contact switch | 35 |
| 74.00.276 | Burner hot air | 19 |
| 70.00.039 | Burner pipe | 13 |
| 72.00.003 | Burner steam gen. | 13 |
| 40.00.472 | Bus cable 1.3m | 7 |
| 50.00.303 | Bushing drip collector | 35 |
| 40.02.087 | Buzzer | 5 |
| 10.00.421 | Cable clip | 7 |
| 10.00.471 | Cable clip d10-12mm | 7 |
| 10.00.111 | Cable clip long | 7, 9 |
| 10.00.112 | Cable clip short | 7 |
| 40.00.320 | Cable connection M20x1.5 | 7 |
| 4002.0110 | Cable connector, junction | 7 |
| 40.02.956 | Cable control harness | 9 |
| 40.00.248 | Cable harness isolating transformer | 9 |
| 1104.0801 | Cage nut M4 | 7 |
| 1106.0802 | Cage nut M6 | 33 |
| 10.00.090 | Cap f. Torx T30 | 29 |
| 10.00.745 | Cap nut M6*A2 | 25, 33 |
| 50.00.156 | Clamp f. hand shower roll guide | 37 |
| 54.00.225 | Clamping bar | 37 |
| 44.00.264 | Clamping bar for panel revision hole | 17 |

# Index


| Part-no. | Description | Page |
|---|---|---|
| 50.00.296 | Clip f. drip collector | 35 |
| 44.01.031 | Closing cap for steam generator | 13 |
| 70.00.301 | Combustion air angle pipe hot air | 41 |
| 2001.0109 | Compression spring | 29 |
| 50.00.178 | Connect. pipe f. hand shower roll guide | 37 |
| 40.02.917 | Contactor 3TG1010-2AK2 | 9 |
| 87.00.001 | Control panel insert with overlay | 5 |
| 42.00.048 | Control pcb Index "MF" | 5 |
| 40.00.279 | Control transformer | 7 |
| 40.00.277 | Control transformer | 9 |
| 3101.1008 | Cooling fan | 9 |
| 1315.0101 | Copper washer 6x10 | 23 |
| 1315.0104 | Copper washer 16x20x1,5 | 25 |
| 70.00.132 | Corrugated hose 230mm | 41 |
| 70.00.090 | Corrugated hose 600mm | 41 |
| 1006.1962 | Countersunk screw Torx M6x16 | 29 |
| 10.00.065 | Countersunk screw Torx T20 M4x12 | 41 |
| 10.00.068 | Countersunk screw Torx T20 M4x40 | 41 |
| 1003.2265 | Countersunk self tapping screw 4,2x16 | 35 |
| 16.00.360 | Cover f. RS232 interface | 35 |
| 12.00.320 | Cover for CleanJet pump opening | 39 |
| 16.00.325 | Crossbar below | 35 |
| 16.00.180 | Crossbar top | 35 |
| 16.00.282 | Dial | 5 |
| 70.00.108 | Disc gas valve-premix chamber | 45 |
| 70.00.256 | Disc premix chamber-blower RG130 | 43, 45 |
| 5110.1027 | Distance plate for front panel | 5 |
| 24.00.088 | Door | 29 |
| 24.00.137 | Door bolt | 29 |
| 24.00.048 | Door bolt | 29 |
| 24.00.142 | Door catch | 29 |
| 24.01.800 | Door drip collector | 31 |

# Index


| Part-no. | Description | Page |
|---|---|---|
| 20.00.394 | Door gasket | 25 |
| 24.00.152 | Door handle | 29 |
| 24.00.176 | Door lock | 29 |
| 24.00.223 | Door mounting support bottom | 29 |
| 24.00.133 | Door mounting support top | 29 |
| 24.00.146 | Door setting bolt | 31 |
| 40.00.335 | Door switch | 35 |
| 24.01.188 | Drain door drip collector | 31 |
| 50.00.556 | Drain drip collector | 35 |
| 44.00.234 | Drain hose steam generator | 13 |
| 50.00.286 | Drip collector | 35 |
| 40.02.515 | Dry up protector 315°F/157°C | 9 |
| 10.00.103 | EJOT PT-screw KA 3.5x10 | 35 |
| 10.00.239 | EJOT PT-Screw Torx 4x10 | 7, 9 |
| 40.01.483 | Electronic noise filter | 9 |
| 44.00.207 | Emptying pump | 13 |
| 4001.1203 | End plate for mounting rail | 9 |
| 54.00.464 | Exhaust pipe | 37 |
| 40.00.310 | Exhaust pipe below | 23 |
| 40.00.274 | Fan motor | 23 |
| 22.00.188 | Fan wheel d340x110 | 23 |
| 44.00.253 | Filling level electrode 85mm | 17 |
| 40.00.417 | Fixing clip f. pcb | 7 |
| 40.01.579 | Fixing clip f. pcb | 7 |
| 24.00.502 | Fixing device f. magnet with magnet | 31 |
| 44.00.226 | Fixing device f. pump steam generator | 13 |
| 2020.0400 | Fixing device for cable harness | 5 |
| 44.00.516 | Fixing plate steam generator thermostat | 13 |
| 74.00.310 | Flange f. burner blower RG130 | 41 |
| 22.00.123 | Flange f. motor shaft gasket | 23 |
| 16.00.294 | Front panel | 35 |
| 40.02.512 | Fuse holder 2x6.3A | 9 |

# Index


| Part-no. | Description | Page |
|---|---|---|
| 74.00.308 | Gas connection manifold 2x3/4" | 41 |
| 70.00.033 | Gas valve cpl. ND 055 RG130 | 41 |
| 70.00.029 | Gas valve cpl. WND 055 RG130 | 41 |
| 70.00.220 | Gas valve GB 055 ND (straight) | 45 |
| 70.00.031 | Gas valve GB 055 WND (lateral) | 43 |
| 74.00.290 | Gasket electrode hot air | 21 |
| 74.00.301 | Gasket f. blower burner | 41 |
| 16.01.433 | Gasket f. breather tube d=53mm | 35 |
| 72.00.020 | Gasket f. burner carrier | 13 |
| 74.00.296 | Gasket f. heat exchanger below | 19 |
| 44.00.250 | Gasket f. ignition electrode | 13 |
| 5012.0566 | Gasket f. inspection lid | 17 |
| 54.00.805 | Gasket f. inspection lid quenching | 37 |
| 22.00.564 | Gasket f. ventilation | 11 |
| 40.00.091 | Gasket frame w. glass a. gaskets | 25 |
| 74.00.234 | Gasket hot air heat exchanger/interior cabinet | 19 |
| 5110.1029 | Gasket mode switch | 5 |
| 2022.0101 | Grommet d8mm | 37 |
| 2760.1089 | Guide bush for core temperatur sensor | 25 |
| 3024.0201 | Halogen bulb 300°C | 25 |
| 50.00.130 | Hand shower | 37 |
| 50.00.140 | Hand shower roll guide | 37 |
| 1105.0123 | Hex combination nut M4 | 33 |
| 1104.0122 | Hex combination nut M4 galv | 13 |
| 1105.0121 | Hex combination nut M5 galv | 13, 17, 37 |
| 1105.0122 | Hex combination nut M5 V2A | 19, 41 |
| 1106.0803 | Hex combination nut M6 galv | 13 |
| 1104.0120 | Hex nut M4 | 7, 13 |
| 1104.0121 | Hex nut M4 self locking | 5 |
| 10.00.916 | Hex nut M4 w. locking | 5 |
| 1105.0120 | Hex nut M5 | 13 |
| 1106.0160 | Hex nut M6 | 7 |

# Index


| Part-no. | Description | Page |
|---|---|---|
| 1106.0220 | Hex nut M6 flat | 23 |
| 10.00.709 | Hex nut M6 w. locking | 7, 13 |
| 10.00.710 | Hex nut M8 w. locking | 23 |
| 3014.0302 | Hex nut M10 for dry-up protector | 9 |
| 3014.0327 | Hex nut M10x1,0 | 9 |
| 10.00.612 | Hex nut M16 flat | 25 |
| 1008.0750 | Hex screw M5x16 | 37, 41 |
| 1006.0762 | Hex screw M6x10 | 13, 41 |
| 1006.0760 | Hex screw M6x16 | 25, 29 |
| 10.00.099 | Hex screw M8x12 | 29 |
| 10.00.565 | Hex screw M8x20 | 7, 23 |
| 10.00.975 | Hex screw M10x35 | 33 |
| 1004.2160 | Hex self tapping screw 4,2x16 | 35 |
| 10.00.102 | Hex self tapping screw B4,2x32 | 35 |
| 60.61.016 | Hinging rack left | 47 |
| 60.61.017 | Hinging rack right | 47 |
| 24.00.141 | Holding bracket f. door catch | 29 |
| 2066.0205 | Hose clamp 8-16x9 mm SW 7mm | 13 |
| 2066.0518 | Hose clamp 30mm | 13 |
| 2066.0519 | Hose clamp 35,6mm | 13 |
| 2066.0504 | Hose clamp 40-60mm | 11, 13, 37 |
| 10.00.873 | Hose clamp CLIC d=15.5mm | 37 |
| 10.00.810 | Hose clamp Cobra 16/8 | 37 |
| 10.00.982 | Hose clamp D=18.2 | 13 |
| 2066.0527 | Hose clamp ø14mm | 15 |
| 2066.0530 | Hose clamp ø16.4mm | 15 |
| 2066.0526 | Hose clamp ø46mm | 13 |
| 74.00.134 | Hot air heat exchanger | 19 |
| 44.00.251 | Ignition electrode steam generator | 13 |
| 74.00.230 | Ignitionelectrode1 f. hot air | 21 |
| 74.00.235 | Ignitionelectrode2 f. hot air | 21 |
| 24.00.163 | Inner door pane | 31 |

# Index


| Part-no. | Description | Page |
|---|---|---|
| 54.00.778 | Inspection lid with quenching nozzle | 37 |
| 40.00.519 | Installation rail for Contactor 75mm | 9 |
| 40.01.600 | Insulating screw joint 2pol. | 7 |
| 72.00.048 | Insulation f. burner steam gen. | 13 |
| 1005.2000 | Interlocking tooth screw M5x8 | 29 |
| 2062.0331 | Junction pressure hose GS 10 | 15 |
| 2760.1370 | Latch hook for air baffle | 27 |
| 24.00.504 | Lock cover | 29 |
| 50.00.086 | Locking plate f. water distribution | 37 |
| 12.00.206 | Lower part of pedestal | 33 |
| 74.00.313 | Mating flange heat exchanger | 19 |
| 40.00.296 | Meat probe sensor | 25 |
| 4007.0620 | Membrane DGC 29 | 9 |
| 22.00.083 | Motor shaft gasket | 23 |
| 16.00.387 | Mounting device f.sealing + sealing lip | 5 |
| 22.00.120 | Mounting support f. gasket flange | 23 |
| 50.00.078 | Non return valve DW16/DN12 | 37 |
| 70.00.261 | O-ring 17x1.5 | 45 |
| 70.00.262 | O-ring 21.89x2.62 | 41 |
| 16.01.327 | Opening mechanism for panel insert | 33 |
| 1008.0768 | Ornamental screw M8x16 | 29 |
| 1008.0769 | Ornamental screw M8x30 | 29 |
| 20.00.998 | Outlet sieve Ø70 | 25 |
| 10.00.061 | Pan head screw Torx T20 M4x12 | 41 |
| 10.00.062 | Pan head screw Torx T20 M4x20 | 41 |
| 10.00.063 | Pan head screw Torx T20 M4x25 | 41 |
| 10.00.064 | Pan head screw Torx T20 M4x30 | 41 |
| 44.00.263 | Panel for revision hole steam generator | 17 |
| 50.00.085 | Plug-in spring f. hand shower roll guide | 37 |
| 40.00.464 | Potentiometer CT | 5 |
| 40.01.596 | Power supply cable 3x2,5mm² 3m | 7 |
| 70.00.255 | Premix chamber cover gas f. RG130 | 43, 45 |

# Index


| Part-no. | Description | Page |
|---|---|---|
| 70.00.030 | Premix chamber gas f. RG130 | 43, 45 |
| 70.00.106 | Premix disc gas | 43, 45 |
| 2067.0050 | Pressure hose d10mm | 37 |
| 2005.0106 | Protective grid for cooling fan | 9 |
| 2118.1000 | Pump connection spout | 15 |
| 8354.1320 | Pump connection spout cpl. | 13 |
| 40.00.098 | Reflector f. interior light | 25 |
| 10.00.515 | Rivet 3,2x5 A4 | 27 |
| 1603.0166 | Rivet 3,2x7,9 CNS closed | 35 |
| 1604.0167 | Rivet 4x10 | 27 |
| 10.00.041 | Rivet nut M5 hexagon closed | 25 |
| 10.00.989 | Rivet with screw | 23 |
| 54.00.086 | Rubber form piece venting pipe | 37 |
| 40.01.482 | Safety temperature limiter 365°C | 9 |
| 22.00.578 | Safety valve | 11 |
| 1328.0102 | Safety washer A10,2 | 33 |
| 40.00.531 | Screen interior cabinet sensor | 25 |
| 10.00.240 | Screw Torx 3x20 | 9 |
| 10.00.238 | Screw Torx 4x50 | 9 |
| 16.00.136 | Side panel left | 35 |
| 16.00.135 | Side panel right | 35 |
| 2110.1008 | Silicon hose ø10x2mm | 15 |
| 24.00.171 | Silicone buffer 7mm | 31 |
| 70.00.280 | Silicone hose ø4x1,5 | 41 |
| 50.00.316 | Single solenoid valve | 37 |
| 50.00.139 | Single solenoid valve | 37 |
| 24.00.147 | Sleeve for door bolt top | 31 |
| 1104.0820 | Snap nut 4,2mm | 33, 35 |
| 10.00.355 | Spacer black | 5 |
| 10.00.243 | Spacer M4x8 | 7 |
| 22.00.354 | Spacer ring | 33 |
| 70.00.069 | Spacer sleeve f. gas burner blower | 41 |

# Index


| Part-no. | Description | Page |
|---|---|---|
| 2120.1306 | Spacer SW19x17 | 23 |
| 24.01.100 | Spring clip f. door lock | 29 |
| 1008.1005 | Square necked mushroom head bolt 8x40 | 23 |
| 1107.0100 | Star lock ø4 | 35 |
| 44.00.182 | Steam generator insolated | 13 |
| 2112.1006 | Steam hose 50x7mm | 13 |
| 44.00.349 | Steam pipe | 13 |
| 10.00.390 | Sticker set | 47 |
| 2120.1259 | Stop plug 10mm | 15 |
| 8664.1301 | T-fitting water connection | 37 |
| 40.01.097 | Thermocouple interior cabinet (B1) | 25 |
| 40.00.287 | Thermocouple quenching | 37 |
| 40.01.094 | Thermocouple steam gen. (B5) | 13 |
| 4005.0101 | Tie rap 145 mm | 15 |
| 1204.0120 | Tooth lock washer A4,3 | 41 |
| 1205.0120 | Tooth lock washer A5,3 | 13 |
| 1206.0120 | Tooth lock washer A6,4 | 7, 33 |
| 16.00.815 | Top cover | 35 |
| 10.00.456 | Truss head screw Torx M4x30 T20 | 41 |
| 50.00.751 | Tulip for handshower with tape | 35 |
| 12.00.516 | Turning lock f. lower part of pedestal | 33 |
| 12.00.205 | Upper part of pedestal | 33 |
| 22.00.353 | Vent cover | 33 |
| 8354.1304 | Venting valve for steam generator | 37 |
| 10.00.744 | Washer A4,3 *A4 | 27 |
| 1305.0160 | Washer A5,3x10mm | 41 |
| 1306.0120 | Washer A6,4 | 23, 29 |
| 1306.0222 | Washer A6,4x15x1,5 | 13, 41 |
| 1308.0162 | Washer A8,4 | 23 |
| 1308.0160 | Washer A8,4 | 29 |
| 50.00.070 | Water distribution hor roll guide con. | 37 |
| 50.00.071 | Water distribution hor. w/o roll guide con. | 37 |

# Index


| Part-no. | Description | Page |
|---|---|---|
| 1900.0202 | Water filter | 37 |
| 40.02.127 | Wiring interior light | 25 |