





560075900M01P00

| Page | Pos | Code | Description |
|------|-----|-----------|-------------------------------------|
| 001 | | 533033300 | TANK HANDLE BR-62 |
| 001 | | 541028400 | TANK BR-62 |
| 001 | | 546015700 | SQUARE BRAID 12*12*L1600 FC. |
| 001 | | 541209500 | TOP OF BRT-66G |
| 001 | | 541096200 | BURNER SUPPORT FT-74G FT-78G |
| 001 | | 531013800 | BURNER BM-61G 102.0299.00 |
| 001 | | 544508100 | LHD SIDE OF 60T APPLIANCES |
| 001 | | 541191700 | CONTROL PANEL 607090 BRT-66G |
| 001 | | 544508000 | RHD SIDE OF 60T APPLIANCES |
| 001 | | 533010500 | LEG M10*25 D.40 |
| 002 | | 537002800 | PIEZOELECTRIC IGNITION M18 WITH NUT |
| 002 | | 533010800 | TUBE NUT D.10 M16*1,5 |
| 002 | | 533009500 | NIPPLE FOR BICONE 10S |
| 002 | | 533009400 | BICONE 10S |
| 002 | | 533039300 | BICONE §10 |
| 002 | | 539018900 | INDEX FOR KNOB W/RED SIGN |
| 002 | | 533039100 | BICONE §6 |
| 002 | | 533018500 | FITTING FOR BICONE D.6 M10*1 |
| 002 | | 536034500 | KNOB §77 4P. §08*6,5 |
| 002 | | 539054200 | STAMP Ø20,5 CR."L" LOTUS R. |
| 002 | | 539062800 | RED STICKING DISK 72 |
| 002 | | 531032000 | GAS COCK P.V.BY-PASS Ø075 |
| 002 | | 533023400 | "TARGET" PILOT + NIPPLE TC |
| 002 | | 537010200 | ROUND PLUG §2,4 - SHORT ELECTRODE |
| 002 | | 533045700 | THERMOCOUPLE M9*1 500 |
| 002 | | 533023300 | BICONE §6 ("TARGET" PILOT |
| 002 | | 533018600 | PLUG FITTING |
| 002 | | 547003200 | HIGH-VOLTAGE CABLE TUBE.§2 L=500 |
| 002 | | 533038800 | 75 BY-PASS FOR 21S TAP |
| 002 | | 533093900 | FITTING GAS ENTRY 1/2G 2OUT 3/8G |
| 002 | | 533053600 | EUROSIT VALVE PLUG |
| 002 | | 533020500 | NOZZLE 0.140 §19 |
| 002 | | 533020600 | NOZZLE 0.140 §27 |
| 002 | | 533032601 | NOZZLE §85 CH12X30,0 |
| 002 | | 533033000 | NOZZLE §075 CH12X30,0 |
| 002 | | 533046100 | NOZZLE §140 CH12X30 MH-BR |
| 002 | | 533046200 | NOZZLE §150 CH12X30 L-BR TP |
| 002 | | 533032900 | NOZZLE CH12X30,0 Ø145 |