Service part catalogue

SelfCookingCenter® ab 09/2016
SelfCooking Center 202 - 20 x 2/1 GastronormG


G22SI1702



3/7/2017
2 AC208V (240V) 60Hz UL

Kat-RTS_140922
©Copyright by RATIONAL Technical Service
All Rights reserved


Overview



Overview

Pos.	Assembly	Page
1	Control panel	4
2	Electrical installation	6
3	ClimaPlus	10
4	Steam generator	12
5	Hot air heating	16
6	Motor and fan wheel	20
7	Interior cabinet	22
8	Door	26
9	Exterior cabinet	30
10	Water	36
11	CleanJet + Care	40
12	Gas module, complete	42
13	Standard accessory	50


Control panel



Control panel

Pos.	Part no.	Description	Qty.
2	42.00.112	Control pcb *TFT*	1
3	42.00.081	MMI pcb	1
4	40.03.467	Cable On-Off switch MMI	1
5	40.03.515	Cable MMI - TFT	1
6	40.03.516	Cable MMI - CPU	1
7	16.02.062	Dial f. pulse generator	1
8	40.00.404	Pulse generator	1
11	16.02.889	Cover f. control pcb w. gasket	1
12	16.02.865	Sealing f. panel insert	1


Electrical installation



Electrical installation

Pos.	Part no.	Description	Qty.
11	40.03.948	Cooling fan with NTC	1
13	40.03.425	Cooling fan	1
14	2005.0106	Protective grid for cooling fan	1
17	10.00.564	Pan head screw Torx T20 M4x45	2
18	42.00.261	Control pcb	1
19	42.00.128	SD-memory card 4GB	1
22	10.00.243	Spacer M4x8	1
23	1104.0121	Hex nut M4 self locking	1
24	40.03.756	Fixing clip f. pcb	1
25	40.03.533	Fixing clip f. pcb	4
28	40.03.769	Tie rap 173 mm	2
29	40.03.468	Power transformer	1
30	10.00.445	Hex screw M8x80	1
31	1108.0800	Cage nut M8	1
32	40.01.600	Insulating screw joint 2pol.	1
33	40.03.772	Transformer f. cooling fan	1
36	40.00.320	Cable connection M20x1.5	1
41	40.03.928	Loudspeaker cpl.	1
43	40.04.177	Power supply cable 3xAWG14	1
45	42.00.266	Power supply for standard interior light	1
100	40.04.089	Bus cable *Ferrite ring* 1.15m	1
101	40.03.996	Bus cable 1.15m	1
102	40.03.996	Bus cable 1.15m	1
103	40.03.996	Bus cable 1.15m	1
107	40.04.363	Wiring interior light	1
108	40.05.298	Cable, interior light W11	1
A		Electrical installation	1


Electrical installation



Electrical installation

Pos.	Part no.	Description	Qty.
2	40.02.515	Dry up protector 315°F/157°C	1
3	3014.0327	Hex nut M10x1,0	1
4	40.01.482	Safety temperature limiter 365°C	1
5	3014.0327	Hex nut M10x1,0	1
6	40.03.761	Contactor B&J K1-09F00 230R	1
9	10.00.515	Rivet 3,2x5 A4	2
10	40.03.348	Control transformer T1	1
11	10.01.065	Hex nut M5	1
13	10.00.709	Hex nut M6 w. locking	1
14	40.01.483	Electronic noise filter	1
15	40.01.579	Fixing clip f. pcb	4
18	40.01.873	Fuse SC-15A 10x38	2
18	4001.0224	Fuse 6.35x32mm	2
19	40.02.512	Fuse holder 2x6.3A	1
19	40.01.487	Fuse holder 2pol	1
23	10.00.365	Pan head screw Torx M3x20	2
45	4007.0620	Membrane DGC 29	3
46	4007.0621	Membrane DGC 36	1
101	40.04.331	Adaptor cable f. Ball valve drain	1
104	40.04.993	Cable control harness	1
105	40.04.116	Cable harness isolating transformer	1


ClimaPlus



ClimaPlus

Pos.	Part no.	Description	Qty.
1	22.00.882	Mounting device f. pressure sensor	2
2	3017.1011	Pressure sensor for humidity control Huba 401	1
3	22.00.908	Inner humidity meas. Piece	1
4	22.00.850	Outer humidity meas. Piece	1
5	22.00.881	Gasket f. hum. meas. Pipe	2
6	1104.0122	Hex combination nut M4 galv	6
7	22.00.525	Hose set f. humidity control	1
8	22.00.725	Humidity control cpl.	1
9	22.00.916	Air inlet pipe	1
10	22.00.958	Drain hose for humidity control	1
11	2066.0527	Hose clamp ø14mm	2
12	22.00.767	Vent cover	1
13	22.00.837	O-ring for humidity control	2
14	10.00.111	Cable clip long	2


Steam generator



Steam generator

Pos.	Part no.	Description	Qty.
1	44.00.948	Steam generator insolated	1
2	10.00.709	Hex nut M6 w. locking	2
3	72.00.088	Burner steam gen.	1
4	72.00.077	Insulation f. burner steam gen.	2
5	1104.0122	Hex combination nut M4 galv	4
6	70.00.472	Burner pipe	1
7	72.00.067	Gasket f. burner carrier	1
8	1105.0121	Hex combination nut M5 galv	3
9	1105.0120	Hex nut M5	1
10	1205.0120	Tooth lock washer A5,3	1
11	4002.0110	Cable connector, junction	1
12	10.01.065	Hex nut M5	1
13	44.01.237	Ignition electrode steam generator	1
14	1104.0120	Hex nut M4	2
15	44.00.250	Gasket f. ignition electrode	1
16	2066.0519	Hose clamp Ø35,6mm	1
17	2066.0526	Hose clamp ø46mm	1
18	44.00.207	Emptying pump	1
19	1006.0762	Hex screw M6x10	2
20	44.01.248	Fixing device f. pump steam generator	1
21	10.00.709	Hex nut M6 w. locking	2
22	44.01.231	Drain hose steam generator	1
23	2066.0518	Hose clamp 30mm	2
24	40.04.110	Thermocouple steam generator *B5*	1
25	44.00.517	Fixing plate steam generator thermostat	1
28	44.00.362	Steam hose Ø70x55mm	1
29	44.00.362	Steam hose Ø70x55mm	1
30	2066.0516	Hose clamp 60-80 mm	1
31	2066.0516	Hose clamp 60-80 mm	3
32	44.01.086	Steam pipe	1
36	44.01.420	Filling level electrode 135mm	1
38	44.01.181	Fixing angle steam generator	2
A	8354.1320	Pump connection spout cpl.	1


Pump connection spout



Pump connection spout

Pos.	Part no.	Description	Qty.
1	2118.1000	Pump connection spout	1
2	2120.1259	Stop plug 10mm	1
3	2110.1008	Silicon hose ø10x2mm	1
4	2066.0527	Hose clamp ø14mm	2
5	2066.0530	Hose clamp ø16.4mm	1
6	2062.0331	Junction pressure hose GS 10	1
7	4005.0101	Tie rap 145 mm	1


Hot air heating



Hot air heating

Pos.	Part no.	Description	Qty.
1	74.00.296	Gasket f. heat exchanger below	4
2	10.01.065	Hex nut M5	16
3	74.00.806	Hot air heat exchanger below	1
4	74.00.802	Hot air heat exchanger top	1
5	74.00.869	Gasket hot air heat exchanger/interior cabinet	2
6	74.00.868	Mating flange heat exchanger	2
7	10.01.065	Hex nut M5	12
8	50.01.471	Nozzle f. moistening	2
9	50.00.846	Union nut M12x13.2 N	2
10	50.01.722	Plastic pipe 4,5x0,75x136mm	2
A	74.00.830	Burner hot air	2


Burner hot air



Burner hot air

Pos.	Part no.	Description	Qty.
1	74.00.034	Ignitionelectrode, hot air	1
2	74.01.039	Earth electrode, hot air	1
3	74.00.290	Gasket electrode hot air	1
4	10.00.696	Allen screw M4x6 w. Precoat 85	4
5	74.00.913	L- insulator for ignition electrode, hot air	1


Motor and fan wheel



Motor and fan wheel

Pos.	Part no.	Description	Qty.
1	40.03.513	Fan motor with motor shaft gasket	1
2	40.03.513	Fan motor with motor shaft gasket	1
3	10.01.049	Square necked mushroom head bolt 6x30	8
4	10.00.709	Hex nut M6 w. locking	4
5	22.00.721	Flange f. motor shaft gasket	2
6	22.00.722	Mounting support f. gasket flange	2
7	22.00.985	Motor shaft gasket D15	2
8	22.01.196	Graphit seal for gasket flange	2
9	10.01.065	Hex nut M5	6
10	22.00.829	Fan wheel	2
11	10.00.936	Hex screw M8x20	2
12	1308.0162	Washer A8,4	2
13	10.00.112	Cable clip short	1
15	20.01.755	Isolation for mounting plate for motor	2


Interior cabinet



Interior cabinet

Pos.	Part no.	Description	Qty.
1	40.00.399	Thermocouple humidity	1
2	10.00.087	Clamp strap f. sensor	1
3	10.00.100	Hex nut M4, self-locking	1
4	40.00.098	Reflector f. interior light	2
5	10.01.429	Rivet nut M5 hexagon closed with gasket	8
6	40.00.091	Gasket frame w. glass a. gaskets	2
7	3024.0201	Halogen bulb 300°C	1
8	40.04.363	Wiring interior light	1
9	20.00.399	Door gasket	1
10	40.02.101	Meat probe sensor	1
11	10.00.612	Hex nut M16 flat	1
12	1315.0104	Copper washer 16x20x1,5	1
13	40.01.317	Screen core temperature sensor	1
14	10.01.076	Cap nut M5*A2	2
15	22.00.781	Air baffle support	1
16	10.01.076	Cap nut M5*A2	4
17	40.03.528	Thermocouple interior cabinet B1	1
18	40.03.782	Screen interior cabinet sensor	1
19	10.01.076	Cap nut M5*A2	2
20	54.01.117	Outlet sieve	1
21	40.01.482	Safety temperature limiter 365°C	1
22	3014.0327	Hex nut M10x1,0	1
A	22.00.751	Air baffle	1


Air baffle



Air baffle

Pos.	Part no.	Description	Qty.
1	22.00.836	Air sucking ring f. air baffle	1
2	22.00.836	Air sucking ring f. air baffle	1
3	10.00.515	Rivet 3,2x5 A4	12
7	40.03.780	Fixing clip core temp. cable	2
8	22.00.491	Surge guard for Meat probe sensor	1
9	2760.1370	Latch hook for air baffle	2
10	1604.0167	Rivet 4x10	3
11	22.00.361	Deep-draw f. air baffle	1
12	10.00.515	Rivet 3,2x5 A4	4
13	10.00.744	Washer A4,3 *A4	2


Door



Door

Pos.	Part no.	Description	Qty.
1	24.02.920	Door handle	1
2	24.03.195	Door lock	1
3	10.00.697	Hex screw M5x10 w. precoat 85	2
4	1305.0160	Washer A5,3x10mm	2
5	10.00.090	Cap f. Torx T30	1
6	10.00.696	Allen screw M4x6 w. Precoat 85	2
7	24.00.133	Door mounting support top	1
8	1008.0768	Ornamental screw M8x16	3
10	24.03.398	Cable cover	1
11	24.03.359	Door bolt	1
12	10.00.099	Hex screw M8x12	1
13	1308.0162	Washer A8,4	1
14	24.03.040	Door bolt	1
15	1008.0769	Ornamental screw M8x30	1
17	2001.0109	Compression spring	1
18	24.01.351	Door catch	1
19	1008.0761	Hex screw M8x25	2
20	1308.0160	Washer A8,4	2
A	24.03.361	Door	1


Door



Door

Pos.	Part no.	Description	Qty.
1	87.01.415	Glass pane bundle	1
3	24.03.052	Sleeve for door bolt top	1
4	24.03.199	Door setting bolt	1
5	24.01.346	Fixing device f. magnet with magnet, adjustable	1
6	24.03.193	Window gasket	1
7	24.03.640	Pre heat mechanism f. door cpl.	1
8	24.03.060	Fixing bracket for interior glass pane	2
9	24.03.057	Abrasion protection for glide socket	1
10	24.03.062	Cover cap for door	1
11	24.03.391	Bracket right f. door floor model	1
12	24.03.369	Bracket left f. door floor model	1
13	87.01.369	LED bar, left/right	2
14	87.01.366	LED optics	4
15	87.01.373	LED bar, left/right	2
16	10.00.890	Rivet 4x10	1
17	1005.1966	Countersunk screw Torx M5x16	1
18	24.03.192	Gasket for mobile oven rack	1
100	40.05.296	Cable, interior light W40	1
101	40.05.293	Cable, interior light W41	1
102	40.05.292	Cable, interior light W42	1
103	40.05.294	Cable, interior light W43/44	2


Exterior cabinet



Exterior cabinet

Pos.	Part no.	Description	Qty.
2	2039.0111	Foot adjustable, metal, 40 x 40	4
6	10.00.745	Cap nut M6*A2	1
7	1206.0120	Tooth lock washer A6,4	1
9	16.00.384	Bracket f.door cont. swit.	1
12	40.00.454	Door switch 1.75m	1
16	22.00.767	Vent cover	1
17	16.02.870	Opening mechanism for panel insert	1
18	40.03.385	Frame for air inlet filter	1
19	40.03.392	Cover for air inlet filter	1
20	40.03.366	Cover air outlet	1
A		Exterior cabinet	1
C	12.01.142	NSF housing floor units 201-202	1


Exterior cabinet



Exterior cabinet

Pos.	Part no.	Description	Qty.
1	16.02.169	Top cover	1
2	1003.2265	Countersunk self tapping screw 4,2x16	5
3	1104.0820	Snap nut 4,2mm	3
4	16.00.158	Side panel right	1
5	1603.0166	Rivet 3,2x7,9 CNS closed	8
6	16.00.139	Side panel left	1
7	10.00.992	Hex self tapping screw B4,2x32	2
8	1104.0820	Snap nut 4,2mm	2
9	16.01.844	Back panel	1
11	16.02.760	Front panel	1
12	1603.0166	Rivet 3,2x7,9 CNS closed	8
13	16.00.358	Crossbar front panel	1
14	10.00.745	Cap nut M6*A2	2
17	16.00.331	Crossbar top	1
18	1603.0166	Rivet 3,2x7,9 CNS closed	4
19	24.02.263	Cover for door latch	1
20	40.03.262	Fan housing	1
21	40.02.684	Air inlet filter cpl.	2
26	16.00.329	Cover f. USB interface	1
27	10.00.103	EJOT PT-screw KA 3.5x10	1
28	40.04.047	Interface cable USB 1.6m	1
29	10.00.460	EJOT PT-Screw Torx 3,5x14	2
30	16.01.579	Gasket f. breather tube d=79mm	1
31	1004.2160	Hex self tapping screw 4,2x16	4


NSF housing floor units 201-202



NSF housing floor units 201-202

Pos.	Part no.	Description	Qty.
1	12.01.153	NSF housing right floor units 201-202	1
2	12.01.154	NSF housing left floor units 201-202	1
3	12.01.151	Fixing angle NSF housing floor units 201-202	1
4	12.01.140	Gasket NSF housing floor units 201-202	1
5	10.00.745	Cap nut M6*A2	3
6	2070.0054	HT pipe, DN 50, 250 mm	1


Water


41
9
31
32
36
37
43
1
53
40
34
9
46
47
45
14
16
15
4
2
4
44
51
52
11
49
48
27
5
29
33
30
13
28
54
12
38
30
39
6
5
7
10
6
24
25
21
22
23
19
20
26
42

Water

Pos.	Part no.	Description	Qty.
1	54.00.984	Ventilation pipe	1
2	54.01.045	Hose 76x5mm	1
4	2066.0505	Hose clamp 70-90mm	2
5	50.00.086	Locking plate f. water distribution	2
6	1900.0202	Water filter	3
7	50.01.543	Mounting device f. water distribution	1
8	2066.0205	Hose clamp 8-16x9 mm SW 7mm	3
9	2066.0205	Hose clamp 8-16x9 mm SW 7mm	2
10	8664.1301	T-fitting water connection	1
11	50.00.176	Hand shower roll guide	1
12	50.01.373	Connect. pipe f. hand shower roll guide	1
13	50.00.085	Plug-in spring f. hand shower roll guide	1
14	87.00.417	Repair set shaft seal 01/2004	1
15	50.00.282	Hand shower black	1
16	50.00.156	Clamp f. hand shower roll guide	1
19	56.00.618	Ball valve drain SCC cpl.	1
20	10.00.369	Plug cone shaped	1
21	10.00.449	Pan head screw M6x16	2
22	10.00.511	O-ring for ball valve drain 46x3.5	1
23	10.00.512	O-ring for ball valve drain 26x3.5	1
24	54.01.254	Inspection lid, quenching nozzle, B2	1
25	54.01.168	Gasket f. inspection lid	1
26	54.01.191	Collecting pan	1
27	50.01.050	Triple solenoid valve	1
28	50.00.072	Water distribution vert roll guide con.	1
29	2062.0333	Housing for non returne valve	1
30	5110.1024	Gasket for G3/4" threaded joint	1
31	2067.0050	Pressure hose d10mm	1.93
32	2067.0050	Pressure hose d10mm	.84
33	50.01.640	Water volume sensor	1
34	2067.0050	Pressure hose d10mm	.56
35	2069.0107	Non return valve DN6	1
36	2067.0050	Pressure hose d10mm	.78
37	2067.0050	Pressure hose d10mm	.31
38	50.01.146	Single solenoid valve Y2	1
39	50.00.073	Water distribution vert w/o roll guide con.	1


Water


41
9
31
32
36
37
43
1
53
40
34
9
46
47
45
14
16
15
4
2
4
44
51
52
11
49
48
27
5
29
33
30
13
28
54
12
38
30
39
6
5
7
10
6
24
25
21
22
23
19
20
26
42

Water

Pos.	Part no.	Description	Qty.
40	2067.0050	Pressure hose d10mm	.85
41	8354.1304	Venting valve for steam generator	1
42	2022.0101	Grommet d8mm	1
43	10.00.991	Sealing cap	1
44	50.00.278	Mounting device f. hand sh. roll guide	1
45	1106.0803	Hex combination nut M6 galv	1
46	1006.0760	Hex screw M6x16	1
47	1306.0222	Washer A6,4x15x1,5	1
48	50.00.548	Hose ø10x2x500 f. hand shower	1
49	2066.0527	Hose clamp ø14mm	1
50	10.00.661	Edge protection profile	1
51	10.01.162	Hex screw M8x10	2
53	2062.0303	Y-fitting YS10	1
54	50.00.554	O-ring for hand shower 11x2mm	2


CleanJet + Care



CleanJet + Care

Pos.	Part no.	Description	Qty.
1	56.00.153	Pump f. cleaning UP30	1
2	12.00.897	Housing f. Cleaning pump	1
3	1004.0666	Hex screw M4x10	1
4	12.00.291	Mounting for housing of Cleaning pump	1
5	56.00.175	Pressure hose f. cleaning	1
6	2066.0518	Hose clamp 30mm	1
7	10.00.605	Hose clamp ø25.3	1
8	56.00.176	Suction hose f. cleaning	1
9	2066.0518	Hose clamp 30mm	1
9	2066.0518	Hose clamp 30mm	1
10	1107.0100	Star lock ø4	12
11	16.01.943	Tulip for handshower	1
13	10.00.980	EJOT PT-Screw K30x10	5
15	56.00.507	Care container floor unit	1
16	56.00.462	Bushing care container/pump	1
17	10.00.984	Hose clamp CLIC d=27.5mm	2
18	56.00.460	Pump f. CareControl DPS 35	1
19	56.00.541	Care hose 1	1
20	2066.0518	Hose clamp 30mm	1
21	2067.0050	Pressure hose d10mm	.35
23	56.00.537	Pipe f. Care hose	1
24	10.00.983	Hose clamp CLIC d=23mm	1
25	56.00.420	Care hose 2	1
26	10.00.605	Hose clamp ø25.3	1
27	10.00.979	Cable clamp D=22	1
28	10.00.916	Hex nut M4 w. locking	1
29	56.00.439	Flap Care container	1
32	2067.0050	Pressure hose d10mm	1.2
33	56.00.373	Emergency overflow-tube	1
34	10.00.605	Hose clamp ø25.3	1


Gas parts


4
6
5
3
14
27
38
15
B
9
29
13
12
34
23
37
35
16
44
17
19
A
2
44
35
36
35
20
32
44
35
33
23
37
18
28
21
22
24
31
26
A
25
30
40
22
4
5
1
6

Gas parts

Pos.	Part no.	Description	Qty.
1	70.00.566	Blower for burner NRG118	1
2	70.00.566	Blower for burner NRG118	1
3	70.00.566	Blower for burner NRG118	1
4	10.00.990	Hex screw M5x16 Torx T20	6
5	70.00.871	Flange f. burner blower RG118 with gasket	3
6	10.01.065	Hex nut M5	6
9	10.00.065	Countersunk screw Torx T20 M4x12	3
12	70.00.637	Spacer sleeve f. gas burner blower	1
13	70.00.262	O-ring 21.89x2.62	2
14	10.00.068	Countersunk screw Torx T20 M4x40	4
15	10.00.456	Truss head screw Torx M4x30 T20	3
16	10.00.456	Truss head screw Torx M4x30 T20	6
17	10.00.065	Countersunk screw Torx T20 M4x12	6
18	70.00.531	Corrugated hose 390mm	1
19	70.00.530	Corrugated hose 1250mm	1
20	70.00.201	Corrugated hose 1050mm	1
21	10.00.061	Pan head screw Torx T20 M4x12	18
22	10.00.063	Pan head screw Torx T20 M4x25	6
23	70.00.301	Combustion air angle pipe hot air	3
24	74.00.881	Gas connection manifold 3x3/4"	1
25	1006.0762	Hex screw M6x10	2
26	1306.0222	Washer A6,4x15x1,5	2
27	74.00.883	Automatic ignition controller	1
28	74.00.883	Automatic ignition controller	1
29	10.00.062	Pan head screw Torx T20 M4x20	1
30	10.00.564	Pan head screw Torx T20 M4x45	1
31	1104.0801	Cage nut M4	1
32	70.00.147	Air hose D50x1550mm	1
33	70.00.517	Air hose D50x1000mm	1
34	70.00.135	Air hose D50x1100mm	1
35	2066.0504	Hose clamp 40-60mm	3
36	70.00.703	Sound absorber blower steam generator	1
37	70.00.624	Silicone hose ø8x1,6x141mm	2
38	70.00.623	Silicone hose ø8x1,6x115mm	1
40	70.01.012	Hose fitting 3/4"-1"	1
41	1500.1610	Pipe 3/4" x 80	1


Gas parts


4
6
5
3
14
27
38
15
B
9
29
13
12
34
23
37
35
16
44
17
19
A
44
35
36
35
2
20
32
44
35
33
23
37
18
28
21
22
24
31
26
A
25
30
40
22
4
5
1
6

Gas parts

Pos.	Part no.	Description	Qty.
44	70.00.662	Air hose fixing device 50mm	3
A		Gas valve RH	2
B		Gas valve SEP	1


Gas valve, hot air



Gas valve, hot air

Pos.	Part no.	Description	Qty.
1	70.00.626	Gas valve RH *hot air*	1
2	70.00.255	Premix chamber cover gas f. RG130	2
3	70.00.030	Premix chamber gas f. RG130	2
4	70.00.106	Premix disc gas	1
5	70.00.256	Disc premix chamber-blower RG130	1


Gas valve, Steam



Gas valve, Steam

Pos.	Part no.	Description	Qty.
1	70.00.625	Gas valve SEP *steam*	1
2	70.00.255	Premix chamber cover gas f. RG130	1
3	70.00.030	Premix chamber gas f. RG130	1
4	70.00.106	Premix disc gas	1
5	70.00.256	Disc premix chamber-blower RG130	1
6	70.00.108	Disc gas valve-premix chamber	1
7	70.00.261	O-ring 17x1.5	1

Standard accessory



Standard accessory

Pos.	Part no.	Description	Qty.
1	60.22.086V	Mobile oven rack type 202	1
2	60.60.566	Drain plug with chain for trolly	1
3	60.71.022	Positioning support f. core sensor	1
4	60.60.100	Castor with brake ø125mm	1
5	60.60.101	Castor without brake ø125mm	1
6	60.22.072	Handle for mobile oven rack	1
7	60.22.223	Drip collector	1
8	10.01.198	Sticker set	1
9	8700.0317	Floor fixing for units	1
10	60.71.382	Water connection kit, floor unit G/USA	1
11	60.72.206	Holder for handle mobile oven rack Type 201/202	1
12	10.01.152	Plug	1

Index

Part no.	Description	Page
24.03.057	Abrasion protection for glide socket	29
40.04.331	Adaptor cable f. Ball valve drain	9
22.00.751	Air baffle	23
22.00.781	Air baffle support	23
70.00.517	Air hose D50x1000mm	43
70.00.135	Air hose D50x1100mm	43
70.00.147	Air hose D50x1550mm	43
70.00.662	Air hose fixing device 50mm	45
40.02.684	Air inlet filter cpl.	33
22.00.916	Air inlet pipe	11
22.00.836	Air sucking ring f. air baffle	25
10.00.696	Allen screw M4x6 w. Precoat 85	19, 27
74.00.883	Automatic ignition controller	43
16.01.844	Back panel	33
56.00.618	Ball valve drain SCC cpl.	37
70.00.566	Blower for burner NRG118	43
16.00.384	Bracket f.door cont. swit.	31
24.03.369	Bracket left f. door floor model	29
24.03.391	Bracket right f. door floor model	29
74.00.830	Burner hot air	17
70.00.472	Burner pipe	13
72.00.088	Burner steam gen.	13
40.04.089	Bus cable *Ferrite ring* 1.15m	7
40.03.996	Bus cable 1.15m	7
56.00.462	Bushing care container/pump	41
10.00.979	Cable clamp D=22	41
10.00.111	Cable clip long	11
10.00.112	Cable clip short	21
40.00.320	Cable connection M20x1.5	7
4002.0110	Cable connector, junction	13
40.04.993	Cable control harness	9
24.03.398	Cable cover	27

Index

Part no.	Description	Page
40.04.116	Cable harness isolating transformer	9
40.03.516	Cable MMI - CPU	5
40.03.515	Cable MMI - TFT	5
40.03.467	Cable On-Off switch MMI	5
40.05.298	Cable, interior light W11	7
40.05.296	Cable, interior light W40	29
40.05.293	Cable, interior light W41	29
40.05.292	Cable, interior light W42	29
40.05.294	Cable, interior light W43/44	29
1104.0801	Cage nut M4	43
1108.0800	Cage nut M8	7
10.00.090	Cap f. Torx T30	27
10.01.076	Cap nut M5*A2	23
10.00.745	Cap nut M6*A2	31, 33, 35
56.00.507	Care container floor unit	41
56.00.541	Care hose 1	41
56.00.420	Care hose 2	41
60.60.100	Castor with brake ø125mm	51
60.60.101	Castor without brake ø125mm	51
50.00.156	Clamp f. hand shower roll guide	37
10.00.087	Clamp strap f. sensor	23
54.01.191	Collecting pan	37
70.00.301	Combustion air angle pipe hot air	43
2001.0109	Compression spring	27
50.01.373	Connect. pipe f. hand shower roll guide	37
40.03.761	Contactor B&J K1-09F00 230R	9
42.00.261	Control pcb	7
42.00.112	Control pcb *TFT*	5
40.03.348	Control transformer T1	9
40.03.425	Cooling fan	7
40.03.948	Cooling fan with NTC	7
1315.0104	Copper washer 16x20x1,5	23

Index

Part no.	Description	Page
70.00.531	Corrugated hose 390mm	43
70.00.201	Corrugated hose 1050mm	43
70.00.530	Corrugated hose 1250mm	43
1005.1966	Countersunk screw Torx M5x16	29
10.00.065	Countersunk screw Torx T20 M4x12	43
10.00.068	Countersunk screw Torx T20 M4x40	43
1003.2265	Countersunk self tapping screw 4,2x16	33
40.03.366	Cover air outlet	31
24.03.062	Cover cap for door	29
16.02.889	Cover f. control pcb w. gasket	5
16.00.329	Cover f. USB interface	33
40.03.392	Cover for air inlet filter	31
24.02.263	Cover for door latch	33
16.00.358	Crossbar front panel	33
16.00.331	Crossbar top	33
22.00.361	Deep-draw f. air baffle	25
16.02.062	Dial f. pulse generator	5
70.00.108	Disc gas valve-premix chamber	49
70.00.256	Disc premix chamber-blower RG130	47, 49
24.03.361	Door	27
24.03.359	Door bolt	27
24.03.040	Door bolt	27
24.01.351	Door catch	27
20.00.399	Door gasket	23
24.02.920	Door handle	27
24.03.195	Door lock	27
24.00.133	Door mounting support top	27
24.03.199	Door setting bolt	29
40.00.454	Door switch 1.75m	31
22.00.958	Drain hose for humidity control	11
44.01.231	Drain hose steam generator	13
60.60.566	Drain plug with chain for trolly	51

Index

Part no.	Description	Page
60.22.223	Drip collector	51
40.02.515	Dry up protector 315°F/157°C	9
74.01.039	Earth electrode, hot air	19
10.00.661	Edge protection profile	39
10.00.980	EJOT PT-Screw K30x10	41
10.00.103	EJOT PT-screw KA 3.5x10	33
10.00.460	EJOT PT-Screw Torx 3,5x14	33
40.01.483	Electronic noise filter	9
56.00.373	Emergency overflow-tube	41
44.00.207	Emptying pump	13
40.03.262	Fan housing	33
40.03.513	Fan motor with motor shaft gasket	21
22.00.829	Fan wheel	21
44.01.420	Filling level electrode 135mm	13
12.01.151	Fixing angle NSF housing floor units 201-202	35
44.01.181	Fixing angle steam generator	13
24.03.060	Fixing bracket for interior glass pane	29
40.03.780	Fixing clip core temp. cable	25
40.03.756	Fixing clip f. pcb	7
40.03.533	Fixing clip f. pcb	7
40.01.579	Fixing clip f. pcb	9
24.01.346	Fixing device f. magnet with magnet, adjustable	29
44.01.248	Fixing device f. pump steam generator	13
44.00.517	Fixing plate steam generator thermostat	13
70.00.871	Flange f. burner blower RG118 with gasket	43
22.00.721	Flange f. motor shaft gasket	21
56.00.439	Flap Care container	41
8700.0317	Floor fixing for units	51
2039.0111	Foot adjustable, metal, 40 x 40	31
40.03.385	Frame for air inlet filter	31
16.02.760	Front panel	33
4001.0224	Fuse 6.35x32mm	9

Index

Part no.	Description	Page
40.01.487	Fuse holder 2pol	9
40.02.512	Fuse holder 2x6.3A	9
40.01.873	Fuse SC-15A 10x38	9
74.00.881	Gas connection manifold 3x3/4"	43
70.00.626	Gas valve RH *hot air*	47
70.00.625	Gas valve SEP *steam*	49
74.00.290	Gasket electrode hot air	19
16.01.579	Gasket f. breather tube d=79mm	33
72.00.067	Gasket f. burner carrier	13
74.00.296	Gasket f. heat exchanger below	17
22.00.881	Gasket f. hum. meas. Pipe	11
44.00.250	Gasket f. ignition electrode	13
54.01.168	Gasket f. inspection lid	37
5110.1024	Gasket for G3/4" threaded joint	37
24.03.192	Gasket for mobile oven rack	29
40.00.091	Gasket frame w. glass a. gaskets	23
74.00.869	Gasket hot air heat exchanger/interior cabinet	17
12.01.140	Gasket NSF housing floor units 201-202	35
87.01.415	Glass pane bundle	29
22.01.196	Graphit seal for gasket flange	21
2022.0101	Grommet d8mm	39
3024.0201	Halogen bulb 300°C	23
50.00.282	Hand shower black	37
50.00.176	Hand shower roll guide	37
60.22.072	Handle for mobile oven rack	51
1104.0122	Hex combination nut M4 galv	11, 13
1105.0121	Hex combination nut M5 galv	13
1106.0803	Hex combination nut M6 galv	39
1104.0120	Hex nut M4	13
1104.0121	Hex nut M4 self locking	7
10.00.916	Hex nut M4 w. locking	41
10.00.100	Hex nut M4, self-locking	23

Index

Part no.	Description	Page
10.01.065	Hex nut M5	9, 13, 17, 21, 43
1105.0120	Hex nut M5	13
10.00.709	Hex nut M6 w. locking	9, 13, 21
3014.0327	Hex nut M10x1,0	9, 23
10.00.612	Hex nut M16 flat	23
1004.0666	Hex screw M4x10	41
10.00.697	Hex screw M5x10 w. precoat 85	27
10.00.990	Hex screw M5x16 Torx T20	43
1006.0762	Hex screw M6x10	13, 43
1006.0760	Hex screw M6x16	39
10.01.162	Hex screw M8x10	39
10.00.099	Hex screw M8x12	27
10.00.936	Hex screw M8x20	21
1008.0761	Hex screw M8x25	27
10.00.445	Hex screw M8x80	7
1004.2160	Hex self tapping screw 4,2x16	33
10.00.992	Hex self tapping screw B4,2x32	33
60.72.206	Holder for handle mobile oven rack Type 201/202	51
54.01.045	Hose 76x5mm	37
2066.0205	Hose clamp 8-16x9 mm SW 7mm	37
2066.0518	Hose clamp 30mm	13, 41
2066.0504	Hose clamp 40-60mm	43
2066.0516	Hose clamp 60-80 mm	13
2066.0505	Hose clamp 70-90mm	37
10.00.983	Hose clamp CLIC d=23mm	41
10.00.984	Hose clamp CLIC d=27.5mm	41
2066.0527	Hose clamp ø14mm	11, 15, 39
2066.0530	Hose clamp ø16.4mm	15
10.00.605	Hose clamp ø25.3	41
2066.0519	Hose clamp Ø35,6mm	13
2066.0526	Hose clamp ø46mm	13
70.01.012	Hose fitting 3/4"-1"	43

Index

Part no.	Description	Page
22.00.525	Hose set f. humidity control	11
50.00.548	Hose ø10x2x500 f. hand shower	39
74.00.806	Hot air heat exchanger below	17
74.00.802	Hot air heat exchanger top	17
12.00.897	Housing f. Cleaning pump	41
2062.0333	Housing for non returne valve	37
2070.0054	HT pipe, DN 50, 250 mm	35
22.00.725	Humidity control cpl.	11
44.01.237	Ignition electrode steam generator	13
74.00.034	Ignitionelectrode, hot air	19
22.00.908	Inner humidity meas. Piece	11
54.01.254	Inspection lid, quenching nozzle, B2	37
40.01.600	Insulating screw joint 2pol.	7
72.00.077	Insulation f. burner steam gen.	13
40.04.047	Interface cable USB 1.6m	33
20.01.755	Isolation for mounting plate for motor	21
2062.0331	Junction pressure hose GS 10	15
74.00.913	L- insulator for ignition electrode, hot air	19
2760.1370	Latch hook for air baffle	25
87.01.369	LED bar, left/right	29
87.01.373	LED bar, left/right	29
87.01.366	LED optics	29
50.00.086	Locking plate f. water distribution	37
40.03.928	Loudspeaker cpl.	7
74.00.868	Mating flange heat exchanger	17
40.02.101	Meat probe sensor	23
4007.0620	Membrane DGC 29	9
4007.0621	Membrane DGC 36	9
42.00.081	MMI pcb	5
60.22.086V	Mobile oven rack type 202	51
22.00.985	Motor shaft gasket D15	21
50.00.278	Mounting device f. hand sh. roll guide	39

Index

Part no.	Description	Page
22.00.882	Mounting device f. pressure sensor	11
50.01.543	Mounting device f. water distribution	37
12.00.291	Mounting for housing of Cleaning pump	41
22.00.722	Mounting support f. gasket flange	21
2069.0107	Non return valve DN6	37
50.01.471	Nozzle f. moistening	17
12.01.142	NSF housing floor units 201-202	31
12.01.154	NSF housing left floor units 201-202	35
12.01.153	NSF housing right floor units 201-202	35
70.00.261	O-ring 17x1.5	49
70.00.262	O-ring 21.89x2.62	43
10.00.512	O-ring for ball valve drain 26x3.5	37
10.00.511	O-ring for ball valve drain 46x3.5	37
50.00.554	O-ring for hand shower 11x2mm	39
22.00.837	O-ring for humidity control	11
16.02.870	Opening mechanism for panel insert	31
1008.0768	Ornamental screw M8x16	27
1008.0769	Ornamental screw M8x30	27
22.00.850	Outer humidity meas. Piece	11
54.01.117	Outlet sieve	23
10.00.449	Pan head screw M6x16	37
10.00.365	Pan head screw Torx M3x20	9
10.00.061	Pan head screw Torx T20 M4x12	43
10.00.062	Pan head screw Torx T20 M4x20	43
10.00.063	Pan head screw Torx T20 M4x25	43
10.00.564	Pan head screw Torx T20 M4x45	7, 43
1500.1610	Pipe 3/4" x 80	43
56.00.537	Pipe f. Care hose	41
50.01.722	Plastic pipe 4,5x0,75x136mm	17
10.01.152	Plug	51
10.00.369	Plug cone shaped	37
50.00.085	Plug-in spring f. hand shower roll guide	37

Index

Part no.	Description	Page
60.71.022	Positioning support f. core sensor	51
40.04.177	Power supply cable 3xAWG14	7
42.00.266	Power supply for standard interior light	7
40.03.468	Power transformer	7
24.03.640	Pre heat mechanism f. door cpl.	29
70.00.255	Premix chamber cover gas f. RG130	47, 49
70.00.030	Premix chamber gas f. RG130	47, 49
70.00.106	Premix disc gas	47, 49
2067.0050	Pressure hose d10mm	37, 39, 41
56.00.175	Pressure hose f. cleaning	41
3017.1011	Pressure sensor for humidity control Huba 401	11
2005.0106	Protective grid for cooling fan	7
40.00.404	Pulse generator	5
2118.1000	Pump connection spout	15
8354.1320	Pump connection spout cpl.	13
56.00.460	Pump f. CareControl DPS 35	41
56.00.153	Pump f. cleaning UP30	41
40.00.098	Reflector f. interior light	23
87.00.417	Repair set shaft seal 01/2004	37
10.00.515	Rivet 3,2x5 A4	9, 25
1603.0166	Rivet 3,2x7,9 CNS closed	33
1604.0167	Rivet 4x10	25
10.00.890	Rivet 4x10	29
10.01.429	Rivet nut M5 hexagon closed with gasket	23
40.01.482	Safety temperature limiter 365°C	9, 23
40.01.317	Screen core temperature sensor	23
40.03.782	Screen interior cabinet sensor	23
42.00.128	SD-memory card 4GB	7
10.00.991	Sealing cap	39
16.02.865	Sealing f. panel insert	5
16.00.139	Side panel left	33
16.00.158	Side panel right	33

Index

Part no.	Description	Page
2110.1008	Silicon hose ø10x2mm	15
70.00.623	Silicone hose ø8x1,6x115mm	43
70.00.624	Silicone hose ø8x1,6x141mm	43
50.01.146	Single solenoid valve Y2	37
24.03.052	Sleeve for door bolt top	29
1104.0820	Snap nut 4,2mm	33
70.00.703	Sound absorber blower steam generator	43
10.00.243	Spacer M4x8	7
70.00.637	Spacer sleeve f. gas burner blower	43
10.01.049	Square necked mushroom head bolt 6x30	21
1107.0100	Star lock ø4	41
44.00.948	Steam generator insolated	13
44.00.362	Steam hose Ø70x55mm	13
44.01.086	Steam pipe	13
10.01.198	Sticker set	51
2120.1259	Stop plug 10mm	15
56.00.176	Suction hose f. cleaning	41
22.00.491	Surge guard for Meat probe sensor	25
8664.1301	T-fitting water connection	37
40.00.399	Thermocouple humidity	23
40.03.528	Thermocouple interior cabinet B1	23
40.04.110	Thermocouple steam generator *B5*	13
4005.0101	Tie rap 145 mm	15
40.03.769	Tie rap 173 mm	7
1205.0120	Tooth lock washer A5,3	13
1206.0120	Tooth lock washer A6,4	31
16.02.169	Top cover	33
40.03.772	Transformer f. cooling fan	7
50.01.050	Triple solenoid valve	37
10.00.456	Truss head screw Torx M4x30 T20	43
16.01.943	Tulip for handshower	41
50.00.846	Union nut M12x13.2 N	17


Index

Part no.	Description	Page
22.00.767	Vent cover	11, 31
54.00.984	Ventilation pipe	37
8354.1304	Venting valve for steam generator	39
10.00.744	Washer A4,3 *A4	25
1305.0160	Washer A5,3x10mm	27
1306.0222	Washer A6,4x15x1,5	39, 43
1308.0162	Washer A8,4	21, 27
1308.0160	Washer A8,4	27
60.71.382	Water connection kit, floor unit G/USA	51
50.00.072	Water distribution vert roll guide con.	37
50.00.073	Water distribution vert w/o roll guide con.	37
1900.0202	Water filter	37
50.01.640	Water volume sensor	37
24.03.193	Window gasket	29
40.04.363	Wiring interior light	7, 23
2062.0303	Y-fitting YS10	39


Deckblatt Elektrische Dokumentation, Cover sheet electrical Documentation

Die Elektrische Dokumentation besteht aus: 1. diesem Deckblatt, 2. dem Schaltplan und 3. der Legende der elektrischen Bauteile
The electric documentation contains: 1. this cover sheet, 2. the wiring diagram and 3. the bill of material (BOM)


Typ **Type**	SCC WE 202G		
Spannung (SPL) **Voltage**	2AC208V 60 Hz		
Deckblatt-Nr. **Front Page No.**	75-22144	**Version**	0
Schaltplan **Wiring diagram**	76-00833	**Version**	0
Legende **Legend electr. components**	78-01611	**Version**	0
Geräteserialnr. **Serial number**	G22SI1609	**Version**	1609
Erstellt am **Created at**	19.08.2016	**Ersteller** **Creator**	SCHD
Gültig ab **Valid from**	19.08.2016	**Änderung** **Modification**	20160106



76-00833	MODUL 1 Leistung/Power	SCC WE 202G UL/CANADA	Erstellt von: SCHD Datum: 19.08.2016
Version: 0		2AC208V 60 Hz	Blatt: 1



76-00833	MODUL 2 Heizung/Heating	SCC WE 202G UL/CANADA	Erstellt von: SCHD Datum: 19.08.2016
Version: 0		2AC208V 60 Hz	Blatt: 2



76-00833	MODUL 3 Sensoren/Sensors	SCC WE 202G UL/CANADA	Erstellt von: SCHD Datum: 19.08.2016
Version 0		2AC208V 60 Hz	Blatt 3

Positionsliste
Bill of material

Name **Name**	**Artikelnr.** **Item number**	**Artikelbezeichnung**	**Item description**
-A0	42.00.112	TFT Touch	TFT Touch
-A1	42.00.081	Interface Platine	Interface PCB
-A2	42.00.261	CPU SCC WE	CPU SCC WE
-A2-F1/F2	3019.0120	Sicherung A2 - 2AT	Fuse A2 - 2AT
-A5	74.00.883	Feuerungsautomat Brenner 61-202	Ignition box
-A6	74.00.883	Feuerungsautomat Brenner 201/202 HL	Ignition box
-A7	42.00.266	Netzteil Beleuchtung	Power supply lighting
-B1	40.03.528	Thermoelement Garraum	Thermocouple interior cabinet
-B2	54.01.254	Thermoelement Steuerventil	Thermocouple control valve
-B3	40.02.101	Thermoelement Kerntemperatur	Thermocouple core sensor
-B4	40.00.399	Thermoelement Feuchte	Thermocouple humidity
-B5	40.04.110	Thermoelement Dampfgenerator	Thermocouple steam generator
-F1/F2	40.01.873	Steuersicherung	Control fuse
-F3	40.02.515	Sicherheitstemperaturbegrenzer DG	Safety thermostat steam generator SG
-F4	40.01.482	Sicherheitstemperaturbegrenzer 360°C/680°F	Safety thermostat interior cabinet 360°C/680°F
-H1	3024.0201	Garraumbeleuchtung	Interior cabinet light
-H2	3024.0201	Garraumbeleuchtung	Interior cabinet light
-H3/H4	42.00.203	Türbeleuchtung LED-Platine	Door lighting LED board
-H5/H6	42.00.206	Türbeleuchtung LED-Platine	Door lighting LED board
-K1	40.03.761	Hauptschütz	Main contactor
-M1	40.03.513	Lüftermotor	Fan motor
-M10	70.00.566	Gasgebläse HL	Gas blower hot air (bottom)
-M11	40.03.425	Kühllüfter	Cooling fan
-M12	56.00.460	Pumpe Pflegemittel	Care pump
-M2	40.03.513	Lüftermotor 201/202 (unten)	Fan motor 201/202 (bottom)
-M4	44.00.207	SC-Pumpe	SC-pump
-M5	40.03.948	Kühllüfter	Cooling fan
-M6	56.00.153	CleanJet Pumpe SCC WE	CleanJet pump SCC WE
-M7	56.00.618	Kugelhahn Ablauf	Drain valve
-M8	70.00.566	Gasgebläse HL	Gas blower hot air
-M9	70.00.566	Gasgebläse DG	Gas blower steam

Positionsliste
Bill of material

Name **Name**	**Artikelnr.** **Item number**	**Artikelbezeichnung**	**Item description**
-P1	3017.1011	Differenzdrucksensor	Differential pressure sensor
-S1	TEXT	Ein/Aus Schalter	ON/OFF switch
-S11	50.01.640	CDS-Sensor	CDS-sensor
-S2	44.01.420	Niveauelektrode	Water level electrode
-S3	40.00.454	Türkontaktschalter	Door contact switch
-S6	40.00.404	Zentrales Einstellrad	Central dial
-T1	40.03.348	Steuertrafo	Control transformer
-T1-F1	3019.0120	Sicherung Steuertrafo T1 2AT	Fuse control transformer T1 2AT
-T1-F2	3019.0114	Sicherung Steuertrafo T1 5AmT	Fuse control transformer T1 5AmT
-T2	40.03.928	SCC WE: Lautsprecher / CMP: Alarmsummer	SCC WE: Speaker / CMP: Buzzer
-T3	40.03.468	Sondertrafo	Special transformer
-T3-F1	3019.0120	Sicherung Sondertrafo T3	Fuse special transformer
-T4	40.03.772	Trafo Kühllüfter 201/202	Transformer cooling fan 201/202
-W0	40.04.177	Anschlusskabel	Cable: power supply
-W11	40.04.363	Kabel: Garraumbeleuchtung	Cable: interior cabinet light
-W17	40.04.993	Kabel: Steuerstamm	Cable: control harness
-W19	40.04.116	Kabel: Zusatzstamm Gas	Cable: power supply gas
-W31	40.03.467	Kabel: Ein/Aus Schalter	Cable: ON/OFF switch
-W36	40.03.516	Kabel: Interface Platine - CPU SCC WE	Cable: Interface PCB - CPU SCC WE
-W38	40.03.515	Kabel: Interface Platine-TFT Touch	Cable: Interface PCB-TFT Touch
-W40	40.05.296	Kabel: Türbeleuchtung	Cable: door lighting
-W41	40.05.293	Kabel: Türbeleuchtung scharnierseitig	Cable: door lighting hinge sided
-W42	40.05.292	Kabel: Türbeleuchtung griffseitig	Cable: door lighting handle sided
-W43/W44	40.05.294	Kabel: Türbeleuchtung Verbinderkabel scharnierseitig/ griffseitig	Cable: door lighting hinge and handle sided
-W48	40.05.298	Kabel: Verbindung Platine A7-Tür	Cable: Connection board A7 to door
-Y1/Y3/Y4	50.01.050	Y1: Magnetventil Füllen / SCC WE Y3: Beschwadung / Y4: Pflegemittel	Y1: Solenoid valve filling / SCC WE Y3: moistening / Y4: care
-Y11	70.00.625	Gasventil D	Gas valve steam
-Y12/Y13	70.00.626	Y12: Gasventil HL1 / Y13: Gasventil HL2 201/202G	Y12: Gas valve hot air / Y13: Gas valve hot air (bottom)
-Y2	50.01.146	Magnetventil Steuerventil	Solenoid valve control valve

Änderungsdatum	**19.08.2016**	Name	**SCC WE 202G UL/CANADA**	Dokument-Nr.	**78-01611**
Erzeuger	**SCHD**	Spannung	**2AC208 V 60 Hz**	Version	**0**

Name **Name**	**Artikelnr.** **Item number**	**Artikelbezeichnung**	**Item description**
-Y5	22.00.725	Klimaventil	Clima valve
-Z1	40.01.483	Entstörfilter/Varistor	Electronic noise filter