Service part catalogue


SelfCooking Center® Linie
Combi Master 201G

validity: 10/2008



05.05.2009
1NAC100V 50/60Hz


Overview



Overview

Pos.	Module	Page
1	Control panel	4
2	Electrical installation	6
3	ClimaPlus	10
4	Steam generator	12
5	Hot air heating	18
6	Motor and fan wheel	22
7	Interior cabinet	24
8	Door	28
9	Exterior cabinet	32
10	Water	36
11	CleanJet + Care	40
12	Gas parts	42
13	Miscellaneous	50


Control panel



Control panel

Pos.	Part No.	Description	Qty.
1	87.00.001	Control panel insert with overlay	1
2	42.00.048	Control pcb Index "MF"	1
3	10.00.916	Hex nut M4 w. locking	8
4	10.00.355	Spacer black	8
5	2020.0400	Fixing device for cable harness	1
6	16.00.282	Dial	3
8	5110.1027	Distance plate for front panel	2
9	40.02.087	Buzzer	1
10	1104.0121	Hex nut M4 self locking	1
11	5110.1029	Gasket mode switch	1
12	40.00.464	Potentiometer CT	1
13	5110.1029	Gasket mode switch	1
14	16.00.387	Mounting device f.sealing + sealing lip	1


Electrical installation



Electrical installation

Pos.	Part No.	Description	Qty.
18	1104.0801	Cage nut M4	1
19	10.00.243	Spacer M4x8	1
20	1104.0120	Hex nut M4	1
21	40.01.579	Fixing clip f. pcb	4
22	40.00.471	Bus cable 0.8m	1
22	40.00.471	Bus cable 0.8m	1
25	10.00.112	Cable clip short	6
28	10.00.111	Cable clip long	8
28	10.00.111	Cable clip long	1
31	10.00.471	Cable clip d10-12mm	3
32	10.00.471	Cable clip d10-12mm	3
33	40.00.281	Power transformer	1
34	10.00.445	Hex screw M8x80	1
35	40.01.600	Insulating screw joint 2pol.	1
43	1106.0160	Hex nut M6	1
44	1206.0120	Tooth lock washer A6,4	1
45	4002.0110	Cable connector, junction	2
46	40.01.132	Center fixation f. contactor assembly	1
47	1106.0224	Hex nut M6 self locking	1
48	40.01.581	Jumper	2
57	40.01.596	Power supply cable 3x2,5mm² 3m	1
59	40.00.320	Cable connection M20x1.5	1
A		Electrical installation	1


Electrical installation



Electrical installation

Pos.	Part No.	Description	Qty.
1	40.02.958	Cable control harness	1
1	40.00.249	Cable harness isolating transformer	1
2	10.00.111	Cable clip long	5
3	40.02.515	Dry up protector 315°F/157°C	1
4	3014.0302	Hex nut M10 for dry-up protector	1
5	40.01.482	Safety temperature limiter 365°C	1
6	3014.0327	Hex nut M10x1,0	1
7	40.02.917	Contactor 3TG1010-2AK2	1
10	40.02.899	Cooling fan	1
11	10.00.238	Screw Torx 4x50	4
13	40.00.277	Control transformer	1
14	10.00.061	Pan head screw Torx T20 M4x12	1
15	40.01.483	Electronic noise filter	1
21	40.02.512	Fuse holder 2x6.3A	1
48	4007.0620	Membrane DGC 29	3
49	10.00.510	Grommet 10/12/16-2	1
50	40.00.592	Transformer f. cooling fan	1
51	1105.0120	Hex nut M5	2
52	1305.0160	Washer A5,3x10mm	2
55	4001.1203	End plate for mounting rail	1


ClimaPlus



ClimaPlus

Pos.	Part No.	Description	Qty.
8	22.00.580	Safety valve	1
12	22.00.564	Gasket f. ventilation	1
13	2066.0504	Hose clamp 40-60mm	1


Steam generator



Steam generator

Pos.	Part No.	Description	Qty.
1	1106.0803	Hex combination nut M6 galv	1
3	72.00.010	Burner steam gen.	1
4	72.00.048	Insulation f. burner steam gen.	1
5	1104.0122	Hex combination nut M4 galv	4
6	70.00.059	Burner pipe	1
7	72.00.020	Gasket f. burner carrier	1
8	1105.0121	Hex combination nut M5 galv	4
9	44.00.249	Ignition electrode steam generator	1
10	1104.0120	Hex nut M4	2
11	44.00.250	Gasket f. ignition electrode	1
17	2066.0519	Hose clamp 35,6mm	1
18	2066.0526	Hose clamp ø46mm	1
19	44.00.207	Emptying pump	1
20	1006.0762	Hex screw M6x10	2
21	1306.0222	Washer A6,4x15x1,5	2
22	44.00.226	Fixing device f. pump steam generator	1
23	10.00.709	Hex nut M6 w. locking	2
24	44.00.238	Drain hose steam generator	1
25	2066.0518	Hose clamp 30mm	2
26	40.00.292	Thermocouple steam generator	1
27	44.00.518	Fixing plate steam generator thermostat	1
30	2112.1006	Steam hose 50x7mm	2
31	2066.0504	Hose clamp 40-60mm	4
32	44.00.351	Steam pipe	1
33	10.00.982	Hose clamp D=18.2	1
34	2066.0205	Hose clamp 8-16x9 mm SW 7mm	1
35	1105.0120	Hex nut M5	1
36	1205.0120	Tooth lock washer A5,3	1
37	44.01.031	Closing cap for steam generator	1
A	8354.1320	Pump connection spout cpl.	1
B	44.00.186	Steam generator insolated	1


Pump connection spout



Pump connection spout

Pos.	Part No.	Description	Qty.
1	2118.1000	Pump connection spout	1
2	2120.1259	Stop plug 10mm	1
3	2110.1008	Silicon hose ø10x2mm	1
4	2066.0527	Hose clamp ø14mm	2
5	2066.0530	Hose clamp ø16.4mm	1
6	2062.0331	Junction pressure hose GS 10	1
7	4005.0101	Tie rap 145 mm	1


Steam generator, insulated



Steam generator, insulated

Pos.	Part No.	Description	Qty.
3	5012.0566	Gasket f. inspection lid	1
4	44.00.263	Panel for revision hole steam generator	1
5	44.00.264	Clamping bar for panel revision hole	1
6	44.00.514	Filling level electrode 175mm	1
7	1105.0121	Hex combination nut M5 galv	2


Hot air heating



Hot air heating

Pos.	Part No.	Description	Qty.
10	74.00.170	Hot air heat exchanger below	1
11	74.00.175	Hot air heat exchanger top	1
12	74.00.234	Gasket hot air heat exchanger/interior cabinet	1
13	74.00.313	Mating flange heat exchanger	1
14	74.00.317	Gasket f. heat exchanger top	1
15	74.00.296	Gasket f. heat exchanger below	4
16	1105.0122	Hex combination nut M5 V2A	16
17	1105.0122	Hex combination nut M5 V2A	16
A	74.00.222	Burner hot air	2


Burner hot air



Burner hot air

Pos.	Part No.	Description	Qty.
1	74.00.230	Ignitionelectrode1 f. hot air	1
2	74.00.235	Ignitionelectrode2 f. hot air	1
3	74.00.290	Gasket electrode hot air	1
4	10.00.696	Allen screw M4x6 w. Precoat 85	4


Motor and fan wheel



Motor and fan wheel

Pos.	Part No.	Description	Qty.
1	40.00.274	Fan motor	1
2	40.00.274	Fan motor	1
3	10.00.710	Hex nut M8 w. locking	8
5	2120.1306	Spacer SW19x17	8
6	1008.1005	Square necked mushroom head bolt 8x40	8
7	22.00.123	Flange f. motor shaft gasket	2
8	22.00.120	Mounting support f. gasket flange	2
9	22.00.083	Motor shaft gasket	2
10	1315.0101	Copper washer 6x10	8
11	1306.0120	Washer A6,4	8
12	1106.0220	Hex nut M6 flat	8
13	22.00.188	Fan wheel d340x110	2
14	10.00.565	Hex screw M8x20	2
15	1308.0162	Washer A8,4	2
20	40.02.481	Collecting plate motor below 201/202	1


Interior cabinet



Interior cabinet

Pos.	Part No.	Description	Qty.
1	2120.1277	Base for sensor connection	1
3	40.00.098	Reflector f. interior light	2
4	10.00.041	Rivet nut M5 hexagon closed	8
11	40.02.129	Wiring interior light	1
12	20.00.398	Door gasket	1
13	40.02.102	Meat probe sensor	1
14	10.00.612	Hex nut M16 flat	1
15	1315.0104	Copper washer 16x20x1,5	1
17	40.01.317	Screen core temperature sensor	1
18	10.00.745	Cap nut M6*A2	2
19	22.00.220	Air baffle support	1
20	10.00.745	Cap nut M6*A2	3
21	40.01.099	Thermocouple interior cabinet (B1)	1
22	40.00.531	Screen interior cabinet sensor	1
23	10.00.745	Cap nut M6*A2	1
24	20.00.999	Outlet sieve Ø80	1
25	40.00.091	Gasket frame w. glass a. gaskets	2
26	3024.0201	Halogen bulb 300°C	1
27	3024.0201	Halogen bulb 300°C	1
A	22.00.410	Air baffle	1


Air baffle



Air baffle

Pos.	Part No.	Description	Qty.
1	10.00.515	Rivet 3,2x5 A4	1
2	40.01.289	Fixing clip core temp. cable	1
3	10.00.744	Washer A4,3 *A4	1
4	1604.0167	Rivet 4x10	1
6	2760.1370	Latch hook for air baffle	1


Door



Door

Pos.	Part No.	Description	Qty.
1	24.00.136	Door handle	1
2	8474.1410	Door lock	1
3	10.00.698	Hex screw M6x12 w. precoat 85	2
4	1206.0261	Spring washer B6	2
5	2940.1305	Door bolt	1
6	1008.1963	Hex socket countersunk head screw M8x16	1
7	2039.0309	Cover cap for door	1
9	10.00.696	Allen screw M4x6 w. Precoat 85	2
10	24.00.133	Door mounting support top	1
11	1008.0768	Ornamental screw M8x16	3
12	1308.0160	Washer A8,4	3
16	24.00.145	Door bolt	1
17	1008.0766	Hex screw M8x30	1
18	1308.0162	Washer A8,4	1
19	24.00.048	Door bolt	1
20	1008.0769	Ornamental screw M8x30	1
21	1308.0160	Washer A8,4	1
22	2001.0109	Compression spring	1
23	8514.1307	Door catch	1
24	1008.0761	Hex screw M8x25	2
25	1308.0160	Washer A8,4	2
26	1208.0260	Spring washer B8	2
30	24.00.216	Mounting braket f. door lock	1
31	10.00.697	Hex screw M5x10 w. precoat 85	2
32	1305.0160	Washer A5,3x10mm	2
A	24.00.121	Door	1


Door



Door

Pos.	Part No.	Description	Qty.
1	24.00.210	Inner glass pane	1
2	24.00.147	Sleeve for door bolt top	1
3	24.00.159	Door setting bolt	1
4	24.00.503	Fixing device f. magnet with magnet	1
5	24.00.187	Gasket glass pane/trolly	1
6	24.00.177	Pre heat mechanism f. door cpl.	1
7	24.00.507	Fixing device middle f.inter. glass pane	1
8	24.00.700	Additional gasket f. trolly	1
9	24.01.259	Plastic buffer 8,1mm	1


Exterior cabinet



Exterior cabinet

Pos.	Part No.	Description	Qty.
3	2039.0111	Foot adjustable, metal, 40 x 40	4
10	10.00.745	Cap nut M6*A2	1
11	1206.0120	Tooth lock washer A6,4	1
14	22.00.354	Spacer ring	1
15	22.00.353	Vent cover	1
16	16.01.327	Opening mechanism for panel insert	1
17	1603.0166	Rivet 3,2x7,9 CNS closed	3
18	1106.0803	Hex combination nut M6 galv	1
19	1008.0760	Hex screw M8x16	2
20	1308.0160	Washer A8,4	2
21	10.00.357	Rubber plug black	2
22	10.00.806	Hex screw M8x35	1
A		Exterior cabinet	1


Exterior cabinet



Exterior cabinet

Pos.	Part No.	Description	Qty.
1	16.00.334	Top cover	1
2	1003.2265	Countersunk self tapping screw 4,2x16	4
3	1104.0820	Snap nut 4,2mm	4
4	1004.2160	Hex self tapping screw 4,2x16	2
5	16.00.142	Side panel right	1
6	1603.0166	Rivet 3,2x7,9 CNS closed	8
7	16.00.143	Side panel left	1
8	10.00.102	Hex self tapping screw B4,2x32	2
9	1104.0820	Snap nut 4,2mm	2
10	16.00.382	Back panel	1
11	16.00.296	Front panel	1
12	16.00.673	Air inlet filter	1
13	10.00.103	EJOT PT-screw KA 3.5x10	1
14	1104.0820	Snap nut 4,2mm	1
15	16.00.358	Crossbar front panel	1
16	10.00.745	Cap nut M6*A2	2
19	1107.0100	Star lock ø4	6
20	50.00.752	Tulip for handshower	1
21	16.00.330	Crossbar top	1
22	1603.0166	Rivet 3,2x7,9 CNS closed	4
23	16.00.115	Rosette	1
24	16.01.434	Gasket f. breather tube d=74mm	1
25	40.00.476	Exhaust channel	1
27	10.00.457	Slotted pan head screw M4x12 Phillips	1
28	16.00.360	Cover f. RS232 interface	1
29	10.00.103	EJOT PT-screw KA 3.5x10	1
36	40.00.454	Door switch 1.65m	1


Water



Water

Pos.	Part No.	Description	Qty.
1	2022.0101	Grommet d8mm	1
2	54.00.208	Exhaust pipe	1
4	2112.1307	Hose 70x5mm	1
5	2066.0516	Hose clamp 60-80 mm	2
7	40.00.398	Thermocouple quenching	1
8	50.00.316	Single solenoid valve	1
9	50.00.072	Water distribution vert roll guide con.	1
11	2067.0050	Pressure hose d10mm	1.86
17	50.00.139	Single solenoid valve	1
18	50.00.073	Water distribution vert w/o roll guide con.	1
19	2067.0050	Pressure hose d10mm	.58
20	50.00.078	Non return valve DW16/DN12	2
21	10.00.810	Hose clamp Cobra 16/8	4
22	2067.0050	Pressure hose d10mm	.78
23	1900.0202	Water filter	3
24	50.00.275	Mounting device f. water distribution	1
25	50.00.086	Locking plate f. water distribution	1
27	10.00.873	Hose clamp CLIC d=15.5mm	1
28	8664.1301	T-fitting water connection	1
36	54.00.762	Inspection lid with quenching nozzle	1
37	54.00.805	Gasket f. inspection lid quenching	1
38	54.00.225	Clamping bar	1
39	1008.0750	Hex screw M5x16	1
40	50.00.176	Hand shower roll guide	1
41	50.00.230	Connect. pipe f. hand shower roll guide	1
42	50.00.085	Plug-in spring f. hand shower roll guide	1
43	50.00.130	Hand shower	1
44	50.00.156	Clamp f. hand shower roll guide	1
45	50.00.278	Mounting device f. hand sh. roll guide	1
46	1106.0803	Hex combination nut M6 galv	1
47	1006.0760	Hex screw M6x16	1
48	1306.0222	Washer A6,4x15x1,5	1
49	50.00.548	Hose ø10x2x500 f. hand shower	1
50	2066.0527	Hose clamp ø14mm	1
51	10.00.661	Edge protection profile	1
52	10.00.099	Hex screw M8x12	2

Water



Water


Pos.	Part No.	Description	Qty.
53	1308.0160	Washer A8,4	2
55	8354.1304	Venting valve for steam generator	1

CleanJet + Care

CleanJet + Care

Pos.	Part No.	Description	Qty.


Gas parts


42
B
19
12
11
8
34
3
25
37
38
41
10
29
26
A
6
46
2
28
36
24
29
27
45
33
30
7
32
31
A
43
40
5
7
4
9
6
1

Gas parts

Pos.	Part No.	Description	Qty.
1	70.00.028	Blower for burner RG130	1
2	70.00.028	Blower for burner RG130	1
3	70.00.067	Blower for burner RG148	1
4	1008.0750	Hex screw M5x16	4
5	1305.0160	Washer A5,3x10mm	4
6	74.00.310	Flange f. burner blower RG130	2
7	1105.0122	Hex combination nut M5 V2A	8
8	70.00.242	Gasket f. steam gen blower RG148	1
9	74.00.301	Gasket f. blower burner	2
10	10.00.065	Countersunk screw Torx T20 M4x12	3
11	70.00.239	Premix chamber gas f. RG148	1
12	70.00.238	Premix chamber cover gas f. RG148	1
17	10.00.708	Raised countersunk head screw Torx T20 M4x25	3
18	1204.0120	Tooth lock washer A4,3	9
19	70.00.246	Pipe gas valve-premix chamber	1
20	10.00.067	Raised countersunk head screw Torx T20 M4x32	4
21	1104.0121	Hex nut M4 self locking	4
22	10.00.064	Pan head screw Torx T20 M4x30	6
23	10.00.065	Countersunk screw Torx T20 M4x12	6
24	70.00.139	Corrugated hose 570mm	1
25	70.00.201	Corrugated hose 1050mm	1
26	70.00.142	Corrugated hose 1250mm	1
27	10.00.061	Pan head screw Torx T20 M4x12	18
28	10.00.063	Pan head screw Torx T20 M4x25	6
29	70.00.301	Combustion air angle pipe hot air	2
30	74.00.309	Gas connection manifold 3x3/4"	1
31	1006.0762	Hex screw M6x10	2
32	1306.0222	Washer A6,4x15x1,5	2
33	74.00.221	Automatic ignition controller	1
34	74.00.221	Automatic ignition controller	1
35	10.00.062	Pan head screw Torx T20 M4x20	2
36	70.00.137	Air hose D40x900mm	1
37	70.00.137	Air hose D40x900mm	1
38	70.00.135	Air hose D50x1100mm	1
39	2066.0504	Hose clamp 40-60mm	3
40	70.00.280	Silicone hose ø4x1,5	.214


Gas parts


42
B
19
12
11
8
34
3
25
37
38
41
10
29
26
A
6
46
2
28
36
24
29
27
45
33
30
7
32
31
A
43
40
5
7
4
9
6
1

Gas parts

Pos.	Part No.	Description	Qty.
41	70.00.280	Silicone hose ø4x1,5	.214
42	70.00.280	Silicone hose ø4x1,5	.214
45	70.00.221	Air hose fixing device 40mm	2
46	70.00.222	Air hose fixing device 50mm	1
A	70.00.029	Gas valve cpl. WND 055 RG130	2
B	70.00.068	Gas valve cpl. ND 055 RG148	1


Gas valve



Gas valve

Pos.	Part No.	Description	Qty.
1	70.00.031	Gas valve GB 055 WND (lateral)	1
2	70.00.255	Premix chamber cover gas f. RG130	1
3	70.00.030	Premix chamber gas f. RG130	1
4	70.00.106	Premix disc gas	1
5	70.00.256	Disc premix chamber-blower RG130	1


Gas valve



Gas valve

Pos.	Part No.	Description	Qty.
1	70.00.220	Gas valve GB 055 ND (straight)	1
4	70.00.106	Premix disc gas	1
5	70.00.208	Disc premix chamber-blower RG148	1
6	70.00.108	Disc gas valve-premix chamber	1
7	70.00.261	O-ring 17x1.5	1

Miscellaneous



Miscellaneous

Pos.	Part No.	Description	Qty.
1	60.21.054V	Mobile oven rack type 201	1
4	10.00.447	Sticker set	1
5	8700.0317	Floor fixing for units	1

Index

Part-no.	Description	Page
24.00.700	Additional gasket f. trolly	31
22.00.410	Air baffle	25
22.00.220	Air baffle support	25
70.00.137	Air hose D40x900mm	43
70.00.135	Air hose D50x1100mm	43
70.00.221	Air hose fixing device 40mm	45
70.00.222	Air hose fixing device 50mm	45
16.00.673	Air inlet filter	35
10.00.696	Allen screw M4x6 w. Precoat 85	21, 29
74.00.221	Automatic ignition controller	43
16.00.382	Back panel	35
2120.1277	Base for sensor connection	25
70.00.028	Blower for burner RG130	43
70.00.067	Blower for burner RG148	43
74.00.222	Burner hot air	19
70.00.059	Burner pipe	13
72.00.010	Burner steam gen.	13
40.00.471	Bus cable 0.8m	7
40.02.087	Buzzer	5
10.00.471	Cable clip d10-12mm	7
10.00.111	Cable clip long	7, 9
10.00.112	Cable clip short	7
40.00.320	Cable connection M20x1.5	7
4002.0110	Cable connector, junction	7
40.02.958	Cable control harness	9
40.00.249	Cable harness isolating transformer	9
1104.0801	Cage nut M4	7
10.00.745	Cap nut M6*A2	25, 33, 35
40.01.132	Center fixation f. contactor assembly	7
50.00.156	Clamp f. hand shower roll guide	37
54.00.225	Clamping bar	37
44.00.264	Clamping bar for panel revision hole	17

Index

Part-no.	Description	Page
44.01.031	Closing cap for steam generator	13
40.02.481	Collecting plate motor below 201/202	23
70.00.301	Combustion air angle pipe hot air	43
2001.0109	Compression spring	29
50.00.230	Connect. pipe f. hand shower roll guide	37
40.02.917	Contactor 3TG1010-2AK2	9
87.00.001	Control panel insert with overlay	5
42.00.048	Control pcb Index "MF"	5
40.00.277	Control transformer	9
40.02.899	Cooling fan	9
1315.0101	Copper washer 6x10	23
1315.0104	Copper washer 16x20x1,5	25
70.00.139	Corrugated hose 570mm	43
70.00.201	Corrugated hose 1050mm	43
70.00.142	Corrugated hose 1250mm	43
10.00.065	Countersunk screw Torx T20 M4x12	43
1003.2265	Countersunk self tapping screw 4,2x16	35
2039.0309	Cover cap for door	29
16.00.360	Cover f. RS232 interface	35
16.00.358	Crossbar front panel	35
16.00.330	Crossbar top	35
16.00.282	Dial	5
70.00.108	Disc gas valve-premix chamber	49
70.00.256	Disc premix chamber-blower RG130	47
70.00.208	Disc premix chamber-blower RG148	49
5110.1027	Distance plate for front panel	5
24.00.121	Door	29
2940.1305	Door bolt	29
24.00.145	Door bolt	29
24.00.048	Door bolt	29
8514.1307	Door catch	29
20.00.398	Door gasket	25

Index

Part-no.	Description	Page
24.00.136	Door handle	29
8474.1410	Door lock	29
24.00.133	Door mounting support top	29
24.00.159	Door setting bolt	31
40.00.454	Door switch 1.65m	35
44.00.238	Drain hose steam generator	13
40.02.515	Dry up protector 315°F/157°C	9
10.00.661	Edge protection profile	37
10.00.103	EJOT PT-screw KA 3.5x10	35
40.01.483	Electronic noise filter	9
44.00.207	Emptying pump	13
4001.1203	End plate for mounting rail	9
40.00.476	Exhaust channel	35
54.00.208	Exhaust pipe	37
40.00.274	Fan motor	23
22.00.188	Fan wheel d340x110	23
44.00.514	Filling level electrode 175mm	17
40.01.289	Fixing clip core temp. cable	27
40.01.579	Fixing clip f. pcb	7
24.00.503	Fixing device f. magnet with magnet	31
44.00.226	Fixing device f. pump steam generator	13
2020.0400	Fixing device for cable harness	5
24.00.507	Fixing device middle f.inter. glass pane	31
44.00.518	Fixing plate steam generator thermostat	13
74.00.310	Flange f. burner blower RG130	43
22.00.123	Flange f. motor shaft gasket	23
8700.0317	Floor fixing for units	51
2039.0111	Foot adjustable, metal, 40 x 40	33
16.00.296	Front panel	35
40.02.512	Fuse holder 2x6.3A	9
74.00.309	Gas connection manifold 3x3/4"	43
70.00.068	Gas valve cpl. ND 055 RG148	45

Index

Part-no.	Description	Page
70.00.029	Gas valve cpl. WND 055 RG130	45
70.00.220	Gas valve GB 055 ND (straight)	49
70.00.031	Gas valve GB 055 WND (lateral)	47
74.00.290	Gasket electrode hot air	21
74.00.301	Gasket f. blower burner	43
16.01.434	Gasket f. breather tube d=74mm	35
72.00.020	Gasket f. burner carrier	13
74.00.296	Gasket f. heat exchanger below	19
74.00.317	Gasket f. heat exchanger top	19
44.00.250	Gasket f. ignition electrode	13
5012.0566	Gasket f. inspection lid	17
54.00.805	Gasket f. inspection lid quenching	37
70.00.242	Gasket f. steam gen blower RG148	43
22.00.564	Gasket f. ventilation	11
40.00.091	Gasket frame w. glass a. gaskets	25
24.00.187	Gasket glass pane/trolly	31
74.00.234	Gasket hot air heat exchanger/interior cabinet	19
5110.1029	Gasket mode switch	5
10.00.510	Grommet 10/12/16-2	9
2022.0101	Grommet d8mm	37
3024.0201	Halogen bulb 300°C	25
50.00.130	Hand shower	37
50.00.176	Hand shower roll guide	37
1104.0122	Hex combination nut M4 galv	13
1105.0121	Hex combination nut M5 galv	13, 17
1105.0122	Hex combination nut M5 V2A	19, 43
1106.0803	Hex combination nut M6 galv	13, 33, 37
1104.0120	Hex nut M4	7, 13
1104.0121	Hex nut M4 self locking	5, 43
10.00.916	Hex nut M4 w. locking	5
1105.0120	Hex nut M5	9, 13
1106.0160	Hex nut M6	7

Index

Part-no.	Description	Page
1106.0220	Hex nut M6 flat	23
1106.0224	Hex nut M6 self locking	7
10.00.709	Hex nut M6 w. locking	13
10.00.710	Hex nut M8 w. locking	23
3014.0302	Hex nut M10 for dry-up protector	9
3014.0327	Hex nut M10x1,0	9
10.00.612	Hex nut M16 flat	25
10.00.697	Hex screw M5x10 w. precoat 85	29
1008.0750	Hex screw M5x16	37, 43
1006.0762	Hex screw M6x10	13, 43
10.00.698	Hex screw M6x12 w. precoat 85	29
1006.0760	Hex screw M6x16	37
10.00.099	Hex screw M8x12	37
1008.0760	Hex screw M8x16	33
10.00.565	Hex screw M8x20	23
1008.0761	Hex screw M8x25	29
1008.0766	Hex screw M8x30	29
10.00.806	Hex screw M8x35	33
10.00.445	Hex screw M8x80	7
1004.2160	Hex self tapping screw 4,2x16	35
10.00.102	Hex self tapping screw B4,2x32	35
1008.1963	Hex socket countersunk head screw M8x16	29
2112.1307	Hose 70x5mm	37
2066.0205	Hose clamp 8-16x9 mm SW 7mm	13
2066.0518	Hose clamp 30mm	13
2066.0519	Hose clamp 35,6mm	13
2066.0504	Hose clamp 40-60mm	11, 13, 43
2066.0516	Hose clamp 60-80 mm	37
10.00.873	Hose clamp CLIC d=15.5mm	37
10.00.810	Hose clamp Cobra 16/8	37
10.00.982	Hose clamp D=18.2	13
2066.0527	Hose clamp ø14mm	15, 37

Index

Part-no.	Description	Page
2066.0530	Hose clamp ø16.4mm	15
2066.0526	Hose clamp ø46mm	13
50.00.548	Hose ø10x2x500 f. hand shower	37
74.00.170	Hot air heat exchanger below	19
74.00.175	Hot air heat exchanger top	19
44.00.249	Ignition electrode steam generator	13
74.00.230	Ignitionelectrode1 f. hot air	21
74.00.235	Ignitionelectrode2 f. hot air	21
24.00.210	Inner glass pane	31
54.00.762	Inspection lid with quenching nozzle	37
40.01.600	Insulating screw joint 2pol.	7
72.00.048	Insulation f. burner steam gen.	13
40.01.581	Jumper	7
2062.0331	Junction pressure hose GS 10	15
2760.1370	Latch hook for air baffle	27
50.00.086	Locking plate f. water distribution	37
74.00.313	Mating flange heat exchanger	19
40.02.102	Meat probe sensor	25
4007.0620	Membrane DGC 29	9
60.21.054V	Mobile oven rack type 201	51
22.00.083	Motor shaft gasket	23
24.00.216	Mounting braket f. door lock	29
50.00.278	Mounting device f. hand sh. roll guide	37
50.00.275	Mounting device f. water distribution	37
16.00.387	Mounting device f.sealing + sealing lip	5
22.00.120	Mounting support f. gasket flange	23
50.00.078	Non return valve DW16/DN12	37
70.00.261	O-ring 17x1.5	49
16.01.327	Opening mechanism for panel insert	33
1008.0768	Ornamental screw M8x16	29
1008.0769	Ornamental screw M8x30	29
20.00.999	Outlet sieve Ø80	25

Index

Part-no.	Description	Page
10.00.061	Pan head screw Torx T20 M4x12	9, 43
10.00.062	Pan head screw Torx T20 M4x20	43
10.00.063	Pan head screw Torx T20 M4x25	43
10.00.064	Pan head screw Torx T20 M4x30	43
44.00.263	Panel for revision hole steam generator	17
70.00.246	Pipe gas valve-premix chamber	43
24.01.259	Plastic buffer 8,1mm	31
50.00.085	Plug-in spring f. hand shower roll guide	37
40.00.464	Potentiometer CT	5
40.01.596	Power supply cable 3x2,5mm² 3m	7
40.00.281	Power transformer	7
24.00.177	Pre heat mechanism f. door cpl.	31
70.00.255	Premix chamber cover gas f. RG130	47
70.00.238	Premix chamber cover gas f. RG148	43
70.00.030	Premix chamber gas f. RG130	47
70.00.239	Premix chamber gas f. RG148	43
70.00.106	Premix disc gas	47, 49
2067.0050	Pressure hose d10mm	37
2118.1000	Pump connection spout	15
8354.1320	Pump connection spout cpl.	13
10.00.708	Raised countersunk head screw Torx T20 M4x25	43
10.00.067	Raised countersunk head screw Torx T20 M4x32	43
40.00.098	Reflector f. interior light	25
10.00.515	Rivet 3,2x5 A4	27
1603.0166	Rivet 3,2x7,9 CNS closed	33, 35
1604.0167	Rivet 4x10	27
10.00.041	Rivet nut M5 hexagon closed	25
16.00.115	Rosette	35
10.00.357	Rubber plug black	33
40.01.482	Safety temperature limiter 365°C	9
22.00.580	Safety valve	11
40.01.317	Screen core temperature sensor	25

Index

Part-no.	Description	Page
40.00.531	Screen interior cabinet sensor	25
10.00.238	Screw Torx 4x50	9
16.00.143	Side panel left	35
16.00.142	Side panel right	35
2110.1008	Silicon hose ø10x2mm	15
70.00.280	Silicone hose ø4x1,5	43, 45
50.00.316	Single solenoid valve	37
50.00.139	Single solenoid valve	37
24.00.147	Sleeve for door bolt top	31
10.00.457	Slotted pan head screw M4x12 Phillips	35
1104.0820	Snap nut 4,2mm	35
10.00.355	Spacer black	5
10.00.243	Spacer M4x8	7
22.00.354	Spacer ring	33
2120.1306	Spacer SW19x17	23
1206.0261	Spring washer B6	29
1208.0260	Spring washer B8	29
1008.1005	Square necked mushroom head bolt 8x40	23
1107.0100	Star lock ø4	35
44.00.186	Steam generator insolated	13
2112.1006	Steam hose 50x7mm	13
44.00.351	Steam pipe	13
10.00.447	Sticker set	51
2120.1259	Stop plug 10mm	15
8664.1301	T-fitting water connection	37
40.01.099	Thermocouple interior cabinet (B1)	25
40.00.398	Thermocouple quenching	37
40.00.292	Thermocouple steam generator	13
4005.0101	Tie rap 145 mm	15
1204.0120	Tooth lock washer A4,3	43
1205.0120	Tooth lock washer A5,3	13
1206.0120	Tooth lock washer A6,4	7, 33

Index

Part-no.	Description	Page
16.00.334	Top cover	35
40.00.592	Transformer f. cooling fan	9
50.00.752	Tulip for handshower	35
22.00.353	Vent cover	33
8354.1304	Venting valve for steam generator	39
10.00.744	Washer A4,3 *A4	27
1305.0160	Washer A5,3x10mm	9, 29, 43
1306.0120	Washer A6,4	23
1306.0222	Washer A6,4x15x1,5	13, 37, 43
1308.0162	Washer A8,4	23, 29
1308.0160	Washer A8,4	29, 33, 39
50.00.072	Water distribution vert roll guide con.	37
50.00.073	Water distribution vert w/o roll guide con.	37
1900.0202	Water filter	37
40.02.129	Wiring interior light	25