**therma*line* S90** **GUSS KIPPBRATPFANNE, GAS**
**CAST IRON TILTING FRYING PAN, GAS**
**BRASIERA TEGAME IN GHISA, GAS**
**SAUTEUSE CASSEROLE EN FONTE, GAZ**

| MODEL CODE | / | PNC | Ref |
|---|---|---|---|
| freistehend, free standing , isolato, isolé einseitig bedienbar, operated from one side, comando da un lato, utilisable d'un côté | | | |
| APRBPETOOB | / | 583750 | a |
| APRBPEOOOB | / | 583751 | b |
| APRCPETOOB | / | 583756 | g |
| APRCPEOOOB | / | 583757 | h |


| MODEL CODE | / | PNC | Ref |
|---|---|---|---|
| an Wand, against wall, contro la parete, contre cloison, einseitig bedienbar, operated from one side, comando da un lato, utilisable d'un côté | | | |
| APRBPGTOOB | / | 583752 | c |
| APRBPGOOOB | / | 583753 | d |
| APRCPGTOOB | / | 583758 | i |
| APRCPGOOOB | / | 583759 | k |


| MODEL CODE | / | PNC | Ref |
|---|---|---|---|
| Wandmontage, wall mounted, montaggio al parete, installation murale | | | |
| APRBPITOOB | / | 583754 | e |
| APRBPIOOOB | / | 583755 | f |
| APRCPITOOB | / | 583760 | l |
| APRCPIOOOB | / | 583761 | m |


Series No.: starting from 501...


**DE** **ERSATZTEILLISTE**
**GB** **SPARE PARTS LIST**
**IT** **LISTA DEI PEZZI DI RICAMBIO**
**FR** **LISTE DES PIÈCES DE RECHANGE**

**62.9715.02**
**Edition 2**
**09.2006**


18
17
16
21a-f
7
14
3
19
15
20
23
13
4
22
62.9715.02-3
62.9715.02-2
5
11
12
6
1
24
2
5
10
9
62.9715.02-4
8


19
106
101
105
104
20
106
101
103
102
146
148
144
145
147
137
136
130
142
143
140
141
132
135
A
B
151
110
150
125
129
128
127
124
109
108
106
101
133
126
134
135
121
107
106
123
122
120
131
101


A
220
221
222
223
A
217
219
218
216
212
211
210
203
202
204
214
201
213
206
205
203
204
224
207
209
208
3
thermaline


357
C
356
A
347
354
350
349
352
346
351
353
348
4
315
314
C
329
343
341
313
306
313
342
305
307
312
311
316
326, 327
317 - 325
310
303
302
301
308
304
4
355
A
309

Electrolux

62.8501.15

**Table of nozzle**

# thermaline S90 **60/80l Tilting Frying Pan (13.5/18kW)**

| | | Gas type | Country | Nominal pressure mbar | Category | Main flame | | Air adjustment Distance | | Servo-Pressure Regulator mbar | Slow Opening Degree |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | mm | No. | X | No. | | |
| Natural gases | 1 | Natural gas H | CZ | 18-20 | 2H | 1.85 | 72.7803.23 | 10 | 77.4741.02 | 10 | 270° |
| | | | DK, EE, FI GB, IE, IT, LV, LT, NO, PT, AT, SE, CH, SI, SK, ES | 20 | | | | | | | |
| | 2 | Natural gas E | LU, PL, DE | | 2E | | | | | | |
| | 3 | Natural gas H / L | BE, FR | 20 / 25 | 2E+ | 1.60 | 72.7803.22 | | | inactive | |
| | 4 | Natural gas L | NL | 25 | 2L | 1.85 | 72.7803.23 | | | 15 | |
| | 5 | Natural gas LL | DE | 20 | 2LL | | | | | | |
| Liquid gases | 6 | Propane | PL | 36 | 3P | 1.10 | 72.7803.05 | | | inactive | |
| | 7 | | FR, GB, IE, PT, CH, SI, ES, CZ | 37 | | | | | | | |
| | 8 | | DE, FR, GB, NL, CH, ES, HU | 50 | | 1.00 | 72.7803.21 | | 77.4741.01 | | |
| | 9 | Butane/Propane | DK, EE, FI, IS, LV, LT, MT, NL, NO, SE, SI, SK, CZ, HU, CY | 30 | 3B/P | 1.10 | 72.7803.05 | | 77.4741.02 | | |
| | 10 | | DE, FR, AT, CH | 50 | | 0.95 | 72.7803.20 | | 77.4741.01 | | |
| | 11 | Butane/Propane | BE, FR, GB, GR, IE, IT, PT, CH, ES | 29 / 37 | 3+ | 1.10 | 72.7803.05 | | 77.4741.02 | | |
| | 12 | Pressure pair | BE, PT | 50 / 67 | 3+ | 0.95 | 72.7803.20 | | 77.4741.01 | | |

