


\* Recommended Spare Part


Type : OptiVend HS	From mach. nr. : 1P 05555	Page : 1-3	Drawer : MT
Artikel : 10482	Date : 03-2006	Rev. : 0.3	Date : 17-06-2008
Rated voltage : 3N~380-415V 50-60Hz 9675W	<b>Spare Parts Info</b>	***** <b>Animo</b> ***** <b>Assen - Holland</b>	www.animo.eu



\* Recommended Spare Part

Type : OptiVend HS	From mach. nr. : 1P 05555	Page : 2-3	Drawer : MT
Artikel : 10482	Date : 03-2006	Rev. : 0.3	Date : 17-06-2008
Rated voltage : 3N~380-415V 50-60Hz 9675W	<b>Spare Parts Info</b>	***** <b>Animo</b> ***** <b>Assen - Holland</b>	www.animo.eu

Attention! OptiVend HS uses 100% ED valves (AuK Muller)



\* Recommended Spare Part

Type : OptiVend HS	From mach. nr. : 1P 05555	Page : 3-3	Drawer : MT
Artikel : 10482	Date : 03-2006	Rev. : 0.3	Date : 17-06-2008
Rated voltage : 3N~380-415V 50-60Hz 9675W	<b>Spare Parts Info</b>	***** <b>Animo</b> ***** <b>Assen - Holland</b>	www.animo.eu