Service part catalogue

VarioCooking Center 311E

E31VA0502



RATIONAL_CPC_SCC_VCC-G
©Copyright by RATIONAL Technical Service
All Rights reserved


Overview



Overview

Pos.	Assembly	Page
1	Chassis as of 01/05 upt to 09/05	4
1.1	Chassis as of 10/05 up to 11/06	10
2	Pan as of 01/05 up to 09/06	16
2.1	Pan as of 10/06 up to 11/06	22
3	Water distribution - hand shower roll guide as of 01/05 upto 01/06	28
3.1	Water distribution - hand shower roll guide as of 02/06 up to 11/06	30
4	Drain as of 01/05 upto 01/06	32
4.1	Drain as of 02/06 up to 11/06	34
5	Electrical installation as of 01/05 up to 08/05	36
5.1	Electrical installation as of 09/05 up to 01/06	40
5.2	Electrical installation as of 02/06 up to 11/06	44
6	External sheet as of 01/05 up to 11/06	48
7	Lid as of 01/05 up to 04/06	52
7.1	Lid as of 05/06 up to 11/06	54
8	Control panel as of 01/05 upto 01/06	56
8.1	Control panel as of 02/06 up to 11/06	58


Chassis as of 01/05 upt to 09/05



Chassis as of 01/05 upt to 09/05

Pos.	Part no.	Description	Qty.
1	12.00.544	Cross frame	
2	10.00.607	Hex combination nut M8	
3	12.00.512	Subframe left foot	
4	12.00.572	Chassis right	
5	10.00.418	Bundle guide big	
6	10.00.111	Cable clip long	
7	12.00.570	Stop device frame right	
8	1108.0260V	Hex nut M8	
9	1308.0160V	Washer A8,4	
10		Shaft toppling pan	
11		Shaft toppling lid	
12	40.00.622	Lifting cylinder for lid LBM 14.21F	
13	40.07.748P	Lifting cylinder for lid with cover	
14	12.00.644	Drip collector	
15	1106.0801F	Hex combination nut M6	
16	1008.0768F	Ornamental screw M8x16	
17	24.01.231	Silicone hose 16/20	
18	2066.0525V	Hose clamp ø22,1 mm	
19	10.00.652	Tube for drip collector fixation	


Shaft toppling pan



Shaft toppling pan

Pos.	Part no.	Description	Qty.
1	20.00.704	Rotary complete shaft toppling right	
2	10.00.593	Hex socket set screw cone point A2 M8X20	
3	20.00.709	O-ring 46x3	
4	10.00.607	Hex combination nut M8	
5	20.00.696	Swing shaft lever for pan	
6	20.00.481	Shaft for lower cap	
7	20.00.480	Split-pin 3.2x22 A2	
8	10.00.423	Washer M12 A2	
9	20.00.926	Sheath ring shaft toppling pan complete	
10	20.00.952	Friction ring shaft raising pan	
11	20.00.695	Ring shaft toppling right	
12	20.00.708	O-ring 106x2	
13	10.00.595	Hex socket set screw cup point A2_70 M6x6 Tuflok	
14	20.00.698	Sheath shaft toppling right	
15	20.00.694	Shaft toppling welded	
16	20.00.701	Key arm toppling pan	
17	24.00.721	Friction ring shaft	
18	1106.0803V	Hex combination nut M6 galv	
19	24.00.760	Shaft hoist swing shaft	
20	16.01.198	Bracket watertightness frame	
21	1106.0801F	Hex combination nut M6	


Shaft toppling lid



Shaft toppling lid

Pos.	Part no.	Description	Qty.
1	24.01.222	Sheath and ring Iglidur	
2	24.00.718	Shaft raising complete right	
3	20.00.480	Split-pin 3.2x22 A2	
4	24.00.760	Shaft hoist swing shaft	
5	10.00.423	Washer M12 A2	
6	24.00.748	Key shaft raising lid	
7	20.00.481	Shaft for lower cap	
8	24.00.756	Friction ring teflon right lid	
9	24.00.757	Stop ring shaft raising right	
10	10.00.613	Bolt M8x8 A2	
11	24.00.758	Roofing ring shaft raising	
12	10.00.615	Hex socket set screw cup point A2 M6X8	
13	24.00.719	Sleeve swing shaft left	
14	24.00.890	Friction ring swing shaft lid	
15	24.00.720	Spacer ring left	
16	1106.0803V	Hex combination nut M6 galv	


Chassis as of 10/05 up to 11/06



Chassis as of 10/05 up to 11/06

Pos.	Part no.	Description	Qty.
1	12.00.512	Subframe left foot	
2	12.00.544	Cross frame	
3	10.00.607	Hex combination nut M8	
4	12.00.572	Chassis right	
5	12.00.205	Upper part of pedestal	
6	12.00.224	Lower part of pedestal 110mm	
7	10.00.111	Cable clip long	
8	1108.0260V	Hex nut M8	
9	1308.0160V	Washer A8,4	
10	40.00.914	Equipotentiality sticker	
11	1106.0803V	Hex combination nut M6 galv	
12	10.00.189	Tooth lock washer A4 AZ6	
13		Shaft toppling pan	
14		Shaft toppling lid	
15	40.00.622	Lifting cylinder for lid LBM 14.21F	
16	24.00.760	Shaft hoist swing shaft	
17	10.00.747	Securing device for bolt d=12	
18	40.07.748P	Lifting cylinder for lid with cover	
19	10.00.423	Washer M12 A2	
20	20.00.481	Shaft for lower cap	
21	20.00.480	Split-pin 3.2x22 A2	
22	12.00.644	Drip collector	
23	1008.0768F	Ornamental screw M8x16	
24	1106.0160F	Hex nut M6	


Shaft toppling pan



Shaft toppling pan

Pos.	Part no.	Description	Qty.
1	20.00.704	Rotary complete shaft toppling right	
2	10.00.593	Hex socket set screw cone point A2 M8X20	
3	1108.0260V	Hex nut M8	
4	20.00.696	Swing shaft lever for pan	
5	10.00.613	Bolt M8x8 A2	
6	20.00.926	Sheath ring shaft toppling pan complete	
7	20.00.952	Friction ring shaft raising pan	
8	20.00.695	Ring shaft toppling right	
9	20.00.708	O-ring 106x2	
10	10.00.595	Hex socket set screw cup point A2_70 M6x6 Tuflok	
11	20.00.698	Sheath shaft toppling right	
12	20.00.694	Shaft toppling welded	
13	20.00.701	Key arm toppling pan	
14	20.00.925	Clamp left shaft toppling complete	
15	24.00.721	Friction ring shaft	
16	1106.0803V	Hex combination nut M6 galv	
17	24.00.760	Shaft hoist swing shaft	
18	20.00.480	Split-pin 3.2x22 A2	
19	10.00.423	Washer M12 A2	
20	16.01.198	Bracket watertightness frame	
21	20.00.709	O-ring 46x3	


Shaft toppling lid



Shaft toppling lid

Pos.	Part no.	Description	Qty.
1	24.00.718	Shaft raising complete right	
2	24.00.758	Roofing ring shaft raising	
3	24.01.222	Sheath and ring Iglidur	
4	24.00.719	Sleeve swing shaft left	
5	24.00.890	Friction ring swing shaft lid	
6	24.00.720	Spacer ring left	
7	1106.0803V	Hex combination nut M6 galv	


Pan as of 01/05 up to 09/06



Pan as of 01/05 up to 09/06

Pos.	Part no.	Description	Qty.
1	20.00.954	Pan complete	
2	1008.0760V	Hex screw M8x16	
3	40.01.940	Heating element 2x2800W	
4	20.00.714	Graphit plate big for heating element 5600W	
5	1105.0121V	Hex combination nut M5 galv	
6	46.00.102	Cable control harness heating	
7	20.00.852	Thermocouple bundle	
8	20.00.856	Thermocouple pan	
9	1104.0120V	Hex nut M4	
10	1304.0160F	Washer A4,3	
11	40.01.978	Heating element safety chain bundle	
12	20.00.885	Sensor holder	
13	1106.0803V	Hex combination nut M6 galv	
14		Actuation for pan valve cpl. VCC 112-311	
15	1005.0663V	Allen screw M5x10	
16	1205.0260F	Spring washer B5	
17	20.00.949	Gasket f. pan valve fixing device	
18	20.00.950	Lever assembly pan valve	
19	20.00.917	Bowden cable for pan valve	
20	1251.1000V	Safety washer ø5mm	
21	1306.0120V	Washer A6,4	
22		Motor for pan valve	
23	20.00.922	Micro switch pan valve position	
24	10.00.619	Hex socket head cap screw A2 M2X16	
25	10.00.636	Hex nut M2 self-locking	
26	87.00.475	Discharge pipe of pan	
27	2066.0507V	Hose clamp 32-50mm	
28	3014.0325V	Safety temperature limiter 110°C	


Actuation for pan valve cpl. VCC 112-311



Actuation for pan valve cpl. VCC 112-311

Pos.	Part no.	Description	Qty.
1	20.00.980	Sheath for pan valve	
2	20.00.972	Plug for pan valve	
3	20.00.993	Gasket for plug pan valve	
4	10.00.675	O-ring f. pan valve 17.3 x 2.4	


Motor for pan valve



Motor for pan valve

Pos.	Part no.	Description	Qty.
1	40.02.040	Gear motor pan valve	
2	20.00.957	Lever f. bowden cable pan valve	
3	20.00.876	Pan valve motor holder	
4	1106.0803V	Hex combination nut M6 galv	
5	1004.0663V	Allen screw M4x12	
6	1104.0121V	Hex nut M4 self locking	
7	1306.0218V	Washer A4,3	
8	20.00.989	Bearing coupling for cable	


Pan as of 10/06 up to 11/06



Pan as of 10/06 up to 11/06

Pos.	Part no.	Description	Qty.
1	10.00.607	Hex combination nut M8	
2		Lever valve cable	
3	20.00.950	Lever assembly pan valve	
4	20.00.917	Bowden cable for pan valve	
5	1306.0120V	Washer A6,4	
6	1251.1000V	Safety washer ø5mm	
7	1805.1709F	Straight pin 4x12 A2	
8	46.00.102	Cable control harness heating	
9	40.02.156	Additional harness heating	
10	1105.0120V	Hex nut M5	
11	10.00.188	Serrated lock washer A5.1	
12	20.00.954	Pan complete	
13	1008.0761V	Hex screw M8x25	
14	1108.0260V	Hex nut M8	
15	1308.0160V	Washer A8,4	
16	1008.0760V	Hex screw M8x16	
17	1107.0100F	Star lock ø4	
18	20.00.852	Thermocouple bundle	
19	1104.0120V	Hex nut M4	
20	10.00.187	Lock washer AZ 4	
21	40.02.145	Heating element 4X1400W	
22	20.00.714	Graphit plate big for heating element 5600W	
23	1105.0121V	Hex combination nut M5 galv	
24	20.00.983	Mounting device for Bimetall switch	
25	20.00.987	Graphit plate for Bimetall switch	
26	40.02.337	Safety temperature limiter 215°C	
27	40.02.335	Bimetal switch 110°	
28	10.00.675	O-ring f. pan valve 17.3 x 2.4	
29	20.00.993	Gasket for plug pan valve	
30	20.00.905	Sheath for pan valve	
31	20.00.972	Plug for pan valve	
32	1005.0663V	Allen screw M5x10	
33	87.00.475	Discharge pipe of pan	
34	10.00.773	Hose clamp d49,8mm	
35	10.00.774	Hose clamp d52mm	
36	40.02.337	Safety temperature limiter 215°C	


Pan as of 10/06 up to 11/06



Pan as of 10/06 up to 11/06

Pos.	Part no.	Description	Qty.
37	1008.0767V	Hex screw M8x40	
38	20.00.856	Thermocouple pan	


Lever valve cable



Lever valve cable

Pos.	Part no.	Description	Qty.
1	40.02.040	Gear motor pan valve	
2	20.00.957	Lever f. bowden cable pan valve	
3	20.00.876	Pan valve motor holder	
4	1106.0803V	Hex combination nut M6 galv	
5	1004.0663V	Allen screw M4x12	
6	1104.0121V	Hex nut M4 self locking	
7	1306.0218V	Washer A4,3	
8	20.00.989	Bearing coupling for cable	


Water distribution - hand shower roll guide as of 01/05



Water distribution - hand shower roll guide as of 01/05

Pos.	Part no.	Description	Qty.
1	12.00.616	Shower roll guide holder	
2	1106.0803V	Hex combination nut M6 galv	
3	10.00.607	Hex combination nut M8	
4	1008.0760V	Hex screw M8x16	
5	50.00.552	Hand shower roll guide VCC	
6	24.01.232	Silicone hose 6x9	
7	10.00.656	Hose clamp D9.1	
8	10.00.638	Slotted countersunk head screw M6X60	
9	8664.1007V	Water distribution unit	
10	50.00.562	"Plug brass F 1/2""""	
11	50.00.592	"Plug brass M 3/4""""	
12	5110.1024V	Gasket for G3/4" threaded joint	
13	50.00.599	Gasket TESNIT 20x12x2 1/2"	
14	50.00.575	Solenoide valve (connector color brown)	
15	2067.0050V	Pressure hose d10mm	
16	2066.0530V	Hose clamp ø16.4mm	
17	50.00.316	Single solenoid valve	
18	16.00.402	"Elbow fitting to crimp 3/4"" D12"	
19	50.00.348	Hose clamp 12.22 L9	
20	40.01.311	Water volume sensor Vision 2000 3/8"	
21	50.00.600	"Elbow fitting to crimp M3/4"" D13"	
22	50.00.073	Water distribution vert w/o roll guide con.	
23	50.00.086	Locking plate f. water distribution	
24	1900.0202V	Water filter	
25	50.00.078	Non return valve DW16/DN12	
26	50.00.590	Hand shower blue	
27	50.00.156	Clamp f. hand shower roll guide	


Water distribution - hand shower roll guide as of 02/06



Water distribution - hand shower roll guide as of 02/06

Pos.	Part no.	Description	Qty.
1	50.00.618	Solenoide valve (connector color green)	
2	40.02.350	Water volume sensor with wire 211/311	
3	50.00.071F	Water distribution hor. w/o roll guide con.	
4	50.00.086	Locking plate f. water distribution	
5	50.00.078	Non return valve DW16/DN12	
6	1900.0202V	Water filter	
7	50.00.568	Silicone hose diameter out 14mm in 8mm	
8	2066.0527V	Hose clamp ø14mm	
9	50.00.072	Water distribution vert roll guide con.	
10	2066.0530V	Hose clamp ø16.4mm	
11	12.00.616	Shower roll guide holder	
12	1008.0763V	Hex screw M8x20	
13	10.00.607	Hex combination nut M8	
14	50.00.626	Hand shower roll guide VCC	
15	50.00.085	Plug-in spring f. hand shower roll guide	
16	24.01.232	Silicone hose 6x9	
17	87.00.475	Discharge pipe of pan	
18	50.00.590	Hand shower blue	
19	50.00.156	Clamp f. hand shower roll guide	


Drain as of 01/05 upto 01/06



Drain as of 01/05 upto 01/06

Pos.	Part no.	Description	Qty.
1	54.00.508	Quenching box	
2	10.00.607	Hex combination nut M8	
3	54.00.542	Silicon hose 12/17	
4	2066.0530V	Hose clamp ø16.4mm	
5	54.00.511	Waste water eacuation	
6	10.00.586	Circlips stainless shaft D 50	
7	24.00.348	Silicone hose D30/40	
8	2066.0526F	Hose clamp ø46mm	
9	87.00.475	Discharge pipe of pan	
10	2066.0531V	Hose clamp ø56	


Drain as of 02/06 up to 11/06



Drain as of 02/06 up to 11/06

Pos.	Part no.	Description	Qty.
1	54.00.585	Bushing d50/d20	
2	24.01.174	Adapter outlet regulation pipe steam	
3	24.01.231	Silicone hose 16/20	
4	50.00.612	T-fitting plastic TS16	
5	50.00.632	L-fitting plastic TS16 90°	
6	54.00.560	Elbow-pipe PP DN50 87°	
7	54.00.577	Y-Fitting PP DN50 87°	
8	54.00.564	PP-Pipe DN50 x 150mm	
9	54.00.584	Tube 200mm Ø50 to square 50x50	
10	50.00.639	Square seal	
11	54.00.561	PP-Pipe DN50 x 500mm	
12	54.00.562	Elbow-pipe PP DN50 45°	
13	54.00.566	Pipe clamp D50	


Electrical installation as of 01/05 up to 08/05



Electrical installation as of 01/05 up to 08/05

Pos.	Part no.	Description	Qty.
1	1106.0803V	Hex combination nut M6 galv	
2	2930.1304V	Cooling plate solid state relay	
3	1004.0663V	Allen screw M4x12	
4	1104.0122F	Hex combination nut M4 galv	
5	40.00.453	Solid state relais	
6	1004.0500F	Raised countersunk metal screw M4x8 oval head	
7	10.00.507	Pan head screw Torx 5/16" T20	
8	3101.1008V	Cooling fan	
9	40.01.996	Distance bush PA d12/5x7.2	
10	1004.0662V	Allen screw M4x25	
11	1104.0121V	Hex nut M4 self locking	
12	42.00.039	Relay-I/O pcb A4	
13	40.02.047	Fixing clip white p/1.6mm	
14	40.00.417F	Fixing clip f. pcb	
15	42.00.055V	Relay-I/O pcb	
16	40.02.015	Distance nut PA H10 x 4.3 D.8MM	
17	1104.0120V	Hex nut M4	
18	10.00.187	Lock washer AZ 4	
19	42.00.038	Relay pcb (5 Relay)	
20	40.01.091	Bus cable 0.4m	
21	40.00.471	Bus cable 0.8m	
22	40.02.010	Rail omega 150mm	
23	40.01.557	Contactor CL06A300M6-M	
24	40.00.764	End plate for mounting rail	
25	40.00.707	Terminal block 6qmm blue	
26	40.00.705	Terminal block 6qmm g/y	
27	40.00.465	Electronic noice filter	
28	10.00.607	Hex combination nut M8	
29	4001.1295V	Fuse holder e 1003Si/1DS	
30	10.00.144	Socket cap screw M3x16mm	
31	4001.0226V	Fuse 6.35x32mm 16A, time-lag	
32	4001.0224V	Fuse 6.35x32mm 6,3A slow-blow	
33	40.01.941	Fuse 6.35x32mm 250V 8A	
34	40.00.673	Safety temperature limiter 220° (Oil too hot)	
35	1004.0023F	Slotted pan head screw M4x6	
36	40.00.639	Terminal block 25qmm g/y	


Electrical installation as of 01/05 up to 08/05



Electrical installation as of 01/05 up to 08/05

Pos.	Part no.	Description	Qty.
37	40.00.823	Terminal block 25qmm grey	
38	40.00.826	Terminal block 25qmm blue	
39	40.00.277	Control transformer	
40	1105.0120V	Hex nut M5	
41	40.01.712	Transformer	
42	1105.0121V	Hex combination nut M5 galv	
43	10.00.111	Cable clip long	
44	10.00.418	Bundle guide big	
45	10.00.471F	Cable clip d10-12mm	
46	10.00.472F	Cable clip d13,5-16mm	
47	40.01.946	Bundle power supply contactor entry	
47	40.01.947	Control harness K1 contactor exit	
47	40.01.948	Control harness	
47	40.01.978	Heating element safety chain bundle	
47	40.01.919	Cable X46-X10	
47	40.01.893	Power supply cable X14 X112	
47	40.01.891	Cable X24-X127	
47	40.01.961	Cable X128	
47	40.01.894	Cable Water volume sensor X15	
47	40.01.912	Cable pan valve X25	
47	40.01.907	Cable solenoide X19 01/05	
47	40.01.895	Cable I/O A4 pcb1 X117	
47	40.01.896	Cable I/O A4 pcb X118	
47	40.01.897	Cable I/O A4 pcb X119	
47	40.01.898	Cable I/O A4 pcb X120	
47	40.01.899	Cable I/O A4 pcb X121	
47	40.01.900	CableI/O A4 pcb X122	


Electrical installation as of 09/05 up to 01/06



Electrical installation as of 09/05 up to 01/06

Pos.	Part no.	Description	Qty.
1	1106.0803V	Hex combination nut M6 galv	
2	2930.1304V	Cooling plate solid state relay	
3	1004.0663V	Allen screw M4x12	
4	1104.0122F	Hex combination nut M4 galv	
5	40.00.453	Solid state relais	
6	10.00.444	Raised countersunk head screw Torx M4x8	
7	10.00.507	Pan head screw Torx 5/16" T20	
8	3101.1008V	Cooling fan	
9	40.01.996	Distance bush PA d12/5x7.2	
10	1004.0662V	Allen screw M4x25	
11	1104.0121V	Hex nut M4 self locking	
12	42.00.039	Relay-I/O pcb A4	
13	40.02.047	Fixing clip white p/1.6mm	
14	40.00.417F	Fixing clip f. pcb	
15	42.00.055V	Relay-I/O pcb	
16	40.02.015	Distance nut PA H10 x 4.3 D.8MM	
17	1104.0120V	Hex nut M4	
18	10.00.187	Lock washer AZ 4	
19	42.00.038	Relay pcb (5 Relay)	
20	40.01.557	Contactor CL06A300M6-M	
21	40.00.461	Auxiliary contact BCLL11-M	
22	40.00.764	End plate for mounting rail	
23	40.00.707	Terminal block 6qmm blue	
24	40.00.705	Terminal block 6qmm g/y	
25	40.00.465	Electronic noice filter	
26	10.00.607	Hex combination nut M8	
27	1308.0161V	Washer A8,4	
28	4001.1295V	Fuse holder e 1003Si/1DS	
29	10.00.144	Socket cap screw M3x16mm	
30	10.00.632	Hex combination nut M3	
31	4001.0226V	Fuse 6.35x32mm 16A, time-lag	
32	4001.0224V	Fuse 6.35x32mm 6,3A slow-blow	
33	40.01.941	Fuse 6.35x32mm 250V 8A	
34	40.00.673	Safety temperature limiter 220° (Oil too hot)	
35	1004.0023F	Slotted pan head screw M4x6	
36	40.00.639	Terminal block 25qmm g/y	


Electrical installation as of 09/05 up to 01/06



Electrical installation as of 09/05 up to 01/06

Pos.	Part no.	Description	Qty.
37	40.02.140	Differential switch	
38	40.00.277	Control transformer	
39	1105.0121V	Hex combination nut M5 galv	
40	40.01.712	Transformer	
41	1105.0120V	Hex nut M5	
42	10.00.111	Cable clip long	
43	10.00.418	Bundle guide big	
44	10.00.471F	Cable clip d10-12mm	
45	10.00.472F	Cable clip d13,5-16mm	
46	40.02.142	Control harness fault current switch 211/311	
46	40.01.091	Bus cable 0.4m	
46	40.00.471	Bus cable 0.8m	
46	40.01.946	Bundle power supply contactor entry	
46	40.01.947	Control harness K1 contactor exit	
46	40.01.948	Control harness	
46	40.01.919	Cable X46-X10	
46	40.01.893	Power supply cable X14 X112	
46	40.01.891	Cable X24-X127	
46	40.02.058	Cable X128 211/311	
46	40.01.894	Cable Water volume sensor X15	
46	40.01.907	Cable solenoide X19 01/05	
46	40.01.895	Cable I/O A4 pcb1 X117	
46	40.01.896	Cable I/O A4 pcb X118	
46	40.01.897	Cable I/O A4 pcb X119	
46	40.01.898	Cable I/O A4 pcb X120	
46	40.01.899	Cable I/O A4 pcb X121	
46	40.01.900	CableI/O A4 pcb X122	
47	40.01.776F	Energy_opt.-terminal *crimp type*	
48	40.00.701	Screwed cable gland polyamid PG40	
49	10.00.116	Fixing nut for cable gland PG40 polyamid	


Electrical installation as of 02/06 up to 11/06



Electrical installation as of 02/06 up to 11/06

Pos.	Part no.	Description	Qty.
1	40.00.277	Control transformer	
2	1004.0663V	Allen screw M4x12	
3	1104.0122F	Hex combination nut M4 galv	
4	1105.0121V	Hex combination nut M5 galv	
5	1106.0803V	Hex combination nut M6 galv	
6	40.02.471	Electronic noice filter	
7	10.00.607	Hex combination nut M8	
8	1308.0161V	Washer A8,4	
9	40.01.712	Transformer	
10	1105.0120V	Hex nut M5	
11	40.02.140	Differential switch	
12	40.00.764	End plate for mounting rail	
13	4001.1250V	Terminal block 16mm² blue	
14	4001.1210F	Earth terminal 16mm² yellow/green	
15	4001.1233V	Terminal block yellow/green 35mm²	
16	40.01.557	Contactor CL06A300M6-M	
17	40.00.461	Auxiliary contact BCLL11-M	
18	10.00.111	Cable clip long	
19	10.00.418	Bundle guide big	
20	42.00.038	Relay pcb (5 Relay)	
21	42.00.055V	Relay-I/O pcb	
22	40.02.047	Fixing clip white p/1.6mm	
23	42.00.039	Relay-I/O pcb A4	
24	40.02.015	Distance nut PA H10 x 4.3 D.8MM	
25	1104.0120V	Hex nut M4	
26	10.00.187	Lock washer AZ 4	
27	2930.1304V	Cooling plate solid state relay	
28	3101.1008V	Cooling fan	
29	1004.0662V	Allen screw M4x25	
30	40.01.996	Distance bush PA d12/5x7.2	
31	40.01.589	Solid state relais	
32	10.00.444	Raised countersunk head screw Torx M4x8	
33	10.00.507	Pan head screw Torx 5/16" T20	
34	1104.0121V	Hex nut M4 self locking	
35	4001.1295V	Fuse holder e 1003Si/1DS	
36	4001.0224V	Fuse 6.35x32mm 6,3A slow-blow	


Electrical installation as of 02/06 up to 11/06



Electrical installation as of 02/06 up to 11/06

Pos.	Part no.	Description	Qty.
37	40.01.941	Fuse 6.35x32mm 250V 8A	
38	4001.0226V	Fuse 6.35x32mm 16A, time-lag	
39	10.00.611	Hex socket head cap screw A2 M3X20	
40	10.00.632	Hex combination nut M3	
41	10.00.472F	Cable clip d13,5-16mm	
42	10.00.471F	Cable clip d10-12mm	
43	40.01.919	Cable X46-X10	
43	40.01.893	Power supply cable X14 X112	
43	40.01.907	Cable solenoide X19 01/05	
43	40.01.947	Control harness K1 contactor exit	
43	40.01.946	Bundle power supply contactor entry	
43	40.01.948	Control harness	
43	40.01.895	Cable I/O A4 pcb1 X117	
43	40.01.896	Cable I/O A4 pcb X118	
43	40.01.897	Cable I/O A4 pcb X119	
43	40.01.898	Cable I/O A4 pcb X120	
43	40.01.899	Cable I/O A4 pcb X121	
43	40.01.900	CableI/O A4 pcb X122	
43	40.01.891	Cable X24-X127	
43	40.02.058	Cable X128 211/311	
43	40.00.471	Bus cable 0.8m	
43	40.01.091	Bus cable 0.4m	
44	40.00.701	Screwed cable gland polyamid PG40	
45	10.00.116	Fixing nut for cable gland PG40 polyamid	


External sheet as of 01/05 up to 11/06



External sheet as of 01/05 up to 11/06

Pos.	Part no.	Description	Qty.
1	16.01.071	Side panel right pan complete	
2	1106.0803V	Hex combination nut M6 galv	
3	20.00.718	Side panel left pan complete	
4	20.00.721	Front panel f. pan	
5	10.00.606	Allen screw M5x8 A2	
6	16.01.076	Pan back panel	
7	10.00.150	Slotted pan head screw M6x12 A2	
8	16.00.838	Side panel for left frame	
9	16.00.839	Mounting bracket side left	
10	10.00.116	Fixing nut for cable gland PG40 polyamid	
11	40.00.701	Screwed cable gland polyamid PG40	
12	16.01.160	Side panel right for console	
13	16.00.841	Mounting bracket console side R	
14	16.00.847	Front panel console	
15	87.00.256	Tulip blue for hand shower part n° 87.00.256	
16	1107.0101V	Star lock ø5	
17	16.00.725	Gasket f. Tulip	
18	40.01.410	Socket 2P+T 16A (Germany)	
19	16.00.329	Cover f. USB interface	
20	10.00.103	EJOT PT-screw KA 3.5x10	
21	40.00.469F	Interface cable USB 0.9m	
22	10.00.460	EJOT PT-Screw Torx 3,5x14	


Tulip blue for hand shower part n° 87.00.256



Tulip blue for hand shower part n° 87.00.256

Pos.	Part no.	Description	Qty.
1	87.00.196	Socket cover for tulip blue	


Lid as of 01/05 up to 04/06



Lid as of 01/05 up to 04/06

Pos.	Part no.	Description	Qty.
1	24.01.134	Lid welded	
2	10.00.613	Bolt M8x8 A2	
3	24.01.037	Hinge Cover	
4	10.00.606	Allen screw M5x8 A2	
5	24.01.122	Core temperature probe	
6	20.00.680	O-ring 21x 1.5	
7	10.00.612	Hex nut M16 flat	
8	24.00.769	Magnet for lid (core temperature)	
9	1106.0160F	Hex nut M6	
10	1106.0803V	Hex combination nut M6 galv	
11	24.00.867	Lid gasket	
12	24.01.174	Adapter outlet regulation pipe steam	
13	24.01.195	Maintenance arises bends joint lid	
14	50.00.348	Hose clamp 12.22 L9	
15	24.01.089	Pipe water filling	
16	10.00.225	Nut 3/8"	
17	24.01.173	"Gasket EPDM 3/8"""	
18	24.01.077	Fixing device front lid gasket	
19	24.01.092	Fixing device back lid gasket	
20	24.01.136	Lid cover	
21	24.01.158	Z fixing device lid	


Lid as of 05/06 up to 11/06



Lid as of 05/06 up to 11/06

Pos.	Part no.	Description	Qty.
1	24.01.134	Lid welded	
2	10.00.613	Bolt M8x8 A2	
3	10.00.606	Allen screw M5x8 A2	
4	24.01.122	Core temperature probe	
5	10.00.648	Hose clamp d.20.2	
6	10.00.612	Hex nut M16 flat	
7	24.00.769	Magnet for lid (core temperature)	
8	1106.0160F	Hex nut M6	
9	1106.0803V	Hex combination nut M6 galv	
10	24.00.867	Lid gasket	
11	24.01.195	Maintenance arises bends joint lid	
12	2066.0525V	Hose clamp ø22,1 mm	
13	24.01.089	Pipe water filling	
14	10.00.225	Nut 3/8"	
15	24.01.077	Fixing device front lid gasket	
16	24.01.092	Fixing device back lid gasket	
17	50.00.617	Spring f. hose, water filling	
18	24.01.158	Z fixing device lid	
19	24.01.136	Lid cover	
20	24.01.037	Hinge Cover	


Control panel as of 01/05 upto 01/06



Control panel as of 01/05 upto 01/06

Pos.	Part no.	Description	Qty.
1	87.00.161	Control panel Vitro with overlay RAT	
2	10.00.606	Allen screw M5x8 A2	
3	42.00.002V	Control pcb	
4	40.01.996	Distance bush PA d12/5x7.2	
5	1306.0218V	Washer A4,3	
6	1104.0121V	Hex nut M4 self locking	
7	87.00.165	External memory flashed	
8	3006.0107F	Buzzer	
9	87.00.136F	Conversion kit buzzer	
10	87.00.622	Pulse generator with gasket	
11	16.00.845	Holding bracket front panel	
12	1106.0803V	Hex combination nut M6 galv	
13	16.01.169	Overlay VCC/E *Rational* 112-311	
14	16.00.232	Dial f. pulse generator blue	
15	16.01.126	Isolation cover for Vitro	
16	1106.0160F	Hex nut M6	
17	10.00.189	Tooth lock washer A4 AZ6	
18	10.00.179	Washer M6 A2	
19	24.00.376	Silicone adhesive caf 33	
20	16.00.934	Glass for Vitro	
21	40.01.612	Heating element f. vitro	
22	40.01.953	Control harness Vitro	
23	16.00.932	Isolation heating element Vitro	
24	16.00.844	Bottom plate f. isolation cover Vitro	
25	40.00.852	Grommet ø9.5	
26	74.00.386	Compression spring Vitro 1.8X16X52	
27	10.00.596	Hex screw M6x50 A2	
28	10.00.186	Washer broad LL6	
29	60.70.618	Safety loop Vitro	

Control panel as of 02/06 up to 11/06



Control panel as of 02/06 up to 11/06

Pos.	Part no.	Description	Qty.
1	87.00.161	Control panel Vitro with overlay RAT	
2	10.00.606	Allen screw M5x8 A2	
3	42.00.002V	Control pcb	
4	40.01.996	Distance bush PA d12/5x7.2	
5	1306.0218V	Washer A4,3	
6	1104.0121V	Hex nut M4 self locking	
7	87.00.165	External memory flashed	
8	42.00.006	Network interface Ethernet	
9	40.02.087	Buzzer	
10	87.00.622	Pulse generator with gasket	
11	1106.0803V	Hex combination nut M6 galv	
12	1306.0120V	Washer A6,4	
13	16.01.169	Overlay VCC/E *Rational* 112-311	
14	16.00.232	Dial f. pulse generator blue	
15	24.00.376	Silicone adhesive caf 33	
16	40.01.612	Heating element f. vitro	
17	40.01.953	Control harness Vitro	
18	16.01.187	Isolation front panel Vitro	
19	16.01.189	Isolation perforated front panel Vitro	
20	16.00.844	Bottom plate f. isolation cover Vitro	
21	40.00.852	Grommet ø9.5	
22	74.00.386	Compression spring Vitro 1.8X16X52	
23	10.00.596	Hex screw M6x50 A2	
24	91.00.140	Washer L6 A2	
25	10.00.189	Tooth lock washer A4 AZ6	
26	1106.0160F	Hex nut M6	
27	60.70.618	Safety loop Vitro	

Index

Part no.	Description	Page
16.00.402	"Elbow fitting to crimp 3/4"" D12"	29
50.00.600	"Elbow fitting to crimp M3/4"" D13"	29
24.01.173	"Gasket EPDM 3/8"""	53
50.00.562	"Plug brass F 1/2"""	29
50.00.592	"Plug brass M 3/4"""	29
24.01.174	Adapter outlet regulation pipe steam	35, 53
40.02.156	Additional harness heating	23
1004.0663V	Allen screw M4x12	21, 27, 37, 41, 45
1004.0662V	Allen screw M4x25	37, 41, 45
10.00.606	Allen screw M5x8 A2	49, 53, 55, 57, 59
1005.0663V	Allen screw M5x10	17, 23
40.00.461	Auxiliary contact BCLL11-M	41, 45
20.00.989	Bearing coupling for cable	21, 27
40.02.335	Bimetal switch 110°	23
10.00.613	Bolt M8x8 A2	9, 13, 53, 55
16.00.844	Bottom plate f. isolation cover Vitro	57, 59
20.00.917	Bowden cable for pan valve	17, 23
16.01.198	Bracket watertightness frame	7, 13
10.00.418	Bundle guide big	5, 39, 43, 45
40.01.946	Bundle power supply contactor entry	39, 43, 47
40.01.091	Bus cable 0.4m	37, 43, 47
40.00.471	Bus cable 0.8m	37, 43, 47
54.00.585	Bushing d50/d20	35
3006.0107F	Buzzer	57
40.02.087	Buzzer	59
40.01.891	Cable X24-X127	39, 43, 47
40.01.919	Cable X46-X10	39, 43, 47
10.00.471F	Cable clip d10-12mm	39, 43, 47
10.00.472F	Cable clip d13,5-16mm	39, 43, 47
10.00.111	Cable clip long	5, 11, 39, 43, 45
46.00.102	Cable control harness heating	17, 23
40.01.896	Cable I/O A4 pcb X118	39, 43, 47

Index

Part no.	Description	Page
40.01.897	Cable I/O A4 pcb X119	39, 43, 47
40.01.898	Cable I/O A4 pcb X120	39, 43, 47
40.01.899	Cable I/O A4 pcb X121	39, 43, 47
40.01.895	Cable I/O A4 pcb1 X117	39, 43, 47
40.01.912	Cable pan valve X25	39
40.01.907	Cable solenoide X19 01/05	39, 43, 47
40.01.894	Cable Water volume sensor X15	39, 43
40.01.961	Cable X128	39
40.02.058	Cable X128 211/311	43, 47
40.01.900	CableI/O A4 pcb X122	39, 43, 47
12.00.572	Chassis right	5, 11
10.00.586	Circlips stainless shaft D 50	33
50.00.156	Clamp f. hand shower roll guide	29, 31
20.00.925	Clamp left shaft toppling complete	13
74.00.386	Compression spring Vitro 1.8X16X52	57, 59
40.01.557	Contactor CL06A300M6-M	37, 41, 45
40.01.948	Control harness	39, 43, 47
40.02.142	Control harness fault current switch 211/311	43
40.01.947	Control harness K1 contactor exit	39, 43, 47
40.01.953	Control harness Vitro	57, 59
87.00.161	Control panel Vitro with overlay RAT	57, 59
42.00.002V	Control pcb	57, 59
40.00.277	Control transformer	39, 43, 45
87.00.136F	Conversion kit buzzer	57
3101.1008V	Cooling fan	37, 41, 45
2930.1304V	Cooling plate solid state relay	37, 41, 45
24.01.122	Core temperature probe	53, 55
16.00.329	Cover f. USB interface	49
12.00.544	Cross frame	5, 11
16.00.232	Dial f. pulse generator blue	57, 59
40.02.140	Differential switch	43, 45
87.00.475	Discharge pipe of pan	17, 23, 31, 33

Index

Part no.	Description	Page
40.01.996	Distance bush PA d12/5x7.2	37, 41, 45, 57, 59
40.02.015	Distance nut PA H10 x 4.3 D.8MM	37, 41, 45
12.00.644	Drip collector	5, 11
4001.1210F	Earth terminal 16mm² yellow/green	45
10.00.103	EJOT PT-screw KA 3.5x10	49
10.00.460	EJOT PT-Screw Torx 3,5x14	49
54.00.562	Elbow-pipe PP DN50 45°	35
54.00.560	Elbow-pipe PP DN50 87°	35
40.00.465	Electronic noice filter	37, 41
40.02.471	Electronic noice filter	45
40.00.764	End plate for mounting rail	37, 41, 45
40.01.776F	Energy_opt.-terminal *crimp type*	43
40.00.914	Equipotentiality sticker	11
87.00.165	External memory flashed	57, 59
40.00.417F	Fixing clip f. pcb	37, 41
40.02.047	Fixing clip white p/1.6mm	37, 41, 45
24.01.092	Fixing device back lid gasket	53, 55
24.01.077	Fixing device front lid gasket	53, 55
10.00.116	Fixing nut for cable gland PG40 polyamid	43, 47, 49
24.00.721	Friction ring shaft	7, 13
20.00.952	Friction ring shaft raising pan	7, 13
24.00.890	Friction ring swing shaft lid	9, 15
24.00.756	Friction ring teflon right lid	9
16.00.847	Front panel console	49
20.00.721	Front panel f. pan	49
4001.0224V	Fuse 6.35x32mm 6,3A slow-blow	37, 41, 45
4001.0226V	Fuse 6.35x32mm 16A, time-lag	37, 41, 47
40.01.941	Fuse 6.35x32mm 250V 8A	37, 41, 47
4001.1295V	Fuse holder e 1003Si/1DS	37, 41, 45
20.00.949	Gasket f. pan valve fixing device	17
16.00.725	Gasket f. Tulip	49
5110.1024V	Gasket for G3/4" threaded joint	29

Index

Part no.	Description	Page
20.00.993	Gasket for plug pan valve	19, 23
50.00.599	Gasket TESNIT 20x12x2 1/2"	29
40.02.040	Gear motor pan valve	21, 27
16.00.934	Glass for Vitro	57
20.00.714	Graphit plate big for heating element 5600W	17, 23
20.00.987	Graphit plate for Bimetall switch	23
40.00.852	Grommet ø9.5	57, 59
50.00.590	Hand shower blue	29, 31
50.00.552	Hand shower roll guide VCC	29
50.00.626	Hand shower roll guide VCC	31
40.01.940	Heating element 2x2800W	17
40.02.145	Heating element 4X1400W	23
40.01.612	Heating element f. vitro	57, 59
40.01.978	Heating element safety chain bundle	17, 39
10.00.632	Hex combination nut M3	41, 47
1104.0122F	Hex combination nut M4 galv	37, 41, 45
1105.0121V	Hex combination nut M5 galv	17, 23, 39, 43, 45
1106.0801F	Hex combination nut M6	5, 7
1106.0803V	Hex combination nut M6 galv	7, 9, 11, 13, 15, 17, 21, 27, 29, 37, 41, 45, 49, 53, 55, 57, 59
10.00.607	Hex combination nut M8	5, 7, 11, 23, 29, 31, 33, 37, 41, 45
10.00.636	Hex nut M2 self-locking	17
1104.0120V	Hex nut M4	17, 23, 37, 41, 45
1104.0121V	Hex nut M4 self locking	21, 27, 37, 41, 45, 57, 59
1105.0120V	Hex nut M5	23, 39, 43, 45
1106.0160F	Hex nut M6	11, 53, 55, 57, 59
1108.0260V	Hex nut M8	5, 11, 13, 23
10.00.612	Hex nut M16 flat	53, 55
10.00.596	Hex screw M6x50 A2	57, 59
1008.0760V	Hex screw M8x16	17, 23, 29
1008.0763V	Hex screw M8x20	31
1008.0761V	Hex screw M8x25	23

Index

Part no.	Description	Page
1008.0767V	Hex screw M8x40	25
10.00.619	Hex socket head cap screw A2 M2X16	17
10.00.611	Hex socket head cap screw A2 M3X20	47
10.00.593	Hex socket set screw cone point A2 M8X20	7, 13
10.00.615	Hex socket set screw cup point A2 M6X8	9
10.00.595	Hex socket set screw cup point A2_70 M6x6 Tuflok	7, 13
24.01.037	Hinge Cover	53, 55
16.00.845	Holding bracket front panel	57
50.00.348	Hose clamp 12.22 L9	29, 53
2066.0507V	Hose clamp 32-50mm	17
10.00.648	Hose clamp d.20.2	55
10.00.656	Hose clamp D9.1	29
10.00.773	Hose clamp d49,8mm	23
10.00.774	Hose clamp d52mm	23
2066.0527V	Hose clamp ø14mm	31
2066.0530V	Hose clamp ø16.4mm	29, 31, 33
2066.0525V	Hose clamp ø22,1 mm	5, 55
2066.0526F	Hose clamp ø46mm	33
2066.0531V	Hose clamp ø56	33
40.00.469F	Interface cable USB 0.9m	49
16.01.126	Isolation cover for Vitro	57
16.01.187	Isolation front panel Vitro	59
16.00.932	Isolation heating element Vitro	57
16.01.189	Isolation perforated front panel Vitro	59
20.00.701	Key arm toppling pan	7, 13
24.00.748	Key shaft raising lid	9
50.00.632	L-fitting plastic TS16 90°	35
20.00.950	Lever assembly pan valve	17, 23
20.00.957	Lever f. bowden cable pan valve	21, 27
24.01.136	Lid cover	53, 55
24.00.867	Lid gasket	53, 55
24.01.134	Lid welded	53, 55

Index

Part no.	Description	Page
40.00.622	Lifting cylinder for lid LBM 14.21F	5, 11
40.07.748P	Lifting cylinder for lid with cover	5, 11
10.00.187	Lock washer AZ 4	23, 37, 41, 45
50.00.086	Locking plate f. water distribution	29, 31
12.00.224	Lower part of pedestal 110mm	11
24.00.769	Magnet for lid (core temperature)	53, 55
24.01.195	Maintenance arises bends joint lid	53, 55
20.00.922	Micro switch pan valve position	17
16.00.841	Mounting bracket console side R	49
16.00.839	Mounting bracket side left	49
20.00.983	Mounting device for Bimetall switch	23
42.00.006	Network interface Ethernet	59
50.00.078	Non return valve DW16/DN12	29, 31
10.00.225	Nut 3/8"	53, 55
20.00.680	O-ring 21x 1.5	53
20.00.709	O-ring 46x3	7, 13
20.00.708	O-ring 106x2	7, 13
10.00.675	O-ring f. pan valve 17.3 x 2.4	19, 23
1008.0768F	Ornamental screw M8x16	5, 11
16.01.169	Overlay VCC/E *Rational* 112-311	57, 59
16.01.076	Pan back panel	49
20.00.954	Pan complete	17, 23
10.00.507	Pan head screw Torx 5/16" T20	37, 41, 45
20.00.876	Pan valve motor holder	21, 27
54.00.566	Pipe clamp D50	35
24.01.089	Pipe water filling	53, 55
20.00.972	Plug for pan valve	19, 23
50.00.085	Plug-in spring f. hand shower roll guide	31
40.01.893	Power supply cable X14 X112	39, 43, 47
54.00.564	PP-Pipe DN50 x 150mm	35
54.00.561	PP-Pipe DN50 x 500mm	35
2067.0050V	Pressure hose d10mm	29

Index

Part no.	Description	Page
87.00.622	Pulse generator with gasket	57, 59
54.00.508	Quenching box	33
40.02.010	Rail omega 150mm	37
10.00.444	Raised countersunk head screw Torx M4x8	41, 45
1004.0500F	Raised countersunk metal screw M4x8 oval head	37
42.00.038	Relay pcb (5 Relay)	37, 41, 45
42.00.055V	Relay-I/O pcb	37, 41, 45
42.00.039	Relay-I/O pcb A4	37, 41, 45
20.00.695	Ring shaft toppling right	7, 13
24.00.758	Roofing ring shaft raising	9, 15
20.00.704	Rotary complete shaft toppling right	7, 13
60.70.618	Safety loop Vitro	57, 59
3014.0325V	Safety temperature limiter 110°C	17
40.02.337	Safety temperature limiter 215°C	23
40.00.673	Safety temperature limiter 220° (Oil too hot)	37, 41
1251.1000V	Safety washer ø5mm	17, 23
40.00.701	Screwed cable gland polyamid PG40	43, 47, 49
10.00.747	Securing device for bolt d=12	11
20.00.885	Sensor holder	17
10.00.188	Serrated lock washer A5.1	23
20.00.481	Shaft for lower cap	7, 9, 11
24.00.760	Shaft hoist swing shaft	7, 9, 11, 13
24.00.718	Shaft raising complete right	9, 15
20.00.694	Shaft toppling welded	7, 13
24.01.222	Sheath and ring Iglidur	9, 15
20.00.980	Sheath for pan valve	19
20.00.905	Sheath for pan valve	23
20.00.926	Sheath ring shaft toppling pan complete	7, 13
20.00.698	Sheath shaft toppling right	7, 13
12.00.616	Shower roll guide holder	29, 31
16.00.838	Side panel for left frame	49
20.00.718	Side panel left pan complete	49

Index

Part no.	Description	Page
16.01.160	Side panel right for console	49
16.01.071	Side panel right pan complete	49
54.00.542	Silicon hose 12/17	33
24.00.376	Silicone adhesive caf 33	57, 59
24.01.232	Silicone hose 6x9	29, 31
24.01.231	Silicone hose 16/20	5, 35
24.00.348	Silicone hose D30/40	33
50.00.568	Silicone hose diameter out 14mm in 8mm	31
50.00.316	Single solenoid valve	29
24.00.719	Sleeve swing shaft left	9, 15
10.00.638	Slotted countersunk head screw M6X60	29
1004.0023F	Slotted pan head screw M4x6	37, 41
10.00.150	Slotted pan head screw M6x12 A2	49
40.01.410	Socket 2P+T 16A (Germany)	49
10.00.144	Socket cap screw M3x16mm	37, 41
87.00.196	Socket cover for tulip blue	51
50.00.575	Solenoide valve (connector color brown)	29
50.00.618	Solenoide valve (connector color green)	31
40.00.453	Solid state relais	37, 41
40.01.589	Solid state relais	45
24.00.720	Spacer ring left	9, 15
20.00.480	Split-pin 3.2x22 A2	7, 9, 11, 13
50.00.617	Spring f. hose, water filling	55
1205.0260F	Spring washer B5	17
50.00.639	Square seal	35
1107.0100F	Star lock ø4	23
1107.0101V	Star lock ø5	49
12.00.570	Stop device frame right	5
24.00.757	Stop ring shaft raising right	9
1805.1709F	Straight pin 4x12 A2	23
12.00.512	Subframe left foot	5, 11
20.00.696	Swing shaft lever for pan	7, 13

Index

Part no.	Description	Page
50.00.612	T-fitting plastic TS16	35
40.00.707	Terminal block 6qmm blue	37, 41
40.00.705	Terminal block 6qmm g/y	37, 41
4001.1250V	Terminal block 16mm² blue	45
40.00.826	Terminal block 25qmm blue	39
40.00.639	Terminal block 25qmm g/y	37, 41
40.00.823	Terminal block 25qmm grey	39
4001.1233V	Terminal block yellow/green 35mm²	45
20.00.852	Thermocouple bundle	17, 23
20.00.856	Thermocouple pan	17, 25
10.00.189	Tooth lock washer A4 AZ6	11, 57, 59
40.01.712	Transformer	39, 43, 45
54.00.584	Tube 200mm Ø50 to square 50x50	35
10.00.652	Tube for drip collector fixation	5
87.00.256	Tulip blue for hand shower part n° 87.00.256	49
12.00.205	Upper part of pedestal	11
1304.0160F	Washer A4,3	17
1306.0218V	Washer A4,3	21, 27, 57, 59
1306.0120V	Washer A6,4	17, 23, 59
1308.0160V	Washer A8,4	5, 11, 23
1308.0161V	Washer A8,4	41, 45
10.00.186	Washer broad LL6	57
91.00.140	Washer L6 A2	59
10.00.179	Washer M6 A2	57
10.00.423	Washer M12 A2	7, 9, 11, 13
54.00.511	Waste water eacuation	33
50.00.071F	Water distribution hor. w/o roll guide con.	31
8664.1007V	Water distribution unit	29
50.00.072	Water distribution vert roll guide con.	31
50.00.073	Water distribution vert w/o roll guide con.	29
1900.0202V	Water filter	29, 31
40.01.311	Water volume sensor Vision 2000 3/8"	29

Index

Part no.	Description	Page
40.02.350	Water volume sensor with wire 211/311	31
54.00.577	Y-Fitting PP DN50 87°	35
24.01.158	Z fixing device lid	53, 55

RATIONAL Aktiengesellschaft
Siegfried-Meister-Straße 1
86899 Landsberg am Lech
Germany

Web: www.rational-online.com
info@rational-online.com

Telephone: +49 8191-327-0

Managing Board: Managing Director Dr. Peter Stadelmann,
Peter Wiedemann, Markus Paschmann
Chairman of the Supervisory Board: Walter Kurtz

Registered Office: Landsberg am Lech
Court of Registration: Augsburg
District Court Commercial Register Dept. B: 2001
VAT number: DE 128673942