# Service part catalogue

## Modell CD 101


**E11DD0112**



20.04.2021
3 AC 200V 50Hz

Kat-RTS_140922
©Copyright by RATIONAL Technical Service
All Rights reserved


# Overview



# Overview


| Pos. | Assembly | Page |
|---|---|---|
| 1 | Control panel | 4 |
| 2 | Electrical installation | 8 |
| 3 | Clima Plus | 16 |
| 4 | Steam generator, Bypass | 18 |
| 5 | Hot air heating | 32 |
| 6 | Motor and fan wheel | 36 |
| 7 | Interior cabinet | 42 |
| 8 | Door | 52 |
| 9 | Water supply, quenching box | 60 |
| 10 | Hand shower | 66 |
| 13 | Exterior cabinet | 68 |
| 14 | Miscellaneous | 84 |


# Control panel



# Control panel

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 2750.1334 | Protective grating plastic for filter | |
| 4 | 8720.1328 | Control panel insert with overlay | |
| 5 | 8455.1377 | Air inlet filter | |
| 6 | 3016.1613 | Mode switch | |
| B | | Control panel | |


# Control panel



# Control panel

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1003.0224 | Slotted pan head self tappinp screw 3,5x9,5 | |
| 2 | 1004.0023 | Slotted pan head screw M4x6 | |
| 3 | 1004.0060 | Slotted pan head screw M4x4 | |
| 4 | 1104.0122 | Hex combination nut M4 galv | |
| 5 | 1106.0160 | Hex nut M6 | |
| 6 | 1206.0120 | Tooth lock washer A6,4 | |
| 7 | 2052.1180 | Sticker name trade sign Rational | |
| 8 | 3006.0101 | Buzzer | |
| 9 | 3013.0104 | Timer white 120min. with 30min.spreading | |
| 10 | 3013.0344 | Dial blue, | |
| 11 | 3014.0166 | Thermostat interior cabinet | |
| 12 | 3024.0309 | Control lamp green | |
| 12 | 3024.0310 | Control lamp red | |
| 13 | 4001.0710 | Press-clamp "Wago" 0.5-2.5mm2 | |
| 14 | 5100.1011 | Gasket | |
| 15 | 5110.1027 | Distance plate for front panel | |
| 16 | 5110.1028 | Gasket poti hot air, core temperature | |
| 17 | 2760.1364 | Mounting support for control lamp single | |


# Electrical installation



# Electrical installation

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 6 | 4002.0111 | Slip-on terminal 0,5-1,0mm², 6,3mm | |
| 8 | 4004.0114 | Wire end sleeve 0,75 mm² blue insulated | |
| C | | Contactor assembly | |


# Contactor assembly



# Contactor assembly

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 1004.2161 | Hex self tapping screw 4,2x13 | |
| 3 | 1006.0761 | Hex screw M6x12 | |
| 5 | 1106.0160 | Hex nut M6 | |
| 6 | 1107.0103 | Star lock ø3 | |
| 7 | 1206.0120 | Tooth lock washer A6,4 | |
| 8 | 1306.0120 | Washer A6,4 | |
| 8 | 1306.0222 | Washer A6,4x15x1,5 | |
| 12 | 3038.0315 | Cover for terminal box | |
| 13 | 3040.3040 | Motor control for fan motor | |
| 14 | 3101.1008 | Cooling fan | |
| 15 | 4001.1202 | Terminal block 16mm² grey | |
| 16 | 4001.1210 | Earth terminal 16mm² yellow/green | |
| A | 8801.0252 | Power connection box | |
| B | | Contactor assembly | |


# Power connection box



# Power connection box

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 3038.0314 | Terminal box M50 without cover | |
| 2 | 4001.1202 | Terminal block 16mm² grey | |
| 3 | 4001.1210 | Earth terminal 16mm² yellow/green | |

# Contactor assembly



# Contactor assembly

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 1004.2161 | Hex self tapping screw 4,2x13 | |
| 4 | 1104.0122 | Hex combination nut M4 galv | |
| 6 | 1304.0160 | Washer A4,3 | |
| 8 | 2039.0370 | Spacer 12x1,6 | |
| 9 | 2760.1360 | Holding bracket for thermostat | |
| 11 | 3014.0300 | Dry up protector 257°F/135°C | |
| 12 | 3014.0327 | Hex nut M10x1,0 | |
| 12 | 3014.0302 | Hex nut M10 for dry-up protector | |
| 13 | 3014.0326 | Safety temperature limiter 365°C, | |
| 15 | 3016.1613 | Mode switch | |
| 16 | 3028.0553 | Contactor AEG LS 11 00 | |
| 17 | 3028.0554 | Contactor AEG LS 15K00 | |
| 19 | 3028.0561 | Auxilliary contact BCLF01 N/C | |
| 19 | 3028.0560 | Auxilliary contact BCLF10 N/O | |
| 20 | 3028.0562 | RC-link for Contactor | |
| 21 | 3037.0205 | Halogen transformer | |
| 23 | 3040.3100 | Control PCB | |
| 27 | 4001.0224 | Fuse 6.35x32mm | |
| 29 | 4001.1203 | End plate for mounting rail | |
| 34 | 4001.1295 | Fuse holder e 1003Si/1DS | |
| 36 | 5013.0100 | Edge protection profile | |

# Clima Plus





















# Clima Plus

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 2066.0531 | Hose clamp ø56 | |
| 2 | 2112.1301 | Silicone hose safety valve | |
| 4 | 3014.1016 | Thermocouple | |

# Steam generator, Bypass



# Steam generator, Bypass

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 2112.1006 | Steam hose Ø50x50mm | |
| 3 | 2910.1303 | Venting pipe | |
| 6 | 5003.0300 | Insulation, melamin resin foam | |
| A | | Steam generator | |


# Steam generator



# Steam generator

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1105.0120 | Hex nut M5 | |
| 2 | 1205.0120 | Tooth lock washer A5,3 | |
| 3 | 2066.0205 | Hose clamp 8-16x9 mm SW 7mm | |
| 4 | 2066.0300 | Hose clamp 50-70 mm | |
| 4 | 2066.0504 | Hose clamp 40-60mm | |
| 5 | 2066.0518 | Hose clamp 30mm | |
| 6 | 2112.1006 | Steam hose Ø50x50mm | |
| 7 | 2740.1040 | Fixing plate steam generator thermostat | |
| 10 | 8801.0975 | Neutral link 2,5mm² blue | |
| 11 | 1106.0803 | Hex combination nut M6 galv | |
| A | | Steam generator | |
| B | | Venting valve | |


# Steam generator



# Steam generator

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1006.0761 | Hex screw M6x12 | |
| 2 | 1106.0803 | Hex combination nut M6 galv | |
| 3 | 2066.0205 | Hose clamp 8-16x9 mm SW 7mm | |
| 4 | 2066.0519 | Hose clamp Ø35,6mm | |
| 4 | 2066.0526 | Hose clamp ø46mm | |
| 4 | 2066.0518 | Hose clamp 30mm | |
| 6 | 2112.1303 | Emptying hose steam generator | |
| 7 | 3002.1005 | Emptying pump | |
| 7 | 3002.1000 | Emptying pump | |
| 9 | 3201.1005 | Heating element | |
| 10 | 5110.1003 | Gasket for heating element | |
| 11 | 1306.0222 | Washer A6,4x15x1,5 | |
| A | 8350.1302 | Steam generator insolated | |
| B | 8354.1304-- | Venting valve for steam generation | |
| B | | Pump connection | |
| B | | Venting valve | |


# Steam generator insolated



# Steam generator insolated

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 3002.0402 | Filling level electrode 90 mm | |
| 2 | 5003.0300 | Insulation, melamin resin foam | |
| 3 | 5006.0500 | Polyurethan-Glue for insulation 310ml | |
| 4 | 5110.1003 | Gasket for heating element | |
| 5 | 1106.0803 | Hex combination nut M6 galv | |
| 6 | 2920.1300 | Level elektrode insert | |


# Venting valve



# Venting valve

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 2066.0205 | Hose clamp 8-16x9 mm SW 7mm | |
| 2 | 2067.0050 | Pressure hose d10mm | |
| A | 8354.1304-- | Venting valve for steam generation | |

# Venting valve for steam generation



# Venting valve for steam generation

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 2062.0332 | Receptacle for ventilation valve SG | |
| 2 | 2066.0506 | Hose clamp 20-32mm | |
| 3 | 2069.0108 | Ventilation valve | |
| 4 | 2112.1310 | Form hose for ventilation of steam generator | |

# Pump connection



# Pump connection

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 2062.0331 | Junction pressure hose GS 10 | |
| 2 | 2066.0527 | Hose clamp ø14mm | |
| 3 | 2066.0530 | Hose clamp ø16.4mm | |
| 4 | | Silicon hose | |
| 5 | 2118.1000 | Pump connection spout | |
| 6 | 2120.1259 | Stop plug 10mm | |
| 7 | 4005.0101 | Tie rap 145 mm | |

# Hot air heating













# Hot air heating

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 2150.1251 | External double flange hot air heater | |
| A | | Heating assy | |


# Heating assy



# Heating assy

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1006.0766 | Hex screw M6x25 | |
| 2 | 1106.0360 | Cap nut M6, high shape | |
| 4 | 2150.1251 | External double flange hot air heater | |
| 6 | 3200.1004 | Inner heating assembly | |
| 7 | 3200.1008 | Outer heating assembly | |
| 10 | 5110.1009 | Seal for heating assembly | |
| 11 | 8801.0975 | Neutral link 2,5mm² blue | |
| 12 | 1106.0803 | Hex combination nut M6 galv | |
| 13 | 1306.0222 | Washer A6,4x15x1,5 | |

# Motor and fan wheel



# Motor and fan wheel

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1008.1005 | Square necked mushroom head bolt 8x40 | |
| 2 | 2120.1306 | Spacer SW19x17 | |
| 3 | 2920.1301 | Inner sealing flange | |
| 6 | 3100.1083 | Fan motor 4pol | |
| 8 | 5001.0207 | Motor shaft gasket | |
| 9 | 8514.1339 | Motor shaft gasket mounting support | |
| 11 | 8720.1384 | Hallsensor cpl | |
| A | | Fan motor assy | |
| A | | Fan motor assy | |

# Fan motor assy



# Fan motor assy

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1010.0762 | Hex screw M10x20 | |
| 2 | 1108.0260 | Hex nut M8 | |
| 3 | 1208.0260 | Spring washer B8 | |
| 4 | 1328.0102 | Safety washer A10,2 | |
| 5 | 2012.0512 | Fan wheel | |


# Fan motor assy



# Fan motor assy

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 1008.1005 | Square necked mushroom head bolt 8x40 | |
| 3 | 1010.0762 | Hex screw M10x20 | |
| 4 | 1106.0220 | Hex nut M6 flat | |
| 5 | 1108.0260 | Hex nut M8 | |
| 6 | 1208.0260 | Spring washer B8 | |
| 7 | 1306.0120 | Washer A6,4 | |
| 8 | 1315.0101 | Copper washer 6x10 | |
| 9 | 1315.0109 | Copper washer 8.5x16x1,2 | |
| 10 | 1328.0102 | Safety washer A10,2 | |
| 14 | 2012.0512 | Fan wheel | |
| 17 | 2120.1306 | Spacer SW19x17 | |
| 18 | 2920.1301 | Inner sealing flange | |
| 21 | 5001.0207 | Motor shaft gasket | |
| 23 | 8514.1339 | Motor shaft gasket mounting support | |

# Interior cabinet



# Interior cabinet

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 3 | 2005.0305 | Outlet sieve w. disc | |
| 6 | 2720.1073 | Mounting device for int.cabinet sensor | |
| 8 | 2720.1364 | Mounting device f. int. cabinet sensors | |
| 9 | 2720.1417 | Cover for steam inlet pipe | |
| 12 | 3014.0162 | Sealing cone for thermocouple | |
| 13 | 3014.0163 | Gasket sleeve with nipple | |
| 14 | 3014.0166 | Thermostat interior cabinet | |
| 19 | 5105.1021 | Door gasket | |
| 20 | 8514.1018 | Reflector for interior light | |
| A | | Interior light | |
| B | 8516.1357 | Air baffle | |


# Interior light



1




2



A

# Interior light

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1008.0753 | Hex screw M5x8 | |
| 2 | 3024.0201 | Halogen bulb 300°C | |
| A | 8514.1034 | Gasket frame with glass and gaskets | |

# Gasket frame with glass and gaskets



# Gasket frame with glass and gaskets

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 5110.1022 | External gasket frame for interior light | |
| 2 | 5110.1023 | Internal gasket frame for interior light | |
| 3 | 5201.1000 | Glass for interior lamp | |
| 4 | 8514.1017 | Gasket frame for interior light | |


# Air baffle



# Air baffle

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 3 | 1603.0168 | Rivet 3,2x8 A4 | |
| 3 | 1603.0166 | Rivet 3,2x7,9 CNS closed | |
| 6 | 8516.1305 | Air flow ring for air baffle | |
| A | 8516.1329 | Air baffle | |


# Air baffle



# Air baffle

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1304.0160 | Washer A4,3 | |
| 2 | 1604.0165 | Rivet 4x9,9 | |
| 2 | 1604.0167 | Rivet 4x10 | |
| 3 | 2760.1370 | Latch hook for air baffle | |


# Door



# Door

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 8474.1340 | Inner glass pane | |
| 1 | 8474.1337 | Inner glass pane | |
| A | | Door | |


# Door



# Door

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1005.2000 | Interlocking tooth screw M5x8 | |
| 2 | 1006.0760 | Hex screw M6x16 | |
| 2 | 1008.0766 | Hex screw M8x30 | |
| 3 | 1008.0768 | Ornamental screw M8x16 | |
| 4 | 1306.0120 | Washer A6,4 | |
| 4 | 1308.0160 | Washer A8,4 | |
| 4 | 1308.0162 | Washer A8,4 | |
| 5 | 2001.0109 | Compression spring | |
| 6 | 2016.1504 | Door handle Rational | |
| 7 | 2039.0340 | Internal lock cover | |
| 8 | 2120.1254 | Door bolt top | |
| 10 | 2930.1306 | Door mounting support bottom | |
| 11 | 2930.1307 | Door mounting support top | |
| 12 | 2940.1303 | Door setting console 110° | |
| 14 | 2940.1313 | Base for door catch | |
| 15 | 2940.1314 | Door catch for 1- and 2-step lock | |
| A | 8470.1301 | Door cpl. | |

# Door cpl.



# Door cpl.

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1005.1966 | Countersunk screw Torx M5x16 | |
| 3 | 1105.0122 | Hex combination nut M5 V2A | |
| 5 | 1901.0041 | Spring clip stainless steel | |
| 7 | 2760.1396 | Spring supp. f. int. glass holding bra. | |
| 8 | 2940.1300 | Sleeve for door bolt top | |
| 9 | 2940.1302 | Door setting bolt | |
| 10 | 2940.1309 | Hinge for inner glass | |
| 11 | 3016.1409 | Magnet round for door contact d10x40 | |
| 12 | 5006.0200 | Silicon tube E41 90ml | |
| 13 | 5006.0212 | Silicone tube E127, 310 ml silver | |
| 14 | 9003.0210 | Optimol paste white T400 ml | |
| 15 | 9003.0211 | Klüberpaste HEL 46-450 70g tube | |
| 16 | 8474.1300 | Door lock | |
| 17 | 1603.0166 | Rivet 3,2x7,9 CNS closed | |
| 18 | 2002.0106 | Tension spring for inner window | |
| 19 | 2039.0402 | Spacer for interior door | |
| 20 | 2760.1395 | Fixing bracket for interior glass pane | |
| A | 8474.1377 | Door drip collector | |


# Door drip collector



# Door drip collector

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1103.0122 | Hex nut M3 self-locking | |
| 2 | 2001.0122 | Cone compression spring for drip tray | |
| 3 | 2039.0339 | Plastic knop for door drip tray | |
| 4 | 2120.1308 | Distance nut M3 for door drip collector | |
| 5 | 2760.1540 | Opening device for drain door drip colle | |

# Water supply, quenching box



# Water supply, quenching box

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 2066.0205 | Hose clamp 8-16x9 mm SW 7mm | |
| 3 | 2066.0504 | Hose clamp 40-60mm | |
| 4 | 2067.0050 | Pressure hose d10mm | |
| 4 | | Pressure hose | |
| 4 | | Pressure hose | |
| 6 | 2118.1250 | Rubber form piece venting pipe | |
| 8 | 3002.0333 | Single solenoid valve | |
| 13 | 2066.0525 | Hose clamp ø22,1 mm | |
| B | | Water connection | |
| C | | Quenching box | |


# Water connection



# Water connection

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1004.0666 | Hex screw M4x10 | |
| 2 | 1105.0122 | Hex combination nut M5 V2A | |
| 6 | 1900.0202 | Water filter | |
| 8 | 2062.0333 | Housing for non returne valve | |
| 9 | 2066.0205 | Hose clamp 8-16x9 mm SW 7mm | |
| 10 | | Pressure hose | |
| 10 | 2067.0050 | Pressure hose d10mm | |
| 11 | 2069.0108 | Ventilation valve | |
| 12 | 3002.0339 | Fixing bracket for solenoid valve | |
| 13 | 5110.1024 | Gasket for G3/4" threaded joint | |
| 14 | 8664.1301 | T-fitting water connection | |
| 15 | 1603.0166 | Rivet 3,2x7,9 CNS closed | |


# Quenching box



# Quenching box

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1008.0750 | Hex screw M5x16 | |
| 2 | 2016.0935 | Quenching nozzle 2.3 l/min. | |
| 4 | 3014.0163 | Gasket sleeve with nipple | |
| 5 | 3014.0312 | Thermostat quenching system | |
| 7 | 5003.0300 | Insulation, melamin resin foam | |
| 8 | 5006.0500 | Polyurethan-Glue for insulation 310ml | |
| 9 | 5012.0566 | Gasket f. inspection lid | |
| 10 | 5110.1307 | Gasket for quenching thermostat | |
| 11 | 8666.1318 | Flange quenching chamber | |
| 12 | 8666.1325 | Cross bar for flange quenching chamber | |


# Hand shower



# Hand shower

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 2060.0228 | O-ring for shower hose | |
| 2 | 2060.1006 | Hand shower | |
| 3 | 2060.1210 | Tulip for handshower | |
| 4 | 2062.0327 | Connecting pipe for hand shower | |
| 6 | 2069.0106 | Non return valve DN 10 Handshower | |
| 8 | 8655.2021 | Hand shower roll guide | |
| 11 | 8664.1300 | T-fitting handshower connection | |


# Exterior cabinet



# Exterior cabinet

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 7 | 2039.0122 | Upper part of pedestal, 70mm, black grey | |
| 8 | 2039.0123 | Lower part of pedestal, black grey | |
| 12 | 2710.1325 | Bracket for door contact switch | |
| 19 | 2812.1304 | Spacer for vent cover | |
| 20 | 3016.1415 | Door switch | |
| 22 | 8455.1209 | Vent cover | |
| 22 | 8450.1310 | Spacer ring | |
| A | | Exterior cabinet w. hd. Shower | |
| C | | Base frame | |
| C | | Base frame | |


# Exterior cabinet w. hd. Shower



# Exterior cabinet w. hd. Shower

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1003.2160 | Hex self tapping screw 2,9x9,5 | |
| 2 | 1003.2261 | Raised counters. head self tapp. screw 4,2x13 | |
| 3 | 1003.2265 | Countersunk self tapping screw 4,2x16 | |
| 4 | 1004.0666 | Hex screw M4x10 | |
| 5 | 1004.2160 | Hex self tapping screw 4,2x16 | |
| 6 | 1103.0600 | PVC plug in nut for metal screw 2.9mm | |
| 7 | 1104.0820 | Snap nut 4,2mm | |
| 8 | 1107.0100 | Star lock ø4 | |
| 9 | 1304.0150 | Washer A3,2 | |
| 10 | 2039.0331 | Cap for service door | |
| 11 | 2060.1210 | Tulip for handshower | |
| 12 | 2066.0525 | Hose clamp ø22,1 mm | |
| 13 | 2110.1002 | Silicone hose d15x3 | |
| 14 | 2710.1451 | Back panel | |
| 14 | 2710.1309 | Back panel | |
| 15 | 2710.1316 | Crossbar top | |
| 16 | 2710.1327 | Top cover | |
| 18 | 8455.1439 | Side panel right | |
| 18 | 2710.1448 | Side panel right | |
| 19 | 5100.1012 | Gasket venting pipe-top cover | |
| 20 | | Drip collector | |
| 20 | 8455.1465 | Drip collector | |
| 21 | 2039.0371 | Drip collector plastic | |
| 22 | 1304.0166 | Spicer D4.3/8.0 L5.0 | |
| 23 | 1603.0161 | Rivet 3,2x6 | |
| 23 | 1603.0166 | Rivet 3,2x7,9 CNS closed | |
| A | 8455.1383 | Side panel left | |
| A | 8455.1459 | Front panel | |


# Front panel



# Front panel

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1003.2261 | Raised counters. head self tapp. screw 4,2x13 | |
| 3 | 1104.0820 | Snap nut 4,2mm | |
| 4 | 1107.0104 | Star lock ø6 | |
| 7 | | Front panel | |
| 8 | 5006.0212 | Silicone tube E127, 310 ml silver | |
| 10 | 8464.1307 | Opening mechanism for panel insert | |
| 11 | 2002.0107 | Tension spring for front panel | |

# Side panel left



# Side panel left

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 5 | 1104.0820 | Snap nut 4,2mm | |
| 14 | 5100.1002 | Insulating tape 8x6mm | |
| 16 | 5006.0500 | Polyurethan-Glue for insulation 310ml | |
| 17 | 5003.0300 | Insulation, melamin resin foam | |


# Base frame


1
2
3
4
5
6
9
10
7
13
8
11
A
12
14
Potentialausgleich
Equipotentiality
Equipotentialité

# Base frame

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1008.0750 | Hex screw M5x16 | |
| 2 | 1110.0800 | Cage nut M10 | |
| 2 | 1104.0800 | Cage nut M4 | |
| 3 | 1105.0122 | Hex combination nut M5 V2A | |
| 4 | 1106.0160 | Hex nut M6 | |
| 5 | 1106.0360 | Cap nut M6, high shape | |
| 6 | 1206.0120 | Tooth lock washer A6,4 | |
| 7 | 1310.0160 | Washer A10,5 | |
| 8 | 1328.0102 | Safety washer A10,2 | |
| 9 | 1604.0162 | Rivet 4x9, CNS closed | |
| 9 | 1603.0163 | Rivet 3,2x8 CNS | |
| 10 | 2039.0122 | Upper part of pedestal, 70mm, black grey | |
| 11 | 2039.0123 | Lower part of pedestal, black grey | |
| 12 | 2049.0817 | Sticker, Equipotential bonding | |
| 13 | 4005.0104 | Tie rap 140mm *Heat resisting* | |
| A | | Base frame | |


# Base frame



# Base frame

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1603.0163 | Rivet 3,2x8 CNS | |
| 2 | 1604.0162 | Rivet 4x9, CNS closed | |
| 3 | 2005.0106 | Protective grid for cooling fan | |


# Base frame


1
2
3
4
5
6
7
8
9
10
11
12
A
Potentialausgleich
Equipotentiality
Equipotentialité

# Base frame

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1110.0800 | Cage nut M10 | |
| 1 | 1104.0800 | Cage nut M4 | |
| 2 | 1106.0160 | Hex nut M6 | |
| 3 | 1106.0360 | Cap nut M6, high shape | |
| 4 | 1206.0120 | Tooth lock washer A6,4 | |
| 7 | 1604.0162 | Rivet 4x9, CNS closed | |
| 7 | 1603.0163 | Rivet 3,2x8 CNS | |
| 10 | 2049.0817 | Sticker, Equipotential bonding | |
| A | | Base frame | |


# Base frame



# Base frame

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 1603.0163 | Rivet 3,2x8 CNS | |
| 3 | 1604.0162 | Rivet 4x9, CNS closed | |
| 4 | 2005.0106 | Protective grid for cooling fan | |

# Miscellaneous



# Miscellaneous

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 13 | 9006.0800 | Adhesive solvent "Weicon" | |
| 17 | 2049.0433 | Sticker Drain connection DN 50 | |
| 18 | 2049.0452 | Sticker water supply G3/4" | |
| 19 | 2049.0484 | Sticker "Loading heights" | |

# Index


| Part no. | Description | Page |
|---|---|---|
| 9006.0800 | Adhesive solvent "Weicon" | 85 |
| 8516.1357 | Air baffle | 43 |
| 8516.1329 | Air baffle | 49 |
| 8516.1305 | Air flow ring for air baffle | 49 |
| 8455.1377 | Air inlet filter | 5 |
| 3028.0561 | Auxilliary contact BCLF01 N/C | 15 |
| 3028.0560 | Auxilliary contact BCLF10 N/O | 15 |
| 2710.1451 | Back panel | 71 |
| 2710.1309 | Back panel | 71 |
| 2940.1313 | Base for door catch | 55 |
| 2710.1325 | Bracket for door contact switch | 69 |
| 3006.0101 | Buzzer | 7 |
| 1104.0800 | Cage nut M4 | 77, 81 |
| 1110.0800 | Cage nut M10 | 77, 81 |
| 2039.0331 | Cap for service door | 71 |
| 1106.0360 | Cap nut M6, high shape | 35, 77, 81 |
| 2001.0109 | Compression spring | 55 |
| 2001.0122 | Cone compression spring for drip tray | 59 |
| 2062.0327 | Connecting pipe for hand shower | 67 |
| 3028.0553 | Contactor AEG LS 11 00 | 15 |
| 3028.0554 | Contactor AEG LS 15K00 | 15 |
| 3024.0309 | Control lamp green | 7 |
| 3024.0310 | Control lamp red | 7 |
| 8720.1328 | Control panel insert with overlay | 5 |
| 3040.3100 | Control PCB | 15 |
| 3101.1008 | Cooling fan | 11 |
| 1315.0101 | Copper washer 6x10 | 41 |
| 1315.0109 | Copper washer 8.5x16x1,2 | 41 |
| 1005.1966 | Countersunk screw Torx M5x16 | 57 |
| 1003.2265 | Countersunk self tapping screw 4,2x16 | 71 |
| 2720.1417 | Cover for steam inlet pipe | 43 |
| 3038.0315 | Cover for terminal box | 11 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 8666.1325 | Cross bar for flange quenching chamber | 65 |
| 2710.1316 | Crossbar top | 71 |
| 3013.0344 | Dial blue, | 7 |
| 2120.1308 | Distance nut M3 for door drip collector | 59 |
| 5110.1027 | Distance plate for front panel | 7 |
| 2120.1254 | Door bolt top | 55 |
| 2940.1314 | Door catch for 1- and 2-step lock | 55 |
| 8470.1301 | Door cpl. | 55 |
| 8474.1377 | Door drip collector | 57 |
| 5105.1021 | Door gasket | 43 |
| 2016.1504 | Door handle Rational | 55 |
| 8474.1300 | Door lock | 57 |
| 2930.1306 | Door mounting support bottom | 55 |
| 2930.1307 | Door mounting support top | 55 |
| 2940.1302 | Door setting bolt | 57 |
| 2940.1303 | Door setting console 110° | 55 |
| 3016.1415 | Door switch | 69 |
| 8455.1465 | Drip collector | 71 |
| 2039.0371 | Drip collector plastic | 71 |
| 3014.0300 | Dry up protector 257°F/135°C | 15 |
| 4001.1210 | Earth terminal 16mm² yellow/green | 11, 13 |
| 5013.0100 | Edge protection profile | 15 |
| 2112.1303 | Emptying hose steam generator | 23 |
| 3002.1005 | Emptying pump | 23 |
| 3002.1000 | Emptying pump | 23 |
| 4001.1203 | End plate for mounting rail | 15 |
| 2150.1251 | External double flange hot air heater | 33, 35 |
| 5110.1022 | External gasket frame for interior light | 47 |
| 3100.1083 | Fan motor 4pol | 37 |
| 2012.0512 | Fan wheel | 39, 41 |
| 3002.0402 | Filling level electrode 90 mm | 25 |
| 2760.1395 | Fixing bracket for interior glass pane | 57 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 3002.0339 | Fixing bracket for solenoid valve | 63 |
| 2740.1040 | Fixing plate steam generator thermostat | 21 |
| 8666.1318 | Flange quenching chamber | 65 |
| 2112.1310 | Form hose for ventilation of steam generator | 29 |
| 8455.1459 | Front panel | 71 |
| 4001.0224 | Fuse 6.35x32mm | 15 |
| 4001.1295 | Fuse holder e 1003Si/1DS | 15 |
| 5100.1011 | Gasket | 7 |
| 5012.0566 | Gasket f. inspection lid | 65 |
| 5110.1024 | Gasket for G3/4" threaded joint | 63 |
| 5110.1003 | Gasket for heating element | 23, 25 |
| 5110.1307 | Gasket for quenching thermostat | 65 |
| 8514.1017 | Gasket frame for interior light | 47 |
| 8514.1034 | Gasket frame with glass and gaskets | 45 |
| 5110.1028 | Gasket poti hot air, core temperature | 7 |
| 3014.0163 | Gasket sleeve with nipple | 43, 65 |
| 5100.1012 | Gasket venting pipe-top cover | 71 |
| 5201.1000 | Glass for interior lamp | 47 |
| 8720.1384 | Hallsensor cpl | 37 |
| 3024.0201 | Halogen bulb 300°C | 45 |
| 3037.0205 | Halogen transformer | 15 |
| 2060.1006 | Hand shower | 67 |
| 8655.2021 | Hand shower roll guide | 67 |
| 3201.1005 | Heating element | 23 |
| 1104.0122 | Hex combination nut M4 galv | 7, 15 |
| 1105.0122 | Hex combination nut M5 V2A | 57, 63, 77 |
| 1106.0803 | Hex combination nut M6 galv | 21, 23, 25, 35 |
| 1103.0122 | Hex nut M3 self-locking | 59 |
| 1105.0120 | Hex nut M5 | 21 |
| 1106.0160 | Hex nut M6 | 7, 11, 77, 81 |
| 1106.0220 | Hex nut M6 flat | 41 |
| 1108.0260 | Hex nut M8 | 39, 41 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 3014.0302 | Hex nut M10 for dry-up protector | 15 |
| 3014.0327 | Hex nut M10x1,0 | 15 |
| 1004.0666 | Hex screw M4x10 | 63, 71 |
| 1008.0753 | Hex screw M5x8 | 45 |
| 1008.0750 | Hex screw M5x16 | 65, 77 |
| 1006.0761 | Hex screw M6x12 | 11, 23 |
| 1006.0760 | Hex screw M6x16 | 55 |
| 1006.0766 | Hex screw M6x25 | 35 |
| 1008.0766 | Hex screw M8x30 | 55 |
| 1010.0762 | Hex screw M10x20 | 39, 41 |
| 1003.2160 | Hex self tapping screw 2,9x9,5 | 71 |
| 1004.2161 | Hex self tapping screw 4,2x13 | 11, 15 |
| 1004.2160 | Hex self tapping screw 4,2x16 | 71 |
| 2940.1309 | Hinge for inner glass | 57 |
| 2760.1360 | Holding bracket for thermostat | 15 |
| 2066.0205 | Hose clamp 8-16x9 mm SW 7mm | 21, 23, 27, 61, 63 |
| 2066.0506 | Hose clamp 20-32mm | 29 |
| 2066.0518 | Hose clamp 30mm | 21, 23 |
| 2066.0504 | Hose clamp 40-60mm | 21, 61 |
| 2066.0300 | Hose clamp 50-70 mm | 21 |
| 2066.0527 | Hose clamp ø14mm | 31 |
| 2066.0530 | Hose clamp ø16.4mm | 31 |
| 2066.0525 | Hose clamp ø22,1 mm | 61, 71 |
| 2066.0519 | Hose clamp Ø35,6mm | 23 |
| 2066.0526 | Hose clamp ø46mm | 23 |
| 2066.0531 | Hose clamp ø56 | 17 |
| 2062.0333 | Housing for non returne valve | 63 |
| 8474.1340 | Inner glass pane | 53 |
| 8474.1337 | Inner glass pane | 53 |
| 3200.1004 | Inner heating assembly | 35 |
| 2920.1301 | Inner sealing flange | 37, 41 |
| 5100.1002 | Insulating tape 8x6mm | 75 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 5003.0300 | Insulation, melamin resin foam | 19, 25, 65, 75 |
| 1005.2000 | Interlocking tooth screw M5x8 | 55 |
| 5110.1023 | Internal gasket frame for interior light | 47 |
| 2039.0340 | Internal lock cover | 55 |
| 2062.0331 | Junction pressure hose GS 10 | 31 |
| 9003.0211 | Klüberpaste HEL 46-450 70g tube | 57 |
| 2760.1370 | Latch hook for air baffle | 51 |
| 2920.1300 | Level elektrode insert | 25 |
| 2039.0123 | Lower part of pedestal, black grey | 69, 77 |
| 3016.1409 | Magnet round for door contact d10x40 | 57 |
| 3016.1613 | Mode switch | 5, 15 |
| 3040.3040 | Motor control for fan motor | 11 |
| 5001.0207 | Motor shaft gasket | 37, 41 |
| 8514.1339 | Motor shaft gasket mounting support | 37, 41 |
| 2720.1364 | Mounting device f. int. cabinet sensors | 43 |
| 2720.1073 | Mounting device for int.cabinet sensor | 43 |
| 2760.1364 | Mounting support for control lamp single | 7 |
| 8801.0975 | Neutral link 2,5mm² blue | 21, 35 |
| 2069.0106 | Non return valve DN 10 Handshower | 67 |
| 2760.1540 | Opening device for drain door drip colle | 59 |
| 8464.1307 | Opening mechanism for panel insert | 73 |
| 9003.0210 | Optimol paste white T400 ml | 57 |
| 2060.0228 | O-ring for shower hose | 67 |
| 1008.0768 | Ornamental screw M8x16 | 55 |
| 3200.1008 | Outer heating assembly | 35 |
| 2005.0305 | Outlet sieve w. disc | 43 |
| 2039.0339 | Plastic knop for door drip tray | 59 |
| 5006.0500 | Polyurethan-Glue for insulation 310ml | 25, 65, 75 |
| 8801.0252 | Power connection box | 11 |
| 4001.0710 | Press-clamp "Wago" 0.5-2.5mm2 | 7 |
| 2067.0050 | Pressure hose d10mm | 27, 61, 63 |
| 2750.1334 | Protective grating plastic for filter | 5 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 2005.0106 | Protective grid for cooling fan | 79, 83 |
| 2118.1000 | Pump connection spout | 31 |
| 1103.0600 | PVC plug in nut for metal screw 2.9mm | 71 |
| 2016.0935 | Quenching nozzle 2.3 l/min. | 65 |
| 1003.2261 | Raised counters. head self tapp. screw 4,2x13 | 71, 73 |
| 3028.0562 | RC-link for Contactor | 15 |
| 2062.0332 | Receptacle for ventilation valve SG | 29 |
| 8514.1018 | Reflector for interior light | 43 |
| 1603.0161 | Rivet 3,2x6 | 71 |
| 1603.0166 | Rivet 3,2x7,9 CNS closed | 49, 57, 63, 71 |
| 1603.0168 | Rivet 3,2x8 A4 | 49 |
| 1603.0163 | Rivet 3,2x8 CNS | 77, 79, 81, 83 |
| 1604.0162 | Rivet 4x9, CNS closed | 77, 79, 81, 83 |
| 1604.0165 | Rivet 4x9,9 | 51 |
| 1604.0167 | Rivet 4x10 | 51 |
| 2118.1250 | Rubber form piece venting pipe | 61 |
| 3014.0326 | Safety temperature limiter 365°C, | 15 |
| 1328.0102 | Safety washer A10,2 | 39, 41, 77 |
| 5110.1009 | Seal for heating assembly | 35 |
| 3014.0162 | Sealing cone for thermocouple | 43 |
| 8455.1383 | Side panel left | 71 |
| 8455.1439 | Side panel right | 71 |
| 2710.1448 | Side panel right | 71 |
| 5006.0200 | Silicon tube E41 90ml | 57 |
| 2110.1002 | Silicone hose d15x3 | 71 |
| 2112.1301 | Silicone hose safety valve | 17 |
| 5006.0212 | Silicone tube E127, 310 ml silver | 57, 73 |
| 3002.0333 | Single solenoid valve | 61 |
| 2940.1300 | Sleeve for door bolt top | 57 |
| 4002.0111 | Slip-on terminal 0,5-1,0mm², 6,3mm | 9 |
| 1004.0060 | Slotted pan head screw M4x4 | 7 |
| 1004.0023 | Slotted pan head screw M4x6 | 7 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 1003.0224 | Slotted pan head self tappinp screw 3,5x9,5 | 7 |
| 1104.0820 | Snap nut 4,2mm | 71, 73, 75 |
| 2039.0370 | Spacer 12x1,6 | 15 |
| 2039.0402 | Spacer for interior door | 57 |
| 2812.1304 | Spacer for vent cover | 69 |
| 8450.1310 | Spacer ring | 69 |
| 2120.1306 | Spacer SW19x17 | 37, 41 |
| 1304.0166 | Spicer D4.3/8.0 L5.0 | 71 |
| 1901.0041 | Spring clip stainless steel | 57 |
| 2760.1396 | Spring supp. f. int. glass holding bra. | 57 |
| 1208.0260 | Spring washer B8 | 39, 41 |
| 1008.1005 | Square necked mushroom head bolt 8x40 | 37, 41 |
| 1107.0103 | Star lock ø3 | 11 |
| 1107.0100 | Star lock ø4 | 71 |
| 1107.0104 | Star lock ø6 | 73 |
| 8350.1302 | Steam generator insolated | 23 |
| 2112.1006 | Steam hose Ø50x50mm | 19, 21 |
| 2049.0484 | Sticker "Loading heights" | 85 |
| 2049.0433 | Sticker Drain connection DN 50 | 85 |
| 2052.1180 | Sticker name trade sign Rational | 7 |
| 2049.0452 | Sticker water supply G3/4" | 85 |
| 2049.0817 | Sticker, Equipotential bonding | 77, 81 |
| 2120.1259 | Stop plug 10mm | 31 |
| 2002.0107 | Tension spring for front panel | 73 |
| 2002.0106 | Tension spring for inner window | 57 |
| 4001.1202 | Terminal block 16mm² grey | 11, 13 |
| 3038.0314 | Terminal box M50 without cover | 13 |
| 8664.1300 | T-fitting handshower connection | 67 |
| 8664.1301 | T-fitting water connection | 63 |
| 3014.1016 | Thermocouple | 17 |
| 3014.0166 | Thermostat interior cabinet | 7, 43 |
| 3014.0312 | Thermostat quenching system | 65 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 4005.0104 | Tie rap 140mm *Heat resisting* | 77 |
| 4005.0101 | Tie rap 145 mm | 31 |
| 3013.0104 | Timer white 120min. with 30min.spreading | 7 |
| 1205.0120 | Tooth lock washer A5,3 | 21 |
| 1206.0120 | Tooth lock washer A6,4 | 7, 11, 77, 81 |
| 2710.1327 | Top cover | 71 |
| 2060.1210 | Tulip for handshower | 67, 71 |
| 2039.0122 | Upper part of pedestal, 70mm, black grey | 69, 77 |
| 8455.1209 | Vent cover | 69 |
| 2069.0108 | Ventilation valve | 29, 63 |
| 2910.1303 | Venting pipe | 19 |
| 8354.1304-- | Venting valve for steam generation | 23, 27 |
| 1304.0150 | Washer A3,2 | 71 |
| 1304.0160 | Washer A4,3 | 15, 51 |
| 1306.0120 | Washer A6,4 | 11, 41, 55 |
| 1306.0222 | Washer A6,4x15x1,5 | 11, 23, 35 |
| 1308.0160 | Washer A8,4 | 55 |
| 1308.0162 | Washer A8,4 | 55 |
| 1310.0160 | Washer A10,5 | 77 |
| 1900.0202 | Water filter | 63 |
| 4004.0114 | Wire end sleeve 0,75 mm² blue insulated | 9 |