Service part catalogue

SelfCookingCenter® ab 09/2016
SelfCooking Center 101 - 10 x 1/1 GastronormE


E11SI1701



2/20/2017
3 AC208V (240V) 60Hz UL

CD-Ges_101207
©2011 Rational Technical Service
All Rights reserved


SelfCookingCenter® as of 09/2016



SelfCookingCenter® as of 09/2016

Pos.	Part No.	Description	Qty.
1		Control panel	1
2		Electrical installation	1
3		ClimaPlus	1
4		Steam generator	1
5		Hot air heating	1
6		Motor and fan wheel	1
7		Interior cabinet	1
8		Door	1
9		Exterior cabinet	1
10		Water	1
11		CleanJet + Care	1
13		Standard accessory	1


Control panel



Control panel

Pos.	Part No.	Description	Qty.
2	42.00.112	Control pcb *TFT*	1
3	42.00.081	MMI pcb	1
4	40.03.467	Cable On-Off switch MMI	1
5	40.03.515	Cable MMI - TFT	1
6	40.03.516	Cable MMI - CPU	1
7	16.02.062	Dial f. pulse generator	1
8	40.00.404	Pulse generator	1
11	16.02.889	Cover f. control pcb w. gasket	1
12	16.02.865	Sealing f. panel insert	1


Electrical installation



Electrical installation

Pos.	Part No.	Description	Qty.
1	40.00.453	Solid state relais	3
2	10.00.061	Pan head screw Torx T20 M4x12	6
3	10.00.061	Pan head screw Torx T20 M4x12	2
4	1204.0120	Tooth lock washer A4,3	2
5	40.03.932	Heat sink big 2 SSR	2
6	40.03.371	Mounting device heat sink SSR	1
7	10.01.266	Pan head screw Torx T20 10,5mm	9
8	1105.0120	Hex nut M5	1
9	1205.0120	Tooth lock washer A5,3	1
10	40.03.373	Fan housing *UL*	1
11	40.03.428	Cooling fan with NTC	1
12	40.03.257	Converter 230VAC 24VDC	1
18	42.00.260	Control pcb	1
19	42.00.128	SD-memory card 4GB	1
20	40.03.312	Mounting base for control pcb	1
21	10.00.989	Rivet with screw	2
23	10.00.061	Pan head screw Torx T20 M4x12	1
24	40.03.756	Fixing clip f. pcb	1
25	40.03.533	Fixing clip f. pcb	4
26	40.03.732	Tie rap 160 mm	3
27	40.04.180	Energy_opt-Terminal 4poles	1
34	40.01.071	Cable entry	1
41	40.03.928	Loudspeaker cpl.	1
45	42.00.224	Power supply for level interior light	1
100	40.03.996	Bus cable 1.15m	1
107	40.04.362	Wiring interior light	1
108	40.05.297	Cable, interior light W11	1
A		Electrical installation	1


Electrical installation



Electrical installation

Pos.	Part No.	Description	Qty.
1	40.03.322	Contactor assembly	1
2	40.01.329	Dry up protector 183°C	1
3	3014.0327	Hex nut M10x1,0	1
4	40.01.482	Safety temperature limiter 365°C	1
5	3014.0327	Hex nut M10x1,0	1
6	40.03.669	Contactor B&J K3-40B00 190 R	1
7	40.02.641	Auxilliary contact B&J HN10 N/O	1
10	40.03.348	Control transformer T1	1
11	10.01.065	Hex nut M5	1
12	40.03.404	Mounting support transformer	1
13	10.01.065	Hex nut M5	1
14	40.02.425	Varistor	1
18	40.01.588	Fuse SC-8A 10x38	2
18	4001.0224	Fuse 6.35x32mm	2
19	40.01.487	Fuse holder 2pol	1
19	40.02.512	Fuse holder 2x6.3A	1
22	40.04.122	Cover for Fuse *UL*	2
23	10.00.365	Pan head screw Torx M3x20	2
34	40.03.729	Terminal block grey WKN 35/U	3
36	40.03.731	Earth terminal WKN 35SL/U	1
47	40.03.282	Drip protection for air inlet filter 1 UL	1
48	10.00.515	Rivet 3,2x5 A4	1
49	10.01.218	Edge protection profile	1
50	40.03.755	Cover behind 2 UL	1
51	10.00.365	Pan head screw Torx M3x20	2
100	40.03.981	Change-over switch with cable USA	1
101	40.04.331	Adaptor cable f. Ball valve drain	1
103	40.05.032	Cable contactor-SSR	1
104	40.04.979	Cable control harness	1
109	40.02.965	Cable harness solenoid valve / SC-pump	1


ClimaPlus



ClimaPlus

Pos.	Part No.	Description	Qty.
1	22.00.882	Mounting device f. pressure sensor	1
2	3017.1011	Pressure sensor for humidity control Huba 401	1
4	22.00.850	Outer humidity meas. Piece	1
5	22.00.881	Gasket f. hum. meas. Pipe	1
6	1104.0122	Hex combination nut M4 galv	3
7	22.00.525	Hose set f. humidity control	1
8	22.00.725	Humidity control cpl.	1
9	22.00.915	Air inlet pipe	1
10	22.00.960	Drain hose for humidity control	1
11	2066.0527	Hose clamp ø14mm	2
12	22.00.767	Vent cover	1
13	22.00.837	O-ring for humidity control	2
14	10.00.111	Cable clip long	2


Steam generator



Steam generator

Pos.	Part No.	Description	Qty.
1	44.00.941	Steam generator insolated	1
2	10.00.709	Hex nut M6 w. locking	2
3	44.01.347	Heating element	1
4	44.01.374	Heating element w/o pipe	1
6	44.00.280	Gasket f. heating element+Level elektrode insert	2
7	10.00.709	Hex nut M6 w. locking	10
16	2066.0519	Hose clamp Ø35,6mm	1
17	2066.0526	Hose clamp ø46mm	1
18	44.00.207	Emptying pump	1
19	1006.0762	Hex screw M6x10	2
20	44.00.232	Fixing device f. pump steam generator	1
21	10.00.709	Hex nut M6 w. locking	2
22	44.01.221	Drain hose steam generator	1
23	2066.0518	Hose clamp 30mm	2
24	40.04.106	Thermocouple steam generator *B5*	1
26	10.00.414	Cable strap black 120°	1
27	1104.0122	Hex combination nut M4 galv	1
28	2112.1006	Steam hose Ø50x50mm	1
30	2066.0504	Hose clamp 40-60mm	1
31	2066.0504	Hose clamp 40-60mm	1
33	44.00.280	Gasket f. heating element+Level elektrode insert	1
34	2920.1300	Level elektrode insert	1
35	10.00.709	Hex nut M6 w. locking	4
36	44.01.417	Filling level electrode 90 mm	1
37	44.01.168	Fixing angle steam generator	1
38	44.01.181	Fixing angle steam generator	1
A	8354.1320	Pump connection spout cpl.	1


Pump connection spout



Pump connection spout

Pos.	Part No.	Description	Qty.
1	2118.1000	Pump connection spout	1
2	2120.1259	Stop plug 10mm	1
3	2110.1008	Silicon hose ø10x2mm	1
4	2066.0527	Hose clamp ø14mm	2
5	2066.0530	Hose clamp ø16.4mm	1
6	2062.0331	Junction pressure hose GS 10	1
7	4005.0101	Tie rap 145 mm	1


Hot air heating



Hot air heating

Pos.	Part No.	Description	Qty.
1	40.03.410	Mating flange f. heating assembly	1
2	40.03.639	Heating assembly	1
4	10.00.109	Hex screw M5x23	6
5	10.01.076	Cap nut M5*A2	1
6	40.03.415	Gasket f. heating assembly	1
7	1107.0103	Star lock ø3	2
8	50.00.844	Nozzle f. moistening	1
9	50.00.846	Union nut M12x13.2 N	1
10	50.01.721	Plastic pipe 4,5x0,75x178mm	1


Motor and fan wheel



Motor and fan wheel

Pos.	Part No.	Description	Qty.
1	40.03.378	Fan motor with motor shaft gasket	1
3	10.01.049	Square necked mushroom head bolt 6x30	4
4	10.00.709	Hex nut M6 w. locking	2
5	22.00.721	Flange f. motor shaft gasket	1
6	22.00.722	Mounting support f. gasket flange	1
7	22.00.985	Motor shaft gasket D15	1
8	22.01.196	Graphit seal for gasket flange	1
9	10.01.065	Hex nut M5	3
10	22.00.828	Fan wheel	1
11	10.00.936	Hex screw M8x20	1
12	1308.0162	Washer A8,4	1
13	10.00.111	Cable clip long	3
15	20.01.755	Isolation for mounting plate for motor	1


Interior cabinet



Interior cabinet

Pos.	Part No.	Description	Qty.
1	40.00.290	Thermocouple humidity *B4*	1
2	10.00.087	Clamp strap f. sensor	1
3	10.00.100	Hex nut M4, self-locking	1
4	40.00.098	Reflector f. interior light	1
5	10.01.429	Rivet nut M5 hexagon closed with gasket	4
6	40.00.091	Gasket frame w. glass a. gaskets	1
7	40.03.994	Halogen bulb 300°C	1
8	40.04.362	Wiring interior light	1
9	20.02.552	Door gasket	1
10	40.01.604	Meat probe sensor	1
11	10.00.612	Hex nut M16 flat	1
12	1315.0104	Copper washer 16x20x1,5	1
13	40.04.373	Screen core temperature sensor	1
14	10.01.076	Cap nut M5*A2	2
17	40.04.096	Thermocouple interior cabinet B1	1
18	40.03.782	Screen interior cabinet sensor	1
19	10.01.076	Cap nut M5*A2	2
20	54.01.117	Outlet sieve	1
21	40.01.482	Safety temperature limiter 365°C	1
22	3014.0327	Hex nut M10x1,0	1
A	22.00.744	Air baffle	1


Air baffle



Air baffle

Pos.	Part No.	Description	Qty.
4	22.00.730	Hand protection	1
6	10.00.515	Rivet 3,2x5 A4	4
7	40.03.780	Fixing clip core temp. cable	1
8	22.00.491	Surge guard for Meat probe sensor	1
9	2760.1370	Latch hook for air baffle	2
10	1604.0167	Rivet 4x10	3
11	22.00.361	Deep-draw f. air baffle	1
12	10.00.515	Rivet 3,2x5 A4	4
13	10.00.744	Washer A4,3 *A4	2


Door



Door

Pos.	Part No.	Description	Qty.
1	24.02.923	Door handle	1
2	24.03.041	Door lock with spring U-bolt	1
3	24.03.184	Lock cover	1
4	24.02.814	Door mounting support bottom	1
5	10.00.090	Cap f. Torx T30	2
6	1006.1962	Countersunk screw Torx M6x16	2
7	24.00.133	Door mounting support top	1
8	1008.0768	Ornamental screw M8x16	3
10	24.02.967	Cable cover	1
11	24.02.951	Door bolt	1
12	10.01.527	Hex screw M8x12	1
14	24.03.040	Door bolt	1
15	1008.0769	Ornamental screw M8x30	1
17	2001.0109	Compression spring	1
18	24.02.958	Holding bracket f. door catch	1
19	1006.0760	Hex screw M6x16	2
20	1306.0120	Washer A6,4	2
21	24.02.959	Door catch	1
22	24.02.960	Interlocking tooth screw M5x6	1
24	24.03.288	Spring U-bolt for door lock	1
A	24.03.088	Door *Level illumination*	1


Door



Door

Pos.	Part No.	Description	Qty.
1	87.01.412	Glass pane bundle	1
3	24.03.052	Sleeve for door bolt top	1
4	24.02.966	Door setting bolt	1
5	24.00.502	Fixing device f. magnet with magnet	1
6	87.01.428	Door drip collector	1
7	24.03.056	Slide bush for door	1
8	24.03.060	Fixing bracket for interior glass pane	2
9	24.03.057	Abrasion protection for glide socket	1
10	24.03.062	Cover cap for door	1
12	42.00.193	Bus interface A8	1
13	87.01.372	LED bar, left/right	2
14	87.01.367	LED optics	2
16	10.00.890	Rivet 4x10	1
17	10.00.904	Rivet B4x8	2
100	40.05.301	Cable, interior light W40	1
101	40.05.300	Cable, interior light W45	1
102	40.05.299	Cable, interior light W46	1


Exterior cabinet



Exterior cabinet

Pos.	Part No.	Description	Qty.
1	1110.0800	Cage nut M10	4
2	12.00.205	Upper part of pedestal	1
3	12.00.516	Turning lock f. lower part of pedestal	1
4	12.01.133	Lower part of pedestal	4
5	10.00.975	Hex screw M10x35	1
6	10.00.745	Cap nut M6*A2	1
7	1206.0120	Tooth lock washer A6,4	1
8	12.00.950	Bracket for door contact switch/drain pipe	1
9	16.01.146	Bracket for door contact switch	1
10	1006.0760	Hex screw M6x16	1
12	40.04.342	Door switch 0.45m	1
13	1105.0123	Hex combination nut M4	1
16	22.00.767	Vent cover	1
17	16.02.870	Opening mechanism for panel insert	1
21	1104.0820	Snap nut 4,2mm	2
A		Exterior cabinet	1


Exterior cabinet



Exterior cabinet

Pos.	Part No.	Description	Qty.
1	16.02.152	Top cover	1
2	1003.2265	Countersunk self tapping screw 4,2x16	9
3	1104.0820	Snap nut 4,2mm	7
4	16.00.127	Side panel right	1
5	1603.0166	Rivet 3,2x7,9 CNS closed	4
6	16.00.128	Side panel left	1
7	10.00.992	Hex self tapping screw B4,2x32	2
8	1104.0820	Snap nut 4,2mm	2
9	16.01.926	Back panel	1
11	16.02.737	Front panel	1
12	1603.0166	Rivet 3,2x7,9 CNS closed	4
15	16.01.488	Crossbar below	1
16	1004.2160	Hex self tapping screw 4,2x16	2
17	16.00.180	Crossbar top	1
18	1603.0166	Rivet 3,2x7,9 CNS closed	4
21	40.02.684	Air inlet filter cpl.	1
22	50.00.286	Drip collector	1
23	50.01.191	Drain pipe with bushings	1
24	50.00.296	Clip f. drip collector	3
25	50.00.303	Bushing drip collector	2
26	16.00.329	Cover f. USB interface	1
27	10.00.103	EJOT PT-screw KA 3.5x10	1
28	40.04.046	Interface cable USB 1.0m	1
29	10.00.460	EJOT PT-Screw Torx 3,5x14	2
30	16.01.748	Gasket f. breather tube d=63mm	1


Water


41
24
25
1
9
3
2
4
21
22
23
32
40
19
42
34
31
26
8
14
28
12
5
38
11
6
53
15
27
33
39
6
10
13
18
16

Water

Pos.	Part No.	Description	Qty.
1	54.00.738	Ventilation pipe	1
2	54.01.141	Rubber form piece venting pipe	1
3	10.01.261	Hose clamp 66 mm	1
4	10.01.262	Hose clamp 76 mm	1
5	50.00.086	Locking plate f. water distribution	1
6	1900.0202	Water filter	2
8	2066.0205	Hose clamp 8-16x9 mm SW 7mm	2
9	2066.0205	Hose clamp 8-16x9 mm SW 7mm	2
10	50.00.313	T-fitting water connection	1
11	50.01.606	Hand shower roll guide	1
12	50.01.213	Connect. hose f. hand shower roll guide	1
13	50.00.085	Plug-in spring f. hand shower roll guide	1
14	87.00.417	Repair set shaft seal 01/2004	1
15	50.00.282	Hand shower black	1
16	50.00.156	Clamp f. hand shower roll guide	1
17	10.01.004	Truss head screw with flange MLF A2 M6x20	1
18	1105.0121	Hex combination nut M5 galv	1
19	56.00.618	Ball valve drain SCC cpl.	1
21	10.00.449	Pan head screw M6x16	2
22	10.00.511	O-ring for ball valve drain 46x3.5	1
23	10.00.512	O-ring for ball valve drain 26x3.5	1
24	54.01.148	Inspection lid, quenching nozzle, B2	1
25	54.01.168	Gasket f. inspection lid	1
26	54.01.191	Collecting pan	1
27	50.01.050	Triple solenoid valve	1
28	50.00.071	Water distribution hor. w/o roll guide con.	1
31	2067.0050	Pressure hose d10mm	1.15
32	2067.0050	Pressure hose d10mm	.65
33	50.01.640	Water volume sensor	1
34	2067.0050	Pressure hose d10mm	.52
38	50.01.146	Single solenoid valve Y2	1
39	50.00.070	Water distribution hor roll guide con.	1
40	2067.0050	Pressure hose d10mm	.31
41	8354.1304	Venting valve for steam generator	1
42	2022.0101	Grommet d8mm	1
53	1900.0102	Flow controller red 5 l/min	1


Water


41
24
25
1
9
3
2
4
21
22
23
32
40
19
42
34
31
26
8
14
28
12
5
38
11
6
53
15
27
33
39
6
10
13
18
16

Water

Pos.	Part No.	Description	Qty.
54	50.00.554	O-ring for hand shower 11x2mm	2


CleanJet + Care



CleanJet + Care

Pos.	Part No.	Description	Qty.
1	56.00.153	Pump f. cleaning UP30	1
2	12.00.898	Housing f. Cleaning pump	1
3	1004.0666	Hex screw M4x10	1
5	56.00.166	Pressure hose f. cleaning	1
6	2066.0518	Hose clamp 30mm	1
7	2066.0521	Hose clamp 27mm	1
8	56.00.605	Suction hose f. cleaning	1
9	2066.0518	Hose clamp 30mm	2
10	1107.0100	Star lock ø4	5
11	50.00.754	Tulip for handshower with tape black	1
12	56.00.417	Frame for drawer CareControl	1
13	10.00.980	EJOT PT-Screw K30x10	4
15	56.00.492	Care container table unit	1
16	56.00.462	Bushing care container/pump	1
17	10.00.984	Hose clamp CLIC d=27.5mm	2
18	56.00.451	Pump f. CareControl DPS 35	1
19	56.00.534	Care hose 1	1
20	2066.0518	Hose clamp 30mm	1
21	2067.0164	Pressure hose ø10mm 650mm long	1
22	10.00.873	Hose clamp CLIC d=15.5mm	1
23	56.00.537	Pipe f. Care hose	1
24	10.00.983	Hose clamp CLIC d=23mm	1
25	56.00.428	Care hose 2	1
26	10.00.605	Hose clamp ø25.3	1
27	10.00.979	Cable clamp D=22	1
28	1005.2000	Interlocking tooth screw M5x8	1
29	56.00.402	Drawer Care container	1
30	56.00.375	Cover for pump	1
31	10.00.989	Rivet with screw	2
32	2067.0050	Pressure hose d10mm	.86

Standard accessory



Standard accessory

Pos.	Part No.	Description	Qty.
3	60.71.022	Positioning support f. core sensor	1
8	10.01.193	Sticker set	1
10	60.71.379	Water connection kit, table unit E/USA	1
10	60.71.379	Water connection kit, table unit E/USA	1

Index

Part-no.	Description	Page
24.03.057	Abrasion protection for glide socket	27
40.04.331	Adaptor cable f. Ball valve drain	9
22.00.744	Air baffle	21
40.02.684	Air inlet filter cpl.	31
22.00.915	Air inlet pipe	11
40.02.641	Auxilliary contact B&J HN10 N/O	9
16.01.926	Back panel	31
56.00.618	Ball valve drain SCC cpl.	33
16.01.146	Bracket for door contact switch	29
12.00.950	Bracket for door contact switch/drain pipe	29
40.03.996	Bus cable 1.15m	7
42.00.193	Bus interface A8	27
56.00.462	Bushing care container/pump	37
50.00.303	Bushing drip collector	31
10.00.979	Cable clamp D=22	37
10.00.111	Cable clip long	11, 19
40.05.032	Cable contactor-SSR	9
40.04.979	Cable control harness	9
24.02.967	Cable cover	25
40.01.071	Cable entry	7
40.02.965	Cable harness solenoid valve / SC-pump	9
40.03.516	Cable MMI - CPU	5
40.03.515	Cable MMI - TFT	5
40.03.467	Cable On-Off switch MMI	5
10.00.414	Cable strap black 120°	13
40.05.297	Cable, interior light W11	7
40.05.301	Cable, interior light W40	27
40.05.300	Cable, interior light W45	27
40.05.299	Cable, interior light W46	27
1110.0800	Cage nut M10	29
10.00.090	Cap f. Torx T30	25
10.01.076	Cap nut M5*A2	17, 21

Index

Part-no.	Description	Page
10.00.745	Cap nut M6*A2	29
56.00.492	Care container table unit	37
56.00.534	Care hose 1	37
56.00.428	Care hose 2	37
40.03.981	Change-over switch with cable USA	9
50.00.156	Clamp f. hand shower roll guide	33
10.00.087	Clamp strap f. sensor	21
50.00.296	Clip f. drip collector	31
54.01.191	Collecting pan	33
2001.0109	Compression spring	25
50.01.213	Connect. hose f. hand shower roll guide	33
40.03.322	Contactor assembly	9
40.03.669	Contactor B&J K3-40B00 190 R	9
42.00.260	Control pcb	7
42.00.112	Control pcb *TFT*	5
40.03.348	Control transformer T1	9
40.03.257	Converter 230VAC 24VDC	7
40.03.428	Cooling fan with NTC	7
1315.0104	Copper washer 16x20x1,5	21
1006.1962	Countersunk screw Torx M6x16	25
1003.2265	Countersunk self tapping screw 4,2x16	31
40.03.755	Cover behind 2 UL	9
24.03.062	Cover cap for door	27
16.02.889	Cover f. control pcb w. gasket	5
16.00.329	Cover f. USB interface	31
40.04.122	Cover for Fuse *UL*	9
56.00.375	Cover for pump	37
16.01.488	Crossbar below	31
16.00.180	Crossbar top	31
22.00.361	Deep-draw f. air baffle	23
16.02.062	Dial f. pulse generator	5
24.03.088	Door *Level illumination*	25

Index

Part-no.	Description	Page
24.02.951	Door bolt	25
24.03.040	Door bolt	25
24.02.959	Door catch	25
87.01.428	Door drip collector	27
20.02.552	Door gasket	21
24.02.923	Door handle	25
24.03.041	Door lock with spring U-bolt	25
24.02.814	Door mounting support bottom	25
24.00.133	Door mounting support top	25
24.02.966	Door setting bolt	27
40.04.342	Door switch 0.45m	29
22.00.960	Drain hose for humidity control	11
44.01.221	Drain hose steam generator	13
50.01.191	Drain pipe with bushings	31
56.00.402	Drawer Care container	37
50.00.286	Drip collector	31
40.03.282	Drip protection for air inlet filter 1 UL	9
40.01.329	Dry up protector 183°C	9
40.03.731	Earth terminal WKN 35SL/U	9
10.01.218	Edge protection profile	9
10.00.980	EJOT PT-Screw K30x10	37
10.00.103	EJOT PT-screw KA 3.5x10	31
10.00.460	EJOT PT-Screw Torx 3,5x14	31
44.00.207	Emptying pump	13
40.04.180	Energy_opt-Terminal 4poles	7
40.03.373	Fan housing *UL*	7
40.03.378	Fan motor with motor shaft gasket	19
22.00.828	Fan wheel	19
44.01.417	Filling level electrode 90 mm	13
44.01.168	Fixing angle steam generator	13
44.01.181	Fixing angle steam generator	13
24.03.060	Fixing bracket for interior glass pane	27

Index

Part-no.	Description	Page
40.03.780	Fixing clip core temp. cable	23
40.03.756	Fixing clip f. pcb	7
40.03.533	Fixing clip f. pcb	7
24.00.502	Fixing device f. magnet with magnet	27
44.00.232	Fixing device f. pump steam generator	13
22.00.721	Flange f. motor shaft gasket	19
1900.0102	Flow controller red 5 l/min	33
56.00.417	Frame for drawer CareControl	37
16.02.737	Front panel	31
4001.0224	Fuse 6.35x32mm	9
40.01.487	Fuse holder 2pol	9
40.02.512	Fuse holder 2x6.3A	9
40.01.588	Fuse SC-8A 10x38	9
16.01.748	Gasket f. breather tube d=63mm	31
40.03.415	Gasket f. heating assembly	17
44.00.280	Gasket f. heating element+Level elektrode insert	13
22.00.881	Gasket f. hum. meas. Pipe	11
54.01.168	Gasket f. inspection lid	33
40.00.091	Gasket frame w. glass a. gaskets	21
87.01.412	Glass pane bundle	27
22.01.196	Graphit seal for gasket flange	19
2022.0101	Grommet d8mm	33
40.03.994	Halogen bulb 300°C	21
22.00.730	Hand protection	23
50.00.282	Hand shower black	33
50.01.606	Hand shower roll guide	33
40.03.932	Heat sink big 2 SSR	7
40.03.639	Heating assembly	17
44.01.347	Heating element	13
44.01.374	Heating element w/o pipe	13
1105.0123	Hex combination nut M4	29
1104.0122	Hex combination nut M4 galv	11, 13

Index

Part-no.	Description	Page
1105.0121	Hex combination nut M5 galv	33
10.00.100	Hex nut M4, self-locking	21
1105.0120	Hex nut M5	7
10.01.065	Hex nut M5	9, 19
10.00.709	Hex nut M6 w. locking	13, 19
3014.0327	Hex nut M10x1,0	9, 21
10.00.612	Hex nut M16 flat	21
1004.0666	Hex screw M4x10	37
10.00.109	Hex screw M5x23	17
1006.0762	Hex screw M6x10	13
1006.0760	Hex screw M6x16	25, 29
10.01.527	Hex screw M8x12	25
10.00.936	Hex screw M8x20	19
10.00.975	Hex screw M10x35	29
1004.2160	Hex self tapping screw 4,2x16	31
10.00.992	Hex self tapping screw B4,2x32	31
24.02.958	Holding bracket f. door catch	25
2066.0205	Hose clamp 8-16x9 mm SW 7mm	33
2066.0521	Hose clamp 27mm	37
2066.0518	Hose clamp 30mm	13, 37
2066.0504	Hose clamp 40-60mm	13
10.01.261	Hose clamp 66 mm	33
10.01.262	Hose clamp 76 mm	33
10.00.873	Hose clamp CLIC d=15.5mm	37
10.00.983	Hose clamp CLIC d=23mm	37
10.00.984	Hose clamp CLIC d=27.5mm	37
2066.0527	Hose clamp ø14mm	11, 15
2066.0530	Hose clamp ø16.4mm	15
10.00.605	Hose clamp ø25.3	37
2066.0519	Hose clamp Ø35,6mm	13
2066.0526	Hose clamp ø46mm	13
22.00.525	Hose set f. humidity control	11

Index

Part-no.	Description	Page
12.00.898	Housing f. Cleaning pump	37
22.00.725	Humidity control cpl.	11
54.01.148	Inspection lid, quenching nozzle, B2	33
40.04.046	Interface cable USB 1.0m	31
24.02.960	Interlocking tooth screw M5x6	25
1005.2000	Interlocking tooth screw M5x8	37
20.01.755	Isolation for mounting plate for motor	19
2062.0331	Junction pressure hose GS 10	15
2760.1370	Latch hook for air baffle	23
87.01.372	LED bar, left/right	27
87.01.367	LED optics	27
2920.1300	Level elektrode insert	13
24.03.184	Lock cover	25
50.00.086	Locking plate f. water distribution	33
40.03.928	Loudspeaker cpl.	7
12.01.133	Lower part of pedestal	29
40.03.410	Mating flange f. heating assembly	17
40.01.604	Meat probe sensor	21
42.00.081	MMI pcb	5
22.00.985	Motor shaft gasket D15	19
40.03.312	Mounting base for control pcb	7
22.00.882	Mounting device f. pressure sensor	11
40.03.371	Mounting device heat sink SSR	7
22.00.722	Mounting support f. gasket flange	19
40.03.404	Mounting support transformer	9
50.00.844	Nozzle f. moistening	17
10.00.512	O-ring for ball valve drain 26x3.5	33
10.00.511	O-ring for ball valve drain 46x3.5	33
50.00.554	O-ring for hand shower 11x2mm	35
22.00.837	O-ring for humidity control	11
16.02.870	Opening mechanism for panel insert	29
1008.0768	Ornamental screw M8x16	25

Index

Part-no.	Description	Page
1008.0769	Ornamental screw M8x30	25
22.00.850	Outer humidity meas. Piece	11
54.01.117	Outlet sieve	21
10.00.449	Pan head screw M6x16	33
10.00.365	Pan head screw Torx M3x20	9
10.01.266	Pan head screw Torx T20 10,5mm	7
10.00.061	Pan head screw Torx T20 M4x12	7
56.00.537	Pipe f. Care hose	37
50.01.721	Plastic pipe 4,5x0,75x178mm	17
50.00.085	Plug-in spring f. hand shower roll guide	33
60.71.022	Positioning support f. core sensor	39
42.00.224	Power supply for level interior light	7
2067.0050	Pressure hose d10mm	33, 37
56.00.166	Pressure hose f. cleaning	37
2067.0164	Pressure hose ø10mm 650mm long	37
3017.1011	Pressure sensor for humidity control Huba 401	11
40.00.404	Pulse generator	5
2118.1000	Pump connection spout	15
8354.1320	Pump connection spout cpl.	13
56.00.451	Pump f. CareControl DPS 35	37
56.00.153	Pump f. cleaning UP30	37
40.00.098	Reflector f. interior light	21
87.00.417	Repair set shaft seal 01/2004	33
10.00.515	Rivet 3,2x5 A4	9, 23
1603.0166	Rivet 3,2x7,9 CNS closed	31
1604.0167	Rivet 4x10	23
10.00.890	Rivet 4x10	27
10.00.904	Rivet B4x8	27
10.01.429	Rivet nut M5 hexagon closed with gasket	21
10.00.989	Rivet with screw	7, 37
54.01.141	Rubber form piece venting pipe	33
40.01.482	Safety temperature limiter 365°C	9, 21

Index

Part-no.	Description	Page
40.04.373	Screen core temperature sensor	21
40.03.782	Screen interior cabinet sensor	21
42.00.128	SD-memory card 4GB	7
16.02.865	Sealing f. panel insert	5
16.00.128	Side panel left	31
16.00.127	Side panel right	31
2110.1008	Silicon hose ø10x2mm	15
50.01.146	Single solenoid valve Y2	33
24.03.052	Sleeve for door bolt top	27
24.03.056	Slide bush for door	27
1104.0820	Snap nut 4,2mm	29, 31
40.00.453	Solid state relais	7
24.03.288	Spring U-bolt for door lock	25
10.01.049	Square necked mushroom head bolt 6x30	19
1107.0103	Star lock ø3	17
1107.0100	Star lock ø4	37
44.00.941	Steam generator insolated	13
2112.1006	Steam hose Ø50x50mm	13
10.01.193	Sticker set	39
2120.1259	Stop plug 10mm	15
56.00.605	Suction hose f. cleaning	37
22.00.491	Surge guard for Meat probe sensor	23
50.00.313	T-fitting water connection	33
40.03.729	Terminal block grey WKN 35/U	9
40.00.290	Thermocouple humidity *B4*	21
40.04.096	Thermocouple interior cabinet B1	21
40.04.106	Thermocouple steam generator *B5*	13
4005.0101	Tie rap 145 mm	15
40.03.732	Tie rap 160 mm	7
1204.0120	Tooth lock washer A4,3	7
1205.0120	Tooth lock washer A5,3	7
1206.0120	Tooth lock washer A6,4	29


Index

Part-no.	Description	Page
16.02.152	Top cover	31
50.01.050	Triple solenoid valve	33
10.01.004	Truss head screw with flange MLF A2 M6x20	33
50.00.754	Tulip for handshower with tape black	37
12.00.516	Turning lock f. lower part of pedestal	29
50.00.846	Union nut M12x13.2 N	17
12.00.205	Upper part of pedestal	29
40.02.425	Varistor	9
22.00.767	Vent cover	11, 29
54.00.738	Ventilation pipe	33
8354.1304	Venting valve for steam generator	33
10.00.744	Washer A4,3 *A4	23
1306.0120	Washer A6,4	25
1308.0162	Washer A8,4	19
60.71.379	Water connection kit, table unit E/USA	39
50.00.070	Water distribution hor roll guide con.	33
50.00.071	Water distribution hor. w/o roll guide con.	33
1900.0202	Water filter	33
50.01.640	Water volume sensor	33
40.04.362	Wiring interior light	7, 21


Deckblatt Elektrische Dokumentation, Cover sheet electrical Documentation

Die Elektrische Dokumentation besteht aus: 1. diesem Deckblatt, 2. dem Schaltplan und 3. der Legende der elektrischen Bauteile
The electric documentation contains: 1. this cover sheet, 2. the wiring diagram and 3. the bill of material (BOM)


Typ **Type**	SCC WE 101E		
Spannung (SPL) **Voltage**	3AC208 V 60 Hz		
Deckblatt-Nr. **Front Page No.**	75-22040	**Version**	0
Schaltplan **Wiring diagram**	76-00764	**Version**	0
Legende **Legend electr. components**	78-01523	**Version**	0
Geräteserialnr. **Serial number**	E11SI1609	**Version**	1609
Erstellt am **Created at**	22.06.2016	**Ersteller** **Creator**	HEJA
Gültig ab **Valid from**	22.06.2016	**Änderung** **Modification**	



76-00764	MODUL 1 Leistung/Power	SCC WE 101E-UL Option	Erstellt von: HEJA
Version: 0		3AC208 V 60 Hz	Datum: 21.06.2016 Blatt: 1



76-00764	MODUL 2 Heizung/Heating	SCC WE 101E-UL Option	Erstellt von: HEJA
Version: 0		3AC208 V 60 Hz	Datum: 21.06.2016 Blatt: 2



76-00764	MODUL 3 Sensoren/Sensors	SCC WE 101E-UL Option	Erstellt von: HEJA
Version: 0		3AC208 V 60 Hz	Datum: 21.06.2016 Blatt: 3

Positionsliste
Bill of material

Name **Name**	**Artikelnr.** **Item number**	**Artikelbezeichnung**	**Item description**
-A0	42.00.112	TFT Touch	TFT Touch
-A1	42.00.081	Interface Platine	Interface PCB
-A2	42.00.260	CPU SCC WE	CPU SCC WE
-A2-F1/F2	3019.0120	Sicherung A2 - 2AT	Fuse A2 - 2AT
-A7	42.00.224	Netzteil Beleuchtung	Power supply lighting
-A8	42.00.193	Busknoten Tür	Network board door
-B1	40.04.096	Thermoelement Garraum	Thermocouple interior cabinet
-B2	54.01.148	Thermoelement Steuerventil	Thermocouple control valve
-B3	40.01.604	Thermoelement Kerntemperatur	Thermocouple core sensor
-B4	40.00.290	Thermoelement Feuchte	Thermocouple humidity
-B5	40.04.106	Thermoelement Dampfgenerator	Thermocouple steam generator
-F1/F2	40.01.588	Steuersicherung	Control fuse
-F3	40.01.329	Sicherheitstemperaturbegrenzer DG	Safety thermostat steam generator SG
-F4	40.01.482	Sicherheitstemperaturbegrenzer 360°C/680°F	Safety thermostat interior cabinet 360°C/680°F
-G1	40.03.257	Gleichrichter Kühllüfter	DC converter cooling fan
-H1	3024.0201	Garraumbeleuchtung	Interior cabinet light
-H3/H4	42.00.202	Türbeleuchtung LED-Platine	Door lighting LED board
-K1	40.03.669	Hauptschütz	Main contactor
-M1	40.03.378	Lüftermotor	Fan motor
-M12	56.00.451	Pumpe Pflegemittel	Care pump
-M4	44.00.207	SC-Pumpe	SC-pump
-M5	40.03.428	Kühllüfter	Cooling fan
-M6	56.00.153	CleanJet Pumpe SCC WE	CleanJet pump SCC WE
-M7	56.00.618	Kugelhahn Ablauf	Drain valve
-P1	3017.1011	Differenzdrucksensor	Differential pressure sensor
-R1	44.01.347	Dampfheizkörper	Heating element steam
-R2	44.01.374	Dampfheizkörper	Heating element steam
-R4	40.03.639	Heißluftheizkörper	Heating element hot air
-S1	TEXT	Ein/Aus Schalter	ON/OFF switch
-S11	50.01.640	CDS-Sensor	CDS-sensor
-S2	44.01.417	Niveauelektrode	Water level electrode

Änderungsdatum	**22.06.2016**	Name	**SCC WE 101E-UL Option**	Dokument-Nr.	**78-01523**
Erzeuger	**HEJA**	Spannung	**3AC208 V 60 Hz**	Version	**0**

Name **Name**	**Artikelnr.** **Item number**	**Artikelbezeichnung**	**Item description**
-S3	40.04.342	Türkontaktschalter	Door contact switch
-S6	40.00.404	Zentrales Einstellrad	Central dial
-T1	40.03.348	Steuertrafo	Control transformer
-T1-F1	3019.0120	Sicherung Steuertrafo T1 2AT	Fuse control transformer T1 2AT
-T1-F2	3019.0114	Sicherung Steuertrafo T1 5AmT	Fuse control transformer T1 5AmT
-T2	40.03.928	SCC WE: Lautsprecher / CMP: Alarmsummer	SCC WE: Speaker / CMP: Buzzer
-V1-V12	40.00.453	Leistungshalbleiter	Solid state relais
-W11	40.04.362	Kabel: Garraumbeleuchtung	Cable: interior cabinet light
-W17	40.04.979	Kabel: Steuerstamm	Cable: control harness
-W20	40.03.981	Kabel: Spannungswahlschalter UL	Cable: selector switch UL
-W30	40.02.965	Kabel: Adapterkabel Pumpe Pflegemittel 61-102	Cable: adapter care pump 61-102
-W31	40.03.467	Kabel: Ein/Aus Schalter	Cable: ON/OFF switch
-W36	40.03.516	Kabel: Interface Platine - CPU SCC WE	Cable: Interface PCB - CPU SCC WE
-W38	40.03.515	Kabel: Interface Platine-TFT Touch	Cable: Interface PCB-TFT Touch
-W40	40.05.301	Kabel: Türbeleuchtung	Cable: door lighting
-W45	40.05.300	Kabel: Option Türbeleuchtung griffseitig	Cable: Option door lighting handle sided
-W46	40.05.299	Kabel: Option Türbeleuchtung scharnierseitig	Cable: Option door lighting hinge sided
-W48	40.05.297	Kabel: Verbindung Platine A7-Tür	Cable: Connection board A7 to door
-X20	40.04.180	Sicotronic-Klemme	Sicotronic link
-Y1/Y3/Y4	50.01.050	Y1: Magnetventil Füllen / SCC WE Y3: Beschwadung / Y4: Pflegemittel	Y1: Solenoid valve filling / SCC WE Y3: moistening / Y4: care
-Y2	50.01.146	Magnetventil Steuerventil	Solenoid valve control valve
-Y5	22.00.725	Klimaventil	Clima valve
-Z1	40.02.425	Entstörfilter/Varistor	Electronic noise filter