# Service part catalogue

## SelfCookingCenter® ab 09/2016
## SelfCooking Center XS - 6 x 2/3 GastronormE


**E60SI1701**






CD-Ges_101207
©2011 Rational Technical Service
All Rights reserved


# SelfCookingCenter® as of 09/2016



# SelfCookingCenter® as of 09/2016

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | | Control panel | 1 |
| 2 | | Electrical installation | 1 |
| 3 | | ClimaPlus | 1 |
| 4 | | Steam generator | 1 |
| 5 | | Hot air heating | 1 |
| 6 | | Motor and fan wheel | 1 |
| 7 | | Interior cabinet | 1 |
| 8 | | Door | 1 |
| 9 | | Exterior cabinet | 1 |
| 10 | | Water | 1 |
| 11 | | CleanJet + Care | 1 |
| 13 | | Standard accessory | 1 |


# Control panel



# Control panel

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 2 | 42.00.112 | Control pcb *TFT* | 1 |
| 3 | 42.00.081 | MMI pcb | 1 |
| 4 | 40.05.055 | Cable On-Off switch MMI | 1 |
| 5 | 40.03.515 | Cable MMI - TFT | 1 |
| 6 | 40.03.516 | Cable MMI - CPU | 1 |
| 7 | 16.02.062 | Dial f. pulse generator | 1 |
| 8 | 40.00.404 | Pulse generator | 1 |
| 11 | 16.02.889 | Cover f. control pcb w. gasket | 1 |


# Electrical installation



# Electrical installation

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 40.01.589 | Solid state relais | 2 |
| 2 | 10.00.061 | Pan head screw Torx T20 M4x12 | 5 |
| 5 | 40.04.795 | Heat sink small SSR | 1 |
| 6 | 40.05.037 | Mounting device heat sink SSR | 1 |
| 7 | 10.01.266 | Pan head screw Torx T20 10,5mm | 6 |
| 10 | 40.05.016 | Air shaft cpl. | 1 |
| 11 | 40.04.115 | Cooling fan | 1 |
| 12 | 40.03.257 | Converter 230VAC 24VDC | 1 |
| 14 | 40.04.811 | Cover for air outlet | 1 |
| 18 | 42.00.260 | Control pcb | 1 |
| 19 | 42.00.128 | SD-memory card 4GB | 1 |
| 24 | 40.03.756 | Fixing clip f. pcb | 1 |
| 25 | 40.03.533 | Fixing clip f. pcb | 4 |
| 27 | 40.04.180 | Energy_opt-Terminal 4poles | 1 |
| 35 | 10.00.061 | Pan head screw Torx T20 M4x12 | 2 |
| 36 | 40.05.419 | Cable connection M25x1.5 | 1 |
| 37 | 40.05.420 | Fixing nut for cable gland M25x1.5 MS | 1 |
| 41 | 40.02.675 | Loudspeaker | 1 |
| 43 | 40.05.268 | Power supply cable 4xAWG10 SOOW+15-30P | 1 |
| 44 | 40.04.810 | Mounting device for cooling fan | 1 |
| 45 | 42.00.223 | Power supply for standard interior light | 1 |
| 100 | 40.03.995 | Bus cable 0.85m | 1 |
| 106 | 40.04.906 | USB socket with cable | 1 |
| A | | Electrical installation | 1 |


# Electrical installation



# Electrical installation

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 40.04.908 | Contactor assembly | 1 |
| 2 | 40.01.329 | Dry up protector 183°C | 1 |
| 3 | 3014.0327 | Hex nut M10x1,0 | 1 |
| 4 | 40.01.482 | Safety temperature limiter 365°C | 1 |
| 5 | 3014.0327 | Hex nut M10x1,0 | 1 |
| 6 | 40.05.269 | Contactor B&J K3-10NDR10 190R B01B01TX | 1 |
| 10 | 40.03.348 | Control transformer T1 | 1 |
| 11 | 1008.0750 | Hex screw M5x16 | 2 |
| 12 | 40.04.910 | Mounting support transformer | 1 |
| 13 | 1105.0120 | Hex nut M5 | 2 |
| 14 | 40.02.425 | Varistor | 1 |
| 18 | 4001.0224 | Fuse 6.35x32mm | 2 |
| 18 | 40.01.588 | Fuse SC-8A 10x38 | 2 |
| 19 | 40.02.512 | Fuse holder 2x6.3A | 1 |
| 19 | 40.01.487 | Fuse holder 2pol | 1 |
| 22 | 40.04.122 | Cover for Fuse *UL* | 2 |
| 36 | 40.03.743 | Earth terminal WK4 SL/U | 1 |
| 37 | 40.05.261 | Terminal block WTP 2,5/4 D1/2 grey | 1 |
| 40 | 40.05.262 | End cover APFN 2,5 D1/2/35 | 1 |
| 52 | 40.04.834 | Fixing device for safety temperature limiter | 1 |
| 100 | 40.03.981 | Change-over switch with cable USA | 1 |
| 101 | 40.04.331 | Adaptor cable f. Ball valve drain | 1 |
| 104 | 40.05.357 | Cable control harness | 1 |
| 105 | 40.04.838 | Cable control harness *below* | 1 |


# ClimaPlus



# ClimaPlus

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 40.04.835 | Mounting device f. pressure sensor | 1 |
| 2 | 3017.1011 | Pressure sensor for humidity control Huba 401 | 1 |
| 3 | 22.01.105 | Inner humidity meas. Piece | 1 |
| 4 | 22.01.107 | Outer humidity meas. Piece | 1 |
| 5 | 22.00.881 | Gasket f. hum. meas. Pipe | 2 |
| 6 | 10.00.916 | Hex nut M4 w. locking | 6 |
| 7 | 22.01.116 | Hose set f. humidity control | 1 |
| 8 | 22.00.725 | Humidity control cpl. | 1 |
| 9 | 22.00.914 | Air inlet pipe | 1 |
| 10 | 22.01.179 | Hose set for ventilation | 1 |
| 12 | 22.01.112 | Vent cover | 1 |
| 13 | 22.00.837 | O-ring for humidity control | 2 |
| 14 | 10.00.111 | Cable clip long | 2 |


# Steam generator



# Steam generator

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 44.01.434 | Steam generator insolated | 1 |
| 3 | 44.01.489 | Heating element | 1 |
| 6 | 44.01.433 | Gasket f. heating element | 1 |
| 7 | 10.00.709 | Hex nut M6 w. locking | 8 |
| 8 | 44.01.546 | Safety device / water supply for steam generator | 1 |
| 9 | 44.01.495 | Bushing for filling steam generator | 1 |
| 10 | 2066.0530 | Hose clamp ø16.4mm | 2 |
| 11 | 44.01.569 | Drain hose steam generator | 1 |
| 16 | 2066.0519 | Hose clamp Ø35,6mm | 1 |
| 17 | 2066.0526 | Hose clamp ø46mm | 1 |
| 18 | 44.00.207 | Emptying pump | 1 |
| 19 | 1006.0762 | Hex screw M6x10 | 2 |
| 20 | 44.01.445 | Fixing device f. pump steam generator | 1 |
| 21 | 10.00.709 | Hex nut M6 w. locking | 2 |
| 22 | 44.01.470 | Drain hose steam generator | 1 |
| 23 | 2066.0518 | Hose clamp 30mm | 1 |
| 24 | 40.05.256 | Thermocouple steam generator *B5* | 1 |
| 26 | 10.00.414 | Cable strap black 120° | 1 |
| 27 | 10.00.916 | Hex nut M4 w. locking | 1 |
| 28 | 44.01.463 | Steam hose Ø40x50mm | 1 |
| 30 | 2066.0504 | Hose clamp 40-60mm | 1 |
| 31 | 2066.0507 | Hose clamp 32-50mm | 1 |
| 36 | 44.01.581 | Filling level electrode 170 mm | 1 |
| A | 8354.1320 | Pump connection spout cpl. | 1 |


# Pump connection spout



# Pump connection spout

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 2118.1000 | Pump connection spout | 1 |
| 2 | 2120.1259 | Stop plug 10mm | 1 |
| 3 | 2110.1008 | Silicon hose ø10x2mm | 1 |
| 4 | 2066.0527 | Hose clamp ø14mm | 2 |
| 5 | 2066.0530 | Hose clamp ø16.4mm | 1 |
| 6 | 2062.0331 | Junction pressure hose GS 10 | 1 |
| 7 | 4005.0101 | Tie rap 145 mm | 1 |


# Hot air heating



# Hot air heating

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 46.00.171 | Mating flange f. heating assembly | 1 |
| 2 | 46.00.203 | Heating assembly | 1 |
| 4 | 10.00.109 | Hex screw M5x23 | 6 |
| 5 | 10.01.076 | Cap nut M5*A2 | 1 |
| 6 | 46.00.170 | Gasket f. heating assembly | 1 |
| 7 | 1107.0103 | Star lock ø3 | 2 |
| 8 | 50.00.844 | Nozzle f. moistening | 1 |
| 9 | 50.00.846 | Union nut M12x13.2 N | 1 |
| 10 | 50.01.722 | Plastic pipe 4,5x0,75x136mm | 1 |


# Motor and fan wheel



# Motor and fan wheel

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 40.05.376 | Fan motor | 1 |
| 2 | 42.00.265 | Motor control for fan motor | 1 |
| 3 | 10.01.049 | Square necked mushroom head bolt 6x30 | 4 |
| 4 | 10.01.490 | Hex nut M6 | 4 |
| 5 | 22.00.721 | Flange f. motor shaft gasket | 1 |
| 6 | 22.00.722 | Mounting support f. gasket flange | 1 |
| 7 | 22.00.985 | Motor shaft gasket D15 | 1 |
| 8 | 22.01.196 | Graphit seal for gasket flange | 1 |
| 9 | 10.01.065 | Hex nut M5 | 3 |
| 10 | 22.01.062 | Fan wheel | 1 |
| 11 | 10.00.936 | Hex screw M8x20 | 1 |
| 12 | 1308.0162 | Washer A8,4 | 1 |


# Interior cabinet



# Interior cabinet

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 40.04.907 | Thermocouple humidity *B4* | 1 |
| 2 | 10.00.087 | Clamp strap f. sensor | 1 |
| 3 | 10.00.916 | Hex nut M4 w. locking | 1 |
| 9 | 20.02.549 | Door gasket | 1 |
| 10 | 40.05.254 | Meat probe sensor | 1 |
| 11 | 10.00.612 | Hex nut M16 flat | 1 |
| 12 | 1315.0104 | Copper washer 16x20x1,5 | 1 |
| 13 | 40.04.844 | Screen for safety temperature limiter | 1 |
| 14 | 10.01.076 | Cap nut M5*A2 | 2 |
| 17 | 40.04.869 | Thermocouple interior cabinet B1 | 1 |
| 18 | 40.03.782 | Screen interior cabinet sensor | 1 |
| 19 | 10.01.076 | Cap nut M5*A2 | 2 |
| 20 | 20.02.515 | Outlet sieve | 1 |
| 21 | 40.01.482 | Safety temperature limiter 365°C | 1 |
| 22 | 3014.0327 | Hex nut M10x1,0 | 1 |
| A | 22.01.228 | Air baffle | 1 |


# Air baffle



# Air baffle

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 4 | 22.01.082 | Hand protection | 1 |
| 6 | 10.00.515 | Rivet 3,2x5 A4 | 3 |
| 7 | 40.03.780 | Fixing clip core temp. cable | 1 |
| 9 | 2760.1370 | Latch hook for air baffle | 2 |
| 10 | 1604.0167 | Rivet 4x10 | 2 |
| 13 | 10.00.744 | Washer A4,3 *A4 | 2 |


# Door



# Door

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 24.02.937 | Door handle | 1 |
| 2 | 24.03.041 | Door lock with spring U-bolt | 1 |
| 3 | 24.03.184 | Lock cover | 1 |
| 4 | 24.03.461 | Door mounting support bottom | 1 |
| 5 | 10.00.090 | Cap f. Torx T30 | 2 |
| 6 | 1006.1962 | Countersunk screw Torx M6x16 | 2 |
| 7 | 24.03.399 | Door mounting support top | 1 |
| 8 | 1008.0768 | Ornamental screw M8x16 | 3 |
| 10 | 10.01.474 | Strain relief clamp | 1 |
| 11 | 24.02.951 | Door bolt | 1 |
| 12 | 10.01.527 | Hex screw M8x12 | 1 |
| 14 | 24.03.040 | Door bolt | 1 |
| 15 | 1008.0769 | Ornamental screw M8x30 | 1 |
| 17 | 2001.0109 | Compression spring | 1 |
| 18 | 24.02.958 | Holding bracket f. door catch | 1 |
| 19 | 1006.0760 | Hex screw M6x16 | 2 |
| 20 | 1306.0120 | Washer A6,4 | 2 |
| 21 | 24.02.959 | Door catch | 1 |
| 22 | 24.02.960 | Interlocking tooth screw M5x6 | 1 |
| 24 | 24.03.288 | Spring U-bolt for door lock | 1 |
| A | 24.02.970 | Door | 1 |


# Door



# Door

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 87.01.416 | Glass pane bundle | 1 |
| 3 | 24.03.052 | Sleeve for door bolt top | 1 |
| 4 | 24.02.966 | Door setting bolt | 1 |
| 5 | 24.00.502 | Fixing device f. magnet with magnet | 1 |
| 6 | 24.03.021 | Door drip collector | 1 |
| 7 | 24.03.056 | Slide bush for door | 1 |
| 8 | 24.03.060 | Fixing bracket for  interior glass pane | 2 |
| 9 | 24.03.057 | Abrasion protection for glide socket | 1 |
| 10 | 24.03.062 | Cover cap for door | 1 |
| 11 | 24.03.467 | Cable shaft for door | 1 |
| 13 | 87.01.368 | LED bar, left/right | 2 |
| 14 | 87.01.365 | LED optics | 2 |
| 16 | 10.00.890 | Rivet 4x10 | 1 |
| 17 | 10.00.904 | Rivet B4x8 | 2 |
| 100 | 40.05.295 | Cable, interior light W40 | 1 |
| 101 | 40.05.310 | Cable, interior light W41 | 1 |
| 102 | 40.05.311 | Cable, interior light W42 | 1 |


# Exterior cabinet



# Exterior cabinet

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 9 | 12.01.871 | Bracket for door contact switch | 1 |
| 10 | 1004.0666 | Hex screw M4x10 | 1 |
| 11 | 1304.0160 | Washer A4,3 | 1 |
| 12 | 40.04.342 | Door switch 0.45m | 1 |
| 14 | 1103.0600 | PVC plug in nut for metal screw 2.9mm | 2 |
| 15 | 1003.2160 | Hex self tapping screw 2,9x9,5 | 1 |
| 16 | 22.01.112 | Vent cover | 1 |
| A | | Exterior cabinet | 1 |


# Exterior cabinet



# Exterior cabinet

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 16.03.178 | Top cover | 1 |
| 2 | 1003.2265 | Countersunk self tapping screw 4,2x16 | 8 |
| 3 | 1104.0820 | Snap nut 4,2mm | 8 |
| 4 | 16.02.885 | Side panel right | 1 |
| 6 | 16.03.331 | Side panel left | 1 |
| 7 | 10.00.992 | Hex self tapping screw B4,2x32 | 2 |
| 8 | 1104.0820 | Snap nut 4,2mm | 2 |
| 9 | 16.02.963 | Back panel, left | 1 |
| 10 | 16.02.962 | Back panel, right | 1 |
| 11 | 16.03.142 | Front panel | 1 |
| 13 | 16.02.992 | Crossbar front panel | 1 |
| 17 | 16.02.905 | Crossbar top | 1 |
| 21 | 40.04.771 | Air inlet filter | 1 |
| 22 | 56.00.827 | Frame for drawer CareControl | 1 |
| 23 | 56.00.966 | Drain pipe with bushings | 1 |
| 26 | 40.04.902 | Cover f. USB interface | 1 |
| 27 | 10.00.103 | EJOT PT-screw KA 3.5x10 | 1 |
| 28 | 40.04.906 | USB socket with cable | 1 |
| 29 | 10.00.460 | EJOT PT-Screw Torx 3,5x14 | 2 |
| 30 | 56.00.800 | Gasket f. breather tube | 1 |
| 32 | 56.00.874 | Gasket wastewater | 1 |
| 33 | 12.01.899 | Gasket for base frame | 1 |
| 34 | 12.01.716 | Cover for base frame | 1 |
| 35 | 1004.0666 | Hex screw M4x10 | 1 |
| 36 | 12.01.877 | Splash guard | 1 |
| 37 | 1004.0666 | Hex screw M4x10 | 2 |


# Water


1
8
31
10
4
34
2
8
4
12
25
24
22
40
23
35
19
48
42
49
13
11
5
6
15
28
33
18
27

# Water

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 54.01.517 | Ventilation pipe | 1 |
| 2 | 54.01.503 | Rubber form piece venting pipe | 1 |
| 4 | 10.01.455 | Hose clamp Ø54x9 | 2 |
| 5 | 50.00.086 | Locking plate f. water distribution | 1 |
| 6 | 1900.0202 | Water filter | 1 |
| 8 | 10.00.873 | Hose clamp CLIC d=15.5mm | 6 |
| 10 | 52.00.017 | Angle plug PS3 6-6-90° | 2 |
| 11 | 52.00.016 | Hand shower roll guide | 1 |
| 12 | 52.00.058 | Connect. hose f. hand shower roll guide | 1 |
| 13 | 50.00.085 | Plug-in spring f. hand shower roll guide | 1 |
| 15 | 50.00.282 | Hand shower black | 1 |
| 16 | 50.00.156 | Clamp f. hand shower roll guide | 1 |
| 18 | 10.01.065 | Hex nut M5 | 1 |
| 19 | 56.00.731 | Ball valve drain SCC cpl. | 1 |
| 21 | 10.00.449 | Pan head screw M6x16 | 2 |
| 22 | 56.00.830 | O-ring for ball valve drain 36x3.5 | 1 |
| 23 | 56.00.829 | O-ring for ball valve drain 19x3.5 | 1 |
| 24 | 54.01.511 | Inspection lid, B2 | 1 |
| 25 | 54.01.168 | Gasket f. inspection lid | 1 |
| 27 | 50.01.733 | Quad solenoid valve | 1 |
| 28 | 50.01.799 | Water distribution | 1 |
| 31 | 2067.0050 | Pressure hose d10mm | .85 |
| 33 | 50.01.640 | Water volume sensor | 1 |
| 34 | 2067.0050 | Pressure hose d10mm | .39 |
| 35 | 52.00.059 | Grommet for drain hose | 1 |
| 40 | 2067.0050 | Pressure hose d10mm | .625 |
| 42 | 2022.0101 | Grommet d8mm | 1 |
| 48 | 52.00.047 | Hose ø10x2x220 f. hand shower | 1 |
| 49 | 2066.0527 | Hose clamp ø14mm | 1 |


# CleanJet + Care



# CleanJet + Care

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 56.00.870 | Pump f. cleaning UP30 | 1 |
| 5 | 56.00.823 | Elbow for suction hose CleanJet | 1 |
| 6 | 2066.0518 | Hose clamp 30mm | 1 |
| 7 | 10.01.510 | Hose clamp ø26.8 | 1 |
| 8 | 56.00.784 | Suction hose f. cleaning | 1 |
| 11 | 56.00.827 | Frame for drawer CareControl | 1 |
| 13 | 10.00.980 | EJOT PT-Screw K30x10 | 2 |
| 15 | 56.00.666 | Care container table unit | 1 |
| 18 | 56.00.918 | Pump f. CareControl | 1 |
| 19 | 56.00.677 | Care hose | 1 |
| 20 | 10.00.605 | Hose clamp ø25.3 | 1 |
| 21 | 56.00.744 | Pressure hose ø10mm 130mm | 1 |
| 22 | 10.00.873 | Hose clamp CLIC d=15.5mm | 2 |
| 29 | 56.00.672 | Drawer Care container | 1 |

# Standard accessory



# Standard accessory

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 60.73.725 | Hinging rack left Typ 623 | 1 |
| 2 | 60.73.726 | Hinging rack right Typ 623 | 1 |
| 8 | 10.01.535 | Sticker set | 1 |
| 10 | 60.71.379 | Water connection kit, table unit E/USA | 1 |
| 10 | 60.71.379 | Water connection kit, table unit E/USA | 1 |
| 11 | 60.73.955 | Positioning support f. core sensor | 1 |

# Index


| Part-no. | Description | Page |
|---|---|---|
| 24.03.057 | Abrasion protection for glide socket | 27 |
| 40.04.331 | Adaptor cable f. Ball valve drain | 9 |
| 22.01.228 | Air baffle | 21 |
| 40.04.771 | Air inlet filter | 31 |
| 22.00.914 | Air inlet pipe | 11 |
| 40.05.016 | Air shaft cpl. | 7 |
| 52.00.017 | Angle plug PS3 6-6-90° | 33 |
| 16.02.963 | Back panel, left | 31 |
| 16.02.962 | Back panel, right | 31 |
| 56.00.731 | Ball valve drain SCC cpl. | 33 |
| 12.01.871 | Bracket for door contact switch | 29 |
| 40.03.995 | Bus cable 0.85m | 7 |
| 44.01.495 | Bushing for filling steam generator | 13 |
| 10.00.111 | Cable clip long | 11 |
| 40.05.419 | Cable connection M25x1.5 | 7 |
| 40.05.357 | Cable control harness | 9 |
| 40.04.838 | Cable control harness *below* | 9 |
| 40.03.516 | Cable MMI - CPU | 5 |
| 40.03.515 | Cable MMI - TFT | 5 |
| 40.05.055 | Cable On-Off switch MMI | 5 |
| 24.03.467 | Cable shaft for door | 27 |
| 10.00.414 | Cable strap black 120° | 13 |
| 40.05.295 | Cable, interior light W40 | 27 |
| 40.05.310 | Cable, interior light W41 | 27 |
| 40.05.311 | Cable, interior light W42 | 27 |
| 10.00.090 | Cap f. Torx T30 | 25 |
| 10.01.076 | Cap nut M5*A2 | 17, 21 |
| 56.00.666 | Care container table unit | 35 |
| 56.00.677 | Care hose | 35 |
| 40.03.981 | Change-over switch with cable USA | 9 |
| 50.00.156 | Clamp f. hand shower roll guide | 33 |
| 10.00.087 | Clamp strap f. sensor | 21 |

# Index


| Part-no. | Description | Page |
|---|---|---|
| 2001.0109 | Compression spring | 25 |
| 52.00.058 | Connect. hose f. hand shower roll guide | 33 |
| 40.04.908 | Contactor assembly | 9 |
| 40.05.269 | Contactor B&J K3-10NDR10 190R B01B01TX | 9 |
| 42.00.260 | Control pcb | 7 |
| 42.00.112 | Control pcb *TFT* | 5 |
| 40.03.348 | Control transformer T1 | 9 |
| 40.03.257 | Converter 230VAC 24VDC | 7 |
| 40.04.115 | Cooling fan | 7 |
| 1315.0104 | Copper washer 16x20x1,5 | 21 |
| 1006.1962 | Countersunk screw Torx M6x16 | 25 |
| 1003.2265 | Countersunk self tapping screw 4,2x16 | 31 |
| 24.03.062 | Cover cap for door | 27 |
| 16.02.889 | Cover f. control pcb w. gasket | 5 |
| 40.04.902 | Cover f. USB interface | 31 |
| 40.04.811 | Cover for air outlet | 7 |
| 12.01.716 | Cover for base frame | 31 |
| 40.04.122 | Cover for Fuse *UL* | 9 |
| 16.02.992 | Crossbar front panel | 31 |
| 16.02.905 | Crossbar top | 31 |
| 16.02.062 | Dial f. pulse generator | 5 |
| 24.02.970 | Door | 25 |
| 24.02.951 | Door bolt | 25 |
| 24.03.040 | Door bolt | 25 |
| 24.02.959 | Door catch | 25 |
| 24.03.021 | Door drip collector | 27 |
| 20.02.549 | Door gasket | 21 |
| 24.02.937 | Door handle | 25 |
| 24.03.041 | Door lock with spring U-bolt | 25 |
| 24.03.461 | Door mounting support bottom | 25 |
| 24.03.399 | Door mounting support top | 25 |
| 24.02.966 | Door setting bolt | 27 |

# Index


| Part-no. | Description | Page |
|---|---|---|
| 40.04.342 | Door switch 0.45m | 29 |
| 44.01.569 | Drain hose steam generator | 13 |
| 44.01.470 | Drain hose steam generator | 13 |
| 56.00.966 | Drain pipe with bushings | 31 |
| 56.00.672 | Drawer Care container | 35 |
| 40.01.329 | Dry up protector 183°C | 9 |
| 40.03.743 | Earth terminal WK4 SL/U | 9 |
| 10.00.980 | EJOT PT-Screw K30x10 | 35 |
| 10.00.103 | EJOT PT-screw KA 3.5x10 | 31 |
| 10.00.460 | EJOT PT-Screw Torx 3,5x14 | 31 |
| 56.00.823 | Elbow for suction hose CleanJet | 35 |
| 44.00.207 | Emptying pump | 13 |
| 40.05.262 | End cover APFN 2,5 D1/2/35 | 9 |
| 40.04.180 | Energy_opt-Terminal 4poles | 7 |
| 40.05.376 | Fan motor | 19 |
| 22.01.062 | Fan wheel | 19 |
| 44.01.581 | Filling level electrode 170 mm | 13 |
| 24.03.060 | Fixing bracket for interior glass pane | 27 |
| 40.03.780 | Fixing clip core temp. cable | 23 |
| 40.03.756 | Fixing clip f. pcb | 7 |
| 40.03.533 | Fixing clip f. pcb | 7 |
| 24.00.502 | Fixing device f. magnet with magnet | 27 |
| 44.01.445 | Fixing device f. pump steam generator | 13 |
| 40.04.834 | Fixing device for safety temperature limiter | 9 |
| 40.05.420 | Fixing nut for cable gland M25x1.5 MS | 7 |
| 22.00.721 | Flange f. motor shaft gasket | 19 |
| 56.00.827 | Frame for drawer CareControl | 31, 35 |
| 16.03.142 | Front panel | 31 |
| 4001.0224 | Fuse 6.35x32mm | 9 |
| 40.01.487 | Fuse holder 2pol | 9 |
| 40.02.512 | Fuse holder 2x6.3A | 9 |
| 40.01.588 | Fuse SC-8A 10x38 | 9 |

# Index


| Part-no. | Description | Page |
|---|---|---|
| 56.00.800 | Gasket f. breather tube | 31 |
| 46.00.170 | Gasket f. heating assembly | 17 |
| 44.01.433 | Gasket f. heating element | 13 |
| 22.00.881 | Gasket f. hum. meas. Pipe | 11 |
| 54.01.168 | Gasket f. inspection lid | 33 |
| 12.01.899 | Gasket for base frame | 31 |
| 56.00.874 | Gasket wastewater | 31 |
| 87.01.416 | Glass pane bundle | 27 |
| 22.01.196 | Graphit seal for gasket flange | 19 |
| 2022.0101 | Grommet d8mm | 33 |
| 52.00.059 | Grommet for drain hose | 33 |
| 22.01.082 | Hand protection | 23 |
| 50.00.282 | Hand shower black | 33 |
| 52.00.016 | Hand shower roll guide | 33 |
| 40.04.795 | Heat sink small SSR | 7 |
| 46.00.203 | Heating assembly | 17 |
| 44.01.489 | Heating element | 13 |
| 10.00.916 | Hex nut M4 w. locking | 11, 13, 21 |
| 1105.0120 | Hex nut M5 | 9 |
| 10.01.065 | Hex nut M5 | 19, 33 |
| 10.01.490 | Hex nut M6 | 19 |
| 10.00.709 | Hex nut M6 w. locking | 13 |
| 3014.0327 | Hex nut M10x1,0 | 9, 21 |
| 10.00.612 | Hex nut M16 flat | 21 |
| 1004.0666 | Hex screw M4x10 | 29, 31 |
| 1008.0750 | Hex screw M5x16 | 9 |
| 10.00.109 | Hex screw M5x23 | 17 |
| 1006.0762 | Hex screw M6x10 | 13 |
| 1006.0760 | Hex screw M6x16 | 25 |
| 10.01.527 | Hex screw M8x12 | 25 |
| 10.00.936 | Hex screw M8x20 | 19 |
| 1003.2160 | Hex self tapping screw 2,9x9,5 | 29 |

# Index


| Part-no. | Description | Page |
|---|---|---|
| 10.00.992 | Hex self tapping screw B4,2x32 | 31 |
| 60.73.725 | Hinging rack left Typ 623 | 37 |
| 60.73.726 | Hinging rack right Typ 623 | 37 |
| 24.02.958 | Holding bracket f. door catch | 25 |
| 2066.0518 | Hose clamp 30mm | 13, 35 |
| 2066.0507 | Hose clamp 32-50mm | 13 |
| 2066.0504 | Hose clamp 40-60mm | 13 |
| 10.00.873 | Hose clamp CLIC d=15.5mm | 33, 35 |
| 2066.0527 | Hose clamp ø14mm | 15, 33 |
| 2066.0530 | Hose clamp ø16.4mm | 13, 15 |
| 10.00.605 | Hose clamp ø25.3 | 35 |
| 10.01.510 | Hose clamp ø26.8 | 35 |
| 2066.0519 | Hose clamp Ø35,6mm | 13 |
| 2066.0526 | Hose clamp ø46mm | 13 |
| 10.01.455 | Hose clamp Ø54x9 | 33 |
| 22.01.116 | Hose set f. humidity control | 11 |
| 22.01.179 | Hose set for ventilation | 11 |
| 52.00.047 | Hose ø10x2x220 f. hand shower | 33 |
| 22.00.725 | Humidity control cpl. | 11 |
| 22.01.105 | Inner humidity meas. Piece | 11 |
| 54.01.511 | Inspection lid, B2 | 33 |
| 24.02.960 | Interlocking tooth screw M5x6 | 25 |
| 2062.0331 | Junction pressure hose GS 10 | 15 |
| 2760.1370 | Latch hook for air baffle | 23 |
| 87.01.368 | LED bar, left/right | 27 |
| 87.01.365 | LED optics | 27 |
| 24.03.184 | Lock cover | 25 |
| 50.00.086 | Locking plate f. water distribution | 33 |
| 40.02.675 | Loudspeaker | 7 |
| 46.00.171 | Mating flange f. heating assembly | 17 |
| 40.05.254 | Meat probe sensor | 21 |
| 42.00.081 | MMI pcb | 5 |

# Index


| Part-no. | Description | Page |
|---|---|---|
| 42.00.265 | Motor control for fan motor | 19 |
| 22.00.985 | Motor shaft gasket D15 | 19 |
| 40.04.835 | Mounting device f. pressure sensor | 11 |
| 40.04.810 | Mounting device for cooling fan | 7 |
| 40.05.037 | Mounting device heat sink SSR | 7 |
| 22.00.722 | Mounting support f. gasket flange | 19 |
| 40.04.910 | Mounting support transformer | 9 |
| 50.00.844 | Nozzle f. moistening | 17 |
| 56.00.829 | O-ring for ball valve drain 19x3.5 | 33 |
| 56.00.830 | O-ring for ball valve drain 36x3.5 | 33 |
| 22.00.837 | O-ring for humidity control | 11 |
| 1008.0768 | Ornamental screw M8x16 | 25 |
| 1008.0769 | Ornamental screw M8x30 | 25 |
| 22.01.107 | Outer humidity meas. Piece | 11 |
| 20.02.515 | Outlet sieve | 21 |
| 10.00.449 | Pan head screw M6x16 | 33 |
| 10.01.266 | Pan head screw Torx T20 10,5mm | 7 |
| 10.00.061 | Pan head screw Torx T20 M4x12 | 7 |
| 50.01.722 | Plastic pipe 4,5x0,75x136mm | 17 |
| 50.00.085 | Plug-in spring f. hand shower roll guide | 33 |
| 60.73.955 | Positioning support f. core sensor | 37 |
| 40.05.268 | Power supply cable 4xAWG10 SOOW+15-30P | 7 |
| 42.00.223 | Power supply for standard interior light | 7 |
| 2067.0050 | Pressure hose d10mm | 33 |
| 56.00.744 | Pressure hose ø10mm 130mm | 35 |
| 3017.1011 | Pressure sensor for humidity control Huba 401 | 11 |
| 40.00.404 | Pulse generator | 5 |
| 2118.1000 | Pump connection spout | 15 |
| 8354.1320 | Pump connection spout cpl. | 13 |
| 56.00.918 | Pump f. CareControl | 35 |
| 56.00.870 | Pump f. cleaning UP30 | 35 |
| 1103.0600 | PVC plug in nut for metal screw 2.9mm | 29 |

# Index


| Part-no. | Description | Page |
|---|---|---|
| 50.01.733 | Quad solenoid valve | 33 |
| 10.00.515 | Rivet 3,2x5 A4 | 23 |
| 1604.0167 | Rivet 4x10 | 23 |
| 10.00.890 | Rivet 4x10 | 27 |
| 10.00.904 | Rivet B4x8 | 27 |
| 54.01.503 | Rubber form piece venting pipe | 33 |
| 44.01.546 | Safety device / water supply for steam generator | 13 |
| 40.01.482 | Safety temperature limiter 365°C | 9, 21 |
| 40.04.844 | Screen for safety temperature limiter | 21 |
| 40.03.782 | Screen interior cabinet sensor | 21 |
| 42.00.128 | SD-memory card 4GB | 7 |
| 16.03.331 | Side panel left | 31 |
| 16.02.885 | Side panel right | 31 |
| 2110.1008 | Silicon hose ø10x2mm | 15 |
| 24.03.052 | Sleeve for door bolt top | 27 |
| 24.03.056 | Slide bush for door | 27 |
| 1104.0820 | Snap nut 4,2mm | 31 |
| 40.01.589 | Solid state relais | 7 |
| 12.01.877 | Splash guard | 31 |
| 24.03.288 | Spring U-bolt for door lock | 25 |
| 10.01.049 | Square necked mushroom head bolt 6x30 | 19 |
| 1107.0103 | Star lock ø3 | 17 |
| 44.01.434 | Steam generator insolated | 13 |
| 44.01.463 | Steam hose Ø40x50mm | 13 |
| 10.01.535 | Sticker set | 37 |
| 2120.1259 | Stop plug 10mm | 15 |
| 10.01.474 | Strain relief clamp | 25 |
| 56.00.784 | Suction hose f. cleaning | 35 |
| 40.05.261 | Terminal block WTP 2,5/4 D1/2 grey | 9 |
| 40.04.907 | Thermocouple humidity *B4* | 21 |
| 40.04.869 | Thermocouple interior cabinet B1 | 21 |
| 40.05.256 | Thermocouple steam generator *B5* | 13 |

# Index


| Part-no. | Description | Page |
|---|---|---|
| 4005.0101 | Tie rap 145 mm | 15 |
| 16.03.178 | Top cover | 31 |
| 50.00.846 | Union nut M12x13.2 N | 17 |
| 40.04.906 | USB socket with cable | 7, 31 |
| 40.02.425 | Varistor | 9 |
| 22.01.112 | Vent cover | 11, 29 |
| 54.01.517 | Ventilation pipe | 33 |
| 1304.0160 | Washer A4,3 | 29 |
| 10.00.744 | Washer A4,3 *A4 | 23 |
| 1306.0120 | Washer A6,4 | 25 |
| 1308.0162 | Washer A8,4 | 19 |
| 60.71.379 | Water connection kit, table unit E/USA | 37 |
| 50.01.799 | Water distribution | 33 |
| 1900.0202 | Water filter | 33 |
| 50.01.640 | Water volume sensor | 33 |

# Service part catalogue

## SelfCookingCenter® ab 09/2016
## SelfCooking Center XS - 6 x 2/3 GastronormE


**E60SI1701**






CD-Ges_101207
©2011 Rational Technical Service
All Rights reserved


# SelfCookingCenter® as of 09/2016



# SelfCookingCenter® as of 09/2016

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | | Control panel | 1 |
| 2 | | Electrical installation | 1 |
| 3 | | ClimaPlus | 1 |
| 4 | | Steam generator | 1 |
| 5 | | Hot air heating | 1 |
| 6 | | Motor and fan wheel | 1 |
| 7 | | Interior cabinet | 1 |
| 8 | | Door | 1 |
| 9 | | Exterior cabinet | 1 |
| 10 | | Water | 1 |
| 11 | | CleanJet + Care | 1 |
| 13 | | Standard accessory | 1 |


# Control panel



# Control panel

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 2 | 42.00.112 | Control pcb *TFT* | 1 |
| 3 | 42.00.081 | MMI pcb | 1 |
| 4 | 40.05.055 | Cable On-Off switch MMI | 1 |
| 5 | 40.03.515 | Cable MMI - TFT | 1 |
| 6 | 40.03.516 | Cable MMI - CPU | 1 |
| 7 | 16.02.062 | Dial f. pulse generator | 1 |
| 8 | 40.00.404 | Pulse generator | 1 |
| 11 | 16.02.889 | Cover f. control pcb w. gasket | 1 |


# Electrical installation



# Electrical installation

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 40.01.589 | Solid state relais | 2 |
| 2 | 10.00.061 | Pan head screw Torx T20 M4x12 | 5 |
| 5 | 40.04.795 | Heat sink small SSR | 1 |
| 6 | 40.05.037 | Mounting device heat sink SSR | 1 |
| 7 | 10.01.266 | Pan head screw Torx T20 10,5mm | 6 |
| 10 | 40.05.016 | Air shaft cpl. | 1 |
| 11 | 40.04.115 | Cooling fan | 1 |
| 12 | 40.03.257 | Converter 230VAC 24VDC | 1 |
| 14 | 40.04.811 | Cover for air outlet | 1 |
| 18 | 42.00.260 | Control pcb | 1 |
| 19 | 42.00.128 | SD-memory card 4GB | 1 |
| 24 | 40.03.756 | Fixing clip f. pcb | 1 |
| 25 | 40.03.533 | Fixing clip f. pcb | 4 |
| 27 | 40.04.180 | Energy_opt-Terminal 4poles | 1 |
| 35 | 10.00.061 | Pan head screw Torx T20 M4x12 | 2 |
| 36 | 40.05.419 | Cable connection M25x1.5 | 1 |
| 37 | 40.05.420 | Fixing nut for cable gland M25x1.5 MS | 1 |
| 41 | 40.02.675 | Loudspeaker | 1 |
| 43 | 40.05.268 | Power supply cable 4xAWG10 SOOW+15-30P | 1 |
| 44 | 40.04.810 | Mounting device for cooling fan | 1 |
| 45 | 42.00.223 | Power supply for standard interior light | 1 |
| 100 | 40.03.995 | Bus cable 0.85m | 1 |
| 106 | 40.04.906 | USB socket with cable | 1 |
| A | | Electrical installation | 1 |


# Electrical installation



# Electrical installation

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 40.04.908 | Contactor assembly | 1 |
| 2 | 40.01.329 | Dry up protector 183°C | 1 |
| 3 | 3014.0327 | Hex nut M10x1,0 | 1 |
| 4 | 40.01.482 | Safety temperature limiter 365°C | 1 |
| 5 | 3014.0327 | Hex nut M10x1,0 | 1 |
| 6 | 40.05.269 | Contactor B&J K3-10NDR10 190R B01B01TX | 1 |
| 10 | 40.03.348 | Control transformer T1 | 1 |
| 11 | 1008.0750 | Hex screw M5x16 | 2 |
| 12 | 40.04.910 | Mounting support transformer | 1 |
| 13 | 1105.0120 | Hex nut M5 | 2 |
| 14 | 40.02.425 | Varistor | 1 |
| 18 | 4001.0224 | Fuse 6.35x32mm | 2 |
| 18 | 40.01.588 | Fuse SC-8A 10x38 | 2 |
| 19 | 40.02.512 | Fuse holder 2x6.3A | 1 |
| 19 | 40.01.487 | Fuse holder 2pol | 1 |
| 22 | 40.04.122 | Cover for Fuse *UL* | 2 |
| 36 | 40.03.743 | Earth terminal WK4 SL/U | 1 |
| 37 | 40.05.261 | Terminal block WTP 2,5/4 D1/2 grey | 1 |
| 40 | 40.05.262 | End cover APFN 2,5 D1/2/35 | 1 |
| 52 | 40.04.834 | Fixing device for safety temperature limiter | 1 |
| 100 | 40.03.981 | Change-over switch with cable USA | 1 |
| 101 | 40.04.331 | Adaptor cable f. Ball valve drain | 1 |
| 104 | 40.05.357 | Cable control harness | 1 |
| 105 | 40.04.838 | Cable control harness *below* | 1 |


# ClimaPlus



# ClimaPlus

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 40.04.835 | Mounting device f. pressure sensor | 1 |
| 2 | 3017.1011 | Pressure sensor for humidity control Huba 401 | 1 |
| 3 | 22.01.105 | Inner humidity meas. Piece | 1 |
| 4 | 22.01.107 | Outer humidity meas. Piece | 1 |
| 5 | 22.00.881 | Gasket f. hum. meas. Pipe | 2 |
| 6 | 10.00.916 | Hex nut M4 w. locking | 6 |
| 7 | 22.01.116 | Hose set f. humidity control | 1 |
| 8 | 22.00.725 | Humidity control cpl. | 1 |
| 9 | 22.00.914 | Air inlet pipe | 1 |
| 10 | 22.01.179 | Hose set for ventilation | 1 |
| 12 | 22.01.112 | Vent cover | 1 |
| 13 | 22.00.837 | O-ring for humidity control | 2 |
| 14 | 10.00.111 | Cable clip long | 2 |


# Steam generator



# Steam generator

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 44.01.434 | Steam generator insolated | 1 |
| 3 | 44.01.489 | Heating element | 1 |
| 6 | 44.01.433 | Gasket f. heating element | 1 |
| 7 | 10.00.709 | Hex nut M6 w. locking | 8 |
| 8 | 44.01.546 | Safety device / water supply for steam generator | 1 |
| 9 | 44.01.495 | Bushing for filling steam generator | 1 |
| 10 | 2066.0530 | Hose clamp ø16.4mm | 2 |
| 11 | 44.01.569 | Drain hose steam generator | 1 |
| 16 | 2066.0519 | Hose clamp Ø35,6mm | 1 |
| 17 | 2066.0526 | Hose clamp ø46mm | 1 |
| 18 | 44.00.207 | Emptying pump | 1 |
| 19 | 1006.0762 | Hex screw M6x10 | 2 |
| 20 | 44.01.445 | Fixing device f. pump steam generator | 1 |
| 21 | 10.00.709 | Hex nut M6 w. locking | 2 |
| 22 | 44.01.470 | Drain hose steam generator | 1 |
| 23 | 2066.0518 | Hose clamp 30mm | 1 |
| 24 | 40.05.256 | Thermocouple steam generator *B5* | 1 |
| 26 | 10.00.414 | Cable strap black 120° | 1 |
| 27 | 10.00.916 | Hex nut M4 w. locking | 1 |
| 28 | 44.01.463 | Steam hose Ø40x50mm | 1 |
| 30 | 2066.0504 | Hose clamp 40-60mm | 1 |
| 31 | 2066.0507 | Hose clamp 32-50mm | 1 |
| 36 | 44.01.581 | Filling level electrode 170 mm | 1 |
| A | 8354.1320 | Pump connection spout cpl. | 1 |


# Pump connection spout



# Pump connection spout

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 2118.1000 | Pump connection spout | 1 |
| 2 | 2120.1259 | Stop plug 10mm | 1 |
| 3 | 2110.1008 | Silicon hose ø10x2mm | 1 |
| 4 | 2066.0527 | Hose clamp ø14mm | 2 |
| 5 | 2066.0530 | Hose clamp ø16.4mm | 1 |
| 6 | 2062.0331 | Junction pressure hose GS 10 | 1 |
| 7 | 4005.0101 | Tie rap 145 mm | 1 |


# Hot air heating



# Hot air heating

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 46.00.171 | Mating flange f. heating assembly | 1 |
| 2 | 46.00.203 | Heating assembly | 1 |
| 4 | 10.00.109 | Hex screw M5x23 | 6 |
| 5 | 10.01.076 | Cap nut M5*A2 | 1 |
| 6 | 46.00.170 | Gasket f. heating assembly | 1 |
| 7 | 1107.0103 | Star lock ø3 | 2 |
| 8 | 50.00.844 | Nozzle f. moistening | 1 |
| 9 | 50.00.846 | Union nut M12x13.2 N | 1 |
| 10 | 50.01.722 | Plastic pipe 4,5x0,75x136mm | 1 |


# Motor and fan wheel



# Motor and fan wheel

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 40.05.376 | Fan motor | 1 |
| 2 | 42.00.265 | Motor control for fan motor | 1 |
| 3 | 10.01.049 | Square necked mushroom head bolt 6x30 | 4 |
| 4 | 10.01.490 | Hex nut M6 | 4 |
| 5 | 22.00.721 | Flange f. motor shaft gasket | 1 |
| 6 | 22.00.722 | Mounting support f. gasket flange | 1 |
| 7 | 22.00.985 | Motor shaft gasket D15 | 1 |
| 8 | 22.01.196 | Graphit seal for gasket flange | 1 |
| 9 | 10.01.065 | Hex nut M5 | 3 |
| 10 | 22.01.062 | Fan wheel | 1 |
| 11 | 10.00.936 | Hex screw M8x20 | 1 |
| 12 | 1308.0162 | Washer A8,4 | 1 |


# Interior cabinet



# Interior cabinet

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 40.04.907 | Thermocouple humidity *B4* | 1 |
| 2 | 10.00.087 | Clamp strap f. sensor | 1 |
| 3 | 10.00.916 | Hex nut M4 w. locking | 1 |
| 9 | 20.02.549 | Door gasket | 1 |
| 10 | 40.05.254 | Meat probe sensor | 1 |
| 11 | 10.00.612 | Hex nut M16 flat | 1 |
| 12 | 1315.0104 | Copper washer 16x20x1,5 | 1 |
| 13 | 40.04.844 | Screen for safety temperature limiter | 1 |
| 14 | 10.01.076 | Cap nut M5*A2 | 2 |
| 17 | 40.04.869 | Thermocouple interior cabinet B1 | 1 |
| 18 | 40.03.782 | Screen interior cabinet sensor | 1 |
| 19 | 10.01.076 | Cap nut M5*A2 | 2 |
| 20 | 20.02.515 | Outlet sieve | 1 |
| 21 | 40.01.482 | Safety temperature limiter 365°C | 1 |
| 22 | 3014.0327 | Hex nut M10x1,0 | 1 |
| A | 22.01.228 | Air baffle | 1 |


# Air baffle



# Air baffle

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 4 | 22.01.082 | Hand protection | 1 |
| 6 | 10.00.515 | Rivet 3,2x5 A4 | 3 |
| 7 | 40.03.780 | Fixing clip core temp. cable | 1 |
| 9 | 2760.1370 | Latch hook for air baffle | 2 |
| 10 | 1604.0167 | Rivet 4x10 | 2 |
| 13 | 10.00.744 | Washer A4,3 *A4 | 2 |


# Door



# Door

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 24.02.937 | Door handle | 1 |
| 2 | 24.03.041 | Door lock with spring U-bolt | 1 |
| 3 | 24.03.184 | Lock cover | 1 |
| 4 | 24.03.461 | Door mounting support bottom | 1 |
| 5 | 10.00.090 | Cap f. Torx T30 | 2 |
| 6 | 1006.1962 | Countersunk screw Torx M6x16 | 2 |
| 7 | 24.03.399 | Door mounting support top | 1 |
| 8 | 1008.0768 | Ornamental screw M8x16 | 3 |
| 10 | 10.01.474 | Strain relief clamp | 1 |
| 11 | 24.02.951 | Door bolt | 1 |
| 12 | 10.01.527 | Hex screw M8x12 | 1 |
| 14 | 24.03.040 | Door bolt | 1 |
| 15 | 1008.0769 | Ornamental screw M8x30 | 1 |
| 17 | 2001.0109 | Compression spring | 1 |
| 18 | 24.02.958 | Holding bracket f. door catch | 1 |
| 19 | 1006.0760 | Hex screw M6x16 | 2 |
| 20 | 1306.0120 | Washer A6,4 | 2 |
| 21 | 24.02.959 | Door catch | 1 |
| 22 | 24.02.960 | Interlocking tooth screw M5x6 | 1 |
| 24 | 24.03.288 | Spring U-bolt for door lock | 1 |
| A | 24.02.970 | Door | 1 |


# Door



# Door

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 87.01.416 | Glass pane bundle | 1 |
| 3 | 24.03.052 | Sleeve for door bolt top | 1 |
| 4 | 24.02.966 | Door setting bolt | 1 |
| 5 | 24.00.502 | Fixing device f. magnet with magnet | 1 |
| 6 | 24.03.021 | Door drip collector | 1 |
| 7 | 24.03.056 | Slide bush for door | 1 |
| 8 | 24.03.060 | Fixing bracket for  interior glass pane | 2 |
| 9 | 24.03.057 | Abrasion protection for glide socket | 1 |
| 10 | 24.03.062 | Cover cap for door | 1 |
| 11 | 24.03.467 | Cable shaft for door | 1 |
| 13 | 87.01.368 | LED bar, left/right | 2 |
| 14 | 87.01.365 | LED optics | 2 |
| 16 | 10.00.890 | Rivet 4x10 | 1 |
| 17 | 10.00.904 | Rivet B4x8 | 2 |
| 100 | 40.05.295 | Cable, interior light W40 | 1 |
| 101 | 40.05.310 | Cable, interior light W41 | 1 |
| 102 | 40.05.311 | Cable, interior light W42 | 1 |


# Exterior cabinet



# Exterior cabinet

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 9 | 12.01.871 | Bracket for door contact switch | 1 |
| 10 | 1004.0666 | Hex screw M4x10 | 1 |
| 11 | 1304.0160 | Washer A4,3 | 1 |
| 12 | 40.04.342 | Door switch 0.45m | 1 |
| 14 | 1103.0600 | PVC plug in nut for metal screw 2.9mm | 2 |
| 15 | 1003.2160 | Hex self tapping screw 2,9x9,5 | 1 |
| 16 | 22.01.112 | Vent cover | 1 |
| A | | Exterior cabinet | 1 |


# Exterior cabinet



# Exterior cabinet

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 16.03.178 | Top cover | 1 |
| 2 | 1003.2265 | Countersunk self tapping screw 4,2x16 | 8 |
| 3 | 1104.0820 | Snap nut 4,2mm | 8 |
| 4 | 16.02.885 | Side panel right | 1 |
| 6 | 16.03.331 | Side panel left | 1 |
| 7 | 10.00.992 | Hex self tapping screw B4,2x32 | 2 |
| 8 | 1104.0820 | Snap nut 4,2mm | 2 |
| 9 | 16.02.963 | Back panel, left | 1 |
| 10 | 16.02.962 | Back panel, right | 1 |
| 11 | 16.03.142 | Front panel | 1 |
| 13 | 16.02.992 | Crossbar front panel | 1 |
| 17 | 16.02.905 | Crossbar top | 1 |
| 21 | 40.04.771 | Air inlet filter | 1 |
| 22 | 56.00.827 | Frame for drawer CareControl | 1 |
| 23 | 56.00.966 | Drain pipe with bushings | 1 |
| 26 | 40.04.902 | Cover f. USB interface | 1 |
| 27 | 10.00.103 | EJOT PT-screw KA 3.5x10 | 1 |
| 28 | 40.04.906 | USB socket with cable | 1 |
| 29 | 10.00.460 | EJOT PT-Screw Torx 3,5x14 | 2 |
| 30 | 56.00.800 | Gasket f. breather tube | 1 |
| 32 | 56.00.874 | Gasket wastewater | 1 |
| 33 | 12.01.899 | Gasket for base frame | 1 |
| 34 | 12.01.716 | Cover for base frame | 1 |
| 35 | 1004.0666 | Hex screw M4x10 | 1 |
| 36 | 12.01.877 | Splash guard | 1 |
| 37 | 1004.0666 | Hex screw M4x10 | 2 |


# Water


1
8
31
10
4
34
2
8
4
12
25
24
22
40
23
35
19
48
42
49
13
11
5
6
15
28
33
18
27

# Water

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 54.01.517 | Ventilation pipe | 1 |
| 2 | 54.01.503 | Rubber form piece venting pipe | 1 |
| 4 | 10.01.455 | Hose clamp Ø54x9 | 2 |
| 5 | 50.00.086 | Locking plate f. water distribution | 1 |
| 6 | 1900.0202 | Water filter | 1 |
| 8 | 10.00.873 | Hose clamp CLIC d=15.5mm | 6 |
| 10 | 52.00.017 | Angle plug PS3 6-6-90° | 2 |
| 11 | 52.00.016 | Hand shower roll guide | 1 |
| 12 | 52.00.058 | Connect. hose f. hand shower roll guide | 1 |
| 13 | 50.00.085 | Plug-in spring f. hand shower roll guide | 1 |
| 15 | 50.00.282 | Hand shower black | 1 |
| 16 | 50.00.156 | Clamp f. hand shower roll guide | 1 |
| 18 | 10.01.065 | Hex nut M5 | 1 |
| 19 | 56.00.731 | Ball valve drain SCC cpl. | 1 |
| 21 | 10.00.449 | Pan head screw M6x16 | 2 |
| 22 | 56.00.830 | O-ring for ball valve drain 36x3.5 | 1 |
| 23 | 56.00.829 | O-ring for ball valve drain 19x3.5 | 1 |
| 24 | 54.01.511 | Inspection lid, B2 | 1 |
| 25 | 54.01.168 | Gasket f. inspection lid | 1 |
| 27 | 50.01.733 | Quad solenoid valve | 1 |
| 28 | 50.01.799 | Water distribution | 1 |
| 31 | 2067.0050 | Pressure hose d10mm | .85 |
| 33 | 50.01.640 | Water volume sensor | 1 |
| 34 | 2067.0050 | Pressure hose d10mm | .39 |
| 35 | 52.00.059 | Grommet for drain hose | 1 |
| 40 | 2067.0050 | Pressure hose d10mm | .625 |
| 42 | 2022.0101 | Grommet d8mm | 1 |
| 48 | 52.00.047 | Hose ø10x2x220 f. hand shower | 1 |
| 49 | 2066.0527 | Hose clamp ø14mm | 1 |


# CleanJet + Care



# CleanJet + Care

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 56.00.870 | Pump f. cleaning UP30 | 1 |
| 5 | 56.00.823 | Elbow for suction hose CleanJet | 1 |
| 6 | 2066.0518 | Hose clamp 30mm | 1 |
| 7 | 10.01.510 | Hose clamp ø26.8 | 1 |
| 8 | 56.00.784 | Suction hose f. cleaning | 1 |
| 11 | 56.00.827 | Frame for drawer CareControl | 1 |
| 13 | 10.00.980 | EJOT PT-Screw K30x10 | 2 |
| 15 | 56.00.666 | Care container table unit | 1 |
| 18 | 56.00.918 | Pump f. CareControl | 1 |
| 19 | 56.00.677 | Care hose | 1 |
| 20 | 10.00.605 | Hose clamp ø25.3 | 1 |
| 21 | 56.00.744 | Pressure hose ø10mm 130mm | 1 |
| 22 | 10.00.873 | Hose clamp CLIC d=15.5mm | 2 |
| 29 | 56.00.672 | Drawer Care container | 1 |

# Standard accessory



# Standard accessory

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 60.73.725 | Hinging rack left Typ 623 | 1 |
| 2 | 60.73.726 | Hinging rack right Typ 623 | 1 |
| 8 | 10.01.535 | Sticker set | 1 |
| 10 | 60.71.379 | Water connection kit, table unit E/USA | 1 |
| 10 | 60.71.379 | Water connection kit, table unit E/USA | 1 |
| 11 | 60.73.955 | Positioning support f. core sensor | 1 |

# Index


| Part-no. | Description | Page |
|---|---|---|
| 24.03.057 | Abrasion protection for glide socket | 27 |
| 40.04.331 | Adaptor cable f. Ball valve drain | 9 |
| 22.01.228 | Air baffle | 21 |
| 40.04.771 | Air inlet filter | 31 |
| 22.00.914 | Air inlet pipe | 11 |
| 40.05.016 | Air shaft cpl. | 7 |
| 52.00.017 | Angle plug PS3 6-6-90° | 33 |
| 16.02.963 | Back panel, left | 31 |
| 16.02.962 | Back panel, right | 31 |
| 56.00.731 | Ball valve drain SCC cpl. | 33 |
| 12.01.871 | Bracket for door contact switch | 29 |
| 40.03.995 | Bus cable 0.85m | 7 |
| 44.01.495 | Bushing for filling steam generator | 13 |
| 10.00.111 | Cable clip long | 11 |
| 40.05.419 | Cable connection M25x1.5 | 7 |
| 40.05.357 | Cable control harness | 9 |
| 40.04.838 | Cable control harness *below* | 9 |
| 40.03.516 | Cable MMI - CPU | 5 |
| 40.03.515 | Cable MMI - TFT | 5 |
| 40.05.055 | Cable On-Off switch MMI | 5 |
| 24.03.467 | Cable shaft for door | 27 |
| 10.00.414 | Cable strap black 120° | 13 |
| 40.05.295 | Cable, interior light W40 | 27 |
| 40.05.310 | Cable, interior light W41 | 27 |
| 40.05.311 | Cable, interior light W42 | 27 |
| 10.00.090 | Cap f. Torx T30 | 25 |
| 10.01.076 | Cap nut M5*A2 | 17, 21 |
| 56.00.666 | Care container table unit | 35 |
| 56.00.677 | Care hose | 35 |
| 40.03.981 | Change-over switch with cable USA | 9 |
| 50.00.156 | Clamp f. hand shower roll guide | 33 |
| 10.00.087 | Clamp strap f. sensor | 21 |

# Index


| Part-no. | Description | Page |
|---|---|---|
| 2001.0109 | Compression spring | 25 |
| 52.00.058 | Connect. hose f. hand shower roll guide | 33 |
| 40.04.908 | Contactor assembly | 9 |
| 40.05.269 | Contactor B&J K3-10NDR10 190R B01B01TX | 9 |
| 42.00.260 | Control pcb | 7 |
| 42.00.112 | Control pcb *TFT* | 5 |
| 40.03.348 | Control transformer T1 | 9 |
| 40.03.257 | Converter 230VAC 24VDC | 7 |
| 40.04.115 | Cooling fan | 7 |
| 1315.0104 | Copper washer 16x20x1,5 | 21 |
| 1006.1962 | Countersunk screw Torx M6x16 | 25 |
| 1003.2265 | Countersunk self tapping screw 4,2x16 | 31 |
| 24.03.062 | Cover cap for door | 27 |
| 16.02.889 | Cover f. control pcb w. gasket | 5 |
| 40.04.902 | Cover f. USB interface | 31 |
| 40.04.811 | Cover for air outlet | 7 |
| 12.01.716 | Cover for base frame | 31 |
| 40.04.122 | Cover for Fuse *UL* | 9 |
| 16.02.992 | Crossbar front panel | 31 |
| 16.02.905 | Crossbar top | 31 |
| 16.02.062 | Dial f. pulse generator | 5 |
| 24.02.970 | Door | 25 |
| 24.02.951 | Door bolt | 25 |
| 24.03.040 | Door bolt | 25 |
| 24.02.959 | Door catch | 25 |
| 24.03.021 | Door drip collector | 27 |
| 20.02.549 | Door gasket | 21 |
| 24.02.937 | Door handle | 25 |
| 24.03.041 | Door lock with spring U-bolt | 25 |
| 24.03.461 | Door mounting support bottom | 25 |
| 24.03.399 | Door mounting support top | 25 |
| 24.02.966 | Door setting bolt | 27 |

# Index


| Part-no. | Description | Page |
|---|---|---|
| 40.04.342 | Door switch 0.45m | 29 |
| 44.01.569 | Drain hose steam generator | 13 |
| 44.01.470 | Drain hose steam generator | 13 |
| 56.00.966 | Drain pipe with bushings | 31 |
| 56.00.672 | Drawer Care container | 35 |
| 40.01.329 | Dry up protector 183°C | 9 |
| 40.03.743 | Earth terminal WK4 SL/U | 9 |
| 10.00.980 | EJOT PT-Screw K30x10 | 35 |
| 10.00.103 | EJOT PT-screw KA 3.5x10 | 31 |
| 10.00.460 | EJOT PT-Screw Torx 3,5x14 | 31 |
| 56.00.823 | Elbow for suction hose CleanJet | 35 |
| 44.00.207 | Emptying pump | 13 |
| 40.05.262 | End cover APFN 2,5 D1/2/35 | 9 |
| 40.04.180 | Energy_opt-Terminal 4poles | 7 |
| 40.05.376 | Fan motor | 19 |
| 22.01.062 | Fan wheel | 19 |
| 44.01.581 | Filling level electrode 170 mm | 13 |
| 24.03.060 | Fixing bracket for interior glass pane | 27 |
| 40.03.780 | Fixing clip core temp. cable | 23 |
| 40.03.756 | Fixing clip f. pcb | 7 |
| 40.03.533 | Fixing clip f. pcb | 7 |
| 24.00.502 | Fixing device f. magnet with magnet | 27 |
| 44.01.445 | Fixing device f. pump steam generator | 13 |
| 40.04.834 | Fixing device for safety temperature limiter | 9 |
| 40.05.420 | Fixing nut for cable gland M25x1.5 MS | 7 |
| 22.00.721 | Flange f. motor shaft gasket | 19 |
| 56.00.827 | Frame for drawer CareControl | 31, 35 |
| 16.03.142 | Front panel | 31 |
| 4001.0224 | Fuse 6.35x32mm | 9 |
| 40.01.487 | Fuse holder 2pol | 9 |
| 40.02.512 | Fuse holder 2x6.3A | 9 |
| 40.01.588 | Fuse SC-8A 10x38 | 9 |

# Index


| Part-no. | Description | Page |
|---|---|---|
| 56.00.800 | Gasket f. breather tube | 31 |
| 46.00.170 | Gasket f. heating assembly | 17 |
| 44.01.433 | Gasket f. heating element | 13 |
| 22.00.881 | Gasket f. hum. meas. Pipe | 11 |
| 54.01.168 | Gasket f. inspection lid | 33 |
| 12.01.899 | Gasket for base frame | 31 |
| 56.00.874 | Gasket wastewater | 31 |
| 87.01.416 | Glass pane bundle | 27 |
| 22.01.196 | Graphit seal for gasket flange | 19 |
| 2022.0101 | Grommet d8mm | 33 |
| 52.00.059 | Grommet for drain hose | 33 |
| 22.01.082 | Hand protection | 23 |
| 50.00.282 | Hand shower black | 33 |
| 52.00.016 | Hand shower roll guide | 33 |
| 40.04.795 | Heat sink small SSR | 7 |
| 46.00.203 | Heating assembly | 17 |
| 44.01.489 | Heating element | 13 |
| 10.00.916 | Hex nut M4 w. locking | 11, 13, 21 |
| 1105.0120 | Hex nut M5 | 9 |
| 10.01.065 | Hex nut M5 | 19, 33 |
| 10.01.490 | Hex nut M6 | 19 |
| 10.00.709 | Hex nut M6 w. locking | 13 |
| 3014.0327 | Hex nut M10x1,0 | 9, 21 |
| 10.00.612 | Hex nut M16 flat | 21 |
| 1004.0666 | Hex screw M4x10 | 29, 31 |
| 1008.0750 | Hex screw M5x16 | 9 |
| 10.00.109 | Hex screw M5x23 | 17 |
| 1006.0762 | Hex screw M6x10 | 13 |
| 1006.0760 | Hex screw M6x16 | 25 |
| 10.01.527 | Hex screw M8x12 | 25 |
| 10.00.936 | Hex screw M8x20 | 19 |
| 1003.2160 | Hex self tapping screw 2,9x9,5 | 29 |

# Index


| Part-no. | Description | Page |
|---|---|---|
| 10.00.992 | Hex self tapping screw B4,2x32 | 31 |
| 60.73.725 | Hinging rack left Typ 623 | 37 |
| 60.73.726 | Hinging rack right Typ 623 | 37 |
| 24.02.958 | Holding bracket f. door catch | 25 |
| 2066.0518 | Hose clamp 30mm | 13, 35 |
| 2066.0507 | Hose clamp 32-50mm | 13 |
| 2066.0504 | Hose clamp 40-60mm | 13 |
| 10.00.873 | Hose clamp CLIC d=15.5mm | 33, 35 |
| 2066.0527 | Hose clamp ø14mm | 15, 33 |
| 2066.0530 | Hose clamp ø16.4mm | 13, 15 |
| 10.00.605 | Hose clamp ø25.3 | 35 |
| 10.01.510 | Hose clamp ø26.8 | 35 |
| 2066.0519 | Hose clamp Ø35,6mm | 13 |
| 2066.0526 | Hose clamp ø46mm | 13 |
| 10.01.455 | Hose clamp Ø54x9 | 33 |
| 22.01.116 | Hose set f. humidity control | 11 |
| 22.01.179 | Hose set for ventilation | 11 |
| 52.00.047 | Hose ø10x2x220 f. hand shower | 33 |
| 22.00.725 | Humidity control cpl. | 11 |
| 22.01.105 | Inner humidity meas. Piece | 11 |
| 54.01.511 | Inspection lid, B2 | 33 |
| 24.02.960 | Interlocking tooth screw M5x6 | 25 |
| 2062.0331 | Junction pressure hose GS 10 | 15 |
| 2760.1370 | Latch hook for air baffle | 23 |
| 87.01.368 | LED bar, left/right | 27 |
| 87.01.365 | LED optics | 27 |
| 24.03.184 | Lock cover | 25 |
| 50.00.086 | Locking plate f. water distribution | 33 |
| 40.02.675 | Loudspeaker | 7 |
| 46.00.171 | Mating flange f. heating assembly | 17 |
| 40.05.254 | Meat probe sensor | 21 |
| 42.00.081 | MMI pcb | 5 |

# Index


| Part-no. | Description | Page |
|---|---|---|
| 42.00.265 | Motor control for fan motor | 19 |
| 22.00.985 | Motor shaft gasket D15 | 19 |
| 40.04.835 | Mounting device f. pressure sensor | 11 |
| 40.04.810 | Mounting device for cooling fan | 7 |
| 40.05.037 | Mounting device heat sink SSR | 7 |
| 22.00.722 | Mounting support f. gasket flange | 19 |
| 40.04.910 | Mounting support transformer | 9 |
| 50.00.844 | Nozzle f. moistening | 17 |
| 56.00.829 | O-ring for ball valve drain 19x3.5 | 33 |
| 56.00.830 | O-ring for ball valve drain 36x3.5 | 33 |
| 22.00.837 | O-ring for humidity control | 11 |
| 1008.0768 | Ornamental screw M8x16 | 25 |
| 1008.0769 | Ornamental screw M8x30 | 25 |
| 22.01.107 | Outer humidity meas. Piece | 11 |
| 20.02.515 | Outlet sieve | 21 |
| 10.00.449 | Pan head screw M6x16 | 33 |
| 10.01.266 | Pan head screw Torx T20 10,5mm | 7 |
| 10.00.061 | Pan head screw Torx T20 M4x12 | 7 |
| 50.01.722 | Plastic pipe 4,5x0,75x136mm | 17 |
| 50.00.085 | Plug-in spring f. hand shower roll guide | 33 |
| 60.73.955 | Positioning support f. core sensor | 37 |
| 40.05.268 | Power supply cable 4xAWG10 SOOW+15-30P | 7 |
| 42.00.223 | Power supply for standard interior light | 7 |
| 2067.0050 | Pressure hose d10mm | 33 |
| 56.00.744 | Pressure hose ø10mm 130mm | 35 |
| 3017.1011 | Pressure sensor for humidity control Huba 401 | 11 |
| 40.00.404 | Pulse generator | 5 |
| 2118.1000 | Pump connection spout | 15 |
| 8354.1320 | Pump connection spout cpl. | 13 |
| 56.00.918 | Pump f. CareControl | 35 |
| 56.00.870 | Pump f. cleaning UP30 | 35 |
| 1103.0600 | PVC plug in nut for metal screw 2.9mm | 29 |

# Index


| Part-no. | Description | Page |
|---|---|---|
| 50.01.733 | Quad solenoid valve | 33 |
| 10.00.515 | Rivet 3,2x5 A4 | 23 |
| 1604.0167 | Rivet 4x10 | 23 |
| 10.00.890 | Rivet 4x10 | 27 |
| 10.00.904 | Rivet B4x8 | 27 |
| 54.01.503 | Rubber form piece venting pipe | 33 |
| 44.01.546 | Safety device / water supply for steam generator | 13 |
| 40.01.482 | Safety temperature limiter 365°C | 9, 21 |
| 40.04.844 | Screen for safety temperature limiter | 21 |
| 40.03.782 | Screen interior cabinet sensor | 21 |
| 42.00.128 | SD-memory card 4GB | 7 |
| 16.03.331 | Side panel left | 31 |
| 16.02.885 | Side panel right | 31 |
| 2110.1008 | Silicon hose ø10x2mm | 15 |
| 24.03.052 | Sleeve for door bolt top | 27 |
| 24.03.056 | Slide bush for door | 27 |
| 1104.0820 | Snap nut 4,2mm | 31 |
| 40.01.589 | Solid state relais | 7 |
| 12.01.877 | Splash guard | 31 |
| 24.03.288 | Spring U-bolt for door lock | 25 |
| 10.01.049 | Square necked mushroom head bolt 6x30 | 19 |
| 1107.0103 | Star lock ø3 | 17 |
| 44.01.434 | Steam generator insolated | 13 |
| 44.01.463 | Steam hose Ø40x50mm | 13 |
| 10.01.535 | Sticker set | 37 |
| 2120.1259 | Stop plug 10mm | 15 |
| 10.01.474 | Strain relief clamp | 25 |
| 56.00.784 | Suction hose f. cleaning | 35 |
| 40.05.261 | Terminal block WTP 2,5/4 D1/2 grey | 9 |
| 40.04.907 | Thermocouple humidity *B4* | 21 |
| 40.04.869 | Thermocouple interior cabinet B1 | 21 |
| 40.05.256 | Thermocouple steam generator *B5* | 13 |

# Index


| Part-no. | Description | Page |
|---|---|---|
| 4005.0101 | Tie rap 145 mm | 15 |
| 16.03.178 | Top cover | 31 |
| 50.00.846 | Union nut M12x13.2 N | 17 |
| 40.04.906 | USB socket with cable | 7, 31 |
| 40.02.425 | Varistor | 9 |
| 22.01.112 | Vent cover | 11, 29 |
| 54.01.517 | Ventilation pipe | 33 |
| 1304.0160 | Washer A4,3 | 29 |
| 10.00.744 | Washer A4,3 *A4 | 23 |
| 1306.0120 | Washer A6,4 | 25 |
| 1308.0162 | Washer A8,4 | 19 |
| 60.71.379 | Water connection kit, table unit E/USA | 37 |
| 50.01.799 | Water distribution | 33 |
| 1900.0202 | Water filter | 33 |
| 50.01.640 | Water volume sensor | 33 |