# Service part catalogue

## SelfCookingCenter® whitefficiency®
## SelfCooking Center 102 - 10 x 2/1 GastronormE


**E12SH1112**



2/15/2012
3 AC208V (240V) 60Hz UL

CD-Ges_101207
©Copyright by RATIONAL Technical Service
All Rights reserved


# SelfCookingCenter® whitefficiency®



# SelfCookingCenter® whitefficiency®

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | | Control panel | 1 |
| 2 | | Electrical installation | 1 |
| 3 | | ClimaPlus | 1 |
| 4 | | Steam generator | 1 |
| 5 | | Hot air heating | 1 |
| 6 | | Motor and fan wheel | 1 |
| 7 | | Interior cabinet | 1 |
| 8 | | Door | 1 |
| 9 | | Exterior cabinet | 1 |
| 10 | | Water | 1 |
| 11 | | CleanJet + Care | 1 |
| 13 | | Standard accessory | 1 |


# Control panel



# Control panel

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 87.01.005 | Control panel insert with overlay *RAT* | 1 |
| 2 | 42.00.112 | Control pcb *TFT* | 1 |
| 3 | 42.00.081 | MMI pcb | 1 |
| 4 | 40.03.467 | Cable On-Off switch MMI | 1 |
| 5 | 40.03.515 | Cable MMI - TFT | 1 |
| 6 | 40.03.516 | Cable MMI - CPU | 1 |
| 7 | 16.02.062 | Dial f. pulse generator | 1 |
| 9 | 40.00.404 | Pulse generator | 1 |
| 12 | 16.01.910 | Cover f. control pcb w. gasket | 1 |
| 13 | 16.01.908 | Sealing f. panel insert | 1 |


# Electrical installation



# Electrical installation

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 40.00.453 | Solid state relais | 6 |
| 2 | 10.00.061 | Pan head screw Torx T20 M4x12 | 12 |
| 3 | 10.00.061 | Pan head screw Torx T20 M4x12 | 2 |
| 4 | 1204.0120 | Tooth lock washer A4,3 | 2 |
| 5 | 40.03.537 | Heat sink 3 SSR | 2 |
| 6 | 40.03.319 | Mounting device heat sink SSR | 1 |
| 7 | 10.00.507 | Pan head screw Torx 5/16" T20 | 18 |
| 8 | 40.03.499 | Fan housing *UL* | 1 |
| 9 | 40.03.428 | Cooling fan | 1 |
| 10 | 40.03.257 | Converter 230VAC 24VDC | 1 |
| 16 | 42.00.080 | Control pcb *Sicotronic* | 1 |
| 17 | 42.00.128 | SD-memory card 4GB | 1 |
| 18 | 40.04.000 | Mounting base for control pcb | 1 |
| 19 | 10.00.989 | Rivet with screw | 2 |
| 20 | 10.00.243 | Spacer M4x8 | 1 |
| 21 | 1104.0121 | Hex nut M4 self locking | 2 |
| 22 | 40.03.756 | Fixing clip f. pcb | 1 |
| 23 | 40.03.533 | Fixing clip f. pcb | 4 |
| 24 | 40.03.998 | Bus cable 1.15m | 1 |
| 35 | 40.04.034 | Loudspeaker K 64 WPT | 1 |
| A | | Electrical installation | 1 |


# Electrical installation



# Electrical installation

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 40.03.360 | Contactor assembly | 1 |
| 2 | 40.03.981 | Cable clock switch USA | 1 |
| 6 | 40.03.484 | Cable control harness | 1 |
| 8 | 40.01.329 | Dry up protector 183° | 1 |
| 9 | 3014.0302 | Hex nut M10 for dry-up protector | 1 |
| 10 | 40.01.482 | Safety temperature limiter 365°C | 1 |
| 11 | 3014.0327 | Hex nut M10x1,0 | 1 |
| 12 | 40.03.666 | Contactor B&J K3-74B00 190 R | 1 |
| 13 | 40.02.641 | Auxilliary contact B&J HN10 N/O | 1 |
| 17 | 40.03.348 | Control transformer T1 | 1 |
| 18 | 10.01.065 | Hex nut M5 | 1 |
| 19 | 40.03.404 | Mounting support transformer | 1 |
| 20 | 10.01.065 | Hex nut M5 | 1 |
| 21 | 40.02.425 | Varistor | 1 |
| 25 | 4001.0224 | Fuse 6.35x32mm | 2 |
| 25 | 40.01.588 | Fuse SC-8A 10x38 | 2 |
| 26 | 40.02.512 | Fuse holder 2x6.3A | 1 |
| 26 | 40.01.487 | Fuse holder 2pol | 1 |
| 29 | 10.00.365 | Pan head screw Torx M3x20 | 2 |
| 37 | 40.01.611 | Terminal block grey WKN 70/U | 3 |
| 39 | 40.01.610 | Earth terminal 20 WKN 70SL/U | 1 |
| 44 | 4001.1203 | End plate for mounting rail | 1 |
| 47 | 40.03.282 | Drip protection for air inlet filter 1 UL | 1 |
| 48 | 10.00.709 | Hex nut M6 w. locking | 1 |
| 49 | 10.01.218 | Edge protection profile | 1 |
| 50 | 40.03.755 | Cover behind 2 UL | 1 |
| 51 | 10.00.365 | Pan head screw Torx M3x20 | 2 |
| 54 | 40.04.122 | Cover for Fuse *UL* | 2 |


# ClimaPlus



# ClimaPlus

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 22.00.882 | Mounting device f. pressure sensor | 1 |
| 2 | 3017.1011 | Pressure sensor for humidity control Huba 401 | 1 |
| 4 | 22.00.850 | Outer humidity meas. Piece | 1 |
| 5 | 22.00.881 | Gasket f. hum. meas. Pipe | 1 |
| 6 | 1104.0122 | Hex combination nut M4 galv | 3 |
| 7 | 22.00.525 | Hose set f. humidity control | 1 |
| 8 | 22.00.725 | Humidity control cpl. | 1 |
| 9 | 22.00.915 | Air inlet pipe | 1 |
| 10 | 22.00.960 | Drain hose for humidity control | 1 |
| 11 | 2066.0527 | Hose clamp ø14mm | 2 |
| 12 | 22.00.767 | Vent cover | 1 |
| 13 | 22.00.837 | O-ring for humidity control | 2 |
| 15 | 10.00.111 | Cable clip long | 2 |


# Steam generator



# Steam generator

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 44.00.943 | Steam generator insolated | 1 |
| 2 | 10.00.709 | Hex nut M6 w. locking | 2 |
| 14 | 44.01.376 | Heating element | 1 |
| 15 | 44.01.376 | Heating element | 1 |
| 17 | 44.00.279 | Gasket f. heating element | 2 |
| 18 | 10.00.709 | Hex nut M6 w. locking | 18 |
| 19 | 2066.0519 | Hose clamp 35,6mm | 1 |
| 20 | 2066.0526 | Hose clamp ø46mm | 1 |
| 21 | 44.00.207 | Emptying pump | 1 |
| 22 | 1006.0762 | Hex screw M6x10 | 2 |
| 23 | 1306.0222 | Washer A6,4x15x1,5 | 2 |
| 24 | 44.00.232 | Fixing device f. pump steam generator | 1 |
| 25 | 10.00.709 | Hex nut M6 w. locking | 2 |
| 26 | 44.01.222 | Drain hose steam generator | 1 |
| 27 | 40.04.106 | Thermocouple steam generator *B5* | 1 |
| 29 | 10.00.414 | Cable strap black 120° | 1 |
| 30 | 1104.0122 | Hex combination nut M4 galv | 1 |
| 31 | 2112.1006 | Steam hose 50x7mm | 1 |
| 32 | 2066.0504 | Hose clamp 40-60mm | 2 |
| 34 | 44.00.280 | Gasket f. heating element+Level elektrode insert | 1 |
| 35 | 2920.1300 | Level elektrode insert | 1 |
| 36 | 10.00.709 | Hex nut M6 w. locking | 4 |
| 37 | 44.01.291 | Filling level electrode 90 mm | 1 |
| 38 | 44.01.168 | Fixing angle steam generator | 1 |
| 39 | 44.01.181 | Fixing angle steam generator | 1 |
| 43 | 2066.0518 | Hose clamp 30mm | 2 |
| A | 8354.1320 | Pump connection spout cpl. | 1 |


# Pump connection spout



# Pump connection spout

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 2118.1000 | Pump connection spout | 1 |
| 2 | 2120.1259 | Stop plug 10mm | 1 |
| 3 | 2110.1008 | Silicon hose ø10x2mm | 1 |
| 4 | 2066.0527 | Hose clamp ø14mm | 2 |
| 5 | 2066.0530 | Hose clamp ø16.4mm | 1 |
| 6 | 2062.0331 | Junction pressure hose GS 10 | 1 |
| 7 | 4005.0101 | Tie rap 145 mm | 1 |


# Hot air heating



# Hot air heating

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 40.03.413 | Mating flange f. heating assembly | 1 |
| 2 | 40.03.645 | Heating assembly | 1 |
| 4 | 10.00.109 | Hex screw M5x23 | 6 |
| 5 | 10.01.076 | Cap nut M5*A2 | 1 |
| 6 | 40.03.416 | Gasket f. heating assembly | 1 |
| 7 | 1107.0103 | Star lock ø3 | 2 |
| 17 | 50.01.471 | Nozzle f. moistening | 1 |
| 18 | 50.00.846 | Union nut M12x13.2 N | 1 |


# Motor and fan wheel



# Motor and fan wheel

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 40.03.513 | Fan motor | 1 |
| 3 | 10.01.049 | Square necked mushroom head bolt 6x30 | 4 |
| 4 | 10.00.709 | Hex nut M6 w. locking | 2 |
| 5 | 22.00.721 | Flange f. motor shaft gasket | 1 |
| 6 | 22.00.722 | Mounting support f. gasket flange | 1 |
| 7 | 22.00.083 | Motor shaft gasket | 1 |
| 8 | 20.01.755 | Isolation for mounting plate for motor | 1 |
| 9 | 10.01.065 | Hex nut M5 | 3 |
| 10 | 22.00.829 | Fan wheel | 1 |
| 11 | 10.00.565 | Hex screw M8x20 | 1 |
| 12 | 1308.0162 | Washer A8,4 | 1 |
| 13 | 10.00.111 | Cable clip long | 3 |
| 14 | 20.01.411 | Bushing for motor mounting bar | 4 |


# Interior cabinet



# Interior cabinet

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 40.00.290 | Thermocouple humidity | 1 |
| 2 | 10.00.087 | Clamp strap f. sensor | 1 |
| 3 | 10.00.100 | Hex nut M4, self-locking | 1 |
| 7 | 40.04.114 | Wiring interior light | 1 |
| 8 | 40.00.098 | Reflector f. interior light | 1 |
| 9 | 40.00.091 | Gasket frame w. glass a. gaskets | 1 |
| 10 | 3024.0201 | Halogen bulb 300°C | 1 |
| 11 | 20.01.803 | Door gasket | 1 |
| 12 | 40.00.606 | Meat probe sensor | 1 |
| 13 | 10.00.612 | Hex nut M16 flat | 1 |
| 14 | 1315.0104 | Copper washer 16x20x1,5 | 1 |
| 16 | 40.01.317 | Screen core temperature sensor | 1 |
| 17 | 10.01.076 | Cap nut M5*A2 | 2 |
| 20 | 40.03.488 | Thermocouple interior cabinet B1 | 1 |
| 21 | 40.03.782 | Screen interior cabinet sensor | 1 |
| 22 | 10.01.076 | Cap nut M5*A2 | 2 |
| 23 | 54.01.117 | Outlet sieve | 1 |
| 24 | 40.01.482 | Safety temperature limiter 365°C | 1 |
| 25 | 3014.0327 | Hex nut M10x1,0 | 1 |
| A | 22.00.746 | Air baffle | 1 |


# Air baffle



# Air baffle

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 4 | 22.00.730 | Hand protection | 1 |
| 6 | 10.00.515 | Rivet 3,2x5 A4 | 4 |
| 7 | 40.03.780 | Fixing clip core temp. cable | 1 |
| 8 | 22.00.491 | Surge guard for Meat probe sensor | 1 |
| 9 | 2760.1370 | Latch hook for air baffle | 2 |
| 10 | 1604.0167 | Rivet 4x10 | 3 |
| 11 | 22.00.361 | Deep-draw f. air baffle | 1 |
| 12 | 10.00.515 | Rivet 3,2x5 A4 | 4 |
| 13 | 10.00.744 | Washer A4,3 *A4 | 1 |


# Door



# Door

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 24.00.152 | Door handle | 1 |
| 2 | 24.00.176 | Door lock | 1 |
| 6 | 24.00.504 | Lock cover | 1 |
| 8 | 24.00.133 | Door mounting support top | 1 |
| 9 | 1008.0768 | Ornamental screw M8x16 | 3 |
| 11 | 24.00.223 | Door mounting support bottom | 1 |
| 12 | 1006.1962 | Countersunk screw Torx M6x16 | 2 |
| 14 | 24.00.137 | Door bolt | 1 |
| 15 | 10.00.099 | Hex screw M8x12 | 1 |
| 16 | 1308.0160 | Washer A8,4 | 1 |
| 17 | 24.00.048 | Door bolt | 1 |
| 18 | 1008.0769 | Ornamental screw M8x30 | 1 |
| 20 | 2001.0109 | Compression spring | 1 |
| 21 | 24.00.141 | Holding bracket f. door catch | 1 |
| 22 | 1006.0760 | Hex screw M6x16 | 2 |
| 24 | 24.00.142 | Door catch | 1 |
| 25 | 1005.2000 | Interlocking tooth screw M5x8 | 1 |
| 27 | 24.01.100 | Spring clip f. door lock | 1 |
| A | 24.00.113 | Door | 1 |


# Door



# Door

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 24.00.200 | Inner glass pane | 1 |
| 2 | 24.00.147 | Sleeve for door bolt top | 1 |
| 3 | 24.00.146 | Door setting bolt | 1 |
| 4 | 24.00.502 | Fixing device f. magnet with magnet | 1 |
| 5 | 24.01.188 | Drain door drip collector | 1 |
| 6 | 24.01.801 | Door drip collector | 1 |
| 9 | 24.00.171 | Silicone buffer 7mm for door | 1 |
| 10 | 1005.1966 | Countersunk screw Torx M5x16 | 2 |
| 11 | 10.00.041 | Rivet nut M5 hexagon closed | 2 |


# Exterior cabinet



# Exterior cabinet

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 1104.0820 | Snap nut 4,2mm | 3 |
| 2 | 1110.0800 | Cage nut M10 | 3 |
| 3 | 12.00.205 | Upper part of pedestal | 4 |
| 4 | 12.01.133 | Lower part of pedestal | 4 |
| 6 | 10.00.975 | Hex screw M10x35 | 4 |
| 7 | 12.00.516 | Turning lock f. lower part of pedestal | 4 |
| 8 | 10.00.745 | Cap nut M6*A2 | 1 |
| 9 | 1206.0120 | Tooth lock washer A6,4 | 1 |
| 10 | 16.01.146 | Bracket for door contact switch | 1 |
| 12 | 10.01.214 | Interlocking tooth screw M5x10 | 1 |
| 13 | 22.00.767 | Vent cover | 1 |
| 14 | 16.01.965 | Opening mechanism for panel insert | 1 |
| 18 | 40.00.335 | Door switch | 1 |
| A | | Exterior cabinet | 1 |


# Exterior cabinet



# Exterior cabinet

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 16.02.154 | Top cover | 1 |
| 2 | 1003.2265 | Countersunk self tapping screw 4,2x16 | 5 |
| 3 | 1104.0820 | Snap nut 4,2mm | 5 |
| 5 | 16.00.154 | Side panel right | 1 |
| 6 | 1603.0166 | Rivet 3,2x7,9 CNS closed | 4 |
| 7 | 16.00.155 | Side panel left | 1 |
| 8 | 10.00.992 | Hex self tapping screw B4,2x32 | 2 |
| 9 | 1104.0820 | Snap nut 4,2mm | 2 |
| 10 | 16.01.927 | Back panel | 1 |
| 11 | 16.01.858 | Front panel | 1 |
| 12 | 1603.0166 | Rivet 3,2x7,9 CNS closed | 4 |
| 13 | 16.00.681 | Crossbar front panel | 1 |
| 15 | 16.01.511 | Crossbar below | 1 |
| 16 | 1004.2160 | Hex self tapping screw 4,2x16 | 3 |
| 17 | 1107.0100 | Star lock ø4 | 5 |
| 18 | 50.00.751 | Tulip for handshower with tape | 1 |
| 19 | 16.00.331 | Crossbar top | 1 |
| 20 | 1603.0166 | Rivet 3,2x7,9 CNS closed | 4 |
| 22 | 16.01.434 | Gasket f. breather tube d=74mm | 1 |
| 24 | 40.02.684 | Air inlet filter cpl. | 1 |
| 25 | 16.00.329 | Cover f. USB interface | 1 |
| 26 | 10.00.103 | EJOT PT-screw KA 3.5x10 | 1 |
| 27 | 40.04.046 | Interface cable USB 1.0m | 1 |
| 28 | 10.00.460 | EJOT PT-Screw Torx 3,5x14 | 2 |
| 29 | 50.00.300 | Drip collector | 1 |
| 30 | 50.00.303 | Bushing drip collector | 2 |
| 31 | 50.01.192 | Drain pipe with bushing | 1 |
| 32 | 50.00.296 | Clip f. drip collector | 4 |
| 33 | 1107.0100 | Star lock ø4 | 6 |
| 34 | 56.00.445 | Frame for drawer CareControl | 1 |


# Water


30
31
51
1
6
54
39
3
2
49
28
29
42
38
55
25
11
6
27
48
10
47
32
4
9
50
12
52
34
35
41
13
4
50
5
52
8

# Water

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 54.00.879 | Ventilation pipe | 1 |
| 2 | 54.01.142 | Rubber form piece venting pipe | 1 |
| 3 | 2066.0516 | Hose clamp 60-80 mm | 2 |
| 4 | 50.00.086 | Locking plate f. water distribution | 1 |
| 6 | 2066.0205 | Hose clamp 8-16x9 mm SW 7mm | 2 |
| 8 | 50.00.313 | T-fitting water connection | 1 |
| 9 | 50.01.238 | Hand shower roll guide *lead free* | 1 |
| 10 | 50.01.213 | Connect. pipe f. hand shower roll guide | 1 |
| 11 | 50.00.085 | Plug-in spring f. hand shower roll guide | 1 |
| 12 | 50.00.130 | Hand shower | 1 |
| 13 | 50.00.156 | Clamp f. hand shower roll guide | 1 |
| 15 | 1105.0121 | Hex combination nut M5 galv | 1 |
| 25 | 54.01.291 | Ball valve drain SCC cpl. | 1 |
| 27 | 10.00.449 | Pan head screw M6x16 | 2 |
| 28 | 10.00.511 | O-ring for ball valve drain 46x3.5 | 1 |
| 29 | 10.00.512 | O-ring for ball valve drain 26x3.5 | 1 |
| 30 | 54.01.169 | Inspection lid, quenching nozzle, B2 | 1 |
| 31 | 54.01.168 | Gasket f. inspection lid quenching | 1 |
| 32 | 54.01.191 | Collecting pan | 1 |
| 33 | 10.00.745 | Cap nut M6*A2 | 1 |
| 34 | 50.01.050 | Triple solenoid valve | 1 |
| 35 | 50.00.071 | Water distribution hor. w/o roll guide con. | 1 |
| 38 | 2067.0050 | Pressure hose d10mm | 1.3 |
| 39 | 2067.0050 | Pressure hose d10mm | .65 |
| 41 | 50.01.523 | Water volume sensor | 1 |
| 42 | 2067.0050 | Pressure hose d10mm | .56 |
| 47 | 50.01.146 | Single solenoid valve | 1 |
| 48 | 50.00.070 | Water distribution hor roll guide con. | 1 |
| 49 | 2067.0050 | Pressure hose d10mm | .42 |
| 50 | 50.00.078 | Non return valve DW16/DN12 | 2 |
| 51 | 8354.1304 | Venting valve for steam generator | 1 |
| 52 | 1900.0202 | Water filter | 3 |
| 55 | 2022.0101 | Grommet d8mm | 1 |


# CleanJet + Care



# CleanJet + Care

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 56.00.185 | Pump f. cleaning UP30 | 1 |
| 2 | 12.00.898 | Housing f. Cleaning pump | 1 |
| 3 | 1004.0666 | Hex screw M4x10 | 1 |
| 4 | 56.00.166 | Pressure hose f. cleaning | 1 |
| 5 | 2066.0518 | Hose clamp 30mm | 1 |
| 6 | 2066.0521 | Hose clamp 27mm | 1 |
| 7 | 56.00.607 | Suction hose f. cleaning | 1 |
| 8 | 2066.0518 | Hose clamp 30mm | 2 |
| 11 | 10.00.980 | EJOT PT-Screw K30x10 | 4 |
| 12 | 56.00.492 | Care container table unit | 1 |
| 13 | 56.00.462 | Bushing care container/pump | 1 |
| 14 | 10.00.984 | Hose clamp CLIC d=27.5mm | 2 |
| 15 | 56.00.451 | Pump f. CareControl DPS 35 | 1 |
| 16 | 56.00.540 | Care hose 1 | 1 |
| 17 | 2066.0518 | Hose clamp 30mm | 1 |
| 18 | 40.02.965 | Cable harness solenoid valve / SC-pump | 1 |
| 19 | 2067.0164 | Pressure hose ø10mm 650mm long | 1 |
| 20 | 10.00.873 | Hose clamp CLIC d=15.5mm | 1 |
| 21 | 56.00.537 | Pipe f. Care hose | 1 |
| 22 | 10.00.983 | Hose clamp CLIC d=23mm | 1 |
| 23 | 56.00.428 | Care hose 2 | 1 |
| 24 | 10.00.605 | Hose clamp ø25.3 | 1 |
| 25 | 10.00.979 | Cable clamp D=22 | 1 |
| 26 | 1005.2000 | Interlocking tooth screw M5x8 | 1 |
| 29 | 56.00.488 | Drawer Care container | 1 |
| 32 | 56.00.375 | Cover for pump | 1 |
| 33 | 10.01.214 | Interlocking tooth screw M5x10 | 2 |
| 35 | 2067.0050 | Pressure hose d10mm | .89 |

# Standard accessory



# Standard accessory

| Pos. | Part No. | Description | Qty. |
|---|---|---|---|
| 1 | 60.12.116 | Hinging rack left | 1 |
| 2 | 60.12.117 | Hinging rack right | 1 |
| 3 | 60.71.022 | Positioning support f. core sensor | 1 |
| 8 | 10.01.193 | Sticker set | 1 |
| 10 | 60.71.379 | Water connection kit, table unit E/USA | 1 |
| 10 | 60.71.379 | Water connection kit, table unit E/USA | 1 |

# Index


| Part-no. | Description | Page |
|---|---|---|
| 22.00.746 | Air baffle | 21 |
| 40.02.684 | Air inlet filter cpl. | 31 |
| 22.00.915 | Air inlet pipe | 11 |
| 40.02.641 | Auxilliary contact B&J HN10 N/O | 9 |
| 16.01.927 | Back panel | 31 |
| 54.01.291 | Ball valve drain SCC cpl. | 33 |
| 16.01.146 | Bracket for door contact switch | 29 |
| 40.03.998 | Bus cable 1.15m | 7 |
| 56.00.462 | Bushing care container/pump | 35 |
| 50.00.303 | Bushing drip collector | 31 |
| 20.01.411 | Bushing for motor mounting bar | 19 |
| 10.00.979 | Cable clamp D=22 | 35 |
| 10.00.111 | Cable clip long | 11, 19 |
| 40.03.981 | Cable clock switch USA | 9 |
| 40.03.484 | Cable control harness | 9 |
| 40.02.965 | Cable harness solenoid valve / SC-pump | 35 |
| 40.03.516 | Cable MMI - CPU | 5 |
| 40.03.515 | Cable MMI - TFT | 5 |
| 40.03.467 | Cable On-Off switch MMI | 5 |
| 10.00.414 | Cable strap black 120° | 13 |
| 1110.0800 | Cage nut M10 | 29 |
| 10.01.076 | Cap nut M5*A2 | 17, 21 |
| 10.00.745 | Cap nut M6*A2 | 29, 33 |
| 56.00.492 | Care container table unit | 35 |
| 56.00.540 | Care hose 1 | 35 |
| 56.00.428 | Care hose 2 | 35 |
| 50.00.156 | Clamp f. hand shower roll guide | 33 |
| 10.00.087 | Clamp strap f. sensor | 21 |
| 50.00.296 | Clip f. drip collector | 31 |
| 54.01.191 | Collecting pan | 33 |
| 2001.0109 | Compression spring | 25 |
| 50.01.213 | Connect. pipe f. hand shower roll guide | 33 |

# Index


| Part-no. | Description | Page |
|---|---|---|
| 40.03.360 | Contactor assembly | 9 |
| 40.03.666 | Contactor B&J K3-74B00 190 R | 9 |
| 87.01.005 | Control panel insert with overlay *RAT* | 5 |
| 42.00.080 | Control pcb *Sicotronic* | 7 |
| 42.00.112 | Control pcb *TFT* | 5 |
| 40.03.348 | Control transformer T1 | 9 |
| 40.03.257 | Converter 230VAC 24VDC | 7 |
| 40.03.428 | Cooling fan | 7 |
| 1315.0104 | Copper washer 16x20x1,5 | 21 |
| 1005.1966 | Countersunk screw Torx M5x16 | 27 |
| 1006.1962 | Countersunk screw Torx M6x16 | 25 |
| 1003.2265 | Countersunk self tapping screw 4,2x16 | 31 |
| 40.03.755 | Cover behind 2 UL | 9 |
| 16.01.910 | Cover f. control pcb w. gasket | 5 |
| 16.00.329 | Cover f. USB interface | 31 |
| 40.04.122 | Cover for Fuse *UL* | 9 |
| 56.00.375 | Cover for pump | 35 |
| 16.01.511 | Crossbar below | 31 |
| 16.00.681 | Crossbar front panel | 31 |
| 16.00.331 | Crossbar top | 31 |
| 22.00.361 | Deep-draw f. air baffle | 23 |
| 16.02.062 | Dial f. pulse generator | 5 |
| 24.00.113 | Door | 25 |
| 24.00.137 | Door bolt | 25 |
| 24.00.048 | Door bolt | 25 |
| 24.00.142 | Door catch | 25 |
| 24.01.801 | Door drip collector | 27 |
| 20.01.803 | Door gasket | 21 |
| 24.00.152 | Door handle | 25 |
| 24.00.176 | Door lock | 25 |
| 24.00.223 | Door mounting support bottom | 25 |
| 24.00.133 | Door mounting support top | 25 |

# Index


| Part-no. | Description | Page |
|---|---|---|
| 24.00.146 | Door setting bolt | 27 |
| 40.00.335 | Door switch | 29 |
| 24.01.188 | Drain door drip collector | 27 |
| 22.00.960 | Drain hose for humidity control | 11 |
| 44.01.222 | Drain hose steam generator | 13 |
| 50.01.192 | Drain pipe with bushing | 31 |
| 56.00.488 | Drawer Care container | 35 |
| 50.00.300 | Drip collector | 31 |
| 40.03.282 | Drip protection for air inlet filter 1 UL | 9 |
| 40.01.329 | Dry up protector 183° | 9 |
| 40.01.610 | Earth terminal 20 WKN 70SL/U | 9 |
| 10.01.218 | Edge protection profile | 9 |
| 10.00.980 | EJOT PT-Screw K30x10 | 35 |
| 10.00.103 | EJOT PT-screw KA 3.5x10 | 31 |
| 10.00.460 | EJOT PT-Screw Torx 3,5x14 | 31 |
| 44.00.207 | Emptying pump | 13 |
| 4001.1203 | End plate for mounting rail | 9 |
| 40.03.499 | Fan housing *UL* | 7 |
| 40.03.513 | Fan motor | 19 |
| 22.00.829 | Fan wheel | 19 |
| 44.01.291 | Filling level electrode 90 mm | 13 |
| 44.01.168 | Fixing angle steam generator | 13 |
| 44.01.181 | Fixing angle steam generator | 13 |
| 40.03.780 | Fixing clip core temp. cable | 23 |
| 40.03.756 | Fixing clip f. pcb | 7 |
| 40.03.533 | Fixing clip f. pcb | 7 |
| 24.00.502 | Fixing device f. magnet with magnet | 27 |
| 44.00.232 | Fixing device f. pump steam generator | 13 |
| 22.00.721 | Flange f. motor shaft gasket | 19 |
| 56.00.445 | Frame for drawer CareControl | 31 |
| 16.01.858 | Front panel | 31 |
| 4001.0224 | Fuse 6.35x32mm | 9 |

# Index


| Part-no. | Description | Page |
|---|---|---|
| 40.01.487 | Fuse holder 2pol | 9 |
| 40.02.512 | Fuse holder 2x6.3A | 9 |
| 40.01.588 | Fuse SC-8A 10x38 | 9 |
| 16.01.434 | Gasket f. breather tube d=74mm | 31 |
| 40.03.416 | Gasket f. heating assembly | 17 |
| 44.00.279 | Gasket f. heating element | 13 |
| 44.00.280 | Gasket f. heating element+Level elektrode insert | 13 |
| 22.00.881 | Gasket f. hum. meas. Pipe | 11 |
| 54.01.168 | Gasket f. inspection lid quenching | 33 |
| 40.00.091 | Gasket frame w. glass a. gaskets | 21 |
| 2022.0101 | Grommet d8mm | 33 |
| 3024.0201 | Halogen bulb 300°C | 21 |
| 22.00.730 | Hand protection | 23 |
| 50.00.130 | Hand shower | 33 |
| 50.01.238 | Hand shower roll guide *lead free* | 33 |
| 40.03.537 | Heat sink 3 SSR | 7 |
| 40.03.645 | Heating assembly | 17 |
| 44.01.376 | Heating element | 13 |
| 1104.0122 | Hex combination nut M4 galv | 11, 13 |
| 1105.0121 | Hex combination nut M5 galv | 33 |
| 1104.0121 | Hex nut M4 self locking | 7 |
| 10.00.100 | Hex nut M4, self-locking | 21 |
| 10.01.065 | Hex nut M5 | 9, 19 |
| 10.00.709 | Hex nut M6 w. locking | 9, 13, 19 |
| 3014.0302 | Hex nut M10 for dry-up protector | 9 |
| 3014.0327 | Hex nut M10x1,0 | 9, 21 |
| 10.00.612 | Hex nut M16 flat | 21 |
| 1004.0666 | Hex screw M4x10 | 35 |
| 10.00.109 | Hex screw M5x23 | 17 |
| 1006.0762 | Hex screw M6x10 | 13 |
| 1006.0760 | Hex screw M6x16 | 25 |
| 10.00.099 | Hex screw M8x12 | 25 |

# Index


| Part-no. | Description | Page |
|---|---|---|
| 10.00.565 | Hex screw M8x20 | 19 |
| 10.00.975 | Hex screw M10x35 | 29 |
| 1004.2160 | Hex self tapping screw 4,2x16 | 31 |
| 10.00.992 | Hex self tapping screw B4,2x32 | 31 |
| 60.12.116 | Hinging rack left | 37 |
| 60.12.117 | Hinging rack right | 37 |
| 24.00.141 | Holding bracket f. door catch | 25 |
| 2066.0205 | Hose clamp 8-16x9 mm SW 7mm | 33 |
| 2066.0521 | Hose clamp 27mm | 35 |
| 2066.0518 | Hose clamp 30mm | 13, 35 |
| 2066.0519 | Hose clamp 35,6mm | 13 |
| 2066.0504 | Hose clamp 40-60mm | 13 |
| 2066.0516 | Hose clamp 60-80 mm | 33 |
| 10.00.873 | Hose clamp CLIC d=15.5mm | 35 |
| 10.00.983 | Hose clamp CLIC d=23mm | 35 |
| 10.00.984 | Hose clamp CLIC d=27.5mm | 35 |
| 2066.0527 | Hose clamp ø14mm | 11, 15 |
| 2066.0530 | Hose clamp ø16.4mm | 15 |
| 10.00.605 | Hose clamp ø25.3 | 35 |
| 2066.0526 | Hose clamp ø46mm | 13 |
| 22.00.525 | Hose set f. humidity control | 11 |
| 12.00.898 | Housing f. Cleaning pump | 35 |
| 22.00.725 | Humidity control cpl. | 11 |
| 24.00.200 | Inner glass pane | 27 |
| 54.01.169 | Inspection lid, quenching nozzle, B2 | 33 |
| 40.04.046 | Interface cable USB 1.0m | 31 |
| 1005.2000 | Interlocking tooth screw M5x8 | 25, 35 |
| 10.01.214 | Interlocking tooth screw M5x10 | 29, 35 |
| 20.01.755 | Isolation for mounting plate for motor | 19 |
| 2062.0331 | Junction pressure hose GS 10 | 15 |
| 2760.1370 | Latch hook for air baffle | 23 |
| 2920.1300 | Level elektrode insert | 13 |

# Index


| Part-no. | Description | Page |
|---|---|---|
| 24.00.504 | Lock cover | 25 |
| 50.00.086 | Locking plate f. water distribution | 33 |
| 40.04.034 | Loudspeaker K 64 WPT | 7 |
| 12.01.133 | Lower part of pedestal | 29 |
| 40.03.413 | Mating flange f. heating assembly | 17 |
| 40.00.606 | Meat probe sensor | 21 |
| 42.00.081 | MMI pcb | 5 |
| 22.00.083 | Motor shaft gasket | 19 |
| 40.04.000 | Mounting base for control pcb | 7 |
| 22.00.882 | Mounting device f. pressure sensor | 11 |
| 40.03.319 | Mounting device heat sink SSR | 7 |
| 22.00.722 | Mounting support f. gasket flange | 19 |
| 40.03.404 | Mounting support transformer | 9 |
| 50.00.078 | Non return valve DW16/DN12 | 33 |
| 50.01.471 | Nozzle f. moistening | 17 |
| 10.00.512 | O-ring for ball valve drain 26x3.5 | 33 |
| 10.00.511 | O-ring for ball valve drain 46x3.5 | 33 |
| 22.00.837 | O-ring for humidity control | 11 |
| 16.01.965 | Opening mechanism for panel insert | 29 |
| 1008.0768 | Ornamental screw M8x16 | 25 |
| 1008.0769 | Ornamental screw M8x30 | 25 |
| 22.00.850 | Outer humidity meas. Piece | 11 |
| 54.01.117 | Outlet sieve | 21 |
| 10.00.449 | Pan head screw M6x16 | 33 |
| 10.00.507 | Pan head screw Torx 5/16" T20 | 7 |
| 10.00.365 | Pan head screw Torx M3x20 | 9 |
| 10.00.061 | Pan head screw Torx T20 M4x12 | 7 |
| 56.00.537 | Pipe f. Care hose | 35 |
| 50.00.085 | Plug-in spring f. hand shower roll guide | 33 |
| 60.71.022 | Positioning support f. core sensor | 37 |
| 2067.0050 | Pressure hose d10mm | 33, 35 |
| 56.00.166 | Pressure hose f. cleaning | 35 |

# Index


| Part-no. | Description | Page |
|---|---|---|
| 2067.0164 | Pressure hose ø10mm 650mm long | 35 |
| 3017.1011 | Pressure sensor for humidity control Huba 401 | 11 |
| 40.00.404 | Pulse generator | 5 |
| 2118.1000 | Pump connection spout | 15 |
| 8354.1320 | Pump connection spout cpl. | 13 |
| 56.00.451 | Pump f. CareControl DPS 35 | 35 |
| 56.00.185 | Pump f. cleaning UP30 | 35 |
| 40.00.098 | Reflector f. interior light | 21 |
| 10.00.515 | Rivet 3,2x5 A4 | 23 |
| 1603.0166 | Rivet 3,2x7,9 CNS closed | 31 |
| 1604.0167 | Rivet 4x10 | 23 |
| 10.00.041 | Rivet nut M5 hexagon closed | 27 |
| 10.00.989 | Rivet with screw | 7 |
| 54.01.142 | Rubber form piece venting pipe | 33 |
| 40.01.482 | Safety temperature limiter 365°C | 9, 21 |
| 40.01.317 | Screen core temperature sensor | 21 |
| 40.03.782 | Screen interior cabinet sensor | 21 |
| 42.00.128 | SD-memory card 4GB | 7 |
| 16.01.908 | Sealing f. panel insert | 5 |
| 16.00.155 | Side panel left | 31 |
| 16.00.154 | Side panel right | 31 |
| 2110.1008 | Silicon hose ø10x2mm | 15 |
| 24.00.171 | Silicone buffer 7mm for door | 27 |
| 50.01.146 | Single solenoid valve | 33 |
| 24.00.147 | Sleeve for door bolt top | 27 |
| 1104.0820 | Snap nut 4,2mm | 29, 31 |
| 40.00.453 | Solid state relais | 7 |
| 10.00.243 | Spacer M4x8 | 7 |
| 24.01.100 | Spring clip f. door lock | 25 |
| 10.01.049 | Square necked mushroom head bolt 6x30 | 19 |
| 1107.0103 | Star lock ø3 | 17 |
| 1107.0100 | Star lock ø4 | 31 |

# Index


| Part-no. | Description | Page |
|---|---|---|
| 44.00.943 | Steam generator insolated | 13 |
| 2112.1006 | Steam hose 50x7mm | 13 |
| 10.01.193 | Sticker set | 37 |
| 2120.1259 | Stop plug 10mm | 15 |
| 56.00.607 | Suction hose f. cleaning | 35 |
| 22.00.491 | Surge guard for Meat probe sensor | 23 |
| 50.00.313 | T-fitting water connection | 33 |
| 40.01.611 | Terminal block grey WKN 70/U | 9 |
| 40.00.290 | Thermocouple humidity | 21 |
| 40.03.488 | Thermocouple interior cabinet B1 | 21 |
| 40.04.106 | Thermocouple steam generator *B5* | 13 |
| 4005.0101 | Tie rap 145 mm | 15 |
| 1204.0120 | Tooth lock washer A4,3 | 7 |
| 1206.0120 | Tooth lock washer A6,4 | 29 |
| 16.02.154 | Top cover | 31 |
| 50.01.050 | Triple solenoid valve | 33 |
| 50.00.751 | Tulip for handshower with tape | 31 |
| 12.00.516 | Turning lock f. lower part of pedestal | 29 |
| 50.00.846 | Union nut M12x13.2 N | 17 |
| 12.00.205 | Upper part of pedestal | 29 |
| 40.02.425 | Varistor | 9 |
| 22.00.767 | Vent cover | 11, 29 |
| 54.00.879 | Ventilation pipe | 33 |
| 8354.1304 | Venting valve for steam generator | 33 |
| 10.00.744 | Washer A4,3 *A4 | 23 |
| 1306.0222 | Washer A6,4x15x1,5 | 13 |
| 1308.0162 | Washer A8,4 | 19 |
| 1308.0160 | Washer A8,4 | 25 |
| 60.71.379 | Water connection kit, table unit E/USA | 37 |
| 50.00.070 | Water distribution hor roll guide con. | 33 |
| 50.00.071 | Water distribution hor. w/o roll guide con. | 33 |
| 1900.0202 | Water filter | 33 |


# Index


| Part-no. | Description | Page |
|---|---|---|
| 50.01.523 | Water volume sensor | 33 |
| 40.04.114 | Wiring interior light | 21 |


# Deckblatt Elektrische Dokumentation, Cover sheet electrical Documentation

Die Elektrische Dokumentation besteht aus: 1. diesem Deckblatt, 2. dem Schaltplan und 3. der Legende der elektrischen Bauteile
The electric documentation contains: 1. this cover sheet, 2. the wiring diagram and 3. the bill of material (BOM)


| | | | |
|---|---|---|---|
| **Deckblatt-Nr.**<br>**Front Page No.** | 75-21214 | **Version** | 1 |
| **Typ / Type** | SCC WE 102E | | |
| **Schaltplan**<br>**Wiring diagram**<br><br>**Spannung (SPL)**<br>**Voltage** | 76-00494<br><br>3AC208 V 60 Hz | **Version** | 1 |
| **Legende**<br>**Legend electr. components** | 78-00740 | **Version** | 1 |
| **Geräteserialnr.**<br>**Serial number** | E12SH1102 | **Version** | 1102 |
| **Erstellt am**<br>**Created at** | Jul 18, 2011 5:59 PM | **Ersteller**<br>**Creator** | SCHD |
| **Gültig ab**<br>**Valid from** | Aug 30, 2011 3:30 PM | **Änderung**<br>**Modification** | |




| | | | |
|---|---|---|---|
| 76-00494 | MODUL 1<br>Leistung/Power | SCC WE 102E-UL | Erstellt von / Created by: SCHD |
| Version: 1 | | 3AC208 V 60 Hz | Datum / Date: 05.10.2011 |
| | | | Blatt / Page: 1 |




| | | | |
|---|---|---|---|
| 76-00494 | MODUL 2<br>Heizung/Heating | SCC WE 102E-UL | Erstellt von / Created by: SCHD |
| Version: 1 | | 3AC208 V 60 Hz | Datum / Date: 05.10.2011 |
| | | | Blatt / Page: 2 |




| | | | |
|---|---|---|---|
| 76-00494 | MODUL 3<br>Sensoren/Sensors | SCC WE 102E-UL | Erstellt von / Created by: SCHD<br>Datum / Date: 05.10.2011 |
| Version 1 | | 3AC208 V 60 Hz | Blatt / Page: 3 |

**Positionsliste**

**Bill of material**

| **Name**<br>**Name** | **Artikelnr.**<br>**Item number** | **Artikelbezeichnung** | **Item description** | **Module**<br>**Modul** |
|---|---|---|---|---|
| -A1 | 42.00.081 | Interface Platine | Interface PCB | Modul 1 |
| -A2 | 42.00.080 | CPU SCC WE | CPU SCC WE | Modul 1 |
| -A2-F1/F2 | 3019.0120 | Sicherung A2 - 2AT | Fuse A2 - 2AT | Modul 1 |
| -A2-F3 | 3019.0312 | Sicherung A2 - 8AT | Fuse A2 - 8AT | Modul 3 |
| -B1 | 40.03.488 | Thermoelement Garraum | Thermocouple interior cabinet | Modul 3 |
| -B2 | 54.01.169 | Thermoelement Ablöschung | Thermocouple quenching | Modul 3 |
| -B3 | 40.00.606 | Thermoelement Kerntemperatur | Thermocouple core sensor | Modul 3 |
| -B4 | 40.00.290 | Thermoelement Feuchte | Thermocouple humidity | Modul 3 |
| -B5 | 40.04.106 | Thermoelement Dampfgenerator | Thermocouple steam generator | Modul 3 |
| -F1/F2 | 40.01.588 | Steuersicherung | Control fuse | Modul 1 |
| -F3 | 40.01.329 | Sicherheitstemperaturbegrenzer Gas:157°C/314° F Elek.:183°C/360°F | Safety thermostat steam generator Gas: 157°C/ 314°F Elec.: 183°C/360°F | Modul 1 |
| -F4 | 40.01.482 | Sicherheitstemperaturbegrenzer 360°C/680°F | Safety thermostat interior cabinet 360°C/680°F | Modul 1 |
| -G1 | 40.03.257 | Gleichrichter Kühllüfter | DC converter cooling fan | Modul 1 |
| -H1 | 3024.0201 | Garraumbeleuchtung | Interior cabinet light | Modul 3 |
| -K1 | 40.03.666 | Hauptschütz | Main contactor | Modul 1 |
| -M1 | 40.03.513 | Lüftermotor | Fan motor | Modul 1 |
| -M12 | 56.00.451 | Pumpe Pflegemittel | Care pump | Modul 1 |
| -M4 | 44.00.207 | SC-Pumpe | SC-pump | Modul 1 |
| -M5 | 40.03.428 | Kühllüfter | Cooling fan | Modul 1 |
| -M6 | 56.00.185 | CleanJet Pumpe SCC WE | CleanJet pump SCC WE | Modul 1 |
| -M7 | 54.01.291 | Kugelhahn Ablauf | Drain valve | Modul 3 |
| -P1 | 3017.1011 | Differenzdrucksensor | Differential pressure sensor | Modul 3 |

| | | | | | |
|---|---|---|---|---|---|
| Änderungsdatum | **30.08.2011** | Name | **SCC WE 102E-UL** | Dokument-Nr. | **78-00740** |
| Erzeuger | **ADT** | Spannung | **3AC208 V 60 Hz** | Version | **1** |

**Positionsliste**

**Bill of material**

| **Name**<br>**Name** | **Artikelnr.**<br>**Item number** | **Artikelbezeichnung** | **Item description** | **Module**<br>**Modul** |
|---|---|---|---|---|
| -R1 | 44.01.376 | Dampfheizkörper | Heating element steam | Modul 2 |
| -R2 | 44.01.376 | Dampfheizkörper | Heating element steam | Modul 2 |
| -R4 | 40.03.645 | Heißluftheizkörper | Heating element hot air | Modul 2 |
| -S1 | TEXT | Ein/Aus Schalter | ON/OFF switch | Modul 1 |
| -S11 | 50.01.523 | CDS-Sensor | CDS-sensor | Modul 3 |
| -S2 | 44.01.291 | Niveauelektrode | Water level electrode | Modul 3 |
| -S3 | 40.00.335 | Türkontaktschalter | Door contact switch | Modul 3 |
| -S6 | 40.00.404 | Zentrales Einstellrad | Central dial | Modul 3 |
| -T1 | 40.03.348 | Steuertrafo | Control transformer | Modul 3 |
| -T1-F1 | 3019.0120 | Sicherung Steuertrafo T1 2AT | Fuse control transformer T1 2AT | Modul 3 |
| -T1-F2 | 3019.0126 | Sicherung Steuertrafo T1 5AT | Fuse control transformer T1 5AT | Modul 3 |
| -T2 | 40.04.034 | SCC WE: Lautsprecher / CMP: Alarmsummer | SCC WE: Speaker / CMP: Buzzer | Modul 3 |
| -V1-V12 | 40.00.453 | Leistungshalbleiter | Solid state relais | Modul 2 |
| -W11 | 40.04.114 | Kabel: Garraumbeleuchtung | Cable: interior cabinet light | Modul 3 |
| -W17 | 40.03.484 | Kabel: Steuerstamm | Cable: control harness | Modul 1 |
| -W20 | 40.03.981 | Kabel: Spannungswahlschalter UL | Cable: selector switch UL | Modul 1 |
| -W30 | 40.02.965 | Kabel: Adapterkabel Pumpe Pflegemittel 61-102 | Cable: adapter care pump 61-102 | Modul 1 |
| -W31 | 40.03.467 | Kabel: Ein/Aus Schalter | Cable: ON/OFF switch | Modul 1 |
| -X20 | 40.04.180 | Sicotronic-Klemme | Sicotronic link | Modul 1 |
| -Y1/Y3/Y4 | 50.01.050 | Y1: Magnetventil Füllen / SCC WE Y3: Beschwadung / Y4: Pflegemittel | Y1: Solenoid valve filling / SCC WE Y3: moistening / Y4: care | Modul 1 |
| -Y2 | 50.01.146 | Magnetventil Ablöschung | Solenoid valve quenching | Modul 1 |
| -Y5 | 22.00.725 | Klimaventil | Clima valve | Modul 3 |

**Positionsliste**

**Bill of material**

| **Name**<br>**Name** | **Artikelnr.**<br>**Item number** | **Artikelbezeichnung** | **Item description** | **Module**<br>**Modul** |
|---|---|---|---|---|
| -Z1 | 40.02.425 | Entstörfilter/Varistor | Electronic noise filter | Modul 1 |