# Service part catalogue

## iCombi® as of 03/2020 XS - 6 x 2/3 Gastronorm


### E60SJ2409XXXXXXX




10/3/2024
3NAC400 V 50/60Hz

© Copyright by RATIONAL Technical Service
All Rights reserved


# Overview



# Overview

Pos. 1 Control panel **4**
Pos. 2 Electrical installation **6**
Pos. 3 ClimaPlus **12**
Pos. 4 Steam generator **14**
Pos. 5 Hot air heating **16**
Pos. 6 Motor and fan wheel **18**
Pos. 7 Interior cabinet **20**
Pos. 8 Door **22**
Pos. 9 Exterior cabinet **26**
Pos. 10 Water **30**
Pos. 11 CleanJet + Care **33**
Pos. 13 Standard accessory **35**
Pos. 20 Repair and retrofit kit **49**


# Pos. 1 Control panel



# Pos. 1 Control panel

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 87.01.534S | Front panel with overlay/TFT *RAT* | 1 |
| 3 | 42.00.302P | Display *TFT* | 1 |
| 4 | 16.03.993P | Fixing display / pcb | 1 |
| 6 | 42.00.251P | Control pcb (w/o SD-Card) | 1 |
| 8 | 42.00.359P | Micro SD card | 1 |
| 9 | 42.00.346P | Sensor on / off | 1 |
| 10 | 40.06.760P | Cable control pcb - capacitive switch | 1 |
| 11 | 40.06.435P | Interface USB | 1 |
| 12 | 40.06.410P | Interface cable LAN 2m | 1 |
| 13 | 16.03.756P | Dial f. pulse generator | 1 |
| 14 | 40.06.037P | Pulse generator | 1 |
| 15 | 16.03.929P | Cover f. control pcb w. gasket | 1 |
| 16 | 16.04.204S | On-Off sensor support | 1 |
| 21 | 40.06.569P | Cable CPU - TFT | 1 |
| 23 | 16.04.319P | Sealing block BUS | 1 |
| 24 | 16.04.318P | Sealing block LAN/USB | 1 |


# Pos. 2 Electrical installation



# Pos. 2 Electrical installation

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | | Electrical installation | 1 |
| 2 | 40.05.670P | Solid state relais | 1 |
| 4 | 10.01.778P | Pan head screw Torx M4x16 | 2 |
| 5 | 40.06.051P | Heat sink small Quad-SSR | 1 |
| 6 | 10.01.776P | Pan head screw Torx T20 M4x12 | 1 |
| 7 | 40.07.031P | Mounting device heat sink SSR | 1 |
| 8 | 10.01.776P | Pan head screw Torx T20 M4x12 | 1 |
| 9 | 40.05.993P | Cooling fan | 1 |
| 10 | 40.05.016P | Air shaft cpl. | 1 |
| 11 | 10.01.776P | Pan head screw Torx T20 M4x12 | 1 |
| 12 | 40.06.435P | Interface USB | 1 |
| 13 | 40.05.509P | Interface LAN IPX6 | 1 |
| 14 | 40.06.410P | Interface cable LAN 2m | 1 |
| 15 | 40.06.425P | Holder for mains filter | 1 |
| 16 | 1006.0762P | Hex screw M6x10 | 1 |
| 18 | 40.03.732P | Tie rap 160 mm | 18 |
| 19 | 40.07.746P | Loudspeaker SL 64 FR 8W | 1 |
| 21 | 50.01.786S | Cable entry | 1 |
| 22 | 40.04.530P | Cable connection M25x1.5 | 1 |
| 23 | 40.00.320S | Cable gland M20x1.5 | 1 |
| 24 | 40.04.495P | Cable connection M25 ø5mm *divisible* | 1 |
| 28 | 40.06.451P | Grid for fan assembly | 1 |
| 100 | 40.07.668P | Cable control harness | 1 |
| 102 | 40.06.673P | Cable harness base | 1 |
| 112 | 40.05.253P | Power supply cable 5x1,5mm² 3m | 1 |
| 113 | 40.06.851P | Cable A11-A18 | 1 |
| 133 | 40.05.858P | Bus cable 1.08m | 1 |


# Pos. 1 Electrical installation



# Pos. 1 Electrical installation

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 40.06.370P | Contactor assembly | 1 |
| 2 | 10.01.776P | Pan head screw Torx T20 M4x12 | 1 |
| 3 | 42.00.322P | Electronic noice filter | 1 |
| 4 | 40.05.269P | Contactor B&J K3-10NDR10 190R B01B01TX | 1 |
| 6 | 40.03.953P | Earth terminal WKN 6SL/U | 1 |
| 7 | 40.05.277P | Terminal block blue WKFN6/35 | 1 |
| 8 | 40.05.260P | Terminal block WKFN 6 D1/2/35 grey | 1 |
| 9 | 40.03.756P | Fixing clip f. pcb | 1 |
| 11 | 42.00.280P | IO-module | 1 |
| 14 | 10.02.008P | Rivet with screw | 1 |
| 15 | 40.03.756P | Fixing clip f. pcb | 1 |
| 16 | 40.06.425P | Holder for mains filter | 1 |
| 18 | 42.00.314P | Cleaning PCB | 1 |
| 20 | 10.01.776P | Pan head screw Torx T20 M4x12 | 1 |
| 21 | 40.02.512P | Fuse holder 2x6.3A | 1 |
| 22 | 4001.0224P | Fuse 6.35x32mm  6.3A | 2 |
| 23 | 40.05.279P | End cover APFN 6 D1/2/35 | 1 |
| 28 | 40.06.767P | Fuse 4A *Typ 5HT 4-R* | 1 |
| 29 | 3019.0125P | Fuse 5x20mm | 1 |


# Pos. 10 Air shaft cpl.



# Pos. 10 Air shaft cpl.

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 40.04.771P | Air inlet filter | 1 |


# Pos. 3 ClimaPlus



# Pos. 3 ClimaPlus

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 3017.1011P | Pressure sensor Huba 3 mbar | 1 |
| 2 | 40.06.418P | Mounting device f. pressure sensor | 1 |
| 3 | 10.01.776P | Pan head screw Torx T20 M4x12 | 1 |
| 4 | 22.01.538P | Hose set f. humidity control | 1 |
| 5 | 22.01.112P | Vent cover | 1 |
| 6 | 22.00.914P | Air inlet pipe | 1 |
| 7 | 22.00.725P | Humidity control cpl. | 1 |
| 8 | 22.00.837P | O-ring for humidity control | 2 |
| 9 | 22.01.179P | Hose set for ventilation | 1 |
| 10 | 2066.0527P | Hose clamp ø14mm | 6 |
| 15 | 22.01.105S | Inner humidity meas. Piece | 1 |
| 16 | 22.00.881P | Gasket f. hum. meas. Pipe | 1 |
| 17 | 10.00.916P | Hex nut M4 w. locking | 3 |
| 18 | 22.01.107S | Outer humidity meas. Piece | 1 |
| 19 | 22.00.881P | Gasket f. hum. meas. Pipe | 2 |
| 20 | 10.00.916P | Hex nut M4 w. locking | 6 |


# Pos. 4 Steam generator



# Pos. 4 Steam generator

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 44.01.463S | Steam hose kit Ø40x50mm | 1 |
| 2 | 87.01.458 | Steam generator insolated *Service* | 1 |
| 3 | 2066.0507P | Hose clamp 32-50mm | 1 |
| 4 | 8354.1320P | Pump connection spout cpl. | 1 |
| 5 | 10.01.868P | Hose clamp 32-50mm | 2 |
| 6 | 44.00.207P | Emptying pump | 1 |
| 8 | 2066.0530P | Hose clamp ø16.4mm | 1 |
| 9 | 2066.0530P | Hose clamp ø16.4mm | 1 |
| 10 | 44.01.918P | Bushing for filling steam generator | 1 |
| 11 | 44.01.470P | Drain hose steam generator | 1 |
| 12 | 2066.0518P | Hose clamp 30mm | 1 |
| 13 | 2066.0518P | Hose clamp 30mm | 1 |
| 14 | 44.01.546P | Safety device / water supply for steam generator | 1 |
| 15 | 52.00.017P | Angle plug PS3 6-6-90° | 1 |
| 16 | 2067.0050 | Pressure hose d10mm | .85 |
| 17 | 2066.0205P | Hose clamp 8-16x9 mm SW 7mm | 1 |
| 18 | 44.01.569P | Drain hose, safety device | 1 |
| 20 | 2066.0206P | Hose clamp 16-25mm/9mm-C72V SW7 | 1 |
| 21 | 44.01.581P | Filling level electrode 170 mm | 1 |
| 22 | 2066.0527P | Hose clamp ø14mm | 1 |
| 23.1 | 87.01.356 | Heating element with gasket | 1 |
| 24 | 10.00.709P | Hex nut M6 w. locking | 1 |
| 25 | 44.01.433P | Gasket f. heating element | 1 |
| 26 | 44.01.445P | Fixing device f. pump steam generator | 1 |
| 27 | 10.00.709P | Hex nut M6 w. locking | 2 |
| 28 | 1006.0762P | Hex screw M6x10 | 2 |
| 29 | 40.01.329S | Dry up protector 183°C | 1 |
| 36 | 40.06.526P | Thermocouple *B5/B10* | 1 |
| 37 | 22.01.179P | Hose set for ventilation | 1 |


# Pos. 5 Hot air heating



# Pos. 5 Hot air heating

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1.1 | 87.01.805S | Heating assembly with gasket | 1 |
| 2 | 46.00.170P | Gasket f. heating assembly | 1 |
| 3 | 46.00.171P | Mating flange f. heating assembly | 1 |
| 4 | 10.00.109P | Hex screw M5x23 | 6 |
| 5 | 10.01.076P | Cap nut M5*A2 | 1 |
| 6 | 50.00.844P | Nozzle f. moistening | 1 |
| 7 | 50.00.846P | Union nut M12x13.2 N | 1 |
| 8 | 50.01.722P | Plastic pipe 4,5x0,75x136mm | 1 |


# Pos. 6 Motor and fan wheel



# Pos. 6 Motor and fan wheel

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1.1 | 87.01.974S | Fan motor | 1 |
| 2.1 | 42.00.372S | Motor control for fan motor | 1 |
| 4 | 20.02.677P | Bushing for motor mounting bar | 1 |
| 5 | 10.01.049P | Square necked mushroom head bolt 6x30 | 4 |
| 6 | 10.01.490P | Hex nut M6 | 4 |
| 7 | 22.00.722P | Mounting support f. gasket flange | 1 |
| 8 | 22.01.196P | Graphit seal for gasket flange | 1 |
| 9 | 22.00.985P | Motor shaft gasket D15 | 1 |
| 10 | 22.00.721P | Flange f. motor shaft gasket | 1 |
| 11 | 10.01.065P | Hex nut M5 | 3 |
| 12 | 22.01.062S | Fan wheel | 1 |
| 13 | 1308.0162P | Washer A8,4 | 1 |
| 14 | 10.00.936P | Hex screw M8x20 | 1 |


# Pos. 7 Interior cabinet



# Pos. 7 Interior cabinet

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 22.01.014P | Air baffle | 1 |
| 3 | 40.01.482S | Safety temperature limiter 365°C | 1 |
| 4 | 40.04.834P | Fixing device for safety temperature limiter | 1 |
| 5 | 10.00.709P | Hex nut M6 w. locking | 1 |
| 6 | 40.04.844P | Screen for safety temperature limiter | 1 |
| 7 | 10.01.076P | Cap nut M5*A2 | 1 |
| 8 | 40.04.869P | Thermocouple interior cabinet B1 | 1 |
| 9 | 40.03.782P | Shielding for interior cabinet sensor | 1 |
| 10 | 10.01.076P | Cap nut M5*A2 | 2 |
| 11 | 40.04.907S | Thermocouple humidity *B4* | 1 |
| 12 | 10.00.087P | Clamp strap f. sensor | 1 |
| 13 | 10.00.916P | Hex nut M4 w. locking | 1 |
| 14 | 40.06.634P | Core temperature probe | 1 |
| 15 | 1315.0104P | Copper washer 16x20x1,5 | 1 |
| 16 | 10.01.751P | Hex nut M16 DIN934 A2 | 1 |
| 17 | 20.02.515P | Outlet sieve | 1 |
| 18 | 20.02.549P | Door gasket | 1 |


# Pos. 8 Door



# Pos. 8 Door

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 24.04.783P | Door | 1 |
| 2 | 24.04.083P | Door handle RATIONAL | 1 |
| 3 | 24.03.041P | Door lock with spring U-bolt | 1 |
| 4 | 24.03.288P | Spring U-bolt for door lock | 1 |
| 5 | 24.03.184P | Lock cover | 1 |
| 6 | 24.02.958P | Holding bracket f. door catch | 1 |
| 7 | 1006.0760P | Hex screw M6x16 | 2 |
| 8 | 24.02.959P | Door catch | 1 |
| 9 | 24.02.960P | Interlocking tooth screw M5x6 | 1 |
| 10 | 2001.0109P | Compression spring | 1 |
| 11 | 24.03.040P | Door bolt | 1 |
| 12 | 1008.0769P | Ornamental screw M8x30 | 1 |
| 13 | 24.02.951P | Door bolt | 1 |
| 14 | 10.01.527P | Hex screw M8x12 | 1 |
| 15 | 24.03.357P | Door mounting support bottom | 1 |
| 16 | 1006.1962P | Countersunk screw Torx M6x16 | 1 |
| 17 | 24.03.786P | Cap for door mounting support bottom | 1 |
| 18 | 10.00.090P | Cap f. Torx T30 | 2 |
| 19 | 24.03.399P | Door mounting support top | 1 |
| 20 | 1008.0768P | Ornamental screw M8x16 | 2 |
| 21 | 1306.0120P | Washer A6,4 | 2 |


# Pos. 1 Door



# Pos. 1 Door

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 87.01.416 | Glass pane bundle | 1 |
| 2 | 24.03.052P | Sleeve for door bolt top | 1 |
| 3 | 10.00.890P | Rivet 4x10 | 1 |
| 4 | 24.02.966P | Door setting bolt | 1 |
| 5 | 10.00.904P | Rivet B4x8 | 2 |
| 6 | 24.00.502P | Fixing device f. magnet with magnet | 1 |
| 11 | 24.03.021P | Door drip collector | 1 |
| 13 | 24.03.355P | Drain seal  for door drip collector | 1 |
| 14 | 24.03.056P | Slide bush for door | 1 |
| 15 | 24.03.057P | Abrasion protection for glide socket | 1 |
| 16 | 24.03.787S | Fixing bracket kit for interior glass pane | 2 |
| 17 | 10.02.416P | Rivet Ø4x8, A2 | 2 |
| 18 | 24.03.062P | Cover cap for door | 1 |
| 19 | 87.01.578S | LED bar | 2 |
| 20 | 87.01.586S | LED optics | 2 |
| 21 | 24.05.458P | Plastic spreader rivet | 4 |
| 25 | 24.03.467P | Cable shaft for door | 1 |
| 101 | 40.06.715P | Wire set for door lighting | 1 |


# Pos. 9 Exterior cabinet



# Pos. 9 Exterior cabinet

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | | Exterior cabinet | 1 |
| 2 | 10.01.076P | Cap nut M5*A2 | 1 |
| 3 | 1205.0120P | Tooth lock washer A5,3 | 1 |
| 4 | 40.04.342P | Door switch 0.45m | 1 |
| 5 | 12.01.871S | Bracket for door contact switch | 1 |
| 6 | 1304.0160P | Washer A4,3 | 2 |
| 7 | 1004.0666P | Hex screw M4x10 | 2 |
| 8 | 22.01.112P | Vent cover | 1 |
| 9 | 56.00.800P | Gasket f. breather tube | 1 |
| 10 | 56.00.827P | Frame for drawer CareControl | 1 |
| 11 | 10.00.980P | EJOT PT-Screw K30x10 | 1 |
| 15 | 40.04.771P | Air inlet filter | 1 |
| 16 | 12.01.877P | Splash guard | 1 |
| 17 | 1004.0666P | Hex screw M4x10 | 2 |
| 18 | 12.01.899P | Gasket for base frame | 1 |
| 21 | 12.01.716P | Cover for base frame | 1 |


# Pos. 1 Exterior cabinet



# Pos. 1 Exterior cabinet

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 16.03.178P | Top cover | 1 |
| 2 | 1003.2265P | Countersunk self tapping screw 4,2x16 | 8 |
| 3 | 1104.0820P | Snap nut 4,2mm | 8 |
| 4 | 16.02.885P | Side panel right | 1 |
| 5 | 16.02.962P | Back panel, right | 1 |
| 6 | 16.02.963P | Back panel, left | 1 |
| 7 | 10.00.102P | Hex self tapping screw B4,2x32 | 2 |
| 8 | 16.03.331P | Side panel left | 1 |
| 9 | 10.00.992P | Hex self tapping screw B4,2x32 | 2 |
| 10 | 1104.0820P | Snap nut 4,2mm | 2 |
| 11 | 87.01.534S | Front panel with overlay/TFT *RAT* | 1 |
| 12 | 16.02.992P | Crossbar front panel | 1 |
| 13 | 16.02.905P | Crossbar top | 1 |
| 14 | 56.00.874P | Gasket wastewater | 1 |

# Pos. 10 Water



28
29
1
8
30
2
3
26
4
17
27
16
10
25
24
23
22
12
5
6
14
19
21
15
18
13
7
9
11
31

# Pos. 10 Water

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 54.01.517P | Ventilation pipe | 1 |
| 2 | 10.01.455P | Hose clamp Ø54x9 | 1 |
| 3 | 54.01.503S | Silicone form piece, venting pipe + hose clamp | 1 |
| 4 | 10.01.455P | Hose clamp Ø54x9 | 1 |
| 5 | 2067.0709P | Hose for water supply 2500mm | 1 |
| 6 | 50.00.086P | Locking plate f. water distribution | 1 |
| 7 | 50.01.733P | Quad solenoid valve | 1 |
| 8 | 52.00.017P | Angle plug PS3 6-6-90° | 1 |
| 9 | 50.00.085P | Retractor locking spring | 1 |
| 10 | 52.00.058S | Connect. hose f. hand shower roll guide | 1 |
| 11 | 50.00.085P | Retractor locking spring | 1 |
| 12 | 52.00.016P | Hand shower roll guide | 1 |
| 13 | 10.00.846P | Hex nut self-locking M5 Din 985 | 1 |
| 14 | 50.00.156P | Clamp f. hand shower roll guide | 1 |
| 15 | 50.00.282S | Hand shower black | 1 |
| 16 | 54.01.511S | Inspection lid, B2 | 1 |
| 17 | 54.01.168P | Gasket f. inspection lid | 1 |
| 18 | 50.01.640S | Water volume sensor | 1 |
| 19 | 1900.0202P | Water filter | 1 |
| 20 | 2066.0202P | Hose clamp 12-22 mm | 1 |
| 21 | 50.01.799S | Water distribution | 1 |
| 22 | 2022.0101P | Grommet d8mm | 1 |
| 23 | 2066.0527P | Hose clamp ø14mm | 1 |
| 24 | 52.00.047P | Hose ø10x2x220 f. hand shower | 1 |
| 25 | 52.00.059P | Grommet for drain hose | 1 |
| 26 | 2067.0050 | Pressure hose d10mm | .39 |
| 27 | 2066.0202P | Hose clamp 12-22 mm | 1 |
| 28 | 2070.0050P | Elbow-pipe PP DN40 87° | 1 |
| 29 | 50.02.053P | HT drain pipe DN40 150mm | 1 |
| 30 | 50.01.967P | HT drain adapter  DN 40/50 | 1 |

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 31 | 50.00.554P | O-ring for hand shower 11x2mm | 2 |


# Pos. 11 CleanJet + Care



# Pos. 11 CleanJet + Care

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 56.00.672P | Drawer Care container | 1 |
| 2 | 56.00.666S | Care container with O-ring | 1 |
| 4 | 56.00.918P | Care Pump | 1 |
| 5 | 56.00.922P | O-ring for pump CareControl | 1 |
| 6 | 10.00.605P | Hose clamp ø25.3 | 1 |
| 7 | 56.00.677S | Care hose | 1 |
| 8 | 2066.0206P | Hose clamp 16-25mm/9mm-C72V SW7 | 1 |
| 10 | 56.00.966P | Drain pipe with bushings | 1 |
| 11 | 56.00.784P | Suction hose f. cleaning | 1 |
| 12 | 56.00.731P | Ball valve drain SCC cpl. | 1 |
| 13 | 10.00.449P | Pan head screw M6x16 | 2 |
| 14 | 56.00.830P | O-ring for ball valve drain 36x3.5 | 1 |
| 15 | 56.00.829P | O-ring for ball valve drain 19x3.5 | 1 |
| 16 | 2066.0202P | Hose clamp 12-22 mm | 1 |
| 17 | 2067.0050 | Pressure hose d10mm | .625 |
| 23 | 56.00.870P | Pump f. cleaning UP30 | 1 |
| 25 | 2066.0518P | Hose clamp 30mm | 1 |
| 26 | 56.00.823P | Elbow for suction hose CleanJet | 1 |
| 27 | 10.01.510P | Hose clamp ø26.8 | 1 |
| 28 | 56.00.744S | Pressure hose ø10mm 130mm | 1 |
| 29 | 2066.0202P | Hose clamp 12-22 mm | 1 |


# Pos. 13 Standard accessory



# Pos. 13 Standard accessory

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 60.73.955P | Positioning support f. core sensor | 1 |
| 2 | 60.73.724 | Hinging rack type XS 6-2/3 | 1 |
| 4 | 60.74.037 | Condensation breaker | 1 |
| 5 | | Extractor hood | 1 |
| 6 | | CombiDuo | 1 |
| 8 | | VarioSmoker | 1 |
| 9 | | Stands | 1 |
| 13 | 87.01.757 | Memory-Stick USB *iCombi Pro & iCombi Classic* | 1 |


# Pos. 5 Extractor hood



# Pos. 5 Extractor hood

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | | UltraVent Plus | 1 |
| 2 | | UltraVent | 1 |


# Pos. 1 UltraVent Plus



# Pos. 1 UltraVent Plus

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 60.72.439P | Blower motor for Ultravent 230V | 1 |
| 1 | 60.72.701P | Blower motor for Ultravent 115V | 1 |
| 5 | 60.73.956P | Gasket for venting pipe UltraVent | 1 |
| 11 | 60.73.957P | Front panel UltraVent | 1 |
| 12 | 60.74.464P | Front panel UltraVent XS Plus 623 | 1 |
| 18 | 42.00.412P | Control pcb UltraVent | 1 |
| 22 | 40.07.908P | Bus cable 0.95m | 1 |
| 26 | 60.74.403P | Main filter for UltraVent® Plus | 1 |
| 27 | 60.74.409P | Preliminary filter for UltraVent® Plus | 1 |
| 33 | 40.04.152P | Capacitor 10µF | 1 |
| 33 | 40.05.413P | Capacitor 8µF | 1 |
| 34 | 40.04.151P | Capacitor 3,5µF | 1 |
| 35 | 3017.1014P | Differential pressure switch | 1 |
| 36 | 60.74.459P | Mounting frame for Combination unit | 1 |
| 37 | 40.05.972P | LED yellow 230V AC/DC UltraVent Plus | 1 |
| 38 | 3019.0117P | Fuse 5x20mm | 1 |
| 39 | 3019.0117P | Fuse 5x20mm | 1 |
| 40 | 40.00.320S | Cable gland M20x1.5 | 1 |


# Pos. 2 UltraVent



# Pos. 2 UltraVent

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 60.72.439P | Blower motor for Ultravent 230V | 1 |
| 1 | 60.72.701P | Blower motor for Ultravent 115V | 1 |
| 5 | 60.73.956P | Gasket for venting pipe UltraVent | 1 |
| 11 | 60.73.957P | Front panel UltraVent | 1 |
| 12 | 60.73.960P | Front hood | 1 |
| 18 | 42.00.412P | Control pcb UltraVent | 1 |
| 22 | 40.07.908P | Bus cable 0.95m | 1 |
| 33 | 40.04.152P | Capacitor 10µF | 1 |
| 33 | 40.05.413P | Capacitor 8µF | 1 |
| 34 | 40.04.151P | Capacitor 3,5µF | 1 |
| 36 | 60.74.459P | Mounting frame for Combination unit | 1 |
| 38 | 3019.0117P | Fuse 5x20mm | 1 |
| 39 | 3019.0117P | Fuse 5x20mm | 1 |
| 40 | 40.00.320S | Cable gland M20x1.5 | 1 |


# Pos. 6 CombiDuo



# Pos. 6 CombiDuo

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 3 | 60.73.822P | Bracket for venting pipe, CombiDuo | 1 |
| 4 | 60.73.823P | Ventilation pipe *Combi-Duo* | 1 |
| 5 | 60.73.772S | Sidebar left | 1 |
| 6 | 40.05.839P | Bus cable RJ45 2.85m | 2 |
| 8 | 60.75.409P | Heat Shield | 1 |


# Pos. 8 VarioSmoker



# Pos. 8 VarioSmoker

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 60.75.368P | Power supply for VarioSmoker *US* | 1 |
| 1 | 60.75.372P | Power supply for VarioSmoker *EU* | 1 |
| 1 | 60.75.374P | Power supply for VarioSmoker *UK* | 1 |
| 1 | 60.75.376P | Power supply for VarioSmoker *AU, NZ* | 1 |
| 1 | 60.75.378P | Power supply for VarioSmoker *CH* | 1 |
| 1 | 60.75.386P | Power supply for VarioSmoker *BRA* | 1 |
| 1 | 60.77.643P | Power supply for VarioSmoker *ARG* | 1 |
| 2 | 60.76.115S | Mounting device kit for VarioSmoker | 1 |
| 3 | 60.76.691P | Smoking box for VarioSmoker | 1 |
| 4 | 40.06.837P | Interface cable USB VarioSmoker | 1 |


# Pos. 9 Stands



# Pos. 9 Stands

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 60.31.648P | Castor brake | 1 |
| 4 | 60.75.365P | Castor, 100mm without brake | 1 |
| 5 | 60.75.366P | Castor, 100mm with brake | 1 |
| 8 | 60.30.139P | Foot adjustable,35x35 | 1 |
| 9 | 60.30.195P | Foot adjustable,35x35 with flange for UG | 1 |

# Pos. 20 Repair and retrofit kit



# Pos. 20 Repair and retrofit kit

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 87.01.788S | Retrofit kit Energy_opt. | 1 |
| 3 | 40.06.934S | Cable, UPS | 1 |
| 6 | 60.76.876 | Extension set for USB core temperature probe | 1 |
| 7 | 87.01.899S | Conversion kit iCP XS w/o hand shower | 1 |
| 8 | 60.77.082 | Second water connection for filling the hand shower. | 1 |
| 10 | 87.01.897 | Retrofit kit waste water piping DN90 | 1 |
| 16 | 40.07.586S | LED optics HD | 1 |