Service part catalogue


SelfCooking Center® Linie
Combi Master 102G

validity: 10/2008



05.05.2009
1NAC120V 60Hz


Overview



Overview

Pos.	Module	Page
1	Control panel	4
2	Electrical installation	6
3	ClimaPlus	10
4	Steam generator	12
5	Hot air heating	18
6	Motor and fan wheel	22
7	Interior cabinet	24
8	Door	28
9	Exterior cabinet	32
10	Water	36
11	CleanJet + Care	38
12	Gas parts	40
13	Miscellaneous	46


Control panel



Control panel

Pos.	Part No.	Description	Qty.
1	87.00.001	Control panel insert with overlay	1
2	42.00.048	Control pcb Index "MF"	1
3	10.00.916	Hex nut M4 w. locking	8
4	10.00.355	Spacer black	8
5	2020.0400	Fixing device for cable harness	1
6	16.00.282	Dial	3
8	5110.1027	Distance plate for front panel	2
9	40.02.087	Buzzer	1
10	1104.0121	Hex nut M4 self locking	1
11	5110.1029	Gasket mode switch	1
12	40.00.464	Potentiometer CT	1
13	5110.1029	Gasket mode switch	1
14	16.00.387	Mounting device f.sealing + sealing lip	1


Electrical installation



Electrical installation

Pos.	Part No.	Description	Qty.
1	10.00.709	Hex nut M6 w. locking	2
2	10.00.239	EJOT PT-Screw Torx 4x10	5
17	40.00.417	Fixing clip f. pcb	1
18	1104.0801	Cage nut M4	1
19	10.00.243	Spacer M4x8	1
20	1104.0120	Hex nut M4	1
21	40.01.579	Fixing clip f. pcb	3
22	40.00.472	Bus cable 1.3m	1
25	10.00.112	Cable clip short	4
27	10.00.421	Cable clip	8
28	10.00.111	Cable clip long	5
28	10.00.111	Cable clip long	1
29	10.00.112	Cable clip short	2
31	10.00.471	Cable clip d10-12mm	3
32	10.00.471	Cable clip d10-12mm	3
33	40.00.279	Control transformer	1
34	10.00.565	Hex screw M8x20	1
35	40.01.600	Insulating screw joint 2pol.	1
43	1106.0160	Hex nut M6	1
44	1206.0120	Tooth lock washer A6,4	1
45	4002.0110	Cable connector, junction	2
57	40.01.597	Power supply cable 3xAWG14	1
59	40.00.320	Cable connection M20x1.5	1
A		Electrical installation	1


Electrical installation



Electrical installation

Pos.	Part No.	Description	Qty.
1	40.00.248	Cable harness isolating transformer	1
1	40.02.957	Cable control harness	1
2	10.00.111	Cable clip long	4
3	40.02.515	Dry up protector 315°F/157°C	1
4	3014.0302	Hex nut M10 for dry-up protector	1
5	40.01.482	Safety temperature limiter 365°C	1
6	3014.0327	Hex nut M10x1,0	1
7	40.02.917	Contactor 3TG1010-2AK2	1
10	3101.1008	Cooling fan	1
11	10.00.238	Screw Torx 4x50	4
12	3101.1008	Cooling fan	1
13	40.00.277	Control transformer	1
14	10.00.239	EJOT PT-Screw Torx 4x10	1
15	40.01.483	Electronic noise filter	1
19	40.01.588	Fuse SC-8A 10x38	1
20	40.01.588	Fuse SC-8A 10x38	1
21	40.02.512	Fuse holder 2x6.3A	1
21	40.01.487	Fuse holder 2pol	1
26	10.00.240	Screw Torx 3x20	2
47	2005.0106	Protective grid for cooling fan	1
48	4007.0620	Membrane DGC 29	2
53	40.00.519	Installation rail for Contactor 75mm	1
54	10.00.239	EJOT PT-Screw Torx 4x10	2
55	4001.1203	End plate for mounting rail	1


ClimaPlus



ClimaPlus

Pos.	Part No.	Description	Qty.
8	22.00.579	Safety valve	1
12	22.00.564	Gasket f. ventilation	1
13	2066.0504	Hose clamp 40-60mm	1


Steam generator



Steam generator

Pos.	Part No.	Description	Qty.
1	1106.0803	Hex combination nut M6 galv	1
3	72.00.010	Burner steam gen.	1
4	72.00.048	Insulation f. burner steam gen.	1
5	1104.0122	Hex combination nut M4 galv	4
6	70.00.054	Air-Gas supply pipe *steam*	1
7	72.00.020	Gasket f. burner carrier	1
8	1105.0121	Hex combination nut M5 galv	4
9	44.00.249	Ignition electrode steam generator	1
10	1104.0120	Hex nut M4	2
11	44.00.250	Gasket f. ignition electrode	1
17	2066.0519	Hose clamp 35,6mm	1
18	2066.0526	Hose clamp ø46mm	1
19	44.00.207	Emptying pump	1
20	1006.0762	Hex screw M6x10	2
21	1306.0222	Washer A6,4x15x1,5	2
22	44.00.226	Fixing device f. pump steam generator	1
23	10.00.709	Hex nut M6 w. locking	2
24	44.00.230	Drain hose steam generator	1
25	2066.0518	Hose clamp 30mm	2
26	40.01.095	Thermocouple steam gen. (B5)	1
27	44.00.517	Fixing plate steam generator thermostat	1
30	2112.1006	Steam hose 50x7mm	2
31	2066.0504	Hose clamp 40-60mm	4
32	44.00.311	Steam pipe	1
33	10.00.982	Hose clamp D=18.2	1
34	2066.0205	Hose clamp 8-16x9 mm SW 7mm	1
35	1105.0120	Hex nut M5	1
36	1205.0120	Tooth lock washer A5,3	1
37	44.01.031	Closing cap for steam generator	1
A	8354.1320	Pump connection spout cpl.	1
B	44.00.185	Steam generator insolated	1


Pump connection spout



Pump connection spout

Pos.	Part No.	Description	Qty.
1	2118.1000	Pump connection spout	1
2	2120.1259	Stop plug 10mm	1
3	2110.1008	Silicon hose ø10x2mm	1
4	2066.0527	Hose clamp ø14mm	2
5	2066.0530	Hose clamp ø16.4mm	1
6	2062.0331	Junction pressure hose GS 10	1
7	4005.0101	Tie rap 145 mm	1


Steam generator, insulated



Steam generator, insulated

Pos.	Part No.	Description	Qty.
3	5012.0566	Gasket f. inspection lid	1
4	44.00.263	Panel for revision hole steam generator	1
5	44.00.264	Clamping bar for panel revision hole	1
6	44.00.287	Filling level electrode 135mm	1
7	1105.0121	Hex combination nut M5 galv	2


Hot air heating



Hot air heating

Pos.	Part No.	Description	Qty.
10	74.00.155	Hot air heat exchanger	1
12	74.00.234	Gasket hot air heat exchanger/interior cabinet	1
13	74.00.313	Mating flange heat exchanger	1
15	74.00.296	Gasket f. heat exchanger below	2
16	1105.0122	Hex combination nut M5 V2A	10
17	1105.0122	Hex combination nut M5 V2A	8
A	74.00.243	Burner hot air	1


Burner hot air



Burner hot air

Pos.	Part No.	Description	Qty.
1	74.00.230	Ignitionelectrode1 f. hot air	1
2	74.00.235	Ignitionelectrode2 f. hot air	1
3	74.00.290	Gasket electrode hot air	1
4	10.00.696	Allen screw M4x6 w. Precoat 85	4


Motor and fan wheel



Motor and fan wheel

Pos.	Part No.	Description	Qty.
1	40.00.274	Fan motor	1
3	10.00.710	Hex nut M8 w. locking	4
5	2120.1306	Spacer SW19x17	4
6	1008.1005	Square necked mushroom head bolt 8x40	4
7	22.00.123	Flange f. motor shaft gasket	1
8	22.00.120	Mounting support f. gasket flange	1
9	22.00.083	Motor shaft gasket	1
10	1315.0101	Copper washer 6x10	4
11	1306.0120	Washer A6,4	4
12	1106.0220	Hex nut M6 flat	4
13	22.00.192	Fan wheel d340x135	1
14	10.00.565	Hex screw M8x20	1
15	1308.0162	Washer A8,4	1
16	40.00.310	Exhaust pipe below	1
17	40.00.435	Exhaust channel f. SSR	1
18	10.00.989	Rivet with screw	2
19	10.00.706	Oval head cap screw T20 M4x10	2


Interior cabinet



Interior cabinet

Pos.	Part No.	Description	Qty.
1	2120.1277	Base for sensor connection	1
3	40.00.098	Reflector f. interior light	1
4	10.00.041	Rivet nut M5 hexagon closed	4
10	1006.0760	Hex screw M6x16	1
11	40.02.128	Wiring interior light	1
12	20.00.397	Door gasket	1
13	40.00.608	Meat probe sensor	1
14	10.00.612	Hex nut M16 flat	1
15	1315.0104	Copper washer 16x20x1,5	1
17	40.01.317	Screen core temperature sensor	1
18	10.00.745	Cap nut M6*A2	2
21	40.01.099	Thermocouple interior cabinet (B1)	1
22	40.00.531	Screen interior cabinet sensor	1
23	10.00.745	Cap nut M6*A2	1
24	20.00.999	Outlet sieve Ø80	1
25	40.00.091	Gasket frame w. glass a. gaskets	1
26	3024.0201	Halogen bulb 300°C	1
A	22.00.296	Air baffle	1


Air baffle



Air baffle

Pos.	Part No.	Description	Qty.
1	10.00.515	Rivet 3,2x5 A4	1
2	40.01.289	Fixing clip core temp. cable	1
3	10.00.744	Washer A4,3 *A4	1
4	1604.0167	Rivet 4x10	1
6	2760.1370	Latch hook for air baffle	1


Door



Door

Pos.	Part No.	Description	Qty.
1	24.00.152	Door handle	1
2	24.00.176	Door lock	1
8	24.00.504	Lock cover	1
10	24.00.133	Door mounting support top	1
11	1008.0768	Ornamental screw M8x16	3
12	1308.0160	Washer A8,4	3
13	24.00.223	Door mounting support bottom	1
14	1006.1962	Countersunk screw Torx M6x16	2
15	10.00.090	Cap f. Torx T30	2
16	24.00.137	Door bolt	1
17	10.00.099	Hex screw M8x12	1
18	1308.0160	Washer A8,4	1
19	24.00.048	Door bolt	1
20	1008.0769	Ornamental screw M8x30	1
21	1308.0160	Washer A8,4	1
22	2001.0109	Compression spring	1
23	24.00.141	Holding bracket f. door catch	1
24	1006.0760	Hex screw M6x16	2
25	1306.0120	Washer A6,4	2
27	24.00.142	Door catch	1
28	1005.2000	Interlocking tooth screw M5x8	1
33	24.01.100	Spring clip f. door lock	1
A	24.00.113	Door	1


Door



Door

Pos.	Part No.	Description	Qty.
1	24.00.200	Inner glass pane	1
2	24.00.147	Sleeve for door bolt top	1
3	24.00.146	Door setting bolt	1
4	24.00.502	Fixing device f. magnet with magnet	1
5	24.01.188	Drain door drip collector	1
6	24.01.801	Door drip collector	1
9	24.00.171	Silicone buffer 7mm	1


Exterior cabinet



Exterior cabinet

Pos.	Part No.	Description	Qty.
1	1104.0820	Snap nut 4,2mm	3
2	1110.0800	Cage nut M10	4
4	12.00.205	Upper part of pedestal	4
5	12.00.206	Lower part of pedestal	4
7	1328.0102	Safety washer A10,2	4
8	10.00.975	Hex screw M10x35	4
9	12.00.516	Turning lock f. lower part of pedestal	4
10	10.00.745	Cap nut M6*A2	1
11	1206.0120	Tooth lock washer A6,4	1
12	1105.0123	Hex combination nut M4	1
14	22.00.354	Spacer ring	1
15	22.00.353	Vent cover	1
16	16.01.327	Opening mechanism for panel insert	1
23	1106.0802	Cage nut M6	4
A		Exterior cabinet	1


Exterior cabinet



Exterior cabinet

Pos.	Part No.	Description	Qty.
1	16.00.335	Top cover	1
2	1003.2265	Countersunk self tapping screw 4,2x16	5
3	1104.0820	Snap nut 4,2mm	5
4	1004.2160	Hex self tapping screw 4,2x16	2
5	16.00.154	Side panel right	1
6	1603.0166	Rivet 3,2x7,9 CNS closed	4
7	16.00.155	Side panel left	1
8	10.00.102	Hex self tapping screw B4,2x32	2
9	1104.0820	Snap nut 4,2mm	2
10	16.00.188	Back panel	1
11	16.00.299	Front panel	1
12	16.00.673	Air inlet filter	1
13	10.00.103	EJOT PT-screw KA 3.5x10	1
14	1104.0820	Snap nut 4,2mm	1
15	16.00.681	Crossbar front panel	1
17	16.00.322	Crossbar below f. tulip	1
18	1004.2160	Hex self tapping screw 4,2x16	3
19	1107.0100	Star lock ø4	5
20	50.00.751	Tulip for handshower with tape	1
21	16.00.331	Crossbar top	1
22	1603.0166	Rivet 3,2x7,9 CNS closed	4
24	16.01.434	Gasket f. breather tube d=74mm	1
28	16.00.360	Cover f. RS232 interface	1
29	10.00.103	EJOT PT-screw KA 3.5x10	1
32	50.00.300	Drip collector	1
33	50.00.303	Bushing drip collector	2
34	50.00.557	Drain drip collector	1
35	50.00.296	Clip f. drip collector	4
36	40.00.335	Door switch	1
37	16.01.146	Bracket for door contact switch	1


Water



Water

Pos.	Part No.	Description	Qty.
1	2022.0101	Grommet d8mm	1
2	54.00.220	Exhaust pipe	1
3	2066.0527	Hose clamp ø14mm	1
4	54.00.094	Rubber form piece venting pipe	1
5	2066.0516	Hose clamp 60-80 mm	2
7	40.00.398	Thermocouple quenching	1
8	50.00.316	Single solenoid valve	1
9	50.00.070	Water distribution hor roll guide con.	1
11	2067.0050	Pressure hose d10mm	1.34
17	50.00.139	Single solenoid valve	1
18	50.00.071	Water distribution hor. w/o roll guide con.	1
19	2067.0050	Pressure hose d10mm	.78
20	50.00.078	Non return valve DW16/DN12	2
21	10.00.810	Hose clamp Cobra 16/8	4
22	2067.0050	Pressure hose d10mm	.63
23	1900.0202	Water filter	2
25	50.00.086	Locking plate f. water distribution	1
26	1900.0202	Water filter	1
27	10.00.873	Hose clamp CLIC d=15.5mm	1
28	8664.1301	T-fitting water connection	1
36	54.00.779	Inspection lid with quenching nozzle	1
37	54.00.805	Gasket f. inspection lid quenching	1
38	54.00.225	Clamping bar	1
39	1008.0750	Hex screw M5x16	1
40	50.00.140	Hand shower roll guide	1
41	50.00.273	Connect. pipe f. hand shower roll guide	1
42	50.00.085	Plug-in spring f. hand shower roll guide	1
43	50.00.130	Hand shower	1
44	50.00.156	Clamp f. hand shower roll guide	1
54	1105.0121	Hex combination nut M5 galv	1
55	8354.1304	Venting valve for steam generator	1


CleanJet + Care



CleanJet + Care

Pos.	Part No.	Description	Qty.
2	12.00.320	Cover for CleanJet pump opening	1


Gas parts


8
3
11
19
12
33
22
B
21
40
23
36
25
A
28
7
27
5
24
4
30
9
32
6
31
43
46
38
42
1

Gas parts

Pos.	Part No.	Description	Qty.
1	70.00.028	Blower for burner RG130	1
3	70.00.067	Blower for burner RG148	1
4	1008.0750	Hex screw M5x16	2
5	1305.0160	Washer A5,3x10mm	2
6	74.00.310	Flange f. burner blower RG130	1
7	1105.0122	Hex combination nut M5 V2A	6
8	70.00.242	Gasket f. steam gen blower RG148	1
9	74.00.301	Gasket f. blower burner	2
10	10.00.065	Countersunk screw Torx T20 M4x12	3
11	70.00.239	Premix chamber gas f. RG148	1
12	70.00.238	Premix chamber cover gas f. RG148	1
17	10.00.708	Raised countersunk head screw Torx T20 M4x25	3
18	1204.0120	Tooth lock washer A4,3	6
19	70.00.246	Pipe gas valve-premix chamber	1
20	10.00.067	Raised countersunk head screw Torx T20 M4x32	4
21	1104.0121	Hex nut M4 self locking	4
22	10.00.064	Pan head screw Torx T20 M4x30	3
23	10.00.065	Countersunk screw Torx T20 M4x12	3
24	70.00.132	Corrugated hose 230mm	1
25	70.00.129	Corrugated hose 710mm	1
27	10.00.061	Pan head screw Torx T20 M4x12	10
28	10.00.063	Pan head screw Torx T20 M4x25	6
30	74.00.308	Gas connection manifold 2x3/4"	1
31	1006.0762	Hex screw M6x10	2
32	1306.0222	Washer A6,4x15x1,5	2
33	74.00.221	Automatic ignition controller	1
35	10.00.062	Pan head screw Torx T20 M4x20	1
36	70.00.147	Air hose D50x1550mm	1
38	70.00.125	Air hose D50x880mm	1
40	70.00.280	Silicone hose ø4x1,5	.214
42	70.00.280	Silicone hose ø4x1,5	.214
43	70.00.188	Hose fitting 3/4"-3/4"	1
46	70.00.222	Air hose fixing device 50mm	2
A	70.00.029	Gas valve cpl. WND 055 RG130	1
B	70.00.068	Gas valve cpl. ND 055 RG148	1


Gas valve



Gas valve

Pos.	Part No.	Description	Qty.
1	70.00.031	Gas valve GB 055 WND (lateral)	1
2	70.00.255	Premix chamber cover gas f. RG130	1
3	70.00.030	Premix chamber gas f. RG130	1
4	70.00.106	Premix disc gas	1
5	70.00.256	Disc premix chamber-blower RG130	1


Gas valve



Gas valve

Pos.	Part No.	Description	Qty.
1	70.00.220	Gas valve GB 055 ND (straight)	1
4	70.00.106	Premix disc gas	1
5	70.00.208	Disc premix chamber-blower RG148	1
6	70.00.108	Disc gas valve-premix chamber	1
7	70.00.261	O-ring 17x1.5	1

Miscellaneous



Miscellaneous

Pos.	Part No.	Description	Qty.
1	60.12.011V	Mobile oven rack type 102	1
2	60.60.215	Run-in rail type 62/102 for	1
4	10.00.390	Sticker set	1
6	60.71.381	Water connection kit, table unit G/USA	1

Index

Part-no.	Description	Page
22.00.296	Air baffle	25
70.00.125	Air hose D50x880mm	41
70.00.147	Air hose D50x1550mm	41
70.00.222	Air hose fixing device 50mm	41
16.00.673	Air inlet filter	35
70.00.054	Air-Gas supply pipe *steam*	13
10.00.696	Allen screw M4x6 w. Precoat 85	21
74.00.221	Automatic ignition controller	41
16.00.188	Back panel	35
2120.1277	Base for sensor connection	25
70.00.028	Blower for burner RG130	41
70.00.067	Blower for burner RG148	41
16.01.146	Bracket for door contact switch	35
74.00.243	Burner hot air	19
72.00.010	Burner steam gen.	13
40.00.472	Bus cable 1.3m	7
50.00.303	Bushing drip collector	35
40.02.087	Buzzer	5
10.00.421	Cable clip	7
10.00.471	Cable clip d10-12mm	7
10.00.111	Cable clip long	7, 9
10.00.112	Cable clip short	7
40.00.320	Cable connection M20x1.5	7
4002.0110	Cable connector, junction	7
40.02.957	Cable control harness	9
40.00.248	Cable harness isolating transformer	9
1104.0801	Cage nut M4	7
1106.0802	Cage nut M6	33
1110.0800	Cage nut M10	33
10.00.090	Cap f. Torx T30	29
10.00.745	Cap nut M6*A2	25, 33
50.00.156	Clamp f. hand shower roll guide	37

Index

Part-no.	Description	Page
54.00.225	Clamping bar	37
44.00.264	Clamping bar for panel revision hole	17
50.00.296	Clip f. drip collector	35
44.01.031	Closing cap for steam generator	13
2001.0109	Compression spring	29
50.00.273	Connect. pipe f. hand shower roll guide	37
40.02.917	Contactor 3TG1010-2AK2	9
87.00.001	Control panel insert with overlay	5
42.00.048	Control pcb Index "MF"	5
40.00.279	Control transformer	7
40.00.277	Control transformer	9
3101.1008	Cooling fan	9
1315.0101	Copper washer 6x10	23
1315.0104	Copper washer 16x20x1,5	25
70.00.132	Corrugated hose 230mm	41
70.00.129	Corrugated hose 710mm	41
1006.1962	Countersunk screw Torx M6x16	29
10.00.065	Countersunk screw Torx T20 M4x12	41
1003.2265	Countersunk self tapping screw 4,2x16	35
16.00.360	Cover f. RS232 interface	35
12.00.320	Cover for CleanJet pump opening	39
16.00.322	Crossbar below f. tulip	35
16.00.681	Crossbar front panel	35
16.00.331	Crossbar top	35
16.00.282	Dial	5
70.00.108	Disc gas valve-premix chamber	45
70.00.256	Disc premix chamber-blower RG130	43
70.00.208	Disc premix chamber-blower RG148	45
5110.1027	Distance plate for front panel	5
24.00.113	Door	29
24.00.137	Door bolt	29
24.00.048	Door bolt	29

Index

Part-no.	Description	Page
24.00.142	Door catch	29
24.01.801	Door drip collector	31
20.00.397	Door gasket	25
24.00.152	Door handle	29
24.00.176	Door lock	29
24.00.223	Door mounting support bottom	29
24.00.133	Door mounting support top	29
24.00.146	Door setting bolt	31
40.00.335	Door switch	35
24.01.188	Drain door drip collector	31
50.00.557	Drain drip collector	35
44.00.230	Drain hose steam generator	13
50.00.300	Drip collector	35
40.02.515	Dry up protector 315°F/157°C	9
10.00.103	EJOT PT-screw KA 3.5x10	35
10.00.239	EJOT PT-Screw Torx 4x10	7, 9
40.01.483	Electronic noise filter	9
44.00.207	Emptying pump	13
4001.1203	End plate for mounting rail	9
40.00.435	Exhaust channel f. SSR	23
54.00.220	Exhaust pipe	37
40.00.310	Exhaust pipe below	23
40.00.274	Fan motor	23
22.00.192	Fan wheel d340x135	23
44.00.287	Filling level electrode 135mm	17
40.01.289	Fixing clip core temp. cable	27
40.00.417	Fixing clip f. pcb	7
40.01.579	Fixing clip f. pcb	7
24.00.502	Fixing device f. magnet with magnet	31
44.00.226	Fixing device f. pump steam generator	13
2020.0400	Fixing device for cable harness	5
44.00.517	Fixing plate steam generator thermostat	13

Index

Part-no.	Description	Page
74.00.310	Flange f. burner blower RG130	41
22.00.123	Flange f. motor shaft gasket	23
16.00.299	Front panel	35
40.01.487	Fuse holder 2pol	9
40.02.512	Fuse holder 2x6.3A	9
40.01.588	Fuse SC-8A 10x38	9
74.00.308	Gas connection manifold 2x3/4"	41
70.00.068	Gas valve cpl. ND 055 RG148	41
70.00.029	Gas valve cpl. WND 055 RG130	41
70.00.220	Gas valve GB 055 ND (straight)	45
70.00.031	Gas valve GB 055 WND (lateral)	43
74.00.290	Gasket electrode hot air	21
74.00.301	Gasket f. blower burner	41
16.01.434	Gasket f. breather tube d=74mm	35
72.00.020	Gasket f. burner carrier	13
74.00.296	Gasket f. heat exchanger below	19
44.00.250	Gasket f. ignition electrode	13
5012.0566	Gasket f. inspection lid	17
54.00.805	Gasket f. inspection lid quenching	37
70.00.242	Gasket f. steam gen blower RG148	41
22.00.564	Gasket f. ventilation	11
40.00.091	Gasket frame w. glass a. gaskets	25
74.00.234	Gasket hot air heat exchanger/interior cabinet	19
5110.1029	Gasket mode switch	5
2022.0101	Grommet d8mm	37
3024.0201	Halogen bulb 300°C	25
50.00.130	Hand shower	37
50.00.140	Hand shower roll guide	37
1105.0123	Hex combination nut M4	33
1104.0122	Hex combination nut M4 galv	13
1105.0121	Hex combination nut M5 galv	13, 17, 37
1105.0122	Hex combination nut M5 V2A	19, 41

Index

Part-no.	Description	Page
1106.0803	Hex combination nut M6 galv	13
1104.0120	Hex nut M4	7, 13
1104.0121	Hex nut M4 self locking	5, 41
10.00.916	Hex nut M4 w. locking	5
1105.0120	Hex nut M5	13
1106.0160	Hex nut M6	7
1106.0220	Hex nut M6 flat	23
10.00.709	Hex nut M6 w. locking	7, 13
10.00.710	Hex nut M8 w. locking	23
3014.0302	Hex nut M10 for dry-up protector	9
3014.0327	Hex nut M10x1,0	9
10.00.612	Hex nut M16 flat	25
1008.0750	Hex screw M5x16	37, 41
1006.0762	Hex screw M6x10	13, 41
1006.0760	Hex screw M6x16	25, 29
10.00.099	Hex screw M8x12	29
10.00.565	Hex screw M8x20	7, 23
10.00.975	Hex screw M10x35	33
1004.2160	Hex self tapping screw 4,2x16	35
10.00.102	Hex self tapping screw B4,2x32	35
24.00.141	Holding bracket f. door catch	29
2066.0205	Hose clamp 8-16x9 mm SW 7mm	13
2066.0518	Hose clamp 30mm	13
2066.0519	Hose clamp 35,6mm	13
2066.0504	Hose clamp 40-60mm	11, 13
2066.0516	Hose clamp 60-80 mm	37
10.00.873	Hose clamp CLIC d=15.5mm	37
10.00.810	Hose clamp Cobra 16/8	37
10.00.982	Hose clamp D=18.2	13
2066.0527	Hose clamp ø14mm	15, 37
2066.0530	Hose clamp ø16.4mm	15
2066.0526	Hose clamp ø46mm	13

Index

Part-no.	Description	Page
70.00.188	Hose fitting 3/4"-3/4"	41
74.00.155	Hot air heat exchanger	19
44.00.249	Ignition electrode steam generator	13
74.00.230	Ignitionelectrode1 f. hot air	21
74.00.235	Ignitionelectrode2 f. hot air	21
24.00.200	Inner glass pane	31
54.00.779	Inspection lid with quenching nozzle	37
40.00.519	Installation rail for Contactor 75mm	9
40.01.600	Insulating screw joint 2pol.	7
72.00.048	Insulation f. burner steam gen.	13
1005.2000	Interlocking tooth screw M5x8	29
2062.0331	Junction pressure hose GS 10	15
2760.1370	Latch hook for air baffle	27
24.00.504	Lock cover	29
50.00.086	Locking plate f. water distribution	37
12.00.206	Lower part of pedestal	33
74.00.313	Mating flange heat exchanger	19
40.00.608	Meat probe sensor	25
4007.0620	Membrane DGC 29	9
60.12.011V	Mobile oven rack type 102	47
22.00.083	Motor shaft gasket	23
16.00.387	Mounting device f.sealing + sealing lip	5
22.00.120	Mounting support f. gasket flange	23
50.00.078	Non return valve DW16/DN12	37
70.00.261	O-ring 17x1.5	45
16.01.327	Opening mechanism for panel insert	33
1008.0768	Ornamental screw M8x16	29
1008.0769	Ornamental screw M8x30	29
20.00.999	Outlet sieve Ø80	25
10.00.706	Oval head cap screw T20 M4x10	23
10.00.061	Pan head screw Torx T20 M4x12	41
10.00.062	Pan head screw Torx T20 M4x20	41

Index

Part-no.	Description	Page
10.00.063	Pan head screw Torx T20 M4x25	41
10.00.064	Pan head screw Torx T20 M4x30	41
44.00.263	Panel for revision hole steam generator	17
70.00.246	Pipe gas valve-premix chamber	41
50.00.085	Plug-in spring f. hand shower roll guide	37
40.00.464	Potentiometer CT	5
40.01.597	Power supply cable 3xAWG14	7
70.00.255	Premix chamber cover gas f. RG130	43
70.00.238	Premix chamber cover gas f. RG148	41
70.00.030	Premix chamber gas f. RG130	43
70.00.239	Premix chamber gas f. RG148	41
70.00.106	Premix disc gas	43, 45
2067.0050	Pressure hose d10mm	37
2005.0106	Protective grid for cooling fan	9
2118.1000	Pump connection spout	15
8354.1320	Pump connection spout cpl.	13
10.00.708	Raised countersunk head screw Torx T20 M4x25	41
10.00.067	Raised countersunk head screw Torx T20 M4x32	41
40.00.098	Reflector f. interior light	25
10.00.515	Rivet 3,2x5 A4	27
1603.0166	Rivet 3,2x7,9 CNS closed	35
1604.0167	Rivet 4x10	27
10.00.041	Rivet nut M5 hexagon closed	25
10.00.989	Rivet with screw	23
54.00.094	Rubber form piece venting pipe	37
60.60.215	Run-in rail type 62/102 for	47
40.01.482	Safety temperature limiter 365°C	9
22.00.579	Safety valve	11
1328.0102	Safety washer A10,2	33
40.01.317	Screen core temperature sensor	25
40.00.531	Screen interior cabinet sensor	25
10.00.240	Screw Torx 3x20	9

Index

Part-no.	Description	Page
10.00.238	Screw Torx 4x50	9
16.00.155	Side panel left	35
16.00.154	Side panel right	35
2110.1008	Silicon hose ø10x2mm	15
24.00.171	Silicone buffer 7mm	31
70.00.280	Silicone hose ø4x1,5	41
50.00.316	Single solenoid valve	37
50.00.139	Single solenoid valve	37
24.00.147	Sleeve for door bolt top	31
1104.0820	Snap nut 4,2mm	33, 35
10.00.355	Spacer black	5
10.00.243	Spacer M4x8	7
22.00.354	Spacer ring	33
2120.1306	Spacer SW19x17	23
24.01.100	Spring clip f. door lock	29
1008.1005	Square necked mushroom head bolt 8x40	23
1107.0100	Star lock ø4	35
44.00.185	Steam generator insolated	13
2112.1006	Steam hose 50x7mm	13
44.00.311	Steam pipe	13
10.00.390	Sticker set	47
2120.1259	Stop plug 10mm	15
8664.1301	T-fitting water connection	37
40.01.099	Thermocouple interior cabinet (B1)	25
40.00.398	Thermocouple quenching	37
40.01.095	Thermocouple steam gen. (B5)	13
4005.0101	Tie rap 145 mm	15
1204.0120	Tooth lock washer A4,3	41
1205.0120	Tooth lock washer A5,3	13
1206.0120	Tooth lock washer A6,4	7, 33
16.00.335	Top cover	35
50.00.751	Tulip for handshower with tape	35

Index

Part-no.	Description	Page
12.00.516	Turning lock f. lower part of pedestal	33
12.00.205	Upper part of pedestal	33
22.00.353	Vent cover	33
8354.1304	Venting valve for steam generator	37
10.00.744	Washer A4,3 *A4	27
1305.0160	Washer A5,3x10mm	41
1306.0120	Washer A6,4	23, 29
1306.0222	Washer A6,4x15x1,5	13, 41
1308.0162	Washer A8,4	23
1308.0160	Washer A8,4	29
60.71.381	Water connection kit, table unit G/USA	47
50.00.070	Water distribution hor roll guide con.	37
50.00.071	Water distribution hor. w/o roll guide con.	37
1900.0202	Water filter	37
40.02.128	Wiring interior light	25