Service part catalogue


SelfCooking Center® Linie
Combi Master 101E

validity: 10/2008



05.05.2009
3AC208V 60Hz


Overview



Overview

Pos.	Module	Page
1	Control panel	4
2	Electrical installation	6
3	ClimaPlus	10
4	Steam generator	12
5	Hot air heating	18
6	Motor and fan wheel	20
7	Interior cabinet	22
8	Door	26
9	Exterior cabinet	30
10	Water	34
11	CleanJet + Care	36
13	Miscellaneous	38


Control panel



Control panel

Pos.	Part No.	Description	Qty.
1	87.00.001	Control panel insert with overlay	1
2	42.00.048	Control pcb Index "MF"	1
3	10.00.916	Hex nut M4 w. locking	8
4	10.00.355	Spacer black	8
5	2020.0400	Fixing device for cable harness	1
6	16.00.282	Dial	3
8	5110.1027	Distance plate for front panel	2
9	40.02.087	Buzzer	1
10	1104.0121	Hex nut M4 self locking	1
11	5110.1029	Gasket mode switch	1
12	40.00.464	Potentiometer CT	1
13	5110.1029	Gasket mode switch	1
14	16.00.387	Mounting device f.sealing + sealing lip	1


Electrical installation



Electrical installation

Pos.	Part No.	Description	Qty.
1	10.00.709	Hex nut M6 w. locking	2
2	10.00.239	EJOT PT-Screw Torx 4x10	5
3	40.00.453	Solid state relais	1
4	40.00.453	Solid state relais	1
11	10.00.507	Pan head screw Torx 5/16" T20	6
12	10.00.706	Oval head cap screw T20 M4x10	4
13	40.01.071	Cable entry	1
14	1105.0121	Hex combination nut M5 galv	2
18	1104.0801	Cage nut M4	1
19	10.00.243	Spacer M4x8	1
20	1104.0120	Hex nut M4	1
22	40.00.471	Bus cable 0.8m	1
25	10.00.112	Cable clip short	4
28	10.00.111	Cable clip long	5
28	10.00.111	Cable clip long	1
29	10.00.112	Cable clip short	2
31	10.00.471	Cable clip d10-12mm	3
32	10.00.471	Cable clip d10-12mm	3
43	1106.0160	Hex nut M6	1
44	1206.0120	Tooth lock washer A6,4	1
A		Electrical installation	1


Electrical installation



Electrical installation

Pos.	Part No.	Description	Qty.
1	40.02.932	Cable control harness	1
2	10.00.111	Cable clip long	4
3	40.01.329	Dry up protector 183°	1
4	3014.0302	Hex nut M10 for dry-up protector	1
5	40.01.482	Safety temperature limiter 365°C	1
6	3014.0327	Hex nut M10x1,0	1
7	40.02.764	Contactor B&J K3-40A00 180	1
8	40.02.641	Auxilliary contact B&J HN10 N/O	1
10	3101.1008	Cooling fan	1
11	10.00.238	Screw Torx 4x50	2
13	40.00.277	Control transformer	1
14	10.00.239	EJOT PT-Screw Torx 4x10	1
15	40.02.425	Varistor	1
19	40.01.588	Fuse SC-8A 10x38	1
20	40.01.588	Fuse SC-8A 10x38	1
21	40.02.512	Fuse holder 2x6.3A	1
21	40.01.487	Fuse holder 2pol	1
26	10.00.240	Screw Torx 3x20	2
39	4001.1233	Terminal block yellow/green 35mm²	1
48	4007.0620	Membrane DGC 29	2
53	40.02.427	Installation rail for Contactor	1
54	10.00.239	EJOT PT-Screw Torx 4x10	2


ClimaPlus



ClimaPlus

Pos.	Part No.	Description	Qty.
8	22.00.579	Safety valve	1
12	22.00.564	Gasket f. ventilation	1
13	2066.0504	Hose clamp 40-60mm	1


Steam generator



Steam generator

Pos.	Part No.	Description	Qty.
1	1106.0803	Hex combination nut M6 galv	1
2	10.00.709	Hex nut M6 w. locking	3
12	44.00.291	Heating element	1
13	44.00.291	Heating element	1
15	44.00.280	Gasket f. heating element+Level elektrode insert	2
16	10.00.709	Hex nut M6 w. locking	10
17	2066.0519	Hose clamp 35,6mm	1
18	2066.0526	Hose clamp ø46mm	1
19	44.00.207	Emptying pump	1
20	1006.0762	Hex screw M6x10	2
21	1306.0222	Washer A6,4x15x1,5	2
22	44.00.232	Fixing device f. pump steam generator	1
23	10.00.709	Hex nut M6 w. locking	2
24	44.00.241	Drain hose steam generator	1
25	2066.0518	Hose clamp 30mm	2
26	40.00.291	Thermocouple steam generator	1
28	10.00.414	Cable strap black 120°	1
29	1104.0122	Hex combination nut M4 galv	1
30	2112.1006	Steam hose 50x7mm	1
31	2066.0504	Hose clamp 40-60mm	2
33	10.00.982	Hose clamp D=18.2	1
34	2066.0205	Hose clamp 8-16x9 mm SW 7mm	1
35	1105.0120	Hex nut M5	1
36	1205.0120	Tooth lock washer A5,3	1
37	44.01.031	Closing cap for steam generator	1
A	8354.1320	Pump connection spout cpl.	1
B	44.00.171	Steam generator insolated	1


Pump connection spout



Pump connection spout

Pos.	Part No.	Description	Qty.
1	2118.1000	Pump connection spout	1
2	2120.1259	Stop plug 10mm	1
3	2110.1008	Silicon hose ø10x2mm	1
4	2066.0527	Hose clamp ø14mm	2
5	2066.0530	Hose clamp ø16.4mm	1
6	2062.0331	Junction pressure hose GS 10	1
7	4005.0101	Tie rap 145 mm	1


Steam generator, insulated



Steam generator, insulated

Pos.	Part No.	Description	Qty.
1	44.00.280	Gasket f. heating element+Level elektrode insert	1
2	2920.1300	Level elektrode insert	1
6	3002.0402	Filling level electrode 90 mm	1
7	10.00.709	Hex nut M6 w. locking	4


Hot air heating



Hot air heating

Pos.	Part No.	Description	Qty.
1	40.00.305	Mating flange f. heating assembly	1
3	40.00.256	Heating assembly	1
5	10.00.109	Hex screw M5x23	6
6	10.00.745	Cap nut M6*A2	1
7	40.00.332	Gasket f. heating assembly	1
9	1107.0103	Star lock ø3	2


Motor and fan wheel



Motor and fan wheel

Pos.	Part No.	Description	Qty.
1	40.00.274	Fan motor	1
3	10.00.710	Hex nut M8 w. locking	4
5	2120.1306	Spacer SW19x17	4
6	1008.1005	Square necked mushroom head bolt 8x40	4
7	22.00.123	Flange f. motor shaft gasket	1
8	22.00.120	Mounting support f. gasket flange	1
9	22.00.083	Motor shaft gasket	1
10	1315.0101	Copper washer 6x10	4
11	1306.0120	Washer A6,4	4
12	1106.0220	Hex nut M6 flat	4
13	22.00.188	Fan wheel d340x110	1
14	10.00.565	Hex screw M8x20	1
15	1308.0162	Washer A8,4	1
16	40.00.310	Exhaust pipe below	1
17	40.00.435	Exhaust channel f. SSR	1
18	10.00.989	Rivet with screw	2
18	1105.0121	Hex combination nut M5 galv	2
19	10.00.706	Oval head cap screw T20 M4x10	2


Interior cabinet



Interior cabinet

Pos.	Part No.	Description	Qty.
1	2120.1277	Base for sensor connection	1
3	40.00.098	Reflector f. interior light	1
4	10.00.041	Rivet nut M5 hexagon closed	4
10	1006.0760	Hex screw M6x16	1
11	40.02.127	Wiring interior light	1
12	20.00.396	Door gasket	1
13	40.01.603	Meat probe sensor	1
14	10.00.612	Hex nut M16 flat	1
15	1315.0104	Copper washer 16x20x1,5	1
17	40.01.317	Screen core temperature sensor	1
18	10.00.745	Cap nut M6*A2	2
21	40.00.395	Thermocouple interior cabinet	1
22	40.02.136	Screen interior cabinet sensor	1
23	10.00.745	Cap nut M6*A2	1
24	20.00.998	Outlet sieve Ø70	1
25	40.00.091	Gasket frame w. glass a. gaskets	1
26	3024.0201	Halogen bulb 300°C	1
A	22.00.295	Air baffle	1


Air baffle



Air baffle

Pos.	Part No.	Description	Qty.
1	10.00.515	Rivet 3,2x5 A4	1
2	40.01.289	Fixing clip core temp. cable	1
3	10.00.744	Washer A4,3 *A4	1
4	1604.0167	Rivet 4x10	1
6	2760.1370	Latch hook for air baffle	1


Door



Door

Pos.	Part No.	Description	Qty.
1	24.00.152	Door handle	1
2	24.00.176	Door lock	1
8	24.00.504	Lock cover	1
10	24.00.133	Door mounting support top	1
11	1008.0768	Ornamental screw M8x16	3
12	1308.0160	Washer A8,4	3
13	24.00.223	Door mounting support bottom	1
14	1006.1962	Countersunk screw Torx M6x16	2
15	10.00.090	Cap f. Torx T30	2
16	24.00.137	Door bolt	1
17	10.00.099	Hex screw M8x12	1
18	1308.0160	Washer A8,4	1
19	24.00.048	Door bolt	1
20	1008.0769	Ornamental screw M8x30	1
21	1308.0160	Washer A8,4	1
22	2001.0109	Compression spring	1
23	24.00.141	Holding bracket f. door catch	1
24	1006.0760	Hex screw M6x16	2
25	1306.0120	Washer A6,4	2
27	24.00.142	Door catch	1
28	1005.2000	Interlocking tooth screw M5x8	1
33	24.01.100	Spring clip f. door lock	1
A	24.00.093	Door	1


Door



Door

Pos.	Part No.	Description	Qty.
1	24.00.164	Inner glass pane	1
2	24.00.147	Sleeve for door bolt top	1
3	24.00.146	Door setting bolt	1
4	24.00.502	Fixing device f. magnet with magnet	1
5	24.01.188	Drain door drip collector	1
6	24.01.800	Door drip collector	1
9	24.00.171	Silicone buffer 7mm	1


Exterior cabinet



Exterior cabinet

Pos.	Part No.	Description	Qty.
1	1104.0820	Snap nut 4,2mm	2
4	12.00.205	Upper part of pedestal	4
5	12.00.206	Lower part of pedestal	4
7	1328.0102	Safety washer A10,2	4
8	10.00.975	Hex screw M10x35	4
9	12.00.516	Turning lock f. lower part of pedestal	4
10	10.00.745	Cap nut M6*A2	1
11	1206.0120	Tooth lock washer A6,4	1
12	1105.0123	Hex combination nut M4	1
14	22.00.354	Spacer ring	1
15	22.00.353	Vent cover	1
16	16.01.327	Opening mechanism for panel insert	1
23	1106.0802	Cage nut M6	4
A		Exterior cabinet	1


Exterior cabinet



Exterior cabinet

Pos.	Part No.	Description	Qty.
1	16.00.163	Top cover	1
2	1003.2265	Countersunk self tapping screw 4,2x16	9
3	1104.0820	Snap nut 4,2mm	9
5	16.00.127	Side panel right	1
6	1603.0166	Rivet 3,2x7,9 CNS closed	4
7	16.00.128	Side panel left	1
8	10.00.102	Hex self tapping screw B4,2x32	2
9	1104.0820	Snap nut 4,2mm	2
10	16.00.137	Back panel	1
11	16.00.290	Front panel	1
12	16.00.673	Air inlet filter	1
13	10.00.103	EJOT PT-screw KA 3.5x10	1
14	1104.0820	Snap nut 4,2mm	1
17	16.00.325	Crossbar below	1
18	1004.2160	Hex self tapping screw 4,2x16	2
19	1107.0100	Star lock ø4	5
20	50.00.751	Tulip for handshower with tape	1
21	16.00.180	Crossbar top	1
22	1603.0166	Rivet 3,2x7,9 CNS closed	4
24	16.01.433	Gasket f. breather tube d=53mm	1
28	16.00.360	Cover f. RS232 interface	1
29	10.00.103	EJOT PT-screw KA 3.5x10	1
32	50.00.286	Drip collector	1
33	50.00.303	Bushing drip collector	2
34	50.00.556	Drain drip collector	1
35	50.00.296	Clip f. drip collector	3
36	40.00.335	Door switch	1
37	16.01.146	Bracket for door contact switch	1


Water



Water

Pos.	Part No.	Description	Qty.
1	2022.0101	Grommet d8mm	1
2	54.00.465	Exhaust pipe	1
4	54.00.086	Rubber form piece venting pipe	1
5	2066.0504	Hose clamp 40-60mm	2
7	40.00.287	Thermocouple quenching	1
8	50.00.316	Single solenoid valve	1
9	50.00.070	Water distribution hor roll guide con.	1
17	50.00.139	Single solenoid valve	1
18	50.00.071	Water distribution hor. w/o roll guide con.	1
19	2067.0119	Pressure hose ø10mm 635mm long	1
20	50.00.078	Non return valve DW16/DN12	2
21	10.00.810	Hose clamp Cobra 16/8	2
23	1900.0202	Water filter	2
25	50.00.086	Locking plate f. water distribution	1
26	1900.0202	Water filter	1
27	10.00.873	Hose clamp CLIC d=15.5mm	1
28	8664.1301	T-fitting water connection	1
36	54.00.760	Inspection lid with quenching nozzle	1
37	54.00.805	Gasket f. inspection lid quenching	1
38	54.00.225	Clamping bar	1
39	1008.0750	Hex screw M5x16	1
40	50.00.140	Hand shower roll guide	1
41	50.00.172	Connect. pipe f. hand shower roll guide	1
42	50.00.085	Plug-in spring f. hand shower roll guide	1
43	50.00.130	Hand shower	1
44	50.00.156	Clamp f. hand shower roll guide	1
54	1105.0121	Hex combination nut M5 galv	1
55	8354.1304	Venting valve for steam generator	1


CleanJet + Care



CleanJet + Care

Pos.	Part No.	Description	Qty.
2	12.00.320	Cover for CleanJet pump opening	1

Miscellaneous



Miscellaneous

Pos.	Part No.	Description	Qty.
1	60.11.118	Hinging rack left	1
2	60.11.119	Hinging rack right	1
4	10.00.384	Sticker set	1
6	60.71.379	Water connection kit, table unit E/USA	1

Index

Part-no.	Description	Page
22.00.295	Air baffle	23
16.00.673	Air inlet filter	33
40.02.641	Auxilliary contact B&J HN10 N/O	9
16.00.137	Back panel	33
2120.1277	Base for sensor connection	23
16.01.146	Bracket for door contact switch	33
40.00.471	Bus cable 0.8m	7
50.00.303	Bushing drip collector	33
40.02.087	Buzzer	5
10.00.471	Cable clip d10-12mm	7
10.00.111	Cable clip long	7, 9
10.00.112	Cable clip short	7
40.02.932	Cable control harness	9
40.01.071	Cable entry	7
10.00.414	Cable strap black 120°	13
1104.0801	Cage nut M4	7
1106.0802	Cage nut M6	31
10.00.090	Cap f. Torx T30	27
10.00.745	Cap nut M6*A2	19, 23, 31
50.00.156	Clamp f. hand shower roll guide	35
54.00.225	Clamping bar	35
50.00.296	Clip f. drip collector	33
44.01.031	Closing cap for steam generator	13
2001.0109	Compression spring	27
50.00.172	Connect. pipe f. hand shower roll guide	35
40.02.764	Contactor B&J K3-40A00 180	9
87.00.001	Control panel insert with overlay	5
42.00.048	Control pcb Index "MF"	5
40.00.277	Control transformer	9
3101.1008	Cooling fan	9
1315.0101	Copper washer 6x10	21
1315.0104	Copper washer 16x20x1,5	23

Index

Part-no.	Description	Page
1006.1962	Countersunk screw Torx M6x16	27
1003.2265	Countersunk self tapping screw 4,2x16	33
16.00.360	Cover f. RS232 interface	33
12.00.320	Cover for CleanJet pump opening	37
16.00.325	Crossbar below	33
16.00.180	Crossbar top	33
16.00.282	Dial	5
5110.1027	Distance plate for front panel	5
24.00.093	Door	27
24.00.137	Door bolt	27
24.00.048	Door bolt	27
24.00.142	Door catch	27
24.01.800	Door drip collector	29
20.00.396	Door gasket	23
24.00.152	Door handle	27
24.00.176	Door lock	27
24.00.223	Door mounting support bottom	27
24.00.133	Door mounting support top	27
24.00.146	Door setting bolt	29
40.00.335	Door switch	33
24.01.188	Drain door drip collector	29
50.00.556	Drain drip collector	33
44.00.241	Drain hose steam generator	13
50.00.286	Drip collector	33
40.01.329	Dry up protector 183°	9
10.00.103	EJOT PT-screw KA 3.5x10	33
10.00.239	EJOT PT-Screw Torx 4x10	7, 9
44.00.207	Emptying pump	13
40.00.435	Exhaust channel f. SSR	21
54.00.465	Exhaust pipe	35
40.00.310	Exhaust pipe below	21
40.00.274	Fan motor	21

Index

Part-no.	Description	Page
22.00.188	Fan wheel d340x110	21
3002.0402	Filling level electrode 90 mm	17
40.01.289	Fixing clip core temp. cable	25
24.00.502	Fixing device f. magnet with magnet	29
44.00.232	Fixing device f. pump steam generator	13
2020.0400	Fixing device for cable harness	5
22.00.123	Flange f. motor shaft gasket	21
16.00.290	Front panel	33
40.01.487	Fuse holder 2pol	9
40.02.512	Fuse holder 2x6.3A	9
40.01.588	Fuse SC-8A 10x38	9
16.01.433	Gasket f. breather tube d=53mm	33
40.00.332	Gasket f. heating assembly	19
44.00.280	Gasket f. heating element+Level elektrode insert	13, 17
54.00.805	Gasket f. inspection lid quenching	35
22.00.564	Gasket f. ventilation	11
40.00.091	Gasket frame w. glass a. gaskets	23
5110.1029	Gasket mode switch	5
2022.0101	Grommet d8mm	35
3024.0201	Halogen bulb 300°C	23
50.00.130	Hand shower	35
50.00.140	Hand shower roll guide	35
40.00.256	Heating assembly	19
44.00.291	Heating element	13
1105.0123	Hex combination nut M4	31
1104.0122	Hex combination nut M4 galv	13
1105.0121	Hex combination nut M5 galv	7, 21, 35
1106.0803	Hex combination nut M6 galv	13
1104.0120	Hex nut M4	7
1104.0121	Hex nut M4 self locking	5
10.00.916	Hex nut M4 w. locking	5
1105.0120	Hex nut M5	13

Index

Part-no.	Description	Page
1106.0160	Hex nut M6	7
1106.0220	Hex nut M6 flat	21
10.00.709	Hex nut M6 w. locking	7, 13, 17
10.00.710	Hex nut M8 w. locking	21
3014.0302	Hex nut M10 for dry-up protector	9
3014.0327	Hex nut M10x1,0	9
10.00.612	Hex nut M16 flat	23
1008.0750	Hex screw M5x16	35
10.00.109	Hex screw M5x23	19
1006.0762	Hex screw M6x10	13
1006.0760	Hex screw M6x16	23, 27
10.00.099	Hex screw M8x12	27
10.00.565	Hex screw M8x20	21
10.00.975	Hex screw M10x35	31
1004.2160	Hex self tapping screw 4,2x16	33
10.00.102	Hex self tapping screw B4,2x32	33
60.11.118	Hinging rack left	39
60.11.119	Hinging rack right	39
24.00.141	Holding bracket f. door catch	27
2066.0205	Hose clamp 8-16x9 mm SW 7mm	13
2066.0518	Hose clamp 30mm	13
2066.0519	Hose clamp 35,6mm	13
2066.0504	Hose clamp 40-60mm	11, 13, 35
10.00.873	Hose clamp CLIC d=15.5mm	35
10.00.810	Hose clamp Cobra 16/8	35
10.00.982	Hose clamp D=18.2	13
2066.0527	Hose clamp ø14mm	15
2066.0530	Hose clamp ø16.4mm	15
2066.0526	Hose clamp ø46mm	13
24.00.164	Inner glass pane	29
54.00.760	Inspection lid with quenching nozzle	35
40.02.427	Installation rail for Contactor	9

Index

Part-no.	Description	Page
1005.2000	Interlocking tooth screw M5x8	27
2062.0331	Junction pressure hose GS 10	15
2760.1370	Latch hook for air baffle	25
2920.1300	Level elektrode insert	17
24.00.504	Lock cover	27
50.00.086	Locking plate f. water distribution	35
12.00.206	Lower part of pedestal	31
40.00.305	Mating flange f. heating assembly	19
40.01.603	Meat probe sensor	23
4007.0620	Membrane DGC 29	9
22.00.083	Motor shaft gasket	21
16.00.387	Mounting device f.sealing + sealing lip	5
22.00.120	Mounting support f. gasket flange	21
50.00.078	Non return valve DW16/DN12	35
16.01.327	Opening mechanism for panel insert	31
1008.0768	Ornamental screw M8x16	27
1008.0769	Ornamental screw M8x30	27
20.00.998	Outlet sieve Ø70	23
10.00.706	Oval head cap screw T20 M4x10	7, 21
10.00.507	Pan head screw Torx 5/16" T20	7
50.00.085	Plug-in spring f. hand shower roll guide	35
40.00.464	Potentiometer CT	5
2067.0119	Pressure hose ø10mm 635mm long	35
2118.1000	Pump connection spout	15
8354.1320	Pump connection spout cpl.	13
40.00.098	Reflector f. interior light	23
10.00.515	Rivet 3,2x5 A4	25
1603.0166	Rivet 3,2x7,9 CNS closed	33
1604.0167	Rivet 4x10	25
10.00.041	Rivet nut M5 hexagon closed	23
10.00.989	Rivet with screw	21
54.00.086	Rubber form piece venting pipe	35

Index

Part-no.	Description	Page
40.01.482	Safety temperature limiter 365°C	9
22.00.579	Safety valve	11
1328.0102	Safety washer A10,2	31
40.01.317	Screen core temperature sensor	23
40.02.136	Screen interior cabinet sensor	23
10.00.240	Screw Torx 3x20	9
10.00.238	Screw Torx 4x50	9
16.00.128	Side panel left	33
16.00.127	Side panel right	33
2110.1008	Silicon hose ø10x2mm	15
24.00.171	Silicone buffer 7mm	29
50.00.316	Single solenoid valve	35
50.00.139	Single solenoid valve	35
24.00.147	Sleeve for door bolt top	29
1104.0820	Snap nut 4,2mm	31, 33
40.00.453	Solid state relais	7
10.00.355	Spacer black	5
10.00.243	Spacer M4x8	7
22.00.354	Spacer ring	31
2120.1306	Spacer SW19x17	21
24.01.100	Spring clip f. door lock	27
1008.1005	Square necked mushroom head bolt 8x40	21
1107.0103	Star lock ø3	19
1107.0100	Star lock ø4	33
44.00.171	Steam generator insolated	13
2112.1006	Steam hose 50x7mm	13
10.00.384	Sticker set	39
2120.1259	Stop plug 10mm	15
8664.1301	T-fitting water connection	35
4001.1233	Terminal block yellow/green 35mm²	9
40.00.395	Thermocouple interior cabinet	23
40.00.287	Thermocouple quenching	35

Index

Part-no.	Description	Page
40.00.291	Thermocouple steam generator	13
4005.0101	Tie rap 145 mm	15
1205.0120	Tooth lock washer A5,3	13
1206.0120	Tooth lock washer A6,4	7, 31
16.00.163	Top cover	33
50.00.751	Tulip for handshower with tape	33
12.00.516	Turning lock f. lower part of pedestal	31
12.00.205	Upper part of pedestal	31
40.02.425	Varistor	9
22.00.353	Vent cover	31
8354.1304	Venting valve for steam generator	35
10.00.744	Washer A4,3 *A4	25
1306.0120	Washer A6,4	21, 27
1306.0222	Washer A6,4x15x1,5	13
1308.0162	Washer A8,4	21
1308.0160	Washer A8,4	27
60.71.379	Water connection kit, table unit E/USA	39
50.00.070	Water distribution hor roll guide con.	35
50.00.071	Water distribution hor. w/o roll guide con.	35
1900.0202	Water filter	35
40.02.127	Wiring interior light	23