# Service part catalogue

## Modell CM 202


**E22MD0112**



20.04.2021
3 AC 200V 50-60Hz

Kat-RTS_140922
©Copyright by RATIONAL Technical Service
All Rights reserved


# Overview



# Overview


| Pos. | Assembly | Page |
|---|---|---|
| 1 | Control panel | 4 |
| 2 | Electrical installation | 14 |
| 3 | Clima Plus | 22 |
| 4 | Steam generator, Bypass | 24 |
| 5 | Hot air heating | 40 |
| 6 | Motor and fan wheel | 44 |
| 7 | Interior cabinet | 50 |
| 8 | Door | 60 |
| 9 | Water supply, quenching box | 70 |
| 10 | Hand shower | 80 |
| 12 | Gas parts | 82 |
| 13 | Exterior cabinet | 84 |
| 14 | Miscellaneous | 94 |

# Control panel



# Control panel

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 7 | 8720.1327 | Control panel insert with overlay | |
| A | 8455.1342 | Front panel cpl. | |
| B | | Panel insert | |

# Front panel cpl.



# Front panel cpl.

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1003.2261 | Raised counters. head self tapp. screw 4,2x13 | |
| 2 | 1104.0820 | Snap nut 4,2mm | |
| 3 | 1107.0104 | Star lock ø6 | |
| 4 | 2039.0331 | Cap for service door | |
| 5 | 2039.0338 | Corner guard handshower hose | |
| 6 | 5006.0212 | Silicone tube E127, 310 ml silver | |
| 7 | 5012.0565 | O-ring inlet filter | |
| 8 | 8464.1307 | Opening mechanism for panel insert | |
| 9 | 8455.1377 | Air inlet filter | |
| 10 | 2002.0107 | Tension spring for front panel | |

# Panel insert









# Panel insert

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1106.0160 | Hex nut M6 | |
| 2 | 1206.0120 | Tooth lock washer A6,4 | |
| A | | Panel insert | |


# Panel insert



# Panel insert

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1103.0120 | Hex nut M3 | |
| 2 | 1104.0121 | Hex nut M4 self locking | |
| 3 | 1304.0160 | Washer A4,3 | |
| 4 | 1306.0218 | Washer A4,3 | |
| 5 | 2039.0326 | Spacer for pcb | |
| 6 | 2052.1180 | Sticker name trade sign Rational | |
| 7 | 3006.0107 | Buzzer | |
| 8 | 3013.0344 | Dial blue, | |
| 9 | 4005.0103 | Tie rap black | |
| 9 | 4005.0101 | Tie rap 145 mm | |
| 10 | 5100.1011 | Gasket | |
| 11 | 5110.1027 | Distance plate for front panel | |
| 12 | 5110.1028 | Gasket poti hot air, core temperature | |
| 13 | 8720.1300 | Bus cable CPU - operator pcb | |
| 15 | 8720.1302 | Power supply cable for operator pcb | |
| 16 | 1603.0166 | Rivet 3,2x7,9 CNS closed | |
| A | 3040.3010 | Operator pcb Electrical | |


# Operator pcb Electrical



# Operator pcb Electrical

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1315.0101 | Copper washer 6x10 | |
| 2 | 5110.1029 | Gasket mode switch | |
| 3 | 2760.1100 | Stop for Poti-Core temperature | |
| 4 | 2760.1129 | Stop for mode switch | |
| 5 | 2022.0100 | Silicone gasket red, for PG 9 15x4mm | |


# Electrical installation



# Electrical installation

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1105.0120 | Hex nut M5 | |
| 2 | 2039.0344 | Air box | |
| 3 | 3040.0281 | E-Prom C1_090 | |
| 3 | 3040.0316 | E-Prom C5.02 | |
| 4 | 3101.1008 | Cooling fan | |
| 5 | 4004.0114 | Wire end sleeve 0,75 mm² blue insulated | |
| B | | Contactor assembly | |


# Contactor assembly



# Contactor assembly

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1004.0660 | Allen screw M4x10 | |
| 2 | 1006.0761 | Hex screw M6x12 | |
| 3 | 1105.0121 | Hex combination nut M5 galv | |
| 6 | 1204.0120 | Tooth lock washer A4,3 | |
| 7 | 1306.0120 | Washer A6,4 | |
| 7 | 1304.0160 | Washer A4,3 | |
| 7 | 1306.0221 | Washer A6,4 | |
| 8 | 2020.0400 | Fixing device for cable harness | |
| 10 | 3040.0262 | Multipoint connector left 10pin, 3.5 | |
| 11 | 3040.3001 | Main pcb | |
| 12 | 3040.3040 | Motor control for fan motor | |
| 13 | 4005.0101 | Tie rap 145 mm | |
| A | | Contactor assembly | |


# Contactor assembly



# Contactor assembly

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1004.0500 | Raised countersunk metal screw M4x8 oval head | |
| 2 | 1004.0660 | Allen screw M4x10 | |
| 4 | 1004.2161 | Hex self tapping screw 4,2x13 | |
| 6 | 1104.0122 | Hex combination nut M4 galv | |
| 7 | 1104.0400 | Rivet nut M4 | |
| 10 | 1204.0120 | Tooth lock washer A4,3 | |
| 11 | 1304.0160 | Washer A4,3 | |
| 12 | 2005.0106 | Protective grid for cooling fan | |
| 13 | 2020.0400 | Fixing device for cable harness | |
| 15 | 2039.0370 | Spacer 12x1,6 | |
| 17 | 2930.1304 | Cooling plate solid state relay | |
| 19 | 3014.0300 | Dry up protector 257°F/135°C | |
| 20 | 3014.0302 | Hex nut M10 for dry-up protector | |
| 20 | 3014.0327 | Hex nut M10x1,0 | |
| 21 | 3014.0325 | Bimetall switch 110°,SSR | |
| 22 | 3014.0326 | Safety temperature limiter 365°C, | |
| 25 | 3019.0404 | Fuse neozed | |
| 26 | | Heat transfer tape | |
| 27 | 3028.0533 | Solid state relais | |
| 29 | 3028.0556 | Contactor AEG LS 75K11 | |
| 34 | 3037.0240 | Control transformer | |
| 37 | 3101.1008 | Cooling fan | |
| 38 | 4001.0226 | Fuse 6.35x32mm | |
| 38 | 4001.0224 | Fuse 6.35x32mm | |
| 42 | 4001.1234 | Fuse holder block neozed | |
| 43 | 4001.1235 | Screw cap e neozed 63A | |
| 45 | 4001.1241 | Insert adapter 50A for NEOZED fuse | |
| 47 | 4001.1278 | Terminal block 95 mm², grey, UL | |
| 48 | 4001.1279 | Terminal block 95 mm², yellow/green, UL | |
| 50 | 4001.1295 | Fuse holder e 1003Si/1DS | |
| 52 | 4005.0101 | Tie rap 145 mm | |
| 53 | 5013.0100 | Edge protection profile | |
| 54 | 1603.0166 | Rivet 3,2x7,9 CNS closed | |
| 55 | 2022.0105 | Grommet 40 mm | |
| 57 | 4001.1203 | End plate for mounting rail | |

# Contactor assembly



# Contactor assembly

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1004.0500 | Raised countersunk metal screw M4x8 oval head | |
| 2 | 1004.0660 | Allen screw M4x10 | |
| 4 | 1004.2161 | Hex self tapping screw 4,2x13 | |
| 6 | 1104.0122 | Hex combination nut M4 galv | |
| 7 | 1104.0400 | Rivet nut M4 | |
| 10 | 1204.0120 | Tooth lock washer A4,3 | |
| 11 | 1304.0160 | Washer A4,3 | |
| 12 | 2005.0106 | Protective grid for cooling fan | |
| 13 | 2020.0400 | Fixing device for cable harness | |
| 15 | 2039.0370 | Spacer 12x1,6 | |
| 17 | 2930.1304 | Cooling plate solid state relay | |
| 19 | 3014.0300 | Dry up protector 257°F/135°C | |
| 20 | 3014.0302 | Hex nut M10 for dry-up protector | |
| 20 | 3014.0327 | Hex nut M10x1,0 | |
| 21 | 3014.0325 | Bimetall switch 110°,SSR | |
| 22 | 3014.0326 | Safety temperature limiter 365°C, | |
| 25 | 3019.0404 | Fuse neozed | |
| 26 | | Heat transfer tape | |
| 27 | 3028.0533 | Solid state relais | |
| 29 | 3028.0556 | Contactor AEG LS 75K11 | |
| 34 | 3037.0240 | Control transformer | |
| 37 | 3101.1008 | Cooling fan | |
| 38 | 4001.0226 | Fuse 6.35x32mm | |
| 38 | 4001.0224 | Fuse 6.35x32mm | |
| 42 | 4001.1234 | Fuse holder block neozed | |
| 43 | 4001.1235 | Screw cap e neozed 63A | |
| 45 | 4001.1241 | Insert adapter 50A for NEOZED fuse | |
| 47 | 4001.1278 | Terminal block 95 mm², grey, UL | |
| 48 | 4001.1279 | Terminal block 95 mm², yellow/green, UL | |
| 50 | 4001.1295 | Fuse holder e 1003Si/1DS | |
| 52 | 4005.0101 | Tie rap 145 mm | |
| 53 | 5013.0100 | Edge protection profile | |
| 54 | 1603.0166 | Rivet 3,2x7,9 CNS closed | |
| 55 | 2022.0105 | Grommet 40 mm | |
| 57 | 4001.1203 | End plate for mounting rail | |

# Clima Plus








# Clima Plus

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 2066.0531 | Hose clamp ø56 | |
| 2 | 2112.1301 | Silicone hose safety valve | |
| 4 | 3014.1016 | Thermocouple | |
| 22 | 8455.1209 | Vent cover | |

# Steam generator, Bypass



# Steam generator, Bypass

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 2066.0516 | Hose clamp 60-80 mm | |
| 2 | 2112.1307 | Hose 70x5mm | |
| 2 | 2112.1016 | Steam hose 80x7 | |
| A | | Steam generator | |
| B | | Safety valve | |


# Steam generator



# Steam generator

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 2066.0524 | Hose clamp ø90 - 110 | |
| 2 | 2066.0518 | Hose clamp 30mm | |
| 4 | 2112.1016 | Steam hose 80x7 | |
| 5 | 2740.1040 | Fixing plate steam generator thermostat | |
| 6 | 3014.1013 | Thermocouple steam generator B5,1300mm | |
| 8 | 8801.0975 | Neutral link 2,5mm² blue | |
| 9 | 1106.0803 | Hex combination nut M6 galv | |
| A | | Steam generator | |


# Steam generator



# Steam generator

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1006.0761 | Hex screw M6x12 | |
| 2 | 2066.0205 | Hose clamp 8-16x9 mm SW 7mm | |
| 3 | 2066.0518 | Hose clamp 30mm | |
| 3 | 2066.0519 | Hose clamp Ø35,6mm | |
| 3 | 2066.0526 | Hose clamp ø46mm | |
| 4 | 2067.0050 | Pressure hose d10mm | |
| 5 | 2112.1305 | Emptying hose steam generator | |
| 6 | 3002.1005 | Emptying pump | |
| 7 | 3201.1005 | Heating element | |
| 8 | 5110.1003 | Gasket for heating element | |
| 9 | 1106.0803 | Hex combination nut M6 galv | |
| 10 | 1306.0222 | Washer A6,4x15x1,5 | |
| 11 | 3002.1000 | Emptying pump | |
| A | 8350.5102 | Steam generator insolated | |
| B | 8354.1304-- | Venting valve for steam generation | |
| B | | Pump connection | |

# Steam generator insolated



# Steam generator insolated

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 3002.0402 | Filling level electrode 90 mm | |
| 2 | 5003.0300 | Insulation, melamin resin foam | |
| 3 | 5006.0500 | Polyurethan-Glue for insulation 310ml | |
| 4 | 5110.1003 | Gasket for heating element | |
| 5 | 1106.0803 | Hex combination nut M6 galv | |
| 6 | 2920.1300 | Level elektrode insert | |

# Pump connection



# Pump connection

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 2062.0331 | Junction pressure hose GS 10 | |
| 2 | 2066.0527 | Hose clamp ø14mm | |
| 3 | 2066.0530 | Hose clamp ø16.4mm | |
| 4 | | Silicon hose | |
| 5 | 2118.1000 | Pump connection spout | |
| 6 | 2120.1259 | Stop plug 10mm | |
| 7 | 4005.0101 | Tie rap 145 mm | |


# Venting valve for steam generation



# Venting valve for steam generation

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 2062.0332 | Receptacle for ventilation valve SG | |
| 2 | 2066.0506 | Hose clamp 20-32mm | |
| 3 | 2069.0108 | Ventilation valve | |
| 4 | 2112.1310 | Form hose for ventilation of steam generator | |


# Safety valve



# Safety valve

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1107.0103 | Star lock ø3 | |
| 2 | 2066.0531 | Hose clamp ø56 | |
| 4 | 8450.1310 | Spacer ring | |
| A | 8450.1304 | Safety valve | |

# Safety valve



# Safety valve

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1107.0103 | Star lock ø3 | |
| 2 | 2001.0117 | Compression spring for safety valve | |
| 3 | | Base for safety valve | |
| 4 | 2064.1304 | Cover for safety valve | |

# Hot air heating













# Hot air heating

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 3 | 2150.1252 | External flange for Hot Air heater | |
| A | | Heating assy | |


# Heating assy



# Heating assy

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1006.0766 | Hex screw M6x25 | |
| 5 | 2150.1252 | External flange for Hot Air heater | |
| 8 | 3200.1012 | Inner heating assembly | |
| 9 | 3200.1016 | Outer heating assembly | |
| 10 | 5110.1009 | Seal for heating assembly | |
| 11 | 8801.0975 | Neutral link 2,5mm² blue | |
| 12 | 1106.0803 | Hex combination nut M6 galv | |

# Motor and fan wheel



# Motor and fan wheel

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 2120.1306 | Spacer SW19x17 | |
| 3 | 2920.1301 | Inner sealing flange | |
| 6 | 3100.1084 | Fan motor 4pol | |
| 8 | 5001.0207 | Motor shaft gasket | |
| 9 | 8514.1339 | Motor shaft gasket mounting support | |
| 11 | 8720.1384 | Hallsensor cpl | |
| A | | Fan motor assy | |
| A | | Fan motor assy | |

# Fan motor assy



# Fan motor assy

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1010.0762 | Hex screw M10x20 | |
| 2 | 1108.0260 | Hex nut M8 | |
| 3 | 1208.0260 | Spring washer B8 | |
| 4 | 1328.0102 | Safety washer A10,2 | |
| 5 | 2012.0512 | Fan wheel | |


# Fan motor assy



# Fan motor assy

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 3 | 1010.0762 | Hex screw M10x20 | |
| 4 | 1106.0220 | Hex nut M6 flat | |
| 5 | 1108.0260 | Hex nut M8 | |
| 6 | 1208.0260 | Spring washer B8 | |
| 7 | 1306.0120 | Washer A6,4 | |
| 8 | 1315.0101 | Copper washer 6x10 | |
| 9 | 1315.0109 | Copper washer 8.5x16x1,2 | |
| 10 | 1328.0102 | Safety washer A10,2 | |
| 12 | 2012.0514 | Fan wheel | |
| 17 | 2120.1306 | Spacer SW19x17 | |
| 18 | 2920.1301 | Inner sealing flange | |
| 21 | 5001.0207 | Motor shaft gasket | |
| 23 | 8514.1339 | Motor shaft gasket mounting support | |


# Interior cabinet



# Interior cabinet

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 4 | 2005.0308 | Outlet sieve | |
| 5 | 2035.0111 | Moistening nozzle | |
| 6 | 2720.1073 | Mounting device for int.cabinet sensor | |
| 8 | 2720.1364 | Mounting device f. int. cabinet sensors | |
| 11 | 2760.1089 | Guide bush for core temperatur sensor | |
| 12 | 3014.0162 | Sealing cone for thermocouple | |
| 13 | 3014.0163 | Gasket sleeve with nipple | |
| 15 | 3014.1000 | Thermocouple for interior cabinet | |
| 15 | 3014.1004 | Thermocouple | |
| 16 | 3035.0713 | Meat probe sensor | |
| 19 | 5105.1024 | Door gasket | |
| 20 | 8514.1018 | Reflector for interior light | |
| 23 | 2760.1132 | Holding bracket core probe tip | |
| A | | Interior light | |
| B | | Air baffle | |

# Interior light



# Interior light

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1008.0753 | Hex screw M5x8 | |
| 2 | 3024.0201 | Halogen bulb 300°C | |
| A | 8514.1034 | Gasket frame with glass and gaskets | |


# Gasket frame with glass and gaskets




# Gasket frame with glass and gaskets

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 5110.1022 | External gasket frame for interior light | |
| 2 | 5110.1023 | Internal gasket frame for interior light | |
| 3 | 5201.1000 | Glass for interior lamp | |
| 4 | 8514.1017 | Gasket frame for interior light | |

# Air baffle



# Air baffle

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1106.0360 | Cap nut M6, high shape | |
| 2 | 1306.0221 | Washer A6,4 | |
| 3 | 1603.0166 | Rivet 3,2x7,9 CNS closed | |
| 3 | 1603.0168 | Rivet 3,2x8 A4 | |
| A | 8516.1344 | Air baffle | |


# Air baffle



# Air baffle

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 1304.0160 | Washer A4,3 | |
| 3 | 1604.0165 | Rivet 4x9,9 | |
| 3 | 1604.0167 | Rivet 4x10 | |
| 7 | 2005.0103 | Protective grating,ø259 | |
| 9 | 2760.1370 | Latch hook for air baffle | |

# Door



# Door

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 8455.1300 | Door bolt cover | |
| 3 | 8474.1319 | Inner glass pane | |
| A | | Door | |

# Door



# Door

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1008.0761 | Hex screw M8x25 | |
| 1 | 1008.0766 | Hex screw M8x30 | |
| 2 | 1008.0768 | Ornamental screw M8x16 | |
| 3 | 1008.1963 | Hex socket countersunk head screw M8x16 | |
| 5 | 1308.0160 | Washer A8,4 | |
| 5 | 1308.0162 | Washer A8,4 | |
| 7 | 2001.0109 | Compression spring | |
| 8 | 2016.1507 | Door handle Rational | |
| 9 | 2039.0309 | Cover cap for door | |
| 10 | 2120.1254 | Door bolt top | |
| 11 | 2930.1307 | Door mounting support top | |
| 12 | 2940.1303 | Door setting console 110° | |
| 13 | 2940.1305 | Door bolt | |
| A | 8470.5101 | Door cpl | |
| B | 8514.1307-- | Door catch | |

# Door cpl


1
2
3
4
5
6
7
8
9
10
11
12
13
18
14
15
16
19
20
17
A
21
22
Novasil S26
Essen

# Door cpl

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1005.1901 | Straight pin ø5,6x16 | |
| 2 | 1005.1966 | Countersunk screw Torx M5x16 | |
| 3 | 1006.0761 | Hex screw M6x12 | |
| 3 | 1008.0752 | Hex screw M5x10 | |
| 4 | 1105.0122 | Hex combination nut M5 V2A | |
| 5 | 1206.0261 | Spring washer B6 | |
| 6 | 1305.0160 | Washer A5,3x10mm | |
| 7 | 2001.0040 | Loctite 243 50ml | |
| 7 | 2001.0042 | Loctite 243 10 ml | |
| 8 | 2039.0341 | Spacer for door | |
| 9 | 2110.1014 | Silicon hose ø3mm | |
| 10 | 2760.1396 | Spring supp. f. int. glass holding bra. | |
| 11 | 2940.1300 | Sleeve for door bolt top | |
| 12 | 2940.1302 | Door setting bolt | |
| 13 | 3016.1409 | Magnet round for door contact d10x40 | |
| 14 | 5006.0200 | Silicon tube E41 90ml | |
| 15 | 5006.0212 | Silicone tube E127, 310 ml silver | |
| 16 | 5105.1026 | Gasket for transport trolley | |
| 17 | 8474.1410 | Door lock | |
| 18 | 1603.0166 | Rivet 3,2x7,9 CNS closed | |
| 19 | 2002.0106 | Tension spring for inner window | |
| 20 | 2039.0402 | Spacer for interior door | |
| 21 | 2760.1395 | Fixing bracket for interior glass pane | |
| 22 | 2940.1306 | Cover for door lock | |
| A | 8474.1305 | Door lock | |


# Door lock



# Door lock

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1005.1901 | Straight pin ø5,6x16 | |
| 2 | 1006.7601 | Allen screw M6x16 | |
| 3 | 2001.0042 | Loctite 243 10 ml | |


# Door catch



# Door catch

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1004.0904 | Hex socket set screw M6x10 | |
| 2 | 1006.0625 | Allen screw M6x70 | |
| 3 | 1106.0160 | Hex nut M6 | |
| 4 | 1306.0550 | Washer A6,6 | |
| 5 | 5012.0711 | Silicone plate for door | |


# Water supply, quenching box



# Water supply, quenching box

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 2066.0205 | Hose clamp 8-16x9 mm SW 7mm | |
| 3 | 2066.0524 | Hose clamp ø90 - 110 | |
| 4 | 2067.0050 | Pressure hose d10mm | |
| 7 | 3002.0334 | Double solenoid valve | |
| 8 | 3002.0333 | Single solenoid valve | |
| B | | Water connection | |
| C | | Quenching box | |


# Water connection



# Water connection

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1004.0666 | Hex screw M4x10 | |
| 4 | 1107.0103 | Star lock ø3 | |
| 6 | 1900.0202 | Water filter | |
| 8 | 2060.1211 | Tulip for handshower | |
| 9 | 2062.0333 | Housing for non returne valve | |
| 10 | 2066.0205 | Hose clamp 8-16x9 mm SW 7mm | |
| 11 | 2067.0050 | Pressure hose d10mm | |
| 12 | 2069.0108 | Ventilation valve | |
| 13 | 3002.0339 | Fixing bracket for solenoid valve | |
| 15 | 5110.1024 | Gasket for G3/4" threaded joint | |
| 16 | 8664.1301 | T-fitting water connection | |


# Quenching box



# Quenching box

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 1105.0122 | Hex combination nut M5 V2A | |
| 5 | 2016.0943 | Quenching nozzle | |
| 12 | 8666.1201 | Flange quenching nozzle | |
| A | 5110.1306 | Set gasket for quenching box | |
| B | | Quenching box | |


# Set gasket for quenching box



# Set gasket for quenching box

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 2 | 5110.1302 | Gasket quenching flange | |
| 3 | 5110.1303 | Gasket for inspection cover | |
| 4 | 5110.1304 | Gasket interior cabinet drain/quenching | |


# Quenching box



# Quenching box

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 7 | 5003.0300 | Insulation, melamin resin foam | |
| 8 | 5006.0500 | Polyurethan-Glue for insulation 310ml | |

# Hand shower



# Hand shower


| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 2060.0228 | O-ring for shower hose | |
| 2 | 2060.1006 | Hand shower | |
| 5 | 2062.0330 | Connecting pipe for hand shower | |
| 6 | 2069.0106 | Non return valve DN 10 Handshower | |
| 7 | 5110.1024 | Gasket for G3/4" threaded joint | |
| 8 | 8655.2020 | Hand shower roll guide | |
| 9 | 8655.2022 | Hose guide for handshower | |
| 11 | 8664.1300 | T-fitting handshower connection | |

# Gas parts

# Gas parts

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 2001.0040 | Loctite 243 50ml | |


# Exterior cabinet



# Exterior cabinet

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1006.0621 | Allen screw M6x12 | |
| 5 | 1107.0104 | Star lock ø6 | |
| 9 | 8464.1307 | Opening mechanism for panel insert | |
| 10 | 2510.530746 | Stop for potentiometer hot air | |
| 14 | 8700.0317 | Floor fixing for units | |
| 15 | 2710.1336 | Crossbar top | |
| 19 | 2812.1304 | Spacer for vent cover | |
| 20 | 3016.1415 | Door switch | |
| 22 | 8450.1310 | Spacer ring | |
| 22 | 8455.1209 | Vent cover | |
| A | | Exterior cabinet | |
| B | 8455.1326 | Front panel welded | |
| C | | Base frame | |


# Exterior cabinet



# Exterior cabinet

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1003.2261 | Raised counters. head self tapp. screw 4,2x13 | |
| 2 | 1003.2265 | Countersunk self tapping screw 4,2x16 | |
| 3 | 1004.2160 | Hex self tapping screw 4,2x16 | |
| 4 | 1104.0820 | Snap nut 4,2mm | |
| 5 | 2039.0331 | Cap for service door | |
| 6 | 2039.0338 | Corner guard handshower hose | |
| 7 | 2039.0343 | Vent cover | |
| 8 | 2710.1336 | Crossbar top | |
| 9 | 2710.1331 | Top crossbar left side | |
| 11 | 2710.1371 | Back panel left | |
| 13 | 5105.1028 | Gasket f. breather tube d=74mm | |
| 13 | 5100.1012 | Gasket venting pipe-top cover | |
| 14 | 8455.1313 | Side panel left | |
| 15 | 8455.1314 | Side panel right | |
| 16 | 8455.1361 | Back panel right | |
| 17 | 8457.1310 | Top cover | |
| 19 | 1603.0166 | Rivet 3,2x7,9 CNS closed | |
| 19 | 1603.0161 | Rivet 3,2x6 | |
| A | | Door switch | |


# Door switch



# Door switch

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1003.2160 | Hex self tapping screw 2,9x9,5 | |
| 2 | 1103.0600 | PVC plug in nut for metal screw 2.9mm | |
| 3 | 1304.0150 | Washer A3,2 | |
| 7 | 2760.1548 | Bracket for door contact switch | |
| 8 | 3016.1415 | Door switch | |


# Front panel welded



# Front panel welded

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1107.0104 | Star lock ø6 | |
| 2 | 2002.0107 | Tension spring for front panel | |
| 3 | 8464.1307 | Opening mechanism for panel insert | |


# Base frame


1
2
3
4
5
Potentialausgleich
Equipotentiality
Equipotentialité

# Base frame

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 1 | 1106.0160 | Hex nut M6 | |
| 2 | 1206.0120 | Tooth lock washer A6,4 | |
| 3 | 1604.0165 | Rivet 4x9,9 | |
| 4 | 2039.0111 | Foot adjustable, metal, 40 x 40 | |
| 5 | 2049.0817 | Sticker, Equipotential bonding | |

# Miscellaneous



# Miscellaneous

| Pos. | Part no. | Description | Qty. |
|---|---|---|---|
| 6 | 1210.0260 | Spring washer B10 | |
| 7 | 1305.0160 | Washer A5,3x10mm | |
| 8 | 1315.0105 | Copper washer 10x16x1,5 | |
| 9 | 2005.0603 | Castor, 125mm with brake | |
| 10 | 2005.0604 | Castor, 125mm without brake | |
| 11 | 2049.0817 | Sticker, Equipotential bonding | |
| 13 | 9006.0800 | Adhesive solvent "Weicon" | |
| 14 | 2001.0040 | Loctite 243 50ml | |
| 17 | 2049.0433 | Sticker Drain connection DN 50 | |
| 19 | 2049.0484 | Sticker "Loading heights" | |

# Index


| Part no. | Description | Page |
|---|---|---|
| 9006.0800 | Adhesive solvent "Weicon" | 95 |
| 8516.1344 | Air baffle | 57 |
| 2039.0344 | Air box | 15 |
| 8455.1377 | Air inlet filter | 7 |
| 1004.0660 | Allen screw M4x10 | 17, 19, 21 |
| 1006.0621 | Allen screw M6x12 | 85 |
| 1006.7601 | Allen screw M6x16 | 67 |
| 1006.0625 | Allen screw M6x70 | 69 |
| 2710.1371 | Back panel left | 87 |
| 8455.1361 | Back panel right | 87 |
| 3014.0325 | Bimetall switch 110°,SSR | 19, 21 |
| 2760.1548 | Bracket for door contact switch | 89 |
| 8720.1300 | Bus cable CPU - operator pcb | 11 |
| 3006.0107 | Buzzer | 11 |
| 2039.0331 | Cap for service door | 7, 87 |
| 1106.0360 | Cap nut M6, high shape | 57 |
| 2005.0603 | Castor, 125mm with brake | 95 |
| 2005.0604 | Castor, 125mm without brake | 95 |
| 2001.0109 | Compression spring | 63 |
| 2001.0117 | Compression spring for safety valve | 39 |
| 2062.0330 | Connecting pipe for hand shower | 81 |
| 3028.0556 | Contactor AEG LS 75K11 | 19, 21 |
| 8720.1327 | Control panel insert with overlay | 5 |
| 3037.0240 | Control transformer | 19, 21 |
| 3101.1008 | Cooling fan | 15, 19, 21 |
| 2930.1304 | Cooling plate solid state relay | 19, 21 |
| 1315.0101 | Copper washer 6x10 | 13, 49 |
| 1315.0109 | Copper washer 8.5x16x1,2 | 49 |
| 1315.0105 | Copper washer 10x16x1,5 | 95 |
| 2039.0338 | Corner guard handshower hose | 7, 87 |
| 1005.1966 | Countersunk screw Torx M5x16 | 65 |
| 1003.2265 | Countersunk self tapping screw 4,2x16 | 87 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 2039.0309 | Cover cap for door | 63 |
| 2940.1306 | Cover for door lock | 65 |
| 2064.1304 | Cover for safety valve | 39 |
| 2710.1336 | Crossbar top | 85, 87 |
| 3013.0344 | Dial blue, | 11 |
| 5110.1027 | Distance plate for front panel | 11 |
| 2940.1305 | Door bolt | 63 |
| 8455.1300 | Door bolt cover | 61 |
| 2120.1254 | Door bolt top | 63 |
| 8514.1307-- | Door catch | 63 |
| 8470.5101 | Door cpl | 63 |
| 5105.1024 | Door gasket | 51 |
| 2016.1507 | Door handle Rational | 63 |
| 8474.1410 | Door lock | 65 |
| 8474.1305 | Door lock | 65 |
| 2930.1307 | Door mounting support top | 63 |
| 2940.1302 | Door setting bolt | 65 |
| 2940.1303 | Door setting console 110° | 63 |
| 3016.1415 | Door switch | 85, 89 |
| 3002.0334 | Double solenoid valve | 71 |
| 3014.0300 | Dry up protector 257°F/135°C | 19, 21 |
| 5013.0100 | Edge protection profile | 19, 21 |
| 2112.1305 | Emptying hose steam generator | 29 |
| 3002.1005 | Emptying pump | 29 |
| 3002.1000 | Emptying pump | 29 |
| 4001.1203 | End plate for mounting rail | 19, 21 |
| 3040.0281 | E-Prom C1_090 | 15 |
| 3040.0316 | E-Prom C5.02 | 15 |
| 2150.1252 | External flange for Hot Air heater | 41, 43 |
| 5110.1022 | External gasket frame for interior light | 55 |
| 3100.1084 | Fan motor 4pol | 45 |
| 2012.0512 | Fan wheel | 47 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 2012.0514 | Fan wheel | 49 |
| 3002.0402 | Filling level electrode 90 mm | 31 |
| 2760.1395 | Fixing bracket for interior glass pane | 65 |
| 3002.0339 | Fixing bracket for solenoid valve | 73 |
| 2020.0400 | Fixing device for cable harness | 17, 19, 21 |
| 2740.1040 | Fixing plate steam generator thermostat | 27 |
| 8666.1201 | Flange quenching nozzle | 75 |
| 8700.0317 | Floor fixing for units | 85 |
| 2039.0111 | Foot adjustable, metal, 40 x 40 | 93 |
| 2112.1310 | Form hose for ventilation of steam generator | 35 |
| 8455.1342 | Front panel cpl. | 5 |
| 8455.1326 | Front panel welded | 85 |
| 4001.0226 | Fuse 6.35x32mm | 19, 21 |
| 4001.0224 | Fuse 6.35x32mm | 19, 21 |
| 4001.1234 | Fuse holder block neozed | 19, 21 |
| 4001.1295 | Fuse holder e 1003Si/1DS | 19, 21 |
| 3019.0404 | Fuse neozed | 19, 21 |
| 5100.1011 | Gasket | 11 |
| 5105.1028 | Gasket f. breather tube d=74mm | 87 |
| 5110.1024 | Gasket for G3/4" threaded joint | 73, 81 |
| 5110.1003 | Gasket for heating element | 29, 31 |
| 5110.1303 | Gasket for inspection cover | 77 |
| 5105.1026 | Gasket for transport trolley | 65 |
| 8514.1017 | Gasket frame for interior light | 55 |
| 8514.1034 | Gasket frame with glass and gaskets | 53 |
| 5110.1304 | Gasket interior cabinet drain/quenching | 77 |
| 5110.1029 | Gasket mode switch | 13 |
| 5110.1028 | Gasket poti hot air, core temperature | 11 |
| 5110.1302 | Gasket quenching flange | 77 |
| 3014.0163 | Gasket sleeve with nipple | 51 |
| 5100.1012 | Gasket venting pipe-top cover | 87 |
| 5201.1000 | Glass for interior lamp | 55 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 2022.0105 | Grommet 40 mm | 19, 21 |
| 2760.1089 | Guide bush for core temperatur sensor | 51 |
| 8720.1384 | Hallsensor cpl | 45 |
| 3024.0201 | Halogen bulb 300°C | 53 |
| 2060.1006 | Hand shower | 81 |
| 8655.2020 | Hand shower roll guide | 81 |
| 3201.1005 | Heating element | 29 |
| 1104.0122 | Hex combination nut M4 galv | 19, 21 |
| 1105.0121 | Hex combination nut M5 galv | 17 |
| 1105.0122 | Hex combination nut M5 V2A | 65, 75 |
| 1106.0803 | Hex combination nut M6 galv | 27, 29, 31, 43 |
| 1103.0120 | Hex nut M3 | 11 |
| 1104.0121 | Hex nut M4 self locking | 11 |
| 1105.0120 | Hex nut M5 | 15 |
| 1106.0160 | Hex nut M6 | 9, 69, 93 |
| 1106.0220 | Hex nut M6 flat | 49 |
| 1108.0260 | Hex nut M8 | 47, 49 |
| 3014.0302 | Hex nut M10 for dry-up protector | 19, 21 |
| 3014.0327 | Hex nut M10x1,0 | 19, 21 |
| 1004.0666 | Hex screw M4x10 | 73 |
| 1008.0753 | Hex screw M5x8 | 53 |
| 1008.0752 | Hex screw M5x10 | 65 |
| 1006.0761 | Hex screw M6x12 | 17, 29, 65 |
| 1006.0766 | Hex screw M6x25 | 43 |
| 1008.0761 | Hex screw M8x25 | 63 |
| 1008.0766 | Hex screw M8x30 | 63 |
| 1010.0762 | Hex screw M10x20 | 47, 49 |
| 1003.2160 | Hex self tapping screw 2,9x9,5 | 89 |
| 1004.2161 | Hex self tapping screw 4,2x13 | 19, 21 |
| 1004.2160 | Hex self tapping screw 4,2x16 | 87 |
| 1008.1963 | Hex socket countersunk head screw M8x16 | 63 |
| 1004.0904 | Hex socket set screw M6x10 | 69 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 2760.1132 | Holding bracket core probe tip | 51 |
| 2112.1307 | Hose 70x5mm | 25 |
| 2066.0205 | Hose clamp 8-16x9 mm SW 7mm | 29, 71, 73 |
| 2066.0506 | Hose clamp 20-32mm | 35 |
| 2066.0518 | Hose clamp 30mm | 27, 29 |
| 2066.0516 | Hose clamp 60-80 mm | 25 |
| 2066.0527 | Hose clamp ø14mm | 33 |
| 2066.0530 | Hose clamp ø16.4mm | 33 |
| 2066.0519 | Hose clamp Ø35,6mm | 29 |
| 2066.0526 | Hose clamp ø46mm | 29 |
| 2066.0531 | Hose clamp ø56 | 23, 37 |
| 2066.0524 | Hose clamp ø90 - 110 | 27, 71 |
| 8655.2022 | Hose guide for handshower | 81 |
| 2062.0333 | Housing for non returne valve | 73 |
| 8474.1319 | Inner glass pane | 61 |
| 3200.1012 | Inner heating assembly | 43 |
| 2920.1301 | Inner sealing flange | 45, 49 |
| 4001.1241 | Insert adapter 50A for NEOZED fuse | 19, 21 |
| 5003.0300 | Insulation, melamin resin foam | 31, 79 |
| 5110.1023 | Internal gasket frame for interior light | 55 |
| 2062.0331 | Junction pressure hose GS 10 | 33 |
| 2760.1370 | Latch hook for air baffle | 59 |
| 2920.1300 | Level elektrode insert | 31 |
| 2001.0042 | Loctite 243 10 ml | 65, 67 |
| 2001.0040 | Loctite 243 50ml | 65, 83, 95 |
| 3016.1409 | Magnet round for door contact d10x40 | 65 |
| 3040.3001 | Main pcb | 17 |
| 3035.0713 | Meat probe sensor | 51 |
| 2035.0111 | Moistening nozzle | 51 |
| 3040.3040 | Motor control for fan motor | 17 |
| 5001.0207 | Motor shaft gasket | 45, 49 |
| 8514.1339 | Motor shaft gasket mounting support | 45, 49 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 2720.1364 | Mounting device f. int. cabinet sensors | 51 |
| 2720.1073 | Mounting device for int.cabinet sensor | 51 |
| 3040.0262 | Multipoint connector left 10pin, 3.5 | 17 |
| 8801.0975 | Neutral link 2,5mm² blue | 27, 43 |
| 2069.0106 | Non return valve DN 10 Handshower | 81 |
| 8464.1307 | Opening mechanism for panel insert | 7, 85, 91 |
| 3040.3010 | Operator pcb Electrical | 11 |
| 2060.0228 | O-ring for shower hose | 81 |
| 5012.0565 | O-ring inlet filter | 7 |
| 1008.0768 | Ornamental screw M8x16 | 63 |
| 3200.1016 | Outer heating assembly | 43 |
| 2005.0308 | Outlet sieve | 51 |
| 5006.0500 | Polyurethan-Glue for insulation 310ml | 31, 79 |
| 8720.1302 | Power supply cable for operator pcb | 11 |
| 2067.0050 | Pressure hose d10mm | 29, 71, 73 |
| 2005.0103 | Protective grating,ø259 | 59 |
| 2005.0106 | Protective grid for cooling fan | 19, 21 |
| 2118.1000 | Pump connection spout | 33 |
| 1103.0600 | PVC plug in nut for metal screw 2.9mm | 89 |
| 2016.0943 | Quenching nozzle | 75 |
| 1003.2261 | Raised counters. head self tapp. screw 4,2x13 | 7, 87 |
| 1004.0500 | Raised countersunk metal screw M4x8 oval head | 19, 21 |
| 2062.0332 | Receptacle for ventilation valve SG | 35 |
| 8514.1018 | Reflector for interior light | 51 |
| 1603.0161 | Rivet 3,2x6 | 87 |
| 1603.0166 | Rivet 3,2x7,9 CNS closed | 11, 19, 21, 57, 65, 87 |
| 1603.0168 | Rivet 3,2x8 A4 | 57 |
| 1604.0165 | Rivet 4x9,9 | 59, 93 |
| 1604.0167 | Rivet 4x10 | 59 |
| 1104.0400 | Rivet nut M4 | 19, 21 |
| 3014.0326 | Safety temperature limiter 365°C, | 19, 21 |
| 8450.1304 | Safety valve | 37 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 1328.0102 | Safety washer A10,2 | 47, 49 |
| 4001.1235 | Screw cap e neozed 63A | 19, 21 |
| 5110.1009 | Seal for heating assembly | 43 |
| 3014.0162 | Sealing cone for thermocouple | 51 |
| 5110.1306 | Set gasket for quenching box | 75 |
| 8455.1313 | Side panel left | 87 |
| 8455.1314 | Side panel right | 87 |
| 2110.1014 | Silicon hose ø3mm | 65 |
| 5006.0200 | Silicon tube E41 90ml | 65 |
| 2022.0100 | Silicone gasket red, for PG 9 15x4mm | 13 |
| 2112.1301 | Silicone hose safety valve | 23 |
| 5012.0711 | Silicone plate for door | 69 |
| 5006.0212 | Silicone tube E127, 310 ml silver | 7, 65 |
| 3002.0333 | Single solenoid valve | 71 |
| 2940.1300 | Sleeve for door bolt top | 65 |
| 1104.0820 | Snap nut 4,2mm | 7, 87 |
| 3028.0533 | Solid state relais | 19, 21 |
| 2039.0370 | Spacer 12x1,6 | 19, 21 |
| 2039.0341 | Spacer for door | 65 |
| 2039.0402 | Spacer for interior door | 65 |
| 2039.0326 | Spacer for pcb | 11 |
| 2812.1304 | Spacer for vent cover | 85 |
| 8450.1310 | Spacer ring | 37, 85 |
| 2120.1306 | Spacer SW19x17 | 45, 49 |
| 2760.1396 | Spring supp. f. int. glass holding bra. | 65 |
| 1206.0261 | Spring washer B6 | 65 |
| 1208.0260 | Spring washer B8 | 47, 49 |
| 1210.0260 | Spring washer B10 | 95 |
| 1107.0103 | Star lock ø3 | 37, 39, 73 |
| 1107.0104 | Star lock ø6 | 7, 85, 91 |
| 8350.5102 | Steam generator insolated | 29 |
| 2112.1016 | Steam hose 80x7 | 25, 27 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 2049.0484 | Sticker "Loading heights" | 95 |
| 2049.0433 | Sticker Drain connection DN 50 | 95 |
| 2052.1180 | Sticker name trade sign Rational | 11 |
| 2049.0817 | Sticker, Equipotential bonding | 93, 95 |
| 2760.1129 | Stop for mode switch | 13 |
| 2510.530746 | Stop for potentiometer hot air | 85 |
| 2760.1100 | Stop for Poti-Core temperature | 13 |
| 2120.1259 | Stop plug 10mm | 33 |
| 1005.1901 | Straight pin ø5,6x16 | 65, 67 |
| 2002.0107 | Tension spring for front panel | 7, 91 |
| 2002.0106 | Tension spring for inner window | 65 |
| 4001.1278 | Terminal block 95 mm², grey, UL | 19, 21 |
| 4001.1279 | Terminal block 95 mm², yellow/green, UL | 19, 21 |
| 8664.1300 | T-fitting handshower connection | 81 |
| 8664.1301 | T-fitting water connection | 73 |
| 3014.1016 | Thermocouple | 23 |
| 3014.1004 | Thermocouple | 51 |
| 3014.1000 | Thermocouple for interior cabinet | 51 |
| 3014.1013 | Thermocouple steam generator B5,1300mm | 27 |
| 4005.0101 | Tie rap 145 mm | 11, 17, 19, 21, 33 |
| 4005.0103 | Tie rap black | 11 |
| 1204.0120 | Tooth lock washer A4,3 | 17, 19, 21 |
| 1206.0120 | Tooth lock washer A6,4 | 9, 93 |
| 8457.1310 | Top cover | 87 |
| 2710.1331 | Top crossbar left side | 87 |
| 2060.1211 | Tulip for handshower | 73 |
| 8455.1209 | Vent cover | 23, 85 |
| 2039.0343 | Vent cover | 87 |
| 2069.0108 | Ventilation valve | 35, 73 |
| 8354.1304-- | Venting valve for steam generation | 29 |
| 1304.0150 | Washer A3,2 | 89 |
| 1304.0160 | Washer A4,3 | 11, 17, 19, 21, 59 |

# Index


| Part no. | Description | Page |
|---|---|---|
| 1306.0218 | Washer A4,3 | 11 |
| 1305.0160 | Washer A5,3x10mm | 65, 95 |
| 1306.0120 | Washer A6,4 | 17, 49 |
| 1306.0221 | Washer A6,4 | 17, 57 |
| 1306.0222 | Washer A6,4x15x1,5 | 29 |
| 1306.0550 | Washer A6,6 | 69 |
| 1308.0160 | Washer A8,4 | 63 |
| 1308.0162 | Washer A8,4 | 63 |
| 1900.0202 | Water filter | 73 |
| 4004.0114 | Wire end sleeve 0,75 mm² blue insulated | 15 |